



# Open Source Used In AppDynamics\_Python\_Agent 23.4.0

## **Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1658150691

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).**

**In your requests please include the following reference number 78EE117C99-1658150691**

## Contents

### **1.1 log4j-jcl 2.17.1**

1.1.1 Available under license

### **1.2 servlet-api 3.0.1**

1.2.1 Available under license

### **1.3 openjdk-jre 11.0.16u1**

1.3.1 Available under license

### **1.4 error\_prone\_annotations 2.3.4**

1.4.1 Available under license

### **1.5 jackson-annotations 2.14.2**

1.5.1 Available under license

### **1.6 javax-inject 1**

1.6.1 Available under license

### **1.7 commons-codec 1.14**

1.7.1 Available under license

### **1.8 appdynamics 23.4.0.5853**

1.8.1 Available under license

### **1.9 jzmq-core 3.1.1-SNAPSHOT**

1.9.1 Available under license

### **1.10 disruptor 2.11.2.3**

1.10.1 Available under license

### **1.11 log4j-api 2.17.1**

1.11.1 Available under license

### **1.12 appdynamics-proxysupport-linux-x64 11.58.2**

1.12.1 Available under license

### **1.13 opentelemetry-proto 0.11.0**

1.13.1 Available under license

## **1.14 guava 30.1-jre**

1.14.1 Available under license

## **1.15 openjdk-jre 11.0.16u8**

1.15.1 Available under license

## **1.16 appdynamics-proxysupport-alpine-linux-x64 11.58.2**

1.16.1 Available under license

## **1.17 httpcomponents-client 4.5.13**

1.17.1 Available under license

## **1.18 appdynamics-bindeps-linux-x64 23.4.0**

1.18.1 Available under license

## **1.19 annotations 13.0**

## **1.20 error\_prone\_annotations 2.10.0**

1.20.1 Available under license

## **1.21 commons-logging 1.2**

1.21.1 Available under license

## **1.22 httpcomponents-mime 4.5.12**

1.22.1 Available under license

## **1.23 xerces-j 2.12.2**

1.23.1 Available under license

## **1.24 dagger 2.4**

1.24.1 Available under license

## **1.25 protobuf-java 3.19.6**

1.25.1 Available under license

## **1.26 perfmark-api 0.17.0**

1.26.1 Available under license

## **1.27 commons-math 2.1**

1.27.1 Available under license

## **1.28 jsr305 3.0.2**

1.28.1 Available under license

## **1.29 jackson-databind 2.14.2**

1.29.1 Available under license

## **1.30 okio 3.3.0**

1.30.1 Available under license

## **1.31 zt 1.14**

1.31.1 Available under license

## **1.32 opentelemetry-semconv 1.19.0-alpha**

1.32.1 Available under license

## **1.33 xml-apis 1.4.01**

1.33.1 Available under license

- 1.34 namespace 1.4.01**
  - 1.34.1 Available under license
- 1.35 disruptor 2.11.2.3**
  - 1.35.1 Available under license
- 1.36 error\_prone\_annotations 2.3.3**
  - 1.36.1 Available under license
- 1.37 slf4j 1.6.6**
  - 1.37.1 Available under license
- 1.38 httpcore-nio 4.4.13**
  - 1.38.1 Available under license
- 1.39 jctools-core 4.0.1**
  - 1.39.1 Available under license
- 1.40 httpcomponents-core 4.4.13**
  - 1.40.1 Available under license
- 1.41 failureaccess 1.0.1**
- 1.42 jdk-zulu 11.58+23**
  - 1.42.1 Available under license
- 1.43 dom 1.0**
  - 1.43.1 Available under license
- 1.44 jzmq-jni 3.1.1-SNAPSHOT**
  - 1.44.1 Available under license
- 1.45 openjdk 11.0.16**
  - 1.45.1 Available under license
- 1.46 zeromq 4.3.4**
  - 1.46.1 Available under license
- 1.47 httpclient-cache 4.5.13**
  - 1.47.1 Available under license
- 1.48 jackson 2.14.2**
  - 1.48.1 Available under license
- 1.49 opentelemetry-sdk 1.19.0**
  - 1.49.1 Available under license
- 1.50 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
- 1.51 j2objc-annotations 1.3**
  - 1.51.1 Available under license
- 1.52 appdynamics-bindeps-alpine-linux-x64 23.4.0**
  - 1.52.1 Available under license
- 1.53 commons-fileupload 1.5**
  - 1.53.1 Available under license
- 1.54 jackson-dataformat-yaml 2.14.2**

- 1.54.1 Available under license
- 1.55 animal-sniffer-annotation 1.19**
  - 1.55.1 Available under license
- 1.56 guava 31.0.1-android**
  - 1.56.1 Available under license
- 1.57 commons-io 2.8.0**
  - 1.57.1 Available under license
- 1.58 jzmq 3.1.1-SNAPSHOT**
  - 1.58.1 Available under license
- 1.59 opentelemetry-sdk-extension-autoconfigure-spi 1.19.0**
  - 1.59.1 Available under license
- 1.60 apache-log4j 2.17.1**
  - 1.60.1 Available under license
- 1.61 annotations 4.1.1.4**
  - 1.61.1 Available under license
- 1.62 protobuf-java-format 1.2**
  - 1.62.1 Available under license
- 1.63 gson 2.8.9**
  - 1.63.1 Available under license
- 1.64 commons-codec 1.15**
  - 1.64.1 Available under license
- 1.65 asm 6.0**
  - 1.65.1 Available under license
- 1.66 kotlin 1.3.31**
  - 1.66.1 Available under license
- 1.67 jzmq-devices 3.1.1-SNAPSHOT**
  - 1.67.1 Available under license
- 1.68 okhttp 4.10.0**
  - 1.68.1 Available under license

## 1.1 log4j-jcl 2.17.1

### 1.1.1 Available under license :

Apache Log4j Commons Logging Bridge  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.2 servlet-api 3.0.1

### 1.2.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally

released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions

thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the

jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of



any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time

to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

## Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.3 openjdk-jre 11.0.16u1

### 1.3.1 Available under license :

```
## Pako v1.0
```

```
### Pako License
```

```
<pre>
```

```
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
(C) 1995-2013 Jean-loup Gailly and Mark Adler
```

```
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin
```

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt

pi2k.txt

pi5k.txt

## JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license \*or\* the GPLv3 license.

### The MIT License

---

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

### GPL version 3

---

GNU GENERAL PUBLIC LICENSE

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are designed  
to take away your freedom to share and change the works. By contrast,  
the GNU General Public License is intended to guarantee your freedom to  
share and change all versions of a program--to make sure it remains free  
software for all its users. We, the Free Software Foundation, use the  
GNU General Public License for most of our software; it applies also to  
any other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
them if you wish), that you receive source code or can get it if you  
want it, that you can change the software or use pieces of it in new  
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you  
these rights or asking you to surrender the rights. Therefore, you have  
certain responsibilities if you distribute copies of the software, or if  
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must pass on to the recipients the same  
freedoms that you received. You must make sure that they, too, receive  
or can get the source code. And you must show them these terms so they  
know their rights.

Developers that use the GNU GPL protect your rights with two steps:  
(1) assert copyright on the software, and (2) offer you this License  
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains  
that there is no warranty for this free software. For both users' and  
authors' sake, the GPL requires that modified versions be marked as  
changed, so that their problems will not be attributed erroneously to  
authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.



To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work

in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding

Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided,

in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a



consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory

patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

## c-libutl 20160225

### c-libutl License

...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## JLine v3.20.0
```

```
### JLine License
<pre>
```

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## The FreeType Project: Freetype v2.12.0
```

```
### FreeType Notice
```

```
...
```

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
  
- o You can use this software for whatever you want, in parts or

full form, without having to pay us. (‘royalty-free’ usage)

- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (‘credits’)

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""  
Portions of this software are copyright <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
"""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms ‘package’, ‘FreeType Project’, and ‘FreeType archive’ refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the ‘FreeType Project’, be they named as alpha, beta or final release.

‘You’ refers to the licensee, or person using the project, where ‘using’ is a generic term including compiling the project’s source code as well as linking it to form a ‘program’ or ‘executable’. This program is referred to as ‘a program using the FreeType engine’.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.



If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project`, `FreeType Engine`, `FreeType library`, or `FreeType Distribution`.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third

parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.



<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

```

/*
 * Copyright 2000 Computing Research Labs, New Mexico State University
 * Copyright 2001-2015
 * Francesco Zappa Nardelli
 *
 * Permission is hereby granted, free of charge, to any person obtaining a
 * copy of this software and associated documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation
 * the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the
 * Software is furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
 * THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
 * CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 * OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
 * THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */

```

/\*\*\*\*\*\*

```

*
 * This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50
 *
 * taken from Mark Leisher's xmbdfed package
 *
 */

```

#####

--- FreeType 2 PSaux module is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License,

LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

```
basecvt.pod
gcd.pod
invmod.pod
isprime.pod
lap.pod
mpi-test.pod
prime.txt
prng.pod
## Double-conversion v1.1.5
```

```
### Double-conversion License
```

```
https://raw.githubusercontent.com/google/double-conversion/master/LICENSE
```

```
<pre>
```

Copyright 2006-2011, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,



except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====  
=====  
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==  
== in this case for the Apache Xalan distribution. ==  
=====  
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
        Apache License  
        Version 2.0, January 2004  
        http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity

pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
## PC/SC Lite v1.8.26
```

```
### PC/SC Lite License
<pre>
```

```
Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



```
</pre>
## jopt-simple v5.0.4
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## Independent JPEG Group: JPEG release 6b
```

```
### JPEG License
<pre>
```

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many

implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

PRIMES

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and

non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire

risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

### Apache Commons BCEL Notice

<pre>

```
Apache Commons BCEL  
Copyright 2004-2020 The Apache Software Foundation
```

```
This product includes software developed at  
The Apache Software Foundation (https://www.apache.org/).
```

</pre>

### Apache 2.0 License

<pre>

```
Apache License  
Version 2.0, January 2004  
http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the



Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced

by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or

in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent

obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of



all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

```
## Dynalink v.5
```

```
### Dynalink License
```

```
<pre>
```

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1994-2000 Netscape Communications Corporation. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

---

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glxt.h	Khronos
	GL/glxt.h	Khronos
	GL/wglxt.h	Khronos
	KHR/khrplatform.h	Khronos

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

include/GL/glxt.h

include/GL/glxt.h

include/GL/wglxt.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## ASM Bytecode Manipulation Framework v6.0

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.



3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## The Unicode Standard, Unicode Character Database, Version 10.0.0

### Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Files src/auth.c and src/auth.h are:

- \* Copyright (C) 2013 Red Hat
- \*
- \* All rights reserved.
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
\* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS  
\* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
\* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,  
\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,  
\* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS  
\* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
\* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
\* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
\* DAMAGE.  
\*  
\* Author: Nikos Mavrogiannopoulos <nnav@redhat.com>

Files src/simclist.c and src/simclist.h are:

```
* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>  
*  
* Permission to use, copy, modify, and distribute this software for any  
* purpose with or without fee is hereby granted, provided that the above  
* copyright notice and this permission notice appear in all copies.  
*  
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
## xwd v1.0.7  
  
### xwd utility  
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its  
documentation for any purpose is hereby granted without fee, provided that  
the above copyright notice appear in all copies and that both that

copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
## Harfbuzz v2.8
```

```
### Harfbuzz License
```

```
https://github.com/harfbuzz/harfbuzz/blob/master/COPYING
```

```
<pre>
```

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.

Copyright 2012 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright 2009 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

```
## Mozilla Elliptic Curve Cryptography (ECC)
```

```
### Mozilla ECC Notice
```

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)

of the Elliptic Curve Cryptography library in source

form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

```
<pre>
```

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

```
</pre>
```

### Written Offer for Source Code

```
<pre>
```

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)

- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

## GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of



it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

#### GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a

table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or

link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for

reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the

original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version,



but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

```
<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice
```

That's all there is to it!

```
</pre>  
## zlib v1.2.11  
  
### zlib License  
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>  
## CUP Parser Generator for Java v 0.11b
```

```
### CUP Parser Generator License  
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

```
</pre>  
This is the copyright file  
Copyright 2008, Google Inc.  
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

All images in this directory are copyright 1995 by Jeff Dinkins.

Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first

distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to



the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version



\*

\*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all



other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
# This file contains a list of people who've made non-trivial  
# contribution to the Google C++ Testing Framework project. People  
# who commit code to the project are encouraged to add their names  
# here. Please keep the list sorted by first names.
```

Ajay Joshi <jaj@google.com>

Balzs Dn <balazs.dan@gmail.com>  
Bharat Mediratta <bharat@menalto.com>  
Chandler Carruth <chandlerc@google.com>  
Chris Prince <cprince@google.com>  
Chris Taylor <taylorc@google.com>  
Dan Egnor <egnor@google.com>  
Eric Roman <eroman@chromium.org>  
Hady Zalek <hady.zalek@gmail.com>  
Jeffrey Yasskin <jyasskin@google.com>  
Ji Sigursson <joi@google.com>  
Keir Mierle <mierle@gmail.com>  
Keith Ray <keith.ray@gmail.com>  
Kenton Varda <kenton@google.com>  
Manuel Klimek <klimek@google.com>  
Markus Heule <markus.heule@gmail.com>  
Mika Raento <mikie@iki.fi>  
Mikls Fazekas <mfazekas@szemafor.com>  
Pasi Valminen <pasi.valminen@gmail.com>  
Patrick Hanna <phanna@google.com>  
Patrick Riley <pfr@google.com>  
Peter Kaminski <piotrk@google.com>  
Preston Jackson <preston.a.jackson@gmail.com>  
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>  
Russ Cox <rsc@google.com>  
Russ Rufer <russ@pentad.com>  
Sean McAfee <eefacm@gmail.com>  
Sigurur sgeirsson <siggi@google.com>  
Tracy Bialik <tracy@pentad.com>  
Vadim Berman <vadimb@google.com>  
Vlad Losev <vladl@google.com>  
Zhanyong Wan <wan@google.com>

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not

licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

```
## OASIS PKCS #11 Cryptographic Token Interface v3.0
```

```
### OASIS PKCS #11 Cryptographic Token Interface License  
<pre>
```

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## International Components for Unicode (ICU4J) v60.2

### ICU4J License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## JRuby Joni v2.1.16
```

```
### MIT License
<pre>
```

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
```

```
All images in this directory are copyright 1995 by Jeff Dinkins.
## GIFLIB v5.2.1
```

```
### GIFLIB License
...
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

## libpng v1.6.37

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.



2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any

source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

NSS is available under the Mozilla Public License, version 2, a copy of which is below.

#### Note on GPL Compatibility

-----

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU General Public License (GPL) version 2, or any later version of that license, to make a Larger Work, and distribute the result under the GPL. The only condition is that you must also make NSS, and any changes you have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue to dual licence in this way, and may, if they wish, distribute under the terms of either of the two licences - either the MPL alone or the GPL alone. However, we discourage people from distributing copies of NSS under the GPL alone, because it means that any improvements they make cannot be reincorporated into the main version of NSS. There is never a need to do this for license compatibility reasons.

#### Note on LGPL Compatibility

-----

The above also applies to combining MPLed code in a single library with code under the GNU Lesser General Public License (LGPL) version 2.1, or any later version of that license. If the LGPLed code and the MPLed code are not in the same library, then the copyleft coverage of the two licences does not overlap, so no issues arise.

#### Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty,

or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent



infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
```

\*\*\*\*\*

\*\*\*\*\*

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
```

\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## Unicode Common Local Data Repository (CLDR) v33

### CLDR License

^^^

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

...

## jQuery UI v1.12.1

### jQuery UI License

---

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the `node_modules` and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

---

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## jQuery v3.5.1

### jQuery License

---

jQuery v 3.5.1

Copyright 2005, 2018 jQuery Foundation, Inc. and other contributors  
<http://jquery.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

^^^

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means



- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----  
If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----  
5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \* \* \* \*  
\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*

\*\*\*\*\*

\*\*\*\*\*

\* 7. Limitation of Liability \*

\* ----- \*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*\*\*\*\*

8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular

file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

Copyright 2005 Sun Microsystems, Inc. All rights reserved.  
Use is subject to license terms.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this package except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is  
Netscape Communications Corporation.  
Portions created by the Initial Developer are Copyright (C) 1998-2000  
the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under



the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

# 1.4 error\_prone\_annotations 2.3.4

## 1.4.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/FormatString.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/FormatMethod.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *

```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/DoNotCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Immutable.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/ForOverride.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Var.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/SuppressPackageLocation.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/IncompatibleModifiers.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

```
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/RequiredModifiers.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
```

## 1.5 jackson-annotations 2.14.2

### 1.5.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

```
## Licensing
```

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Maven Wrapper Jar

Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.6 javax-inject 1

### 1.6.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.



"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright (C) 2009 The JSR-330 Expert Group

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

# 1.7 commons-codec 1.14

## 1.7.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson (kevin@gnu.org)

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.  
Original source copyright:  
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

# 1.8 appdynamics 23.4.0.5853

## 1.8.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Copyright (c) 2010-2018 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 Hynek Schlawack

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

APPDYNAMICS, INC.

## END USER LICENSE AGREEMENT

### 1. SOFTWARE LICENSE.

#### 1.1 LICENSE GRANT.

This End User License Agreement (this Agreement) between AppDynamics, Inc., a Delaware corporation with its principal place of business located at 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107 (AppDynamics) and the customer set forth in the Order Form (as defined below) (End User) is effective as of the date the initial Order Form is executed or the date this Agreement is referenced by the applicable purchase order (the Effective Date). This Agreement shall govern each order form, sales quotation, proposal, purchase order or other ordering document that references this Agreement (each an Order Form). Each Order Form will form part of this Agreement. Subject to the terms and conditions of this Agreement, AppDynamics hereby grants to End User, during the License Term (as defined below), a non-exclusive, non-transferable, non-sublicensable right and license to use the software-as-a-service and/or on-premises version of AppDynamics application intelligence software product, including one Controller, as designated in the Order Forms (the Software) for internal business purposes only for the quantity of units in the Order Form. AppDynamics Test & Dev Edition licenses shall only be used in test-only non-production environments. For purposes hereof, the License Term begins on the date AppDynamics delivers the Software license keys to End User and extends for the period specified in the applicable Order Form (unless earlier terminated in accordance with this Agreement). For the avoidance of doubt, End Users affiliates (and employees thereof) shall not use the Software without AppDynamics prior written consent. Notwithstanding anything to the contrary herein, this Agreement does not supersede a signed agreement between AppDynamics and End User with respect to the Software.

#### 1.2 RESTRICTIONS ON USE.

Except as otherwise expressly provided in this Agreement, End User shall not (and shall not permit any third party to): (a) sublicense, sell, resell, transfer, assign, distribute, share, lease, rent, make any external commercial use of, outsource, use on a timeshare or service bureau, or use in an application service provider or managed service provider environment, or otherwise generate income from the Software; (b) copy the Software onto any public or

distributed network, except for an internal and secure cloud computing environment; (c) cause the decompiling, disassembly, or reverse engineering of any portion of the Software, or attempt to discover any source code or other operational mechanisms of the Software (except where such restriction is expressly prohibited by law without the possibility of waiver, and then only upon prior written notice to AppDynamics); (d) modify, adapt, translate or create derivative works based on all or any part of the Software; (e) use any Third Party Software (as defined below) provided with the Software other than with the Software; (f) modify any proprietary rights notices that appear in the Software or components thereof; (g) publish the results of any benchmarking tests run on any Third Party Software; (h) use any Software in violation of any applicable laws and regulations (including any export laws, restrictions, national security controls and regulations) or outside of the license scope set forth in Section 1.1; (i) use the Software in support of any nuclear proliferation, chemical weapon, biological weapon or missile proliferation activity; (j) configure the Software to collect any (1) social security numbers or other government-issued identification numbers, (2) passwords or other authentication credentials, (3) health information, biometric data, genetic data, or payment/financial information, (4) any data relating to a person under the age of 13 years old, or (5) any other data that is subject to regulatory or contractual handling requirements (e.g., PCI, HIPAA, or state and federal data security laws) (collectively, Prohibited Data); or (k) use the Software to (1) store, download or transmit infringing, libelous, or otherwise unlawful or tortious material, or malicious code or malware, or (2) engage in phishing, spamming, denial-of-service attacks or other fraudulent or criminal activity, (3) interfere with or disrupt the integrity or performance of third party systems, or the Software or data contained therein, or (4) attempt to gain unauthorized access to the Software or AppDynamics' systems or networks, or (5) perform, or engage any third party to perform, authenticated or unauthenticated penetration testing, vulnerability assessments or other security assessments on the SaaS version of the Software. End User shall not export or re-export, directly or indirectly, any Software or technical data or any copy, portions or direct product thereof (i) in violation of any applicable laws and regulations, (ii) to any country for which the United States or any other government, or any agency thereof, at the time of export requires an export license or other governmental approval, including Cuba, Libya, North Korea, Iran, Iraq, or Rwanda or any other Group D:1 or E:2 country (or to a national or resident thereof) specified in the then current Supplement No. 1 to part 740 of the U.S. Export Administration Regulations (or any successor supplement or regulations, without first obtaining such license or approval) or (ii) to anyone on the U.S. Treasury Departments list of Specially Designated Nationals or the U.S. Commerce Departments Table of Denial Orders. End User shall, at its own expense, obtain all necessary customs, import, or other governmental authorizations and approvals.

### 1.3 EVALUATION USE.

If End User accessed the Software pursuant to a no-fee or beta evaluation (Evaluation Use), then the License Term is for the period enabled by the license key for the Software provided by AppDynamics. AppDynamics shall have the right to downgrade, limit or otherwise modify the Software provided for Evaluation Use at any time without notice, and no warranty, indemnity, Maintenance or Support obligations of AppDynamics will apply to Evaluation Use. End User may use the number and type of licenses indicated by AppDynamics in writing prior to End User downloading or accessing the Software, which will be enabled by End Users specific license key. AppDynamics has the right to immediately revoke and terminate any Evaluation Use at any time. End User agrees to provide feedback related to the Software as reasonably requested by AppDynamics. End User grants to AppDynamics, without charge, the fully paid-up, perpetual, sublicensable right to exploit such feedback for any purpose. Evaluation Use is not a guarantee of future product features and should not be relied upon in making any purchasing decisions.

### 1.4 UNAUTHORIZED USE.

End User shall notify AppDynamics promptly of any unauthorized use of any password or account or any other known or suspected breach of security or misuse of the Software. End User is responsible for use of the Software by any and all employees, contractors, or other users that it allows to access the Software.

## 1.5 MAINTENANCE AND SUPPORT.

Support is defined as AppDynamics' obligations to respond to support requests as described in Exhibit A (Enterprise Support). Maintenance means AppDynamics obligations related to error resolution, bug fixes and the provision of updates and upgrades made generally commercially available by AppDynamics in its sole discretion, all as described in Exhibit A. Subject to End Users payment of the fees set forth in the applicable Order Form(s), AppDynamics will (a) provide Maintenance and Support for the Software, and (b) solely if End User has purchased access to the software-as-a-service version of the Software, make the Software available to End User in accordance with Exhibit B (Availability and Security). For time-limited licenses for the Software (as set forth in an Order Form, Subscription Licenses), the fees for Maintenance and Support are included in the fees for the Software. For perpetual licenses, (i) AppDynamics shall invoice End User the applicable fees for Maintenance and Support (Maintenance and Support Fees) upon execution of the Order Form, and (ii) subject to payment of the Maintenance and Support Fees, AppDynamics will provide Support for the Maintenance and Support period set forth in the Order Form, as it may be renewed (the Maintenance and Support Term). If Maintenance and Support terminates with respect to any perpetual licenses, and End User is in good standing under this Agreement, then End User may reinstate Maintenance and Support on payment of the cumulative Maintenance and Support Fees applicable for the period during which Maintenance and Support lapsed, plus Maintenance and Support Fees for the reinstated Maintenance and Support Term. Notwithstanding anything herein to the contrary, if End User receives Support from an authorized partner of AppDynamics (Partner), then the support terms agreed upon by End User and such Partner shall govern in lieu of those set forth in Exhibit A, and AppDynamics shall have no support obligations to End User.

## 1.6 SERVICES.

Subject to the terms hereof (including payment of any applicable fees set forth in the Order Form), AppDynamics will provide the training, enablement and/or other services described in an Order Form (or statement of work referencing this Agreement), if any (Services). All Services will be rendered on a time and materials basis. AppDynamics will not exceed the total time purchased without prior written approval from End User. If the Services purchased have been consumed, AppDynamics will stop the Services until additional Services have been purchased. If End User elects not to purchase additional Services, then the Services will be deemed complete. If not used, pre-purchased Services and expenses expire twelve (12) months after the date purchased (unless otherwise set forth in the applicable Order Form). End User agrees to provide reasonable cooperation and information as necessary to permit AppDynamics to perform the Services. End User will reimburse AppDynamics for travel and expenses (at cost) incurred in connection with the Services (if any) by the Invoice Due Date (as defined below). Services will be performed on business days (a business day means Monday through Friday, excluding national holidays, during working hours, in the location where the Services are delivered). Saturday Services, and hours worked during the week that exceed the local working hours in a week, will be charged at the agreed rate x 1.5. Services performed on Sundays or national holidays will be charged at 2 x the agreed rate. If End User cancels or delays any scheduled Services less than ten (10) business days before the start date of such Services, then AppDynamics will deduct from End User's account (or End User will pay for) the amount of Services that were scheduled in any of the ten (10) business days following the date of cancellation (or notification of the delay, as applicable), and End User will fully reimburse AppDynamics for any reasonable travel and expenses incurred by AppDynamics for such Services (and for any Services rescheduled by End User) for which AppDynamics is unable to obtain a refund. During the License Term (for Subscription Licenses) or during the Maintenance and Support Term (for perpetual licenses), and in each case for a period of twelve (12) months thereafter, without AppDynamics prior written approval, End User will not solicit for employment or consultancy any AppDynamics employees who participated in the performance of Services.



## 2. FEES.

### 2.1 PRICING.

End User will be invoiced for those amounts and at those prices set forth in an Order Form (an Invoice), provided, however, that, for Evaluation Use, End User shall not be billed unless otherwise specified by AppDynamics in writing prior to End User downloading or accessing (as applicable) the Software. Fees do not include any customization of the Software (nor support for any such customizations, unless otherwise agreed in writing). If End Users usage of the Software is in excess of those amounts set forth in the Order Form, End User will be billed for those overages at a pro-rated amount for the remainder of the applicable License Term, based on AppDynamics then-current standard pricing. If AppDynamics believes in good faith that End Users usage of the Software exceeds that set forth on the applicable Order Form, End User agrees to allow AppDynamics to audit End Users use of the Software (not more frequently than twice per calendar year), upon at least twenty-four (24) hours notice, to determine the actual Software use, using a commercially reasonable auditing procedure. End User acknowledges that purchases made under this Agreement are neither contingent on the delivery of any future functionality or features nor dependent on any oral or written public comments made by AppDynamics regarding future functionality or features.

### 2.2 PAYMENTS.

End User shall pay Invoices within thirty (30) days of the invoice date (the Invoice Due Date). If End User reasonably disputes any Invoice, (i) End User shall provide AppDynamics with written notice of such dispute, including the grounds therefor (a Dispute Notice), prior to the Invoice Due Date, (ii) End User and AppDynamics shall, for a period of fifteen (15) days following AppDynamics receipt of such Dispute Notice, negotiate in good faith to resolve the dispute and (iii) if such dispute remains unresolved at the end of such period, the parties shall retain all of their respective rights under this Agreement (including, without limitation, any action for non-payment of the fees set forth herein). All payment obligations are non-cancelable and all amounts paid are non-refundable, except (a) for amounts paid in error that are not actually due under this Agreement, and (b) as set forth in Sections 6.1 and 7.1. The fees paid by End User are exclusive of all taxes, levies, or duties imposed by taxing authorities, if any, and End User shall be responsible for payment of all such taxes, levies, or duties, excluding taxes based on AppDynamics income. End User represents and warrants that the billing and contact information provided to AppDynamics is complete and accurate, and AppDynamics shall have no responsibility for any Invoices that are not received due to inaccurate or missing information provided by End User. End User shall pay interest on all payments not received by the Invoice Due Date at a rate of one percent (1%) per month or the maximum amount allowed by law, whichever is lesser. All amounts due under this Agreement shall be paid by End User in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law). If requested by AppDynamics, End User will obtain and furnish to AppDynamics tax receipts or other certificates issued by the competent taxation office showing the payments of the withholding tax within a reasonable time after payment. Following written notice, AppDynamics shall be entitled to suspend End Users access to the Software if payments are not received within thirty (30) days of the Invoice Due Date. Notwithstanding anything herein to the contrary, if End User makes its payments pursuant to this Agreement to a Partner, then the payment terms agreed by End User and such Partner shall govern to the extent anything in this Section 2 conflicts with such Partner payment terms.

## 3. CONFIDENTIALITY

### 3.1 SCOPE AND RESTRICTIONS.

Confidential Information means all information of a party (Disclosing Party) disclosed to the other party (Receiving Party) that is designated in writing or identified as confidential at the time of disclosure or should be reasonably known by the Receiving Party to be confidential due to the nature of the information disclosed and the circumstances surrounding the disclosure. The terms of this Agreement, the Software, any technical or other documentation relating to the Software, logins, passwords and other access codes and any and all information regarding AppDynamics business, products and services are the Confidential Information of AppDynamics. The Receiving Party will: (i) not use the Disclosing Partys Confidential Information for any purpose outside of this Agreement; (ii) not disclose such Confidential Information to any person or entity, other than its affiliates, employees, consultants, agents and professional advisers who have a need to know for the Receiving Party to exercise its rights or perform its obligations hereunder, provided that such employees, consultants, and agents are bound by agreements or, in the case of professional advisers, ethical duties respecting such Confidential Information in accordance with the terms of this Section 3; and (iii) use reasonable measures to protect the confidentiality of such Confidential Information. If the Receiving Party is required by applicable law or court order to make any disclosure of such Confidential Information, it will first give written notice of such requirement to the Disclosing Party, and, to the extent within its control, permit the Disclosing Party to intervene in any relevant proceedings to protect its interests in its Confidential Information, and provide full cooperation to the Disclosing Party in seeking to obtain such protection. Further, this Section 3 will not apply to information that the Receiving Party can document: (i) was rightfully in its possession or known to it prior to receipt without any restriction on its disclosure; (ii) is or has become public knowledge or publicly available through no fault of the Receiving Party; (iii) is rightfully obtained by the Receiving Party from a third party without breach of any confidentiality obligation; or (iv) is independently developed by employees of the Receiving Party who had no access to such information.

### 3.2 EQUITABLE RELIEF.

The Receiving Party acknowledges that unauthorized disclosure of the Disclosing Partys Confidential Information could cause substantial harm to the Disclosing Party for which damages alone might not be a sufficient remedy and, therefore, that upon any such disclosure by the Receiving Party the Disclosing Party will be entitled to seek appropriate equitable relief in addition to whatever other remedies it might have at law or equity.

4. PROPRIETARY RIGHTS. AppDynamics and its suppliers own and shall retain all proprietary rights, including all copyright, patent, trade secret, trademark and all other intellectual property rights, in and to the Software and the results of any Services. End User acknowledges that the rights granted under this Agreement do not provide End User with title to or ownership of the Software. Certain free or open source based software (the FOSS Software) and third party software included with the Software (the Third Party Software) is shipped with the Software but is not considered part of the Software hereunder. A list of the FOSS Software and Third Party Software is set forth on the webpage located at <https://docs.appdynamics.com/display/DASH/Legal+Notices> With respect to Third Party Software included with the Software, such Third Party Software suppliers are third party beneficiaries of this Agreement. End Users use of such FOSS Software is subject to the terms of the licenses set forth on such webpage. The Software and Third Party Software may only be used by End User as prescribed by the AppDynamics documentation located at <http://docs.appdynamics.com> (as it may be updated from time to time, the Documentation).

### 5. TERM AND TERMINATION.

The term of this Agreement begins on the Effective Date and will remain in effect until all Subscription Licenses (and Maintenance and Support Terms, if applicable) expire or until this Agreement is otherwise terminated in accordance with the terms hereof, whichever occurs first (the Term). This Agreement may be renewed at any time by execution of an Order Form referencing this Agreement, and any such renewal will be deemed part of the Term

hereunder. If either party commits a material breach of this Agreement, and such breach has not been cured within thirty (30) days after receipt of written notice thereof, the non-breaching party may terminate this Agreement, except that AppDynamics may immediately terminate this Agreement and/or End Users license to the Software upon End Users breach of Section 1.2. Either party may also terminate this Agreement upon written notice if the other party suspends payment of its debts or experiences any other insolvency or bankruptcy-type event. Upon expiration or termination of this Agreement for any reason, (i) with respect to Subscription Licenses, all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; (ii) with respect to perpetual licenses, these will survive termination of this Agreement unless AppDynamics terminates the Agreement for End Users breach of this Agreement in which case all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; and (iii) each Receiving Party will return or destroy, at the Disclosing Partys option, the Disclosing Partys Confidential Information in the Receiving Partys possession or control. All fees that have accrued as of such expiration or termination, and Sections 1.2, 1.3, 1.4, 2, 3, 4, 5, 6.2 and 7 through 12, will survive any expiration or termination hereof.

## 6. WARRANTIES.

6.1 LIMITED WARRANTY. The limits below will not apply to the extent prohibited by applicable law.

AppDynamics warrants that during the first thirty (30) days following the date the Software is purchased, the Software will, in all material respects, conform to the functionality described in the then-current Documentation for the applicable Software version. AppDynamics sole and exclusive obligation, and End Users sole and exclusive remedy, for a breach of this warranty shall be that AppDynamics shall be required to use commercially reasonable efforts to repair or replace the Software to conform in all material respects to the Documentation, and if AppDynamics is unable to materially restore such functionality within thirty (30) days from the date of written notice of such breach, End User shall be entitled to terminate the license to the affected Software upon written notice and AppDynamics shall promptly provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). End User must notify AppDynamics in writing of any warranty breaches within such warranty period, and End User must have installed and configured the Software in accordance with the Documentation to be eligible for the foregoing remedy.

## 6.2 WARRANTY DISCLAIMER.

EXCEPT AS EXPRESSLY PROVIDED IN THIS SECTION 6, ALL SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT AND SERVICES ARE PROVIDED AS IS AND APPDYNAMICS AND ITS SUPPLIERS EXPRESSLY DISCLAIM ANY AND ALL OTHER REPRESENTATIONS AND WARRANTIES, EITHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT THERETO, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, OR THE CONTINUOUS, UNINTERRUPTED, ERROR-FREE, VIRUS-FREE, OR SECURE ACCESS TO OR OPERATION OF THE SOFTWARE. APPDYNAMICS EXPRESSLY DISCLAIMS ANY WARRANTY AS TO THE ACCURACY OR COMPLETENESS OF ANY INFORMATION OR DATA ACCESSED OR USED IN CONNECTION WITH THE SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT, OR SERVICES. AppDynamics is not responsible for any delays, delivery failures, or any other loss or damage resulting from the transfer of data over communications networks and facilities, including the Internet, and End User acknowledges that the Software and Documentation may be subject to limitations, delays and other problems inherent in the use of such communications facilities. The Software is not fault-tolerant and is not designed or intended for use in hazardous environments, including without limitation, in the operation of aircraft or

other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles or weaponry systems, or any other application in which failure of the Software could lead to death or serious bodily injury of a person, or to severe physical or environmental damage (each, a High Risk Use). AppDynamics expressly disclaims any express or implied warranty or representation of fitness for High Risk Use. AppDynamics shall not be liable to End User for any loss, damage or harm suffered by End User that is directly or indirectly caused by End Users unauthorized use of the Software to process Prohibited Data.

## 7. INDEMNIFICATION.

### 7.1 BY APPDYNAMICS.

AppDynamics agrees at its expense to defend End User against (or, at AppDynamics option, settle), any third party claim to the extent such claim alleges that the Software infringes or misappropriates any patent, copyright, trademark or trade secret of a third party, and AppDynamics shall pay all costs and damages finally awarded against End User by a court of competent jurisdiction as a result of any such claim. In the event that the use of the Software is, or in AppDynamics sole opinion is likely to become, subject to such a claim, AppDynamics, at its option and expense, may (a) replace the applicable Software with functionally equivalent non-infringing technology, (b) obtain a license for End Users continued use of the applicable Software, or (c) terminate the license and provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). The foregoing indemnification obligation of AppDynamics will not apply: (1) if the Software is modified by End User or its agent; (2) if the Software is combined with other non-AppDynamics products, applications, or processes, but solely to the extent the alleged infringement is caused by such combination; or (3) to any unauthorized use of the Software. The foregoing shall be End Users sole remedy with respect to any claim of infringement of third party intellectual property rights.

### 7.2 BY END USER.

End User agrees to defend, at its expense, AppDynamics and its affiliates, its suppliers and its resellers against any third party claim to the extent such claim arises from or is made in connection with End Users breach of Section 1 or End Users negligence or willful misconduct, and End User shall pay all costs and damages finally awarded against AppDynamics by a court of competent jurisdiction as a result of any such claim.

### 7.3 INDEMNIFICATION REQUIREMENTS.

In connection with any claim for indemnification under this Section 7, the indemnified party must promptly provide the indemnifying party with notice of any claim that the indemnified party believes is within the scope of the obligation to indemnify, provided, however, that the failure to provide such notice shall not relieve the indemnifying party of its obligations under this Section 7, except to the extent that such failure materially prejudices the indemnifying partys defense of such claim. The indemnified party may, at its own expense, assist in the defense if it so chooses, but the indemnifying party shall control the defense and all negotiations related to the settlement of any such claim. Any such settlement intended to bind either party shall not be final without the other partys written consent, which consent shall not be unreasonably withheld, conditioned or delayed; provided, however, that End Users consent shall not be required when AppDynamics is the indemnifying party if the settlement involves only the payment of money by AppDynamics.

8. LIMITATION OF LIABILITY. The limits below will not apply to the extent prohibited by applicable law.

8.1 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING DAMAGES FOR LOSS OF REVENUES OR PROFITS, LOSS OF USE, BUSINESS INTERRUPTION, OR LOSS OF DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

8.2 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), NEITHER PARTYS LIABILITY FOR ANY DAMAGES (WHETHER FOR BREACH OF CONTRACT, MISREPRESENTATIONS, NEGLIGENCE, STRICT LIABILITY, OTHER TORTS OR OTHERWISE) UNDER THIS AGREEMENT SHALL EXCEED AN AMOUNT EQUAL TO THE TOTAL FEES PAID (PLUS FEES PAYABLE) TO APPDYNAMICS DURING THE TWELVE (12) MONTHS IMMEDIATELY PRECEDING THE CLAIM GIVING RISE TO SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY.

#### 9. FORCE MAJEURE.

Except for payment obligations, neither party hereto will be liable for defaults or delays due to acts of God, or the public enemy, acts or demands of any government or governmental agency, fires, earthquakes, floods, accidents, or other unforeseeable causes beyond its reasonable control and not due to its fault or negligence.

#### 10. DATA COLLECTION.

End User acknowledges that AppDynamics application server and machine software agents (the Agents) collect metrics that relate to the performance, health and resource of an application, its components (transactions, code libraries) and related infrastructure (nodes, tiers) that service those components. In addition, AppDynamics collects metrics on End Users activities, such as web pages visited, length of visit, and which features of the Software an End User uses. If End User provides AppDynamics with any personally identifiable information (personal data), End User represents and warrants that such information has been collected by End User in accordance with the provisions of all applicable data protection legislation and that End User has all right and consents necessary to provide such personal data to AppDynamics. End User will indemnify AppDynamics for reasonable costs and other amounts that AppDynamics may incur relating to any breach of this Section.

#### 11. US GOVERNMENT MATTERS.

As defined in FAR section 2.101, the Software and Documentation are commercial items and according to DFAR section 252.227 7014(a)(1) and (5) are deemed to be commercial computer software and commercial computer software documentation. Consistent with DFAR section 227.7202 and FAR section 12.212, any use modification, reproduction, release, performance, display, or disclosure of such commercial software or commercial software documentation by the U.S. Government will be governed solely by the terms of this Agreement and will be prohibited except to the extent expressly permitted by the terms of this Agreement.

#### 12. MISCELLANEOUS.

This Agreement shall be governed by and construed under the laws of the State of California, U.S.A. The parties consent to the exclusive jurisdiction and venue of the courts located in and serving San Francisco, California. Failure by either Party to exercise any of its rights under, or to enforce any provision of, this Agreement will not be deemed a waiver or forfeiture of such rights or ability to enforce such provision. If any provision of this Agreement is held

by a court of competent jurisdiction to be illegal, invalid or unenforceable, such provision will be amended to achieve as nearly as possible the same economic effect of the original provision and the remainder of this Agreement will remain in full force and effect. This Agreement and its exhibits, together with the Order Form(s) and any statements of work incorporating this Agreement, if applicable, represent the entire agreement between the parties and supersede any previous or contemporaneous oral or written agreements or communications regarding the subject matter of this Agreement. The person signing or otherwise accepting this Agreement for End User represents that s/he is duly authorized by all necessary and appropriate corporate action to enter this Agreement on behalf of End User. Any modification to this Agreement must be in writing and signed by a duly authorized agent of both parties. The Uniform Computer Information Transactions Act (UCITA) does not apply to this Agreement. This Agreement shall control over additional or different terms of any purchase order, confirmation, invoice, statement of work or similar document (other than an AppDynamics Order Form, which will take precedence), even if accepted in writing by both parties, and waivers and amendments to this Agreement shall be effective only if made by non-pre-printed agreements clearly understood by both parties to be an amendment or waiver to this Agreement. For purposes of this Agreement, including means including without limitation. The rights and remedies of the parties hereunder will be deemed cumulative and not exclusive of any other right or remedy conferred by this Agreement or by law or equity. No joint venture, partnership, employment, or agency relationship exists between the parties as a result of this Agreement or use of the Software. AppDynamics reserves the right to perform its obligations from locations and/or through use of affiliates and subcontractors, worldwide, provided that AppDynamics will be responsible for such parties. End User may not assign this Agreement without the prior written approval of AppDynamics and any purported assignment in violation of this section shall be void; AppDynamics may assign, transfer or subcontract this Agreement in whole or in part. Upon any assignment of this Agreement by End User that is approved by AppDynamics, any licenses that contain an unlimited aspect will, with respect to End User or the successor entity, as applicable, be capped at the number of authorized Software units in use immediately prior to such assignment. End User agrees that AppDynamics may refer to End User by its trade name and logo, and may briefly describe End Users business, in AppDynamics marketing materials and website. AppDynamics may give notice to End User by electronic mail to End Users email address on record in End Users account information, or by written communication sent by first class mail or pre-paid post to End Users address on record in End Users account information. End User may give notice to AppDynamics at any time by any letter delivered by nationally recognized overnight delivery service or first class postage prepaid mail to AppDynamics at the following address or such other address as may be notified to End User from time to time: AppDynamics, Inc., 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107, Attn: Legal Department. Notice under this Agreement shall be deemed given when received, if personally delivered; when receipt is electronically confirmed, if transmitted by email; the day after it is sent, if sent for next day delivery by recognized overnight delivery service; and upon receipt, if sent by certified or registered mail, return receipt requested.

## EXHIBIT A

### ENTERPRISE SUPPORT

#### GENERAL REQUIREMENTS.

AppDynamics will provide access to a ticketing system and email address ([help@appdynamics.com](mailto:help@appdynamics.com)), which will be available twenty-four (24) hours per day, seven (7) days per week. The email account will be maintained by qualified support specialists, who shall use commercially reasonable efforts to answer questions and resolve problems regarding the Software.

#### HOURS OF OPERATION.

Support is available twenty-four (24) hours per day, seven (7) days per week.

#### ERROR CLASSIFICATION.

Any reported errors are classified in the following manner, in each case when caused by the Software:

##### Error Classification Criteria

=====

Urgent End User production application is down or there is a major malfunction, resulting in a business revenue loss and impacting the End User application functionality for a majority of users.

High Critical loss of End User application functionality or performance, impacting the application functionality for a high number of users.

Normal Moderate loss of End User application functionality or performance, impacting multiple users.

Low Minor loss of End User application functionality or product feature in question.

#### ERROR DEFINITION.

An error means a reproducible malfunction in the Software that is reported by End User through AppDynamics ticketing system that prevents the Software from performing in accordance with the operating specifications described in the then-current Documentation.

#### AUTHORIZED SUPPORT CONTACTS.

Maintenance and Support will be provided solely to End Users designated support contacts. The Order Form may indicate a maximum number of designated support contacts for End Users service level. End User will provide its designated support contacts, including its primary email address.

#### END USERS OBLIGATION TO ASSIST.

If End User reports a purported error in the Software to AppDynamics, AppDynamics ticketing system will request the following minimum information:

- A general description of the operating environment
- A list of all hardware components, operating systems and networks
- A reproducible test case
- Any log files, trace and systems files

End Users failure to provide this information may prevent or significantly delay AppDynamics ability to identify

and fix the reported error. AppDynamics time to respond to any error will begin when AppDynamics has received all requested information from the End User and is able to reproduce the error.

**ERROR RESOLUTION.**

If AppDynamics determines there is an error in the Software, AppDynamics may, at its sole option, repair that error in the version of the Software that End User is currently using or instruct End User to install a newer version of the Software with that error repaired. AppDynamics reserves the right to provide End User with a workaround in lieu of fixing an error.

**SOFTWARE UPDATES AND UPGRADES.** End User must be current on fees in order to receive access to Maintenance.

**RESPONSE TIME.** AppDynamics shall respond to error tickets in accordance with the tables set forth below. AppDynamics will use reasonable means to repair the error and keep End User informed of progress. AppDynamics makes no representations as to when a full resolution of the error may be made.

Error Initial Response Manager Escalation VP Escalation Email Status Updates

=====

Urgent 1 Hour 1 Business Day 1 Week Daily  
High 6 Hours 1 Week 2 Weeks Weekly  
Normal 1 Business Day Quarterly Review None None  
Low 2 Business Days Semi-Annual Review None None

**Maintenance and Support Policy:** The Maintenance and Support policy is as follows:

AppDynamics provides Maintenance and Support for each version of the Software for a period of twelve (12) months after the generally available release of the next major version of the Software (a major release is a change in the first number to the right of the decimal point). For example, if version 4.1 is released on January 1, 2015, then AppDynamics will provide Maintenance and Support for version 4.0 until January 1, 2016. AppDynamics does not provide Maintenance or Support for any customized software (or components thereof).

For third party software or technology used by End User with the Software but not included with the Software (a Platform, such as Java Virtual Machines), AppDynamics will follow the end-of-life (EOL) support timeline announced by the third party vendor of such Platform. AppDynamics will stop providing Maintenance and Support for an EOLd Platform version when the Platform vendor stops providing maintenance and support for that Platform version.

**EXHIBIT B  
AVAILABILITY AND SECURITY**

The terms set forth in this Exhibit B apply only if End User has purchased access to the online software-as-a-service (SaaS) version of the Software, as indicated on the Order Form.



## AVAILABILITY.

AppDynamics will provide System Availability (as defined below) of ninety-nine and one-half percent (99.5%) (the Availability SLA), excluding situations identified as Exclusions below. For purposes of the Availability SLA, the AppDynamics network extends to, includes and terminates at the data center located router that provides the outside interface of each of AppDynamics WAN connections to its backbone providers (the AppDynamics Network).

Exclusions means any outage that results from any of the following:

- a. Any Maintenance performed by AppDynamics during AppDynamics standard Maintenance windows. AppDynamics will notify End User within forty-eight (48) hours of any standard Maintenance and within twenty-four (24) hours for other non-standard emergency Maintenance (collectively referred to herein as Scheduled Maintenance).
- b. End User's information content or application programming, or the acts or omissions of End User or its agents, including, without limitation, the following:
  1. End Users use of any programs not supplied by AppDynamics;
  2. End Users failure to provide AppDynamics with reasonable advance prior notice of any pending unusual large deployments of new nodes (i.e., adding over ten percent (10%) total nodes in less than twenty-four (24) hours);
  3. End Users implementation of any significant configuration changes, including changes that lead to a greater than thirty percent (30%) change in a one week period or greater than fifty percent (50%) change in a one month period in the number of key objects in the system including but not limited to metrics, snapshots, nodes, events and business transactions;
  4. Any misconfiguration by End User (as determined in AppDynamics sole discretion), including configuration errors and unintended usage of the Software;
  5. End Users failure to upgrade the Agents to keep the Agent versions within six (6) months of the Controller version; or
  6. End Users implementation of configuration changes in the number of key objects in the Software (including metrics, snapshots, nodes, events and business transactions) that results in, or is likely to result in, an adverse impact on other customers.
- c. Force majeure or other circumstances beyond AppDynamics reasonable control that could not be avoided by its exercise of due care.
- d. Failures of the Internet backbone itself and the network by which End User connects to the Internet backbone or any other network unavailability outside of the AppDynamics Network, such as misconfigurations, proxies or firewalls.
- e. Any window of time when End User agrees that Software availability/unavailability will not be monitored or counted.
- f. Any problems resulting from End User combining or merging the Software with any hardware or software not supplied by AppDynamics or not identified by AppDynamics in the Documentation as being compatible with the Software.
- g. End Users or any third partys use of the Software in an unauthorized or unlawful manner.

Remedies for Excessive Downtime:

In the event the availability of the Software falls below the Availability SLA in a given calendar quarter, AppDynamics will pay End User a service credit (Service Credit) as follows, corresponding to the actual Availability of the Software during the applicable calendar quarter (on pro-rated basis for annual or multi-year fees): if the Availability is 99.5% or greater, End User is entitled to receive no credits; if the Availability is 97.0% - 99.49%, then End User is entitled to receive Service Credits equal to five percent of the fees for the applicable calendar quarter (not to exceed \$280); if the Availability is 95.0% - 96.9%, then End User is entitled to receive Service Credits equal to ten percent of the fees for the applicable calendar quarter (not to exceed \$560); and if the Availability is less than 95.0%, then End User is entitled to receive Service Credits equal to twenty percent of the fees for the applicable calendar quarter (not to exceed \$1120). Such Service Credit will be issued as a credit against any fees owed by End User for the next calendar quarter of the Term, or, if End User does not owe any additional fees, then AppDynamics will pay End User the amount of the applicable Service Credit within thirty (30) days after the end of the calendar quarter in which such credit accrued. To receive Service Credits, End User must submit a written request to AppDynamics (to [customersuccess@appdynamics.com](mailto:customersuccess@appdynamics.com) with a copy to [legal@appdynamics.com](mailto:legal@appdynamics.com)) within 15 days after the end of the quarter in which the Software was unavailable, or End Users right to receive Service Credits with respect to such unavailability will be waived. The remedies stated in this section are End Users sole and exclusive remedies and AppDynamics sole and exclusive obligations for service interruption or unavailability.

System Availability is measured by the following formula:  $(n - y) * 100 / n$

(1) n is the total number of minutes in the given calendar quarter minus the Exclusions (as defined above); and y is the total number of minutes in the given calendar quarter that the Controller is not accessible by End User (as determined by AppDynamics tools).

(2) Specifically excluded from n and y in this calculation are the Exclusions.

## SECURITY INFORMATION.

For all End User data stored in the software-as-a-service version of the Software, AppDynamics will satisfy all of its obligations under Section 3 by maintaining the security precautions described below.

### Certifications

AppDynamics is SOC 2 Type II compliant, meaning it has been independently audited to verify the validity and functionality of its control activities and processes. Customers may request AppDynamics report at any time. AppDynamics data center provider is also SOC 2 Type II compliant.

### Secure Connections

Agents initiate connections to a single Controller, which can either be hosted on-premises by the customer or by AppDynamics via the AppDynamics software-as-a-service platform. The Controller is the central repository and analytics engine where all performance data is stored, baselined, and analyzed. If End User downloads the Agent from End Users controller (ie., using the installation wizard provided by AppDynamics), then transport layer security (TLS) for Agent-to-Controller communication is enabled by default. For other installations, AppDynamics recommends enabling SSL/TLS encryption for Agent communications. For detailed instructions please see [docs.appdynamics.com](https://docs.appdynamics.com). Agents also support outbound HTTP proxies for customers using these security mechanisms. For Software user interface access, AppDynamics redirects all traffic to HTTPS.

### Access Controls to Data

Access to collected data and data collection features is restricted to authenticated customer users by role-based access controls (RBAC). In addition, customer users do not have native access to run queries on the Controllers MySQL database.

## Availability

Servers for the software are operated in fault-tolerant architecture in a manner designed to ensure availability. Data is backed up nightly and stored redundantly. AppDynamics also provides an off-site backup service. Software security updates and patches are evaluated by engineers and are deployed based upon the security risks and stability benefits they offer to the Software and End Users.

## Security

Access to the Software platform infrastructure and data by AppDynamics personnel is secured by authentication methods including public key authentication, passwords and network access control lists. Infrastructure and data access is restricted to AppDynamics employees and contractors subject to confidentiality agreements. System and network activity for the Software are regularly monitored by a team of engineers. Failed authentication attempts are audited and engineers are paged so that intrusions or threats can be investigated. Standard firewall policies are deployed to block access except to ports required for Software and Agent communication.

## Sensitive Data

AppDynamics recommends on-premises (rather than software-as-a-service) deployments for customers subject to heightened regulatory oversight of data.

## More Information

For more information on data privacy or security processes please contact [help@appdynamics.com](mailto:help@appdynamics.com) or your account representative. To report a suspected security breach, contact [security@appdynamics.com](mailto:security@appdynamics.com).

AppDynamics Proprietary and Confidential \* Revision 2016.11.01

Licensed under either of

- Apache License, Version 2.0 (LICENSE.apache or <https://choosealicense.com/licenses/apache/>)
- or MIT license (LICENSE.mit or <https://choosealicense.com/licenses/mit/>)

at your option.

Any contribution intentionally submitted for inclusion in the work by you, as defined in the Apache-2.0 license, shall be dual licensed as above, without any additional terms or conditions.

# 1.9 jzmq-core 3.1.1-SNAPSHOT

## 1.9.1 Available under license :

This package was debianized by

Alois Belaska <[alois.belaska@google.com](mailto:alois.belaska@google.com)>

The packaging scripts are 2009-2010 by these authors and are distributed under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ

-----

Project homepage, with original source code:

<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL`.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

-----

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of

OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.)

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL`.

On Debian systems, the complete text of the GNU General Public License can be found in `~/usr/share/common-licenses/GPL-2`.

Licensing information for the included XMLParser library

-----  
From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen  
All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Frank Vanden Berghen nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of

protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through

a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding



Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for

unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further

restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of

this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that



contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's

public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates  
the terms and conditions of version 3 of the GNU General Public  
License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser  
General Public License, and the "GNU GPL" refers to version 3 of the GNU  
General Public License.

"The Library" refers to a covered work governed by this License,  
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided  
by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is deemed a mode  
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an  
Application with the Library. The particular version of the Library  
with which the Combined Work was made is also called the "Linked  
Version".

The "Minimal Corresponding Source" for a Combined Work means the  
Corresponding Source for the Combined Work, excluding any source code  
for portions of the Combined Work that, considered in isolation, are  
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the  
object code and/or source code for the Application, including any data  
and utility programs needed for reproducing the Combined Work from the  
Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License  
without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a  
facility refers to a function or data to be supplied by an Application

that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions

of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

---

#### SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

---

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.10 disruptor 2.11.2.3

### 1.10.1 Available under license :

Apache Log4j Core  
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity



exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.11 log4j-api 2.17.1

## 1.11.1 Available under license :

Apache Log4j 1.x Compatibility API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.12 appdynamics-proxysupport-linux-x64

## 11.58.2

### 1.12.1 Available under license :

Apache Commons FileUpload  
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpClient Mime  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip>  
(COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE  
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other

related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents  
whose implementation is derived from original sources written  
in C or Fortran. License terms of the original sources  
are reproduced below.

---

For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in  
the LevenbergMarquardtOptimizer class in package  
org.apache.commons.math.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the  
following conditions are met:

1. Redistributions of source code must retain the above  
copyright notice, this list of conditions and the following  
disclaimer.
2. Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials  
provided with the distribution.
3. The end-user documentation included with the  
redistribution, if any, must include the following  
acknowledgment:

"This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.

Alternately, this acknowledgment may appear in the software  
itself, if and wherever such third-party acknowledgments  
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"  
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE  
UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND

THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====  
Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR



PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original lapack fortran routines translated in EigenDecompositionImpl class in package org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C

routines translated in MersenneTwister class in package  
org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,

software copyright (c) 1999.

Apache Log4j API

Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpCore

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====  
The content of package org.apache.commons.codec.language.bm has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

xml-commons/java/external/README.dom.txt \$Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about  
the DOM in this repository are distributed under the license  
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c  
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom  
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html>

The specification of DOM Level 3's various parts is at:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/>  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/>  
<http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/>

The specification of DOM Level 2's various parts is at:

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/>

The specification of DOM Level 1's various parts is at:

<http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html>

Links to all available W3C DOM Java Bindings can be found at:

<http://www.w3.org/DOM/DOMTR>

The actual classes of The Simple API for CSS (SAC) came from:

<http://www.w3.org/Style/CSS/SAC/>  
<http://www.w3.org/2002/06/sacjava-1.3.zip>

The actual DOM Java Language Binding classes for SMIL came from:

<http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/>  
(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:

<http://www.w3.org/TR/SVG11/java.html>

Apache HttpClient Cache

Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpCore NIO  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has  
been in development since 2007.  
It is currently developed by a community of developers.

## ## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.  
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

## W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under  
the following license. By using and/or copying this document, or the W3C  
document from which this statement is linked, you (the licensee) agree that  
you have read, understood, and will comply with the following terms and  
conditions:

Permission to copy, and distribute the contents of this document, or the W3C  
document from which this statement is linked, in any medium for any purpose  
and without fee or royalty is hereby granted, provided that you include the  
following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [\$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed

to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$

xml-commons/java/external/README.sax.txt \$Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about SAX in this repository are distributed freely in the public domain.

LICENSE.sax.txt covers all software and documentation from the megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax  
and all subdirectories  
xml-commons/java/external/xdocs/sax  
and all subdirectories

The actual SAX classes in xml-commons came from:

<http://www.megginson.com/Software/index.html>

The original versions are tagged 'SAX-2\_0-r2-prerelease'

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Copyright (c) 2009, Orbitz World Wide

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz World Wide nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Commons Codec

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package `org.apache.commons.codec.language.bm` has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the



direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally

released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions

thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.



6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the

jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of

any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time

to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

## Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Apache Commons Logging

Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Log4j Commons Logging Bridge  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

Note that publicsuffixes.gz is compiled from The Public Suffix List:  
[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:



<https://mozilla.org/MPL/2.0/>  
Apache Commons Math  
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,  
Relationship, SimplexSolver and SimplexTableau classes in package  
org.apache.commons.math.optimization.linear include software developed by  
Benjamin McCann (<http://www.benmccann.com>) and distributed with  
the following copyright: Copyright 2009 Google Inc.  
=====

This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.  
The LevenbergMarquardtOptimizer class in package  
org.apache.commons.math.optimization.general includes software  
translated from the lmdcr, lmpar and qrsolv Fortran routines  
from the Minpack package  
Minpack Copyright Notice (1999) University of Chicago. All rights reserved  
=====

The GraggBulirschStoerIntegrator class in package  
org.apache.commons.math.ode.nonstiff includes software translated  
from the odex Fortran routine developed by E. Hairer and G. Wanner.  
Original source copyright:  
Copyright (c) 2004, Ernst Hairer  
=====

The EigenDecompositionImpl class in package  
org.apache.commons.math.linear includes software translated  
from some LAPACK Fortran routines. Original source copyright:  
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.  
=====

The MersenneTwister class in package org.apache.commons.math.random  
includes software translated from the 2002-01-26 version of  
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji  
Nishimura. Original source copyright:  
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved  
=====

The complete text of licenses and disclaimers associated with the the original  
sources enumerated above at the time of code translation are in the LICENSE.txt

file.

Apache HttpClient  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has  
been in development since 2007.  
It is currently developed by a community of developers, as well as supported  
commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact  
FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.13 opentelemetry-proto 0.11.0

### 1.13.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate



as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.14 guava 30.1-jre

### 1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/package-
info.java
```

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,



either

- \* express or implied. See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/Resources.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Predicates.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Function.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Throwables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/LineReader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/package-  
info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteStreams.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableDoubleArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableIntArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableLongArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingCondition.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
*/
```

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Java8Compatibility.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/BigDecimalMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you  
\* may not use this file except in compliance with the License. You may  
\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors



\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ConsumingQueueIterator.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionSequencer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/IgnoreJRERequirement.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group

\* and released to the public domain, as explained at

\* <http://creativecommons.org/licenses/publicdomain>

\*

\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's

\* `java.util.HashMap` class.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LongMath.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Count.java

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

```
Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ObjectArrays.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
```



```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberRegistry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/ServiceManagerBridge.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/io/AppendableWriter.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/reflect/TypeToken.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/FluentFuture.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/BaseImmutableMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/IndexedImmutableSet.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CompactLinkedHashSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractNavigableMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2011 The Guava Authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2016 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This following method is a modified version of one found in

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

\* which contained the following notice:

\*

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to

\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/



Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSink.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSink.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/Element.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/package-  
info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ServiceManager.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/AbstractBaseGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/BaseGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/Traverser.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ClosingFuture.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2019 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*  
\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:  
\*  
\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Hashing.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Reflection.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/**
```

```
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
```

```
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Network.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Written by Doug Lea with assistance from members of JCP JSR-166
 * Expert Group and released to the public domain, as explained at
```



\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Striped64.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultiset.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Cut.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escapers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable} to use {@link
 *   ImmutableSortedMap#of(Comparable, Object)}.</b>
 */

```

Found in path(s):

```

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
 * version.
 */

```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractIndexedListAdapter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/EmptyImmutableSetMultimap.java
```

# 1.15 openjdk-jre 11.0.16u8

## 1.15.1 Available under license :

```
## Pako v1.0
```

```
### Pako License
```

```
<pre>
```

```
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
(C) 1995-2013 Jean-loup Gailly and Mark Adler
```

```
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin
```

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it



freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt

pi2k.txt

pi5k.txt

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Little Color Management System (LCMS) v2.8

### LCMS License

<pre>

Little Color Management System

Copyright (c) 1998-2016 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>  
## libpng v1.6.23
```

```
### libpng License  
<pre>
```

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.0.7, July 1, 2000 through 1.6.23, June 9, 2016 are Copyright (c) 2000-2002, 2004, 2006-2016 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire

risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of

fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

END OF COPYRIGHT NOTICE, DISCLAIMER, and LICENSE.

</pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

## Eastman Kodak Company: Kodak Color Management System (kcms) and portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

basecv.t.pod

gcd.pod

invmod.pod

isprime.pod

lap.pod

mpi-test.pod

prime.txt

prng.pod

## GIFLIB v5.1.4

```
### GIFLIB License
```

```
<pre>
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
```

```
## Double-conversion v1.1.5
```

```
### Double-conversion License
```

```
https://raw.githubusercontent.com/google/double-conversion/master/LICENSE
```

```
<pre>
```

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xerces v2.11.0

### Apache Xerces Notice

<pre>

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java

Copyright 1999-2010 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by



the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## PC/SC Lite for Suse Linux v1.1.1

### PC/SC Lite License

<pre>

Copyright (c) 1999-2004 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 1999-2004 Ludovic Rousseau <ludovic.rousseau (at) free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:  
This product includes software developed by:  
David Corcoran <corcoran@linuxnet.com>  
<http://www.linuxnet.com> (MUSCLE)
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a

medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under



any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF

SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the

Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT

NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## ASM Bytecode Manipulation Framework v5.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions



are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## JRuby Joni v1.1.9
```

```
### JRuby License
<pre>
```

Jruby 2012

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## Apache Xalan v2.7.1

### Apache Xalan Notice

<pre>

```
=====  
=====  
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==  
== in this case for the Apache Xalan distribution. ==  
=====  
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials  
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,  
with respect to this software, its quality, accuracy, merchantability, or  
fitness for a particular purpose. This software is provided "AS IS",  
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute  
this software (or portions thereof) for any purpose, without fee,  
subject to these conditions:

- (1) If any part of the source code for this software is distributed,  
then this README file must be included, with this copyright and no-warranty  
notice unaltered; and any additions, deletions, or changes to the original  
files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation  
must state that "this software is based in part on the work of the  
Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts  
full responsibility for any undesirable consequences; the authors accept

NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is



the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

## RelaxNG Datatype

### RelaxNG Datatype License

<pre>

Copyright (c) 2005, 2010 Thai Open Source Software Center Ltd  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the names of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

PRIMES

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects

that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

## JLine v2.12.1

### JLine License

<pre>

Copyright (c) 2002-2006, Marc Prud'hommeaux <[mwp1@cornell.edu](mailto:mwp1@cornell.edu)>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## CUP Parser Generator for Java v 0.10k
```

```
### CUP Parser Generator License
<pre>
```

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

```
</pre>
The GNU General Public License (GPL)
```

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our

General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by

this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your

rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or

rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain



countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here

is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

All rights reserved.Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Attila Szegedi nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1994-2000 Netscape Communications Corporation. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## RelaxNG Object Model/Parser v20061207

### RelaxNG Object Model/Parser License

<pre>

Copyright (c) 2004-2012 RELAXNG

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Unicode Common Local Data Repository (CLDR) v29

### CLDR License

<pre>

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in  
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

```
</pre>  
## Khronos Group OpenGL Headers v2.1  
  
### Khronos Group License  
<pre>
```

Copyright (c) 2007 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to

permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

</pre>

```
## Mozilla Elliptic Curve Cryptography (ECC)
```

```
### Mozilla ECC Notice
```

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

```
### Written Offer for Source Code
```

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>



If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote

it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the

Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the



Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public

License along with this library; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

```
</pre>
## jopt-simple v4.6
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Software, and to  
permit persons to whom the Software is furnished to do so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be  
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR  
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## zlib v1.2.11
```

```
### zlib License
```

<pre>

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

This is the copyright file  
## freebXML v3.1

### freebXML License v1.1.5

<pre>  
freebxml: Copyright (c) 2001 freebxml.org. All rights reserved.

The names "The freebXML Registry Project" and "freebxml Software Foundation" must not be used to endorse or promote products derived from this software or be used in a product name without prior written permission. For written permission, please contact [ebxmlr-team@lists.sourceforge.net](mailto:ebxmlr-team@lists.sourceforge.net).

This software consists of voluntary contributions made by many individuals on behalf of the the freebxml Software Foundation. For more information on the freebxml Software Foundation, please see [<http://www.freebxml.org/>](http://www.freebxml.org/).

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

The freebxml License, Version 1.1 5  
Copyright (c) 2001 freebxml.org. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

"This product includes software developed by freebxml.org (<http://www.freebxml.org/>)."

Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

4. The names "The freebXML Registry Project", "freebxml Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [ebxmlrr-team@lists.sourceforge.net](mailto:ebxmlrr-team@lists.sourceforge.net).
5. Products derived from this software may not be called "freebxml", "freebXML Registry" nor may "freebxml" appear in their names without prior written permission of the freebxml Group.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE freebxml SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case

including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General



Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this

License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```

*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*
*****

```

```

*****
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*
*****

```

8. Litigation  
-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v1.5.4

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,



including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>  
## JSZip v2.5.0
```

```
### MIT License
```

```
<pre>
```

Copyright (c) 2009-2014 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.0.7, July 1, 2000 through 1.6.34, September 29, 2017 are Copyright (c) 2000-2002, 2004, 2006-2017 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG

Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

END OF COPYRIGHT NOTICE, DISCLAIMER, and LICENSE.

#### TRADEMARK:

The name "libpng" has not been registered by the Copyright owner as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owner claims "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

#### OSI CERTIFICATION:

Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative. OSI has not addressed the additional disclaimers inserted at version 1.0.7.

#### EXPORT CONTROL:

The Copyright owner believes that the Export Control Classification Number (ECCN) for libpng is EAR99, which means not subject to export controls or International Traffic in Arms Regulations (ITAR) because it is open source, publicly available software, that does not contain any encryption software. See the EAR, paragraphs 734.3(b)(3) and 734.7(b).

Glenn Randers-Pehrson  
glennrp at users.sourceforge.net  
September 29, 2017

```
## Cryptix AES v3.2.0
```

```
### Cryptix General License
```

```
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

```
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.0
```

```
### Apache Commons BCEL Notice
```

```
<pre>
```

```
=====  
== NOTICE file corresponding to the section 4 d of      ==  
== the Apache License, Version 2.0,                    ==  
== in this case for the Apache Commons BCEL distribution. ==  
=====
```

This product includes software developed by



The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
## jQuery v1.20.2
```

```
### jQuery License
```

<pre>

```
jQuery v 1.10.2
```

```
Copyright 2005, 2013 jQuery Foundation, Inc. and other contributors
```

```
http://jquery.com/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v1.10.2 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.

## Harfbuzz v1.3.0

### Harfbuzz License

<http://cgkit.freedesktop.org/harfbuzz/tree/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012, 2013 Google, Inc.  
Copyright 2012, 2013 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>  
Copyright 2009, 2011 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010, 2013 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

## Apache XML Resolver Library v1.2

### Apache XML Resolver Notice

<pre>

Apache XML Commons Resolver  
Copyright 2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:  
[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
## Mesa 3-D Graphics Library v4.1

### Mesa License
<pre>
```

Mesa 3-D graphics library

Version: 4.1

Copyright (C) 1999-2002 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

```
## International Components for Unicode (ICU4J) v56.1
```

```
### ICU4J License
```

<pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S

DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

</pre>

NSS is available under the Mozilla Public License, version 2, a copy of which is below.

Note on GPL Compatibility

-----

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU General Public License (GPL) version 2, or any later version of that license, to make a Larger Work, and distribute the result under the GPL.

The only condition is that you must also make NSS, and any changes you

have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue to dual licence in this way, and may, if they wish, distribute under the terms of either of the two licences - either the MPL alone or the GPL alone. However, we discourage people from distributing copies of NSS under the GPL alone, because it means that any improvements they make cannot be reincorporated into the main version of NSS. There is never a need to do this for license compatibility reasons.

#### Note on LGPL Compatibility

-----

The above also applies to combining MPLeD code in a single library with code under the GNU Lesser General Public License (LGPL) version 2.1, or any later version of that license. If the LGPLed code and the MPLeD code are not in the same library, then the copyleft coverage of the two licences does not overlap, so no issues arise.

#### Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

##### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")



means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
```

\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*

\*\*\*\*\*

\*\*\*\*\*

\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*

\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look

for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## X Windows System v6.8.2

### X Windows System License

<pre>

This is the copyright for the files in `src/java.desktop/unix/native/libawt_xawt: list.h, multiVis.h, wsutils.h, list.c, multiVis.c`

Copyright (c) 1994 Hewlett-Packard Co.

Copyright (c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

---

The files in motif/lib/Xm/util included this copyright:  
mkdirhier.man,xmkmf.man, chownxterm.c, makeg.man, mergelib.cpp,  
lndir.man, makestrs.man, checktree.c, lndir.c, makestrs.c

Copyright (c) 1993, 1994 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealing in this Software without prior written authorization from the X Consortium.



---

Xmos\_r.h:

/\*

Copyright (c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

\*/

---

Copyright notice for extutil.h:

Copyright 1989, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

\*  
\* Author: Jim Fulton, MIT The Open Group  
\*  
\* Xlib Extension-Writing Utilities  
\*  
\* This package contains utilities for writing the client API for various  
\* protocol extensions. THESE INTERFACES ARE NOT PART OF THE X STANDARD AND  
\* ARE SUBJECT TO CHANGE!  
\*/

---

Copyright notice for HPkeysym.h:

/\*

Copyright 1987, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR  
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall  
not be used in advertising or otherwise to promote the sale, use or  
other dealings in this Software without prior written authorization  
from The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its  
documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both that copyright notice and this permission notice appear in  
supporting documentation, and that the names of Hewlett Packard  
or Digital not be  
used in advertising or publicity pertaining to distribution of the  
software without specific, written prior permission.

DIGITAL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS SOFTWARE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Hewlett-Packard shall not be liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

\*/

---

Copyright notice in keysym2ucs.h:

Copyright 1987, 1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Digital not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

DIGITAL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\*/

</pre>

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this package except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is Netscape Communications Corporation.

Portions created by the Initial Developer are Copyright (C) 1998-2000 the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or

the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## PKCS #11 Cryptographic Token Interface v2.20 Amendment 3 Header Files

### PKCS #11 Cryptographic Token Interface License

<pre>

License to copy and use this software is granted provided that it is identified as "RSA Security Inc. PKCS #11 Cryptographic Token Interface (Cryptoki)" in all material mentioning or referencing this software.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Security Inc. PKCS #11 Cryptographic Token Interface (Cryptoki)" in all material mentioning or referencing the derived work.

RSA Security Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

</pre>

# 1.16 appdynamics-proxysupport-alpine-linux-x64 11.58.2

## 1.16.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpClient Mime

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY

PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable



by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====  
For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in the LevenbergMarquardtOptimizer class in package org.apache.commons.math.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by

E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class  
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original lapack fortran routines  
translated in EigenDecompositionImpl class in package  
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.

- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura, All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

Apache Log4j API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpCore  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Log4j Core  
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell  
Apache Commons Codec  
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package `org.apache.commons.codec.language.bm` has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

`xml-commons/java/external/README.dom.txt` \$Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas \$

HEAR YE, HEAR YE!

All of the `.java` software and associated documentation about  
the DOM in this repository are distributed under the license  
from the W3C, which is provided herein.

`LICENSE.dom-software.txt` covers all software from the W3C  
including the following items in the xml-commons project:

`xml-commons/java/external/src/org/w3c`  
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older  
version of the W3C license. The original license file is `LICENSE.sac.html`.)

`LICENSE.dom-documentation.txt` covers all documentation from the W3C  
including the following items in the xml-commons project:

`xml-commons/java/external/xdocs/dom`  
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html>

The specification of DOM Level 3's various parts is at:  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/>  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/>  
<http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/>



The specification of DOM Level 2's various parts is at:

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/>

The specification of DOM Level 1's various parts is at:

<http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html>

Links to all available W3C DOM Java Bindings can be found at:

<http://www.w3.org/DOM/DOMTR>

The actual classes of The Simple API for CSS (SAC) came from:

<http://www.w3.org/Style/CSS/SAC/>  
<http://www.w3.org/2002/06/sacjava-1.3.zip>

The actual DOM Java Language Binding classes for SMIL came from:

<http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/>  
(both `ElementTimeControl.java` and `TimeEvent.java` were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:

<http://www.w3.org/TR/SVG11/java.html>

Apache HttpClient Cache

Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpCore NIO

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [\$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE,

NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$  
xml-commons/java/external/README.sax.txt \$Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about SAX in this repository are distributed freely in the public domain.

LICENSE.sax.txt covers all software and documentation from the megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax  
and all subdirectories  
xml-commons/java/external/xdocs/sax  
and all subdirectories

The actual SAX classes in xml-commons came from:

<http://www.megginson.com/Software/index.html>

The original versions are tagged 'SAX-2\_0-r2-prerelease'

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Copyright (c) 2009, Orbitz World Wide

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz World Wide nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Commons Codec

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier



identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying

it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on



the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as

to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache Commons Logging  
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Log4j Commons Logging Bridge  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for  
XML), and release all of the SAX 2.0 source code, compiled code, and  
documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any  
purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

Note that publicsuffixes.gz is compiled from The Public Suffix List:  
[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

Apache Commons Math

Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,  
Relationship, SimplexSolver and SimplexTableau classes in package  
org.apache.commons.math.optimization.linear include software developed by  
Benjamin McCann (<http://www.benmccann.com>) and distributed with  
the following copyright: Copyright 2009 Google Inc.  
=====

This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.

The LevenbergMarquardtOptimizer class in package  
org.apache.commons.math.optimization.general includes software  
translated from the lmdcr, lmdcr and qrsolv Fortran routines  
from the Minpack package

Minpack Copyright Notice (1999) University of Chicago. All rights reserved  
=====

The GraggBulirschStoerIntegrator class in package  
org.apache.commons.math.ode.nonstiff includes software translated  
from the odex Fortran routine developed by E. Hairer and G. Wanner.  
Original source copyright:  
Copyright (c) 2004, Ernst Hairer

---

The EigenDecompositionImpl class in package  
org.apache.commons.math.linear includes software translated  
from some LAPACK Fortran routines. Original source copyright:  
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

---

The MersenneTwister class in package org.apache.commons.math.random  
includes software translated from the 2002-01-26 version of  
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji  
Nishimura. Original source copyright:  
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved

---

The complete text of licenses and disclaimers associated with the the original  
sources enumerated above at the time of code translation are in the LICENSE.txt  
file.

Apache HttpClient  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has  
been in development since 2007.  
It is currently developed by a community of developers, as well as supported  
commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may be licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact  
FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache xml-commons xml-apis ==  
== distribution. ==  
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

# 1.17 httpcomponents-client 4.5.13

## 1.17.1 Available under license :

Apache HttpComponents Client  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its



Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under

this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all

end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*
```

\*\*\*\*\*

\*\*\*\*\*

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*
```

\*\*\*\*\*

8. Litigation  
-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the

notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.18 appdynamics-bindeps-linux-x64 23.4.0

### 1.18.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided

by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:



a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is

necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

---

## SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.

### GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and

"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component

(kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts,

regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.



d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a

fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal

Notices displayed by works containing it; or

- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and

finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of

rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or

arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF

SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it
```



under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

---

### SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that

module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

-----  
Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.19 annotations 13.0

## 1.20 error\_prone\_annotations 2.10.0

### 1.20.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RestrictedApi.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/MustBeClosed.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompatibleWith.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotMock.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatMethod.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMeValidationDisabled.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMe.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Modifier.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/NoAllocation.java
```

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

```
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/META-
INF/maven/com.google.errorprone/error_prone_annotations/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2017 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotCall.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-



```
jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/Immutable.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/ForOverride.java
```

## 1.21 commons-logging 1.2

### 1.21.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2001-2004,2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*
```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004 The Apache Software Foundation.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java  
No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and

limitations under the License.

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2005 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/ServletContextCleaner.java
```

## 1.22 httpcomponents-mime 4.5.12

### 1.22.1 Available under license :

Apache HttpClient Mime

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.23 xerces-j 2.12.2

### 1.23.1 Available under license :

Apache XML Commons Resolver

Copyright 2006 The Apache Software Foundation.



This product includes software developed at  
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:  
[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object  
form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan serializer)  
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:  
- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.  
- software copyright (c) 2001-2002, Sun Microsystems.,

<http://www.sun.com>.

- software copyright (c) 2003, IBM Corporation.,

<http://www.ibm.com>.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.



7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.24 dagger 2.4

### 1.24.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2014 Google, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java  
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 Google Inc.
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2016 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Binds.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-
jar/dagger/multibindings/ElementsIntoSet.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Square, Inc.
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Google, Inc.
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java

## 1.25 protobuf-java 3.19.6

### 1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.google.protobuf

Bnd-LastModified: 1664485905970

Build-Jdk: 1.8.0\_181-google-v7

Built-By: mkruskal

Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.

Bundle-DocURL: <https://developers.google.com/protocol-buffers/>

Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>

Bundle-ManifestVersion: 2

Bundle-Name: Protocol Buffers [Core]

Bundle-SymbolicName: com.google.protobuf

Bundle-Version: 3.19.6

Created-By: Apache Maven Bundle Plugin

Export-Package: com.google.protobuf;version="3.19.6"

Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.

// Redistribution and use in source and binary forms, with or without

```
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/struct.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/type.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/empty.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/any.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/duration.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/source_context.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/api.proto
```

## 1.26 perfmark-api 0.17.0

### 1.26.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 Carl Mastrangelo
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Impl.java  
\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/PerfMark.java  
\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/package-info.java  
\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Link.java  
\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Tag.java

# 1.27 commons-math 2.1

## 1.27.1 Available under license :

Apache Commons Math  
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,  
RelationShip, SimplexSolver and SimplexTableau classes in package  
org.apache.commons.math.optimization.linear include software developed by  
Benjamin McCann (<http://www.benmccann.com>) and distributed with  
the following copyright: Copyright 2009 Google Inc.  
=====

This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.  
The LevenbergMarquardtOptimizer class in package  
org.apache.commons.math.optimization.general includes software  
translated from the lmdcr, lmpar and qrsolv Fortran routines  
from the Minpack package  
Minpack Copyright Notice (1999) University of Chicago. All rights reserved  
=====

The GraggBulirschStoerIntegrator class in package  
org.apache.commons.math.ode.nonstiff includes software translated  
from the odex Fortran routine developed by E. Hairer and G. Wanner.  
Original source copyright:  
Copyright (c) 2004, Ernst Hairer  
=====

The EigenDecompositionImpl class in package  
org.apache.commons.math.linear includes software translated  
from some LAPACK Fortran routines. Original source copyright:  
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.  
=====



The MersenneTwister class in package org.apache.commons.math.random includes software translated from the 2002-01-26 version of the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji Nishimura. Original source copyright:  
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved

=====

The complete text of licenses and disclaimers associated with the the original sources enumerated above at the time of code translation are in the LICENSE.txt file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====  
For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in the LevenbergMarquardtOptimizer class in package org.apache.commons.math.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original lapack fortran routines translated in EigenDecompositionImpl class in package org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.

- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura, All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF



LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.28 jsr305 3.0.2

### 1.28.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2005 Brian Goetz
 * Released under the Creative Commons Attribution License
 * (http://creativecommons.org/licenses/by/2.5)
 * Official home: http://www.jcip.net
 */
```

Found in path(s):

```
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java
```

## 1.29 jackson-databind 2.14.2

### 1.29.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.

5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
  
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
  
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".
  
8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

#### Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

#### Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

# 1.30 okio 3.3.0

## 1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/SegmentSharingTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/nonAppleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/appleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmMain/okio/ForwardingTimeout.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonMain/okio/SegmentedByteString.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 Square, Inc. and others.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherSourceTest.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherAlgorithm.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherFactory.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherSinkTest.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/HashFunction.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/CipherSink.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/CipherSource.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/HashFunction.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2020 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha512.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Md5.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha256.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha1.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Sha512.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/MessageDigestConsistencyTest.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Md5.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Sha1.kt
- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Sha256.kt

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-
RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-
RealBufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-
SegmentedByteString.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2022 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonTest/okio/ByteStringMoreTests.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/BufferedSourceJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/JvmOkio.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipSinkTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/BufferedSinkJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/GzipSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ForwardingSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/SocketTimeoutTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/DeflaterSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/MockSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonMain/okio/ForwardingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/InflaterSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/DeflaterSinkTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/InflaterSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/BufferedSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Timeout.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/OkioTest.java
```



\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/GzipSink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonBufferTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/AsyncTimeoutTest.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferTest.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferedSinkTest.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/AsyncTimeout.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Sink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/Utf8Test.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/TestUtil.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/ForwardingSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ReadUtf8LineTest.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/SegmentPool.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/utilJvm.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmTest/okio/internal/ResourceFileSystemTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/JvmFileHandle.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmTest/okio/FileHandleTestingFileSystem.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmMain/okio/internal/FixedLengthSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ZipBuilder.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ZipFileSystemTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/WindowsFileHandle.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/FileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/unixMain/okio/UnixFileHandle.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/FileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileHandle.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmTest/okio/utilNonJvm.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/FixedLengthSourceTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/TimeoutTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/ResourceFileSystem.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-Base64.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ThrottlerTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/DeflateKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ByteStringKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Throttler.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/OkioKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/Stopwatch.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ThrottlerTakeTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ForwardingTimeoutTest.java
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferCursorKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/NioTest.java
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedUtf8.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/PeekSource.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/Utf8KotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferCursorTest.java
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedOkio.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonOptionsTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ForwardingTimeoutKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedUpgrade.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferKotlinTest.kt
  - \* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/PipeKotlinTest.kt
- No license file was found, but licenses were detected in source scan.

- /\*
  - \* Copyright (C) 2023 Block Inc.
  - \*
    - \* Licensed under the Apache License, Version 2.0 (the "License");
    - \* you may not use this file except in compliance with the License.
    - \* You may obtain a copy of the License at
    - \*
      - \* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/AwaitSignalTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Path.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/unixMain/okio/-

UnixPosixVariant.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/nonJvmMain/okio/HashingSource.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/JvmTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSink.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/commonMain/okio/HashingSource.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/HashingSink.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/commonTest/okio/ForwardingFileSystemTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-

Path.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmTest/okio/ZipFileSystemJavaTest.java

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/commonTest/okio/UnsafeCursorTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/HashingSink.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/HmacTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileMetadata.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/linuxX64Main/okio/-  
LinuxX64PosixVariant.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/jvmTest/okio/JvmSystemFileSystemTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/jvmMain/okio/JvmSystemFileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-Cinterop.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/commonMain/okio/ExperimentalFileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/nativeMain/okio/PosixFileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/-  
WindowsPosixVariant.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/commonTest/okio/FakeFileSystemTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Hmac.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/nativeTest/okio/NativeSystemFileSystemTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/commonMain/okio/ForwardingFileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/jvmTest/okio/FileSystemJavaTest.java  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Path.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/-Windows.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/appleMain/okio/-  
ApplePosixVariant.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Path.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/appleTest/okio/AppleByteStringTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-PosixVariant.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/PathTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/hashFunctions/okio/internal/Hmac.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jsMain/okio/FileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-  
jar/jvmMain/okio/NioSystemFileSystem.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jsMain/okio/-JsPlatform.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2022 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ForwardingSourceTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/HashingSink.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/HashingSource.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/commonTest/okio/HashingSinkTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/commonTest/okio/HashingSourceTest.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmTest/okio/WaitUntilNotifiedTest.java

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Pipe.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/PipeTest.java

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Options.kt

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-

jar/jvmTest/okio/LargeStreamsTest.java

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/zip.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ZipFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/ZipEntry.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/HashingTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/ByteStringJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2017 Square, Inc.
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Utf8.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2019 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Sink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferedSinkFactory.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Timeout.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/AbstractBufferedSinkTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonRealBufferedSinkTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Source.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Okio.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/BufferedSource.kt



\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferedSourceFactory.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/Buffer.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/util.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Sink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Timeout.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonOkioKotlinTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferFactory.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Buffer.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferCommonTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonRealBufferedSourceTest.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/BufferedSource.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/AbstractBufferedSourceTest.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1657433255\_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-SizetVariant.kt

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-
Utf8.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/appleMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-
CommonPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-
ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonTest/okio/ByteStringTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/-
NonJvmPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonAppleMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-JvmPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-Util.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonTest/okio/ByteStringFactory.kt
```

## 1.31 zt 1.14

### 1.31.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
```

\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/AsiExtraField.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/ZipLong.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/ZipExtraField.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/ZipShort.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/ZipConstants.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FileExistsException.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/IOUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FilenameUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZTFileUtil.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipInfoCallback.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/NameMapper.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/FileSource.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntryUtil.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/Zips.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ByteSource.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntrySource.java
```

\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/IdentityNameMapper.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipUtil.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryCallback.java

## 1.32 opentelemetry-semconv 1.19.0-alpha

### 1.32.1 Available under license :

Apache-2.0

## 1.33 xml-apis 1.4.01

### 1.33.1 Available under license :

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com  
2000-05-05

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip>  
(COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at

all times remain with copyright holders.

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

#### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT

INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the



outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache xml-commons xml-apis ==  
== distribution. ==  
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

## 1.34 namespace 1.4.01

### 1.34.1 Available under license :

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body

of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or



for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache xml-commons xml-apis ==  
== distribution. ==  
=====

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>  
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

## W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$  
xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

# 1.35 disruptor 2.11.2.3

## 1.35.1 Available under license :

Apache Log4j API  
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"



replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.36 error\_prone\_annotations 2.3.3

### 1.36.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-  
jar/com/google/errorprone/annotations/NoAllocation.java  
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-  
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
```

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompatibleWith.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatMethod.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/MustBeClosed.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RestrictedApi.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

# 1.37 slf4j 1.6.6

## 1.37.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
```

jar/org/slf4j/impl/StaticMDCBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LocationAwareLogger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/FormattingTuple.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MessageFormatter.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NamedLoggerBase.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MDC.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/Util.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLogger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/ILoggerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Logger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarker.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Marker.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

## 1.38 httpcore-nio 4.4.13

### 1.38.1 Available under license :

Apache HttpCore NIO  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.



8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

## 1.39 jctools-core 4.0.1

### 1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1662622707903  
Build-Jdk-Spec: 11  
Bundle-Description: Java Concurrency Tools Core Library  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: Java Concurrency Tools Core Library  
Bundle-SymbolicName: org.jctools.core  
Bundle-Version: 4.0.1  
Created-By: Apache Maven Bundle Plugin 5.1.6  
Export-Package: org.jctools.maps;version="4.0.1",org.jctools.util;uses  
:="sun.misc";version="4.0.1",org.jctools.queues;version="4.0.1",org.j  
ctools.queues.atomic;uses:="org.jctools.queues";version="4.0.1",org.j  
ctools.queues.unpadded;uses:="org.jctools.queues";version="4.0.1",org  
.jctools.counters;version="4.0.1"  
Import-Package: sun.misc;resolution:=optional  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-6.2.0.202202251641

Found in path(s):

\* /opt/cola/permits/1500645298\_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>  
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1500645298\_1670406227.9308958/0/jctools-core-4-0-1-jar/META-  
INF/maven/org.jctools/jctools-core/pom.xml

## 1.40 httpcomponents-core 4.4.13

### 1.40.1 Available under license :

Apache HttpCore  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.41 failureaccess 1.0.1

## 1.42 jdk-zulu 11.58+23

### 1.42.1 Available under license :

Certain portions of this software are based on source code from OpenJDK (<http://openjdk.java.net/>) and licensed under the GNU General Public License version 2 (GPLv2) with the Classpath Exception (<http://openjdk.java.net/legal/gplv2+ce.html>). For a period of three years from the date of your receipt of this software, Azul will provide upon request, a complete machine readable copy of the source code for such portions based on OpenJDK on a medium customarily used for software interchange for a charge no more than the cost of physically performing source distribution.

Please email [azul\\_openjdk@azul.com](mailto:azul_openjdk@azul.com) for further information.

Include this version code in your email:

zsrc11.64.19-jdk11.0.19 7e42ec4d96f6c2d994fe0dbfd0ca80cd53aeeb7b  
CRS 1.0.26

To read more about Azul products visit <https://www.azul.com/products/?r=zulu>  
/\*

- \* Copyright (c) 1999, 2017, Oracle and/or its affiliates. All rights reserved.
- \* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.
- \*
- \* This code is free software; you can redistribute it and/or modify it
- \* under the terms of the GNU General Public License version 2 only, as
- \* published by the Free Software Foundation. Oracle designates this
- \* particular file as subject to the "Classpath" exception as provided
- \* by Oracle in the LICENSE file that accompanied this code.

\*  
\* This code is distributed in the hope that it will be useful, but WITHOUT  
\* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
\* FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
\* version 2 for more details (a copy is included in the LICENSE file that  
\* accompanied this code).  
\*  
\* You should have received a copy of the GNU General Public License version  
\* 2 along with this work; if not, write to the Free Software Foundation,  
\* Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.  
\*  
\* Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
\* or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
\* questions.  
\*/

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.



For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.43 dom 1.0

## 1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (c) 2001 World Wide Web Consortium,
- \* (Massachusetts Institute of Technology, Institut National de
- \* Recherche en Informatique et en Automatique, Keio University). All
- \* Rights Reserved. This program is distributed under the W3C's Software
- \* Intellectual Property License. This program is distributed in the
- \* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
- \* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
- \* PURPOSE.
- \* See W3C License <http://www.w3.org/Consortium/Legal/> for more details.
- \*/

Found in path(s):

- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom3/as/ElementEditAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASObject.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DOMImplementationAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DocumentAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASElementDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASDataType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DOMASWriter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DocumentEditAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/ASObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DOMASBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/DOMASException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom3/as/NodeEditAS.java

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2000 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more  
\* details.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*\*

\* Checks if this content model has had its min/maxOccurs values reduced for  
\* purposes of speeding up UPA. If so, this content model should not be used

```
* for any purpose other than checking unique particle attribution
*
* @return a boolean that says whether this content has been compacted for UPA
*/
```

Found in path(s):

```
*/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
* DOM Level 3 LS CR - Experimental.
```

```
* Create a new LSParser. The newly constructed parser may
* then be configured by means of its DOMConfiguration
* object, and used to parse documents by means of its parse
* method.
```

```
* @param mode The mode argument is either
```

```
* MODE_SYNCHRONOUS or MODE_ASYNCHRONOUS, if
* mode is MODE_SYNCHRONOUS then the
* LSParser that is created will operate in synchronous
* mode, if it's MODE_ASYNCHRONOUS then the
* LSParser that is created will operate in asynchronous
* mode.
```

```
* @param schemaType An absolute URI representing the type of the schema
```

```
* language used during the load of a Document using the
* newly created LSParser. Note that no lexical checking
* is done on the absolute URI. In order to create a
* LSParser for any kind of schema types (i.e. the
* LSParser will be free to use any schema found), use the value
* null.
```

```
* 

<b>Note:</b> For W3C XML Schema [http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>XML Schema Part 1</a>]


```

- \* , applications must use the value
- \* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [[XML 1.0](http://www.w3.org/TR/2000/REC-xml-20001006)],
- \* applications must use the value
- \* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages
- \* are outside the scope of the W3C and therefore should recommend an
- \* absolute URI in order to use this method.
- \* @return The newly created `LSParser` object. This
- \* `LSParser` is either synchronous or asynchronous
- \* depending on the value of the `mode` argument.
- \* 

**Note:** By default, the newly created `LSParser`
- \* does not contain a `DOMErrorHandler`, i.e. the value of
- \* the "[error-handler](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler)" configuration parameter is `null`. However, implementations
- \* may provide a default error handler at creation time. In that case,
- \* the initial value of the `"error-handler"` configuration
- \* parameter on the new created `LSParser` contains a
- \* reference to the default error handler.
- \* @exception DOMException
- \* NOT\_SUPPORTED\_ERR: Raised if the requested mode or schema type is
- \* not supported.

Found in path(s):

`/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java`

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

Found in path(s):

`/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-`

jar/org/apache/xerces/dom/DOMImplementationListImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*\*

\* used to check the 3 constraints against each complex type  
\* (should be each model group):  
\* Unique Particle Attribution, Particle Derivation (Restriction),  
\* Element Declarations Consistent.

\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSConstraints.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLErrorHandler.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFrameElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ShadowedSymbolTable.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLImgElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOptgroupElement.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLInputSource.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLImgElement.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTimerElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSParticle.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLWmlElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/StringList.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTimerElement.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/WMLAnchorElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/HTMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLHtmlElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/DefaultNamespaceContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLMetaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLQuoteElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/EncodingMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeTextReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMInputImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLCatalogResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableSectionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMStateSet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTitleElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ElementDefinitionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLElementDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/AbstractDOMParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLSelectElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLabelElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFieldSetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLCardElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/ShortListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/util/Base64.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/CDATASectionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/CMBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLMetaElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/XSSimpleType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/ElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/UIEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/Method.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/EntityReferenceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/ByteList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/html/dom/HTMLBodyElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredAttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DOMUtil.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLIElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/ElementSchemePointer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/DefaultElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/AttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/datatype/DurationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLTdElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SecurityManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLErrorCode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/FieldActivator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ParentNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XIntPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-



jar/org/apache/html/dom/HTMLTableCellElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/SchemaSymbols.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/UTF16Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/TextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMStringListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/NonValidatingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLImageElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DecimalDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSModelImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/ShortList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredAttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/DTDGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/ObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLHeadElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/PSVLErrorList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/StartDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/XMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/KeyRef.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/XSDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLAttributes.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLHeadElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredEntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/Latin1Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/LCount.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/BooleanDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLEntityResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/SchemaGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/ValidatedInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ChildNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/Constants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/MouseEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/Util.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XInclude11TextReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/dom/WMLOptgroupElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLPostfieldElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredNotationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/CoreDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMErrorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLAttributesImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLDocumentParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DatatypeMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLIElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLNoopElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DatatypeException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLInputElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLTableElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/ElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/ShortHandPointer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/BasicParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLPreElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/SecurityConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/validation/ValidationState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/HTMLdtd.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLDOMImplementation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/AugmentationsImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSImplementation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SAXLocatorWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SynchronizedSymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSGrammarBucket.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLNoopElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/NamespaceContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLTdElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLUElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/XSDateTime.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/DefaultText.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSTerm.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLComponent.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLSmallElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTextAreaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/AttributePSVI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/Token.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/XML11Serializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLGoElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/SimpleLocator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/MessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLErrorReporter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSLoaderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XML11NamespaceBinder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/html/dom/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFormElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/XPath.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLMenuElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLCollectionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SAXInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XPointerParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/UTF8Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DOMInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSNotationDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLAreaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLBigElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLChar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLPostfieldElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeepNodeListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/EntityReferenceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLPrevElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/Augmentations.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLVersionDetector.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSComplexTypeDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NotationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLBElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLAnchorElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/DOMSerializerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLIFrameElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/LineSeparator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLLocatorWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSWildcard.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/StAXLocationWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLDoElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/XSDouble.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLSetvarElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ASDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SoftReferenceSymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/validation/EntityState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/XHTMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLWmlElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ASModelImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/NodeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLBaseElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerPart.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-



jar/org/apache/xerces/xni/QName.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLEmElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFormControl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredTextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/FloatDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/ErrorHandlerWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMAny.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/StartElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/DOMSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSModelGroupDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/EndElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/QNameDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLBrElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLScriptElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLStringBuffer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/MutationEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/DTDImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/DOMParserImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLTrElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMUniOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentFragmentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLSelectElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XML11EntityScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/StringDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/IDREFDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLButtonElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/Field.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/TextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLOneventElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/util/ByteListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLStrongElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/CachingParserPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/ParserConfigurationSettings.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLDocument.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/DefaultNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLMapElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLSmallElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLEmElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/ElementPSVImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/REUtil.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLParseException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/Op.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XML11DTDCConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLTemplateElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLInputElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLParagraphElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/OutputFormat.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DTDParse.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SymbolHash.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/ListDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLULListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/WMLBrElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/CharacterDataImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/RangeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/SerializerFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLGrammarPoolImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/ElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLStrongElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNotationDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/EncodingInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLMetaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFontElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLTableElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLAppletElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/IDDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSObject.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/SchemaDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/ErrorHandlerProxy.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/util/StringListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLTemplateElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XML11Configurable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XInt.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSConstants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/Serializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/TypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/SAXParserImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSGroupDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DoubleDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/Version.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/IntStack.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/ASCIIReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSIDCDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLCardElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLFieldsetElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/AttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLAElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/FilePathToURI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLPrevElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/util/HexBin.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSModelGroup.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLBaseFontElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLComponentManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLOneventElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/ImmutableLocation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/UnionDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XNIException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XSGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLBElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/SAXParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/XSDecimal.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSWildcardDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMConfigurationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableColElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLTrElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/IndentPrinter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/ElementState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/DFACContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/AttributeMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/EndDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLPElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/XSFloat.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIAAttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/ValidationContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xni/grammars/Grammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLAccessElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/Match.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSMessagesFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/TextSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/NamespaceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAttributeDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/JAXPConstants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLAElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/EntityResolverWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMOutputImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/ExternalSubsetResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NodeListCache.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIElementNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SAXMessagesFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredCommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLHRElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNamespaceItemList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DOMEntityResolverWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/RegexParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-



jar/org/apache/xerces/dom/ElementNSImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/stax/events/AttributeImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/wml/WMLUElement.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/html/dom/HTMLHeadElementImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/util/LocatorProxy.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/xs/identity/Selector.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/xs/XSElementDeclaration.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/xs/LSInputList.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/xpath/XPathException.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/parsers/AbstractSAXParser.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/wml/dom/WMLBigElementImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/xni/XMLLocator.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/xs/XSTypeDefinition.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/xs/ItemPSVI.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/html/dom/HTMLObjectElementImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/html/dom/HTMLBuilder.java  
 \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
 jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSQName.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DefaultErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDCConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSFacets.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ElementPSVI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLRefreshElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLResourceIdentifier.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDirectoryElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAccessElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLSymbols.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSetvarElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSMultiValueFacet.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAnnotation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLinkElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/EventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DTDDVFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/ValueStore.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/XMLEventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDivElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamespaceItem.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XML11Char.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFrameSetElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLNamespaceBinder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarPreparser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSImplementationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBRElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/RangeExceptionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/PSVIProvider.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamedMap.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLStyleElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ValidationManager.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EntityResolver2Wrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSElementDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLIElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSParticleDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/StAXInputSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLContentSpec.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentTypeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOptionElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/AttributePSVImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSelectElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLString.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableRowElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLListElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDTDSscannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLInputElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NamedNodeMapImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSFacet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLGoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Printer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11DTDDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLRefreshElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMNormalizer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IntegerDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLIsIndexElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/EmptyLocation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SerializerFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/HTTPInputSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Encodings.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeUse.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/BaseMarkupSerializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CharactersImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/XMLEventFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/NamespaceSupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMLocatorImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDeclarationPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMBinOp.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/EntityDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SymbolTable.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityScanner.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityManager.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLOptGroupElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DVFactoryException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDocumentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOptionElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLOptionElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLParamElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/TreeWalkerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/ParseException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDFilter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAnchorElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLModElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDocumentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/StandardParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSAllCM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/AttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLFieldsetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RangeToken.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/NameNodeListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UCSReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/RevalidationHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSValue.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLConfigurationException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AttributesProxy.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLSimpleType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.



\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DateDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/TimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java

No license file was found, but licenses were detected in source scan.

```
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/DOMMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XPointerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/DatatypeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message_fr.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties
```

No license file was found, but licenses were detected in source scan.

/\*

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
// Unique Particle Attribution

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSDFACM.java

## 1.44 jzmq-jni 3.1.1-SNAPSHOT

### 1.44.1 Available under license :

This package was debianized by  
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed  
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ  
-----

Project homepage, with original source code:  
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or  
modify it under the terms of the GNU Lesser General Public  
License as published by the Free Software Foundation; either  
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this package; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General  
Public License can be found in `~/usr/share/common-licenses/LGPL`.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

-----

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.)

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL`.

On Debian systems, the complete text of the GNU General Public License can be found in `~/usr/share/common-licenses/GPL-2`.

Licensing information for the included XMLParser library

-----

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen

All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Frank Vanden Berghen nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of

packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of



your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
  
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
  
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
  
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
  
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
  
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third

paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if

the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the

covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single



combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY

GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software: you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation, either version 3 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program. If not, see <http://www.gnu.org/licenses/>.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short

notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany

the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

-----

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

-----

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.45 openjdk 11.0.16

### 1.45.1 Available under license :

```
## Pako v1.0
```

```
### Pako License
```

```
<pre>
```

```
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt

pi2k.txt

pi5k.txt

## JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license \*or\* the GPLv3 license.

### The MIT License

...



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

### GPL version 3

---

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for

them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

## 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that

is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no

more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from

a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.



Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that

transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the

patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

---

## c-libutl 20160225

### c-libutl License

---

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v3.20.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>



## The FreeType Project: Freetype v2.12.0

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products

alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""  
Portions of this software are copyright <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
"""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType

engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

#### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

#### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
  
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on

the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the



original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

```
/*
 * Copyright 2000 Computing Research Labs, New Mexico State University
 * Copyright 2001-2015
 * Francesco Zappa Nardelli
 *
 * Permission is hereby granted, free of charge, to any person obtaining a
 * copy of this software and associated documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation
 * the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the
 * Software is furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
 * THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
 * CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 * OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
 * THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

/\*\*\*\*\*

```
*
 * This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50
 *
 * taken from Mark Leisher's xmbdfed package
 *
 */
```

#####

--- FreeType 2 PSaux module is covered by the following notices ---

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

basecvt.pod  
gcd.pod  
invmod.pod  
isprime.pod  
lap.pod  
mpi-test.pod  
prime.txt  
prng.pod  
## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.
- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====
```

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work



(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
## Eastman Kodak Company: Portions of color management and imaging software
```

```
### Eastman Kodak Notice
```

<pre>

```
Portions Copyright Eastman Kodak Company 1991-2003
```

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution.                               ==
=====
=====
====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```

    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,



incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
## jopt-simple v5.0.4
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## PC/SC Lite v1.8.26
```

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.

All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

PRIMES

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does



not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either

source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or

other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND

PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or



for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>  
## Dynalink v.5
```

```
### Dynalink License  
<pre>
```

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1994-2000 Netscape Communications Corporation. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License
Main Mesa code	src/ mesa/	MIT
Device drivers	src/ mesa/ drivers/ *	MIT, generally
Gallium code	src/ gallium/	MIT
Ext headers	GL/ glxext.h	Khronos
	GL/ glxext.h	Khronos
	GL/ wglxext.h	Khronos
	KHR/ khrplatform.h	Khronos

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## ASM Bytecode Manipulation Framework v6.0

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## The Unicode Standard, Unicode Character Database, Version 10.0.0

### Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the



directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale,

use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

```
## xwd v1.0.7
```

```
### xwd utility
```

```
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt: list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
```

```
## Harfbuzz v2.8
```

```
### Harfbuzz License
```

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

```
<pre>
```

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual

files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.

Copyright 2012 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright 2009 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

### Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal

500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.



You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

</pre>

```
## zlib v1.2.11
```

```
### zlib License
```

<pre>

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly

Mark Adler

jloup@gzip.org

madler@alumni.caltech.edu

</pre>

```
## CUP Parser Generator for Java v 0.11b
```

```
### CUP Parser Generator License
```

<pre>

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both



the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

This is the copyright file  
Copyright 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this

file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available,

modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights

to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this

License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an



\* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version



of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
# This file contains a list of people who've made non-trivial
# contribution to the Google C++ Testing Framework project. People
# who commit code to the project are encouraged to add their names
# here. Please keep the list sorted by first names.
```

```
Ajay Joshi <jaj@google.com>
Balzs Dn <balazs.dan@gmail.com>
Bharat Mediratta <bharat@menalto.com>
Chandler Carruth <chandlerc@google.com>
Chris Prince <cprince@google.com>
Chris Taylor <taylorc@google.com>
Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean McAfee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
```

Zhanyong Wan <wan@google.com>

## ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website:



[<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under

such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## International Components for Unicode (ICU4J) v60.2

### ICU4J License

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

```
## Cryptix AES v3.2.0
```

```
### Cryptix General License
```

```
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>  
## JRuby Joni v2.1.16
```

```
### MIT License  
<pre>
```

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
```

All images in this directory are copyright 1995 by Jeff Dinkins.

## GIFLIB v5.2.1

### GIFLIB License  
^^^

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT  
## libpng v1.6.37

### libpng License  
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,

express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our

efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing

Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

NSS is available under the Mozilla Public License, version 2, a copy of which is below.

Note on GPL Compatibility

-----

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU General Public License (GPL) version 2, or any later version of that license, to make a Larger Work, and distribute the result under the GPL. The only condition is that you must also make NSS, and any changes you have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue to dual licence in this way, and may, if they wish, distribute under the terms of either of the two licences - either the MPL alone or the GPL alone. However, we discourage people from distributing copies of NSS under the GPL alone, because it means that any improvements they make cannot be reincorporated into the main version of NSS. There is never a need to do this for license compatibility reasons.

Note on LGPL Compatibility



-----

The above also applies to combining MPLed code in a single library with code under the GNU Lesser General Public License (LGPL) version 2.1, or any later version of that license. If the LGPLed code and the MPLed code are not in the same library, then the copyleft coverage of the two licences does not overlap, so no issues arise.

## Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

#### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

## 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to

distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \* \* \* \*

\*\*\*\*\*

```

*****
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*****

```

8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

-----

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

#### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

#### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## Unicode Common Local Data Repository (CLDR) v33



### CLDR License

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF

ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## jQuery UI v1.12.1

### jQuery UI License

---

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## jQuery v3.5.1

### jQuery License

...

jQuery v 3.5.1

Copyright 2005, 2018 jQuery Foundation, Inc. and other contributors

<http://jquery.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

---

## Mozilla Public Suffix List

### Public Suffix Notice

---

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

---

### MPL v2.0

---

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions



Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty,

or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent

infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
```

\*\*\*\*\*

\*\*\*\*\*

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
```

\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

Copyright 2005 Sun Microsystems, Inc. All rights reserved.  
Use is subject to license terms.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this package except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is  
Netscape Communications Corporation.  
Portions created by the Initial Developer are Copyright (C) 1998-2000  
the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of  
either the GNU General Public License Version 2 or later (the "GPL"), or  
the GNU Lesser General Public License Version 2.1 or later (the "LGPL"),  
in which case the provisions of the GPL or the LGPL are applicable instead  
of those above. If you wish to allow use of your version of this file only  
under the terms of either the GPL or the LGPL, and not to allow others to  
use your version of this file under the terms of the MPL, indicate your  
decision by deleting the provisions above and replace them with the notice  
and other provisions required by the GPL or the LGPL. If you do not delete  
the provisions above, a recipient may use your version of this file under  
the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## 1.46 zeromq 4.3.4

### 1.46.1 Available under license :

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Beaty  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbobbeaty", with  
commit author "Bob Beaty <drbob@themanfromspud.com>", are copyright of Robert Beaty .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Robert Beaty  
2019/08/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tore Halvorsen  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "demozon", with commit author "Tore Halvorsen <tore.halvorsen@gmail.com>", are copyright of Tore Halvorsen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tore Halvorsen

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Braun that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "t-b", with commit author "thomas.braun@virtuell-zuhause.de" and "thomas.braun@byte-physics.de", are copyright of Thomas Braun.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Braun

2017/03/27

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Shubham Lagwankar that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ssbl", with commit author "Shubham Lagwankar <shubhu105@gmail.com>", are copyright of Shubham Lagwankar. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shubham Lagwankar

2018/10/30

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Iwan Paolucci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipa", with

commit author "Iwan Paolucci <iwan.paolucci@gmail.com>", are copyright of Iwan Paolucci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Iwan Paolucci

2019/04/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William P Strang that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "willstrang", with commit author "Will Strang <william.p.strang@gmail.com>", are copyright of William P Strang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William P Strang

2017/03/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rik van der Heijden that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rikvdh", with commit author "Rik van der Heijden <mail@rikvanderheijden.com>" and "Rik van der Heijden <rik.vanderheijden@dualinventive.com>", are copyright of Rik van der Heijden. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rik van der Heijden

2017/04/23

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Rottmann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rotty", with



commit author "Andreas Rottmann <a.rottmann@gmx.at>", are copyright of Andreas Rottmann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Rottmann

2017/05/07

# Permission to Relicense under MPLv2

This is a statement by Goswin von Brederlow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mrvn", with commit author "Goswin von Brederlow <goswin-v-b@web.de>" or "Goswin von Brederlow <brederlo@q-leap.de>", are copyright of Goswin von Brederlow.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Goswin von Brederlow

2020/12/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Orry that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chickenkiller", with commit author "Lionel Orry <lionel.orry@gmail.com>", are copyright of Lionel Orry.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Orry

2017/03/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthias Kluwe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkluwe", with commit author "Matthias Kluwe <mkluwe@gmail.com>", are copyright of Matthias Kluwe.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Kluwe

2017/03/24

# Permission to Relicense under MPLv2

This is a statement by Hewlett Packard Enterprise that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with commit author "Brett Cameron <Brett.Cameron@hp.com>", are copyright of Hewlett Packard Enterprise. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hewlett Packard Enterprise

2019/03/12

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2018, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Labsch on behalf of KST innovations GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-ksti", with commit author "Martin Labsch <martin.labsch@ksti.de>", are copyright of Martin Labsch on behalf of KST innovations GmbH. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Labsch

2020/10/09

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Laws that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "claws", with commit author "Chris Laws <clawsicus@gmail.com>", are copyright of Christopher Laws. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Laws

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rickard Hallerbck that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Ricardicus", with commit author "Rickard Hallerbck", are copyright of Rickard Hallerbck. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rickard Hallerbck 2020/02/28

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anthony Scemama that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "scemama", with

commit author "Anthony Scemama <scemama@irsamc.ups-tlse.fr>", are copyright of Anthony Scemama. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anthony Scemama

2017/03/21

# Permission to Relicense under MPLV2

This directory collects grants from individuals and firms that hold copyrights in ZeroMQ to permit licensing the ZeroMQ code under the [Mozilla Public License, version 2](<https://www.mozilla.org/en-US/MPL/2.0/>). See [GitHub Pull Request #1917](<https://github.com/zeromq/libzmq/pull/1917>), the [0MQ Licensing Page](<http://zeromq.org/area:licensing>) and [original iMatix zeromq-dev license grant](<http://lists.zeromq.org/pipermail/zeromq-dev/2016-April/030288.html>) for some background information.

Please create a separate file in this directory for each individual or firm holding copyright in ZeroMQ, named after the individual or firm holding the copyright.

Each patch must be made with a GitHub handle that is clearly associated with the copyright owner, to guarantee the identity of the signatory. Please avoid changing the files created by other individuals or firms granting a copyright license over their copyrights (if rewording is required contact them and ask them to submit an updated version). This makes it easier to verify that the license grant was made by an authorized GitHub account.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Fons

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dfons", with commit author "Diego Fons <diego.fons@gmail.com>" or "Diego Fons <diego.fons@intraway.com>", are copyright of Diego Fons.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Fons

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Caleb Epstein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Bklyn", with commit author "Caleb Epstein <cae@bklyn.org>", are copyright of Caleb Epstein. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Caleb Epstein  
2017/03/21  
# Permission to Relicense under MPLv2

This is a statement by Steven McCoy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "steve-o", with commit author "Steven McCoy <steven.mccoy@miru.hk>" and "Steve-o <fnjordy@gmail.com>", are copyright of Steven McCoy. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Steven McCoy  
2019/02/24  
Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>  
Upstream-Name: ZeroMQ  
Source: <http://zeromq.org>

Files: \*  
Copyright: 2009-2011, 250bpm s.r.o  
2007-2013, iMatix Corporation  
2007-2011, Other contributors as noted in the AUTHORS file  
License: LGPL-3.0+

Files: src/xreq.cpp  
src/xpub.cpp  
src/xsub.cpp  
tests/test\_reqrep\_device.cpp  
tests/test\_invalid\_rep.cpp  
Copyright: 2010-2011, 250bpm s.r.o  
2011, VMware, Inc  
2010-2011, Other contributors as noted in the AUTHORS file  
License: LGPL-3.0+

Files: src/msg.hpp

src/xrep.\*  
src/options.\*  
src/req.\*  
src/socket\_base.\*  
src/pipe.\*  
src/encoder.cpp  
src/lb.cpp  
src/session\_base.\*  
src/fq.cpp  
include/zmq.h  
Copyright: 2009-2011, 250bpm s.r.o  
2007-2013, iMatix Corporation  
2011, VMware, Inc  
2007-2011, Other contributors as noted in the AUTHORS file  
License: LGPL-3.0+

Files: src/pgm\_receiver.\*  
src/pgm\_sender.\*  
src/pgm\_socket.\*  
Copyright: 2009-2011, 250bpm s.r.o  
2007-2013, iMatix Corporation  
2010-2011, Miru Limited  
2007-2011, Other contributors as noted in the AUTHORS file  
License: LGPL-3.0+

Files: external/unity/\*  
Copyright: 2007-2014 Mike Karlesky  
2007-2014 Mark VanderVoord  
2007-2014 Greg Williams

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/\*

Copyright: 2014- , Laszlo Boszormenyi (GCS) <gcs@debian.org>

2012-2014, Alessandro Ghedini <ghedo@debian.org>

2010-2012, Martin Lucina <martin@lucina.net>

2009-2010, Adrian von Bidder <cmot@debian.org>

2009-2010, Peter Busser <peter@mirabilix.nl>

2012, Alessandro Ghedini <ghedo@debian.org>

License: LGPL-2.0+

License: LGPL-2.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-3.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-3". BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# Permission to Relicense under MPLv2

This is a statement by Cameron Smith  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cwsmith", with  
commit author "Cameron Smith <smithc11@rpi.edu>", are copyright of Cameron Smith.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Cameron Smith

2020/02/05

# Permission to Relicense under MPLv2

This is a statement by Jean-Christophe Fillion-Robin  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcfr", with  
commit author "Jean-Christophe Fillion-Robin <jchris.fillionr@kitware.com>", are copyright of Kitware Inc.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Jean-Christophe Fillion-Robin

2019/09/03

# Permission to Relicense under MPLv2

This is a statement by sonoware GmbH that grants permission to relicense its  
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License  
v2 (MPLv2).

A portion of the commits made by the Github handle "sonoware", with commit author  
"Stephan Senkbeil" are copyright of sonoware GmbH.

This document hereby grants the libzmq project team to relicense libzmq, including  
all past, present and future contributions of the authors listed above.

Stephan Senkbeil <stephan.senkbeil@sonoware.de>

2019/12/13

# Permission to Relicense under MPLv2

This is a statement by Dave Meehan  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dmeehan1968", with  
commit author "Dave Meehan dave\_meehan@replicated.co.uk", are copyright of Dave Meehan.

This document hereby grants the libzmq project team to relicense libzmq,



including all past, present and future contributions of the author listed above.

Dave Meehan

2019/08/31

# Permission to Relicense under MPLv2

This is a statement by Brett Cameron  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with  
commit author "Brett Cameron <brett.r.cameron@gmail.com>" or  
"Brett Cameron <brett.cameron@vmssoftware.com>", are copyright of Brett Cameron.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Brett Russell Cameron

2019/02/25

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Egomotion Limited  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "robertcastle", with  
commit author "Robert Castle <robert@egomotion.co.uk>", are copyright of Egomotion Limited.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Robert Castle,

Director, Egomotion Limited

2017/03/21

# Permission to Relicense under MPLv2

This is a statement by Rosen Penev  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with  
commit author "Rosen Penev <rosenp@gmail.com>", are copyright of  
Rosen Penev .

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Rosen Penev

2019/04/19

# Permission to Relicense under MPLv2

This is a statement by Maurizio Melato that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mauri-melato", with commit author "Maurizio Melato", are copyright of Maurizio Melato. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Maurizio Melato  
2017-04-04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Franco Fichtner that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fichtner", with commit author "Franco Fichtner <franco@lastsummer.de>", are copyright of Franco Fichtner. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Franco Fichtner  
2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dmitrii (Dima) Pasechnik that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dimpase", with commit author "Dima Pasechnik dimpase@gmail.com", are copyright of Dmitrii Pasechnik. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dmitrii Pasechnik 2019/09/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lloyd that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "CommanderBubble", with commit author "Michael Lloyd <commander.bubble@gmail.com>", are copyright of Michael Lloyd. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lloyd

2019/02/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Xujing Yang (laplaceyang) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "laplaceyang", with commit author "laplaceyang <laplace2013@outlook.com>", are copyright of Xujing Yang. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Xujing Yang

2020/04/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Colomiets that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tailhook", with commit author "Paul Colomiets <paul@colomiets.name>" or "Paul Colomiets <pc@gafol.net>", are copyright of Paul Colomiets. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Paul Colomiets

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bill Torpey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "wallstprog", with commit author "Bill Torpey <wallstprog@gmail.com>", are copyright of Bill Torpey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bill Torpey

2018/11/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jean Airoidie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jean-airoidie", with commit author "jean-airoidie <25088801+jean-airoidie@users.noreply.github.com>", are copyright of Jean Airoidie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jean Airoidie 2019/04/27

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Szekely Gyorgy that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hoditohod", with commit author "Szekely Gyorgy <hoditohod@gmail.com>", are copyright of Szekely Gyorgy. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Szekely Gyorgy

2018/08/15

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

## 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of

this License applicable to that copy.

### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you

received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

-----

#### SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yuval Langer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yuvallanger", with commit author "Yuval Langer <yuvallanger@gmail.com>", are copyright of Yuval Langer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yuval Langer  
2017-03-19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Rodgers that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).



A portion of the commits made by the Github handle "rodgert", with commit author "Thomas Rodgers <rodgert@twroddgers.com>", are copyright of Thomas Rodgers.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas W Rodgers  
2017/04/08

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Fox that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gitfoxi", with commit author "gitfoxi", are copyright of Michael Fox.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Fox  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roy Lenferink that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rlenferink", with commit author "Roy Lenferink <lenferinkroy@gmail.com>" or "Roy Lenferink <rlenferink@apache.org>", are copyright of Roy Lenferink.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roy Lenferink  
2017/03/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Aaron Linville that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "linville", with commit author "Aaron Linville <aaron@linville.org>", are copyright of Aaron Linville. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aaron Linville

2017/03/27

# Permission to Relicense under MPLv2

This is a statement by Nikita Kozlov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "KLNikita", with commit author "nikita kozlov <nikita@elyzion.net>", are copyright of Nikita Kozlov . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nikita Kozlov

6 February 2020

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Silverman that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brian-peloton", with commit author "brian@peloton-tech.com", are copyright of Brian Silverman . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Silverman

2019/08/14

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "chugga\\_fan" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuggafan", with commit author "chugga\\_fan chuggafans@gmail.com", are copyright of "chugga\\_fan" .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"chugga\\_fan"

2017/03/19

# Permission to Relicense under MPLv2

This is a statement by Google, Inc.

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tkoepe", with commit author "Thomas Kppe", are copyright of Google, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Kppe

2017/09/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Min Ragan-Kelley

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "minrk", with

commit author "Min RK benjaminrk@gmail.com", are copyright of Min Ragan-Kelley.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Min Ragan-Kelley

2017/07/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arthur O'Dwyer

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Quuxplusone", with

commit author "Arthur O'Dwyer <arthur@push.am>", are copyright of Arthur O'Dwyer.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arthur O'Dwyer

2019/02/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Henri Gourvest that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hgourvest", with commit author "Henri Gourvest <hgourvest@progdigy.com>", are copyright of Henri Gourvest. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henri Gourvest

2018/12/8

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Juniet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cjuniet", with commit author "Christophe Juniet <c.juniet@gmail.com>", are copyright of Christophe Juniet. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Juniet

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Connolly that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mattconnolly", with commit author "Matt Connolly <matt.connolly@me.com>", are copyright of Matthew Connolly. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Connolly

2017/06/28

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christian Kamm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ckamm", with commit author "Christian Kamm kamm@incasoftware.de", are copyright of Christian Kamm. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christian Kamm  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gonzalo Diethelm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gonzus", with commit author "Gonzalo Diethelm <gonzalo.diethelm@diethelm.org>" or "Gonzalo Diethelm <gdiethelm@dcv.cl>", are copyright of Gonzalo Diethelm . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gonzalo Diethelm  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nikolay Amiantov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abbradar", with commit author "Nikolay Amiantov <ab@fmap.me>", are copyright of Nikolay Amiantov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nikolay Amiantov  
2017/03/24

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wang Yunlai that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hnwyllmm", with commit author "hnwyllmm hnwyllmm@126.com", are copyright of Wang Yunlai . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wang Yunlai

2019/08/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mark Jan van Kampen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mjvk", with commit author "Mark Jan van Kampen <markjanvankampen@gmail.com>", are copyright of Mark Jan van Kampen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Jan van Kampen

2020/02/24

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Piotr Trojanek that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ptroja", with commit author "Piotr Trojanek <piotr.trojanek@gmail.com>", are copyright of Piotr Trojanek. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Piotr Trojanek

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Volodymyr Korniichuk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ezhikus", with commit author "VolodymyrKorn@gmail.com", are copyright of Volodymyr Korniiichuk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Volodymyr Korniiichuk  
2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John T. Conklin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "johntconklin", with commit author "J.T. Conklin <jtc@acorntoolworks.com>", are copyright of John T. Conklin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John T. Conklin  
2017-03-19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrij Abyzov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drolevar", with commit author "Andrij Abyzov <drolevar@gmail.com>", are copyright of Andrij Abyzov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrij Abyzov  
2019/11/19

# Permission to Relicense under MPLv2

This is a statement by Kevin Sapper that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sappo", with commit author "Kevin Sapper <mail@kevinsapper.de>", are copyright of Kevin Sapper. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future

contributions of the author listed above.

Kevin Sapper  
2017/03/20

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are designed  
to take away your freedom to share and change the works. By contrast,  
the GNU General Public License is intended to guarantee your freedom to  
share and change all versions of a program--to make sure it remains free  
software for all its users. We, the Free Software Foundation, use the  
GNU General Public License for most of our software; it applies also to  
any other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
them if you wish), that you receive source code or can get it if you  
want it, that you can change the software or use pieces of it in new  
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you  
these rights or asking you to surrender the rights. Therefore, you have  
certain responsibilities if you distribute copies of the software, or if  
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must pass on to the recipients the same  
freedoms that you received. You must make sure that they, too, receive  
or can get the source code. And you must show them these terms so they  
know their rights.

Developers that use the GNU GPL protect your rights with two steps:  
(1) assert copyright on the software, and (2) offer you this License  
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains



that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without

permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source

includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention

is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the

Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a

network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.



Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered

work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the

option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Barrios Romero that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eldruin", with commit author "Diego Barrios Romero <eldruin@gmail.com>", are copyright of Diego Barrios Romero. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Barrios Romero  
2019/11/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Isaac Poulton that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Omegastick", with commit author "Omegastick", are copyright of Isaac Poulton. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Isaac Poulton  
2019/04/14

# Permission to Relicense under MPLv2

This is a statement by KIU Shueng Chuan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "pijyoi", with commit author "KIU Shueng Chuan <nixchuan@gmail.com>", are copyright of KIU Shueng Chuan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

KIU Shueng Chuan

2017/03/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by JaeSang Yoo  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JSYoo5B", with  
commit author "JaeSang Yoo <jsyoo5b@gmail.com>", are copyright of JaeSang Yoo.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

JaeSang Yoo

2020.02.29

# Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jimenezrick", with  
commit author "Ricardo Catalinas Jimenez", are copyright of Ricardo  
Catalinas Jimenez.

This document hereby grants the libzmq project team to relicense  
libzmq,  
including all past, present and future contributions of the author  
listed above.

Ricardo Catalinas Jimenez

2020/02/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Davit Kalantaryan  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made with commit author  
"Davit Kalantaryan <davit.kalantaryan@desy.de>", are copyright of Davit Kalantaryan.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Davit Kalantaryan

2020/08/06

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Elliot Saba that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "staticfloat", with commit author "Elliot Saba <staticfloat@gmail.com>", are copyright of Elliot Saba. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Elliot Saba  
2017/03/19  
Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Hague that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).



A portion of the commits made by the Github handle "banburybill", with commit author "Jim Hague <jim.hague@acm.org>", are copyright of Jim Hague. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Hague

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey KHripchenko that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "shripchenko", with commit author "Sergey KHripchenko <shripchenko@intermedia.net>", are copyright of Sergey KHripchenko. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sergey KHripchenko

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by C-Sir that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "C-Sir", with commit author "C-Sir <942510829@qq.com>", are copyright of C-Sir. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

C-Sir

2020/09/28

# Permission to Relicense under MPLv2

This is a statement by Antonio Vanegas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hpsaturn", with commit author "Antonio Vanegas", are copyright of Antonio Vanegas.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antonio Vanegas

2018/10/27

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chuck Remes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuckremes", with commit author "Chuck Remes", are copyright of Chuck Remes.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chuck Remes

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stoian Ivanov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sdrsdr", with commit author "Stoian Ivanov sdr@mail.bg", are copyright of Stoian Ivanov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stoian Ivanov

2017-03-23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Schulz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "schulzch", with commit author "Christoph Schulz <schulzchs@gmail.com>", are copyright of Christoph Schulz.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Schulz

2018/09/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

I happily grant permission to  
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the  
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative  
approved license chosen by the current ZeroMQ BDFL (Benevolent  
Dictator for Life).

The portion of the commits made by the Github handle "chymanfx", are  
not copyrighted in any way.

Chyman

2019/08/12

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Latchmoor Services, LLC  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbitboy", with  
commit author "Brian Carcich <drbitboy@gmail.com>", are copyright of Latchmoor  
Services, LLC.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Latchmoor Services, LLC

2019/07/26

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Hasenack that grants permission to  
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the  
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative  
approved license chosen by the current ZeroMQ BDFL (Benevolent  
Dictator for Life).

A portion of the commits made by the Github handle "panlinux", with  
commit author "Andreas Hasenack <andreas@canonical.com>", are  
copyright of Andreas Hasenack. This document hereby grants the libzmq  
project team to relicense libzmq, including all past, present and  
future contributions of the author listed above.

Andreas Hasenack

2019/03/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Denis Collette that grants permission to relicense its copyrights in the libzmq C++ library  
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license

chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "colletted", with commit author "Denis Collette denisncollette@gmail.com", are copyright of Denis Collette. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Denis Collette 2020/01/22

# Permission to Relicense under MPLv2

This is a statement by Frdric Trgon  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "FredTreg", with  
commit author "Frederic Tregon <frederic.tregon@gmail.com>", are copyright of Frdric Trgon.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Frdric Trgon

2020/02/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrei Tomashpolskiy  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "atomashpolskiy", with  
commit author "Andrei Tomashpolskiy <nordmann89@gmail.com>", are copyright of Andrei Tomashpolskiy .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Andrei Tomashpolskiy

2019/08/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dries Harnie  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Botje", with  
commit author "Dries Harnie <dries@harnie.be>", are copyright of Dries Harnie.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Dries Harnie

2019/10/31

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Leonardo J. Consoni that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AnCaPepe", with commit author "Leonardo Jos Consoni <consoni\_2519@hotmail.com>", are copyright of Leonardo J. Consoni. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Leonardo Jos Consoni

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gudmundur Adalsteinsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gummif", with commit author "Gudmundur Adalsteinsson <ofpgummi@yahoo.com>", are copyright of Gudmundur Adalsteinsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gudmundur Adalsteinsson

2020/02/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Byron Mallett that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mystfit", with commit author "Byron Mallett <byronated@gmail.com>", are copyright of Byron Mallett . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Byron Mallett

2018/9/1

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adam Seering  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "aseering", with  
commit author "Adam Seering <aseering@gmail.com>", are copyright of Adam Seering.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Adam Seering  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Claudio Biagi that grants permission to relicense  
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public  
License v2 (MPLv2) or any other Open Source Initiative approved license  
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "emtr", with  
commit author "Claudio Biagi <retmt@gmx.com>", are copyright  
of Claudio Biagi. This document hereby grants the libzmq project  
team to relicense libzmq, including all past, present and future  
contributions of the author listed above.

Claudio Biagi  
2019/03/07

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current  
ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
share-alike Open Source Initiative approved license chosen by the current  
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{ github username }}", with  
commit author "{{ github commit author }}", are copyright of {{ name }} .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

{{ Full Name }}  
{{ creation date of document (format: yyyy/mm/dd) }}  
# Permission to Relicense under MPLv2

This is a statement by Liquid Instruments  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "acsearle", with  
commit author "Antony Searle", are copyright of Liquid Instruments .  
This document hereby grants the libzmq project team to relicense  
libzmq, including all past, present and future contributions of the author  
listed above.

Antony Searle

2020/02/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lutz  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "michicc", with  
commit author "Michael Lutz <michi@icosahedron.de>", are copyright of Michael Lutz.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Michael Lutz

2017/05/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by aixxe (aixxe)  
that grants permission to relicense his copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "aixxe", with commit author  
"aixxe <me@aixxe.net>" are copyright of aixxe.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

aixxe

2019/07/25

# Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tommd", with commit author "Thomas M. DuBuisson", are copyright of Thomas M. DuBuisson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas M. DuBuisson

2019/04/11

# Permission to Relicense under MPLv2

This is a statement by trya.  
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "trya", with commit author "trya", are copyright of trya. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

trya

2019/09/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Juha Reunanen, Tomaattinen Ltd, and Outotec (Finland) Oy that grants permission to relicense their copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "reunanen", with commit author "Juha Reunanen <juha.reunanen@tomaattinen.com>", are copyright of Juha Reunanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juha Reunanen

2017/04/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Vincent Tellier that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vtellier", with commit author "Vincent Tellier", are copyright of Vincent Tellier . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.



Vincent Louis Thophile Tellier

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pawel Kurdybacha that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kurdybacha", with commit author "Pawel Kurdybacha pawel.kurdybacha@gmail.com", are copyright of Pawel Kurdybacha . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pawel Kurdybacha

2017/04/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stefan Radomski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sradomski", with commit author "Stefan Radomski <radomski@tk.informatik.tu-darmstadt.de>", are copyright of Stefan Radomski . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Radomski

2020/12/20

# Permission to Relicense under MPLv2

This is a statement by Nokia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "aheroff1", with commit author "Andy Heroff", are copyright of Nokia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andy Heroff

2021/01/05

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Michal Vyskocil" that grants permission to relicense its copyrights in the libzmq C++ library

(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vyskocilm", with commit author "Michal Vyskocil michal.vyskocil@gmail.com", are copyright of "Michal Vyskocil". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michal Vyskocil 2017/03/24

# Permission to Relicense under MPLv2

This is a statement by Brian Knox that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "taotetek", with commit author "Brian Knox", are copyright of Brian Knox. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Knox

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothy Mossbarger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Prarrot", with commit author "Prarrot", are copyright of Timothy Mossbarger. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Timothy Mossbarger

18 Feb 2019

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Axel Nennker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AxelNennker", with commit author "Axel Nennker <axel@nennker.de>", are copyright of Axel Nennker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and

future contributions of the author listed above.

Axel Nennker

2019/08/11

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Maarten Ditzel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mditzel", with commit author "Maarten Ditzel <maarten.ditzel@gmail.com>", are copyright of Maarten Ditzel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Maarten Ditzel

2017/03/24

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ming Ji that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "answeroo", with commit author "answeroo <jiming@yafco.com>", are copyright of Ming Ji. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ming Ji

2018/08/20

# Permission to Relicense under MPLv2

This is a statement by Olaf Mandel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "olafmandel", with commit author "Olaf Mandel <o.mandel@menlosystems.com>", are copyright of Olaf Mandel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Olaf Mandel

2017/03/21

# Permission to Relicense under MPLV2 or any Open Source Initiative (OSI) approved license chosen by the current ZeroMQ BDFL

This is a statement by Nick Guiffrida that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The commits made by the Github handle "goodfella", with commit author "Nick Guiffrida goodfella005@gmail.com" are copyright of Nick Guiffrida. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

# Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xantares", with commit author "Michel Zou <xantares09@hotmail.com>", are copyright of Michel Zou. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michel Zou  
2020/02/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Trevor Bernard (trevorbernard) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "trevorbernard", with commit author "Trevor Bernard <trevor.bernard@gmail.com>", are copyright of Trevor Bernard. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Trevor Bernard  
2019/02/25

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with commit author "{{github commit author}}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}  
{{ creation date of document (format: yyyy/mm/dd) }}  
# Permission to Relicense under MPLv2

This is a statement by Laurent Stacul that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stac47", with commit author "Laurent Stacul <laurent.stacul@gmail.com>", are copyright of Laurent Stacul . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laurent Stacul  
2020/02/21  
# Permission to Relicense under MPLv2

This is a statement by Jrmie Courrges-Anglas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcourreges", with commit author "Jrmie Courrges-Anglas", are copyright of Jrmie Courrges-Anglas. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jrmie Courrges-Anglas  
2018/12/07  
# Permission to Relicense under MPLv2

This is a statement by Benjamin Deroche that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "benjdero", with commit author "Benjamin Deroche", are copyright of Benjamin Deroche. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Benjamin Deroche

2019/10/26

# Permission to Relicense under MPLv2

This is a statement by Victor Luchits  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vicious", with  
commit author "Victor Luchits", are copyright of Victor Luchits.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Victor Luchits

2019/11/12

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Phillip Mienk  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "pmienk", with  
commit author "Phillip Mienk <mienkphi@gmail.com>", are copyright of Phillip Mienk.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Phillip Mienk

2019/02/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ian Barber  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "ianbarber", with  
commit author "Ian Barber <ianbarber@gmail.com>", are copyright of Ian Barber.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Ian Barber

2017/03/27

# Permission to Relicense under MPLv2

This is a statement by Asaf Kahlon  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "asafkahlon", with  
commit author "Asaf Kahlon asafka7@gmail.com", are copyright of Asaf Kahlon.  
This document hereby grants the libzmq project team to relicense  
libzmq,  
including all past, present and future contributions of the author  
listed above.

Asaf Kahlon  
2020/02/05

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jon Dyte  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JonDyte", with  
commit author "Jon Dyte <jon@totient.co.uk>", are copyright of Jon Dyte.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Jon Dyte  
2019/10/03

# Permission to Relicense under MPLv2

This is a statement by Bernd Prager  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bprager", with  
commit author "Bernd Prager <bernd@prager.ws>", are copyright of Bernd Prager.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Bernd Prager  
2017/03/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jakub Kaczmarzyk  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kaczmarj", with commit author "Jakub Kaczmarzyk jakub.kaczmarzyk@gmail.com", are copyright of Jakub Kaczmarzyk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jakub Kaczmarzyk  
2020/07/29

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mikko Koppanen that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkoppanen", with commit author "Mikko Koppanen <mikko@kuut.io>", are copyright of Mikko Koppanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mikko Koppanen  
2018/02/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Reza Ebrahimi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "reza-ebrahimi", with commit author "Reza Ebrahimi <reza.ebrahimi.dev@gmail.com>", are copyright of Reza Ebrahimi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Reza Ebrahimi  
2017/03/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Guillon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).



A portion of the commits made by the Github handle "guillon", with commit author "Christophe Guillon <christophe.guillon.perso@gmail.com>", are copyright of Christophe Guillon . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Guillon

2019/06/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tom Whittock that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "twhittock", with commit author "Tom Whittock", are copyright of Tom Whittock. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tom Whittock

2017/04/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jan Kryl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jkryl", with commit author "Jan Kryl jan.kryl@nexenta.com", are copyright of Jan Kryl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jan Kryl

2017/03/19

# Permission to Relicense under MPLv2

This is a statement by Dr. Stefan Kaes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "skaes", with commit author "Stefan Kaes <stefan.kaes@xing.com>", are copyright of New Work SE. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dr. Stefan Kaes

2021/01/04

# Permission to Relicense under MPLv2

This is a statement by Dhammika Pathirana

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dhammika", with

commit author "Dhammika Pathirana <dhammika@gmail.com>", are copyright of Dhammika Pathirana .

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Dhammika Pathirana

2019/08/12

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Norman Ovenseri

that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "normano", with

commit author "normano", are copyright of Norman Ovenseri.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

This is a statement by Norman Ovenseri

2019/05/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Natano

that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "natano", with

commit author "Martin Natano", are copyright of Martin Natano.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Martin Natano

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Kahl that grants permission to relicense its copyrights in the libzmq C++ library

(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kanonet", with commit author "Christoph Kahl", are copyright of Christoph Kahl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Kahl

2020/01/09

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by xqcool that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "xqcool", with commit author "xqcool <xuquan316@live.com>", are copyright of xqcool . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

xqcool

2020/01/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alex Grnholm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "agronholm", with commit author "Alex Grnholm <alex.grnholm+git@nextday.fi>", are copyright of Alex Grnholm. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alex Grnholm

2017/03/19

# Permission to Relicense under MPLv2

This is a statement by Floris Bruynooghe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Floris Bruynooghe <flub@devork.be>", are copyright of

Floris Bruynooghe .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Floris Bruynooghe

2017/05/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Murphy

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "murphybytes", with commit author "John Murphy <murphybytes@gmail.com>", are copyright of John Murphy . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Murphy

2019/08/12

# Permission to Relicense under MPLV2

This document collects grants from firms that hold copyrights in ZeroMQ. Please add new firms at the start. Each patch must be made with a GitHub handle that guarantees identity of the signatory.

## iMatix Corporation

This is a statement by iMatix Corporation sprl (iMatix) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

1. The original ZeroMQ codebase was developed from 2007-2009 by FastMQ Inc. (FastMQ) in Slovakia, which held all copyrights in code written by its staff.
2. On 2009-11-01, iMatix exercised an option to acquire FastMQ and its assets, including ZeroMQ. On or before 2010-01-05 the FastMQ copyrights in ZeroMQ were transferred to iMatix ([commit](https://github.com/zeromq/libzmq/commit/4f6baf4dde627656b63cc4e2acdb78a8577ba640)). The FastMQ legal entity was subsequently liquidated.
3. Between 2009 and 2016, iMatix has continued to add contributions to ZeroMQ under the GitHub handle 'hintjens'.
4. This grant therefore covers what remains of the original FastMQ codebase plus all later contributions.
5. iMatix hereby grants an irrevocable, global, and fully paid-up license on all its copyrights that exist in ZeroMQ, under the MPLv2.

-Pieter Hintjens

CEO, iMatix Corporation sprl

23 April 2016

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Conrad Parker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kfish", with commit author "Conrad Parker <conrad@metadecks.org>", are copyright of Conrad Parker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Conrad Parker

2018/10/30

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Zoe Faltib that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoedberg", with commit author "Zoe Faltib zoefaltiba@gmail.com", are copyright of Zoe Faltib. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Zoe Faltib

2020/11/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jeff Brubaker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brubakerjeff", with commit author "Jeff Brubaker <brubaker.jeff@gmail.com>", are copyright of Jeff Brubaker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jeff Brubaker

2018/11/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Attila Mark Sz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ambitslix", with commit author "gougolith@gmail.com", are copyright of Attila Mark. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Attila Mark Sz 2020/11/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alain Kalker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ackalker", with commit author "Alain Kalker <a.c.kalker@gmail.com>", are copyright of Alain Kalker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alain Kalker

2019/05/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivan Pechorin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipechorin", with commit author "Ivan Pechorin <ivan.pechorin@gmail.com>", are copyright of Ivan Pechorin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivan Pechorin

2019/09/25

# Permission to Relicense under MPLv2

This is a statement by Sven Liedtke that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "liedtkeInTUM", with commit author "Sven Liedtke", are copyright of Sven Liedtke.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sven Liedtke

2019/11/27

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Dolan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cdolan", with commit author "Christopher Dolan <chris@codingstream.org>", are copyright of Christopher Dolan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Dolan

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Giuseppe Corbelli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cowo78" with commit author "Giuseppe Corbelli <cowo78@gmail.com>", are copyright of Giuseppe Corbelli.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Giuseppe Corbelli

2017/03/21

# Permission to Relicense under MPLv2

This is a statement by Ericsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hugne", with commit author "Erik Hugne erik.hugne@ericsson.com", are copyright of Ericsson.

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Jon Maloy <jon.maloy@ericsson.com>

2019/03/27

# Permission to Relicense under MPLv2

This is a statement by Fredrick Paul Eisele  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle phreed, with  
commit author "Fred Eisele", are copyright of Fred Eisele .

This document hereby grants the libzmq project team to relicense  
libzmq,  
including all past, present and future contributions of the author  
listed above.

Fredrick Paul Eisele

2020/01/03

# Permission to Relicense under MPLv2

This is a statement by Connamara Systems llc  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cbusbey", with  
commit author "chris busbey", are copyright of Connamara Systems, llc.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Chris Busbey

2019/09/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with  
commit author "Jonathan Reams <jbreams@gmail.com>", are copyright of  
Jonathan Reams.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed  
above.

Jonathan Reams



2019/08/31

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Vilim that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mvilim", with commit author "Michael Vilim

<697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8@697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8.com>", are

copyright of Michael Vilim. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Vilim

2019/08/31

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Gagnon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rgagnon24", with commit author "Robert Gagnon rgagnon24+zmq@gmail.com", are copyright of Robert Gagnon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gagnon

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joe Eli McIlvain that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jemc", with commit author "Joe Eli McIlvain", are copyright of Joe Eli McIlvain. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joe Eli McIlvain

2017/03/28

# Permission to Relicense under MPLv2

This is a statement by Chris Staite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "chrisstaite", with commit author "Chris <chris@yourdreamnet.co.uk>", are copyright of Chris Staite.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Staite

2017/03/28

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jovan Bunjevacki that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjovke", with commit author "Jovan Bunjevacki <bjovan@gmail.com>", are copyright of Jovan Bunjevacki. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jovan Bunjevacki

2017/04/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andre Caron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AndreLouisCaron", with commit author "Andre Caron <andre.l.caron@gmail.com>", are copyright of Andre Caron.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andre Caron

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dongmin Yu

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "miniway", with commit author "Dongmin Yu <miniway@gmail.com>", are copyright of Dongmin Yu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dongmin Yu  
2019/08/12  
# Permission to Relicense under MPLv2

This is a statement by Kapp Arnaud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xaqq", with commit author "Kapp Arnaud", are copyright of Kapp Arnaud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kapp Arnaud  
2017/03/30  
# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Simon Giesecke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sigieseck", with commit author "Simon Giesecke <simon.giesecke@btc-ag.com>", are copyright of Simon Giesecke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Simon Giesecke  
2017/08/17  
# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Kymeta Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opensource-kymetacorp", with commit author "opensource-kymetacorp", are copyright of Kymeta Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kymeta Corporation

2018/11/21

# Permission to Relicense under MPLv2

This is a statement by Hendrik Beskow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Asmod4n", with commit author "Asmod4n Asmod4n@users.noreply.github.com", are copyright of Hendrik Beskow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hendrik Beskow

2017/04/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bryan Gillespie (RPGillespie6) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "RPGillespie6", with commit author "Bryan Gillespie <rbgillespie6@gmail.com>", are copyright of Bryan Gillespie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bryan Gillespie

2019/09/06

# Permission to Relicense under MPLv2

This is a statement by Joerg Kreuzberger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "kreuzberger", with commit author "Joerg Kreuzberger", are copyright of Joerg Kreuzberger. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joerg Kreuzberger  
2019/09/02  
# Permission to Relicense under MPLv2

This is a statement by Daniel Krikun  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dkrikun", with  
commit author "Daniel Krikun", are copyright of Daniel Krikun .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Daniel Krikun  
2019/08/17  
# Permission to Relicense under MPLv2

This is a statement by Matthias Loy  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mloy", with  
commit author "Matthias Loy", are copyright of Matthias Loy.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Matthias Loy  
2020/01/18  
# Permission to Relicense under MPLv2

This is a statement by Jake Cobb  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jakecobb", with  
commit author "Jake Cobb &lt;jake.cobb@gmail.com&gt;", are copyright of Jake Cobb.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Jake Cobb  
2017/04/04  
# Permission to Relicense under MPLv2

This is a statement by Douglas Young  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "rcxdude", with

commit author "Douglas Young <rcxdude@gmail.com>", are copyright of Douglas Young .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Douglas Young  
2019/08/31

This is a statement by Peter LaDow that grants permission to relicense its  
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public  
License v2 (MPLv2) or any other Open Source Initiative approved license  
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Suudy", with commit  
author "Suudy <pladow@gmail.com>", are copyright of Peter LaDow. This  
document hereby grants the libzmq project team to relicense libzmq, including  
all past, present and future contributions of the author listed above.

Peter LaDow  
14 August 2019

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Guido Vranken that grants permission to  
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the  
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative  
approved license chosen by the current ZeroMQ BDFL (Benevolent  
Dictator for Life).

A portion of the commits made by the Github handle "guidovranken", with  
commit author "Guido Vranken <guidovranken@gmail.com>", are  
copyright of Guido Vranken. This document hereby grants the libzmq  
project team to relicense libzmq, including all past, present and  
future contributions of the author listed above.

Guido Vranken  
2019/01/08

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarmo Tnav that grants permission to  
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the  
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative  
approved license chosen by the current ZeroMQ BDFL (Benevolent  
Dictator for Life).

A portion of the commits made by the Github handle "tarmo", with  
commit author "Tarmo Tnav <tarmo@itech.ee>", are copyright of Tarmo Tnav.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Tarmo Tnav

2020/08/29

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daiyu Hurst that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "daiyuhurst", with commit author "Daiyu Hurst <daiyu.hurst@gmail.com>", are copyright of Daiyu Hurst. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daiyu Hurst

2019/08/31

# Permission to Relicense under MPLv2

This is a statement by Juraj Oruli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ojura", with commit author "Juraj Oruli", are copyright of Juraj Oruli.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juraj Oruli

2018/10/26

# Permission to Relicense under MPLv2

This is a statement by Quantum Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vortechs2000", with commit author "AJ Lewis aj.lewis@quantum.com", are copyright of Quantum Corporation.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

AJ Lewis

2019/02/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dennis Klein that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dennisklein", with commit author "Dennis Klein <d.klein@gsi.de>", are copyright of Dennis Klein. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dennis Klein

2019/08/11

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adrian Muraru that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "amuraru", with commit author "Adrian Muraru <adi.muraru@gmail.com>", are copyright of Adrian Muraru. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adrian Muraru

2017/03/20

# Permission to Relicense under MPLv2

This is a statement by IVU Traffic Technologies AG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jruffin", with commit author "Julien Ruffin <jur@ivu.de>", are copyright of IVU Traffic Technologies AG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Henrik Benner

Head of Department Ticketing Development, IVU Traffic Technologies AG

2017/05/10

# Permission to Relicense under MPLv2

This is a statement by Roal Zanazzi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "roalz", with commit author "roalz <roal.zanazzi@gmail.com>", are copyright of Roal Zanazzi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.



Roal Zanazzi

2017/03/21

# Permission to Relicense under MPLv2

This is a statement by Fedor Sheremetyev  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sheremetyev", with  
commit author "Fedor Sheremetyev <sheremetyev@gmail.com>", are copyright of Fedor Sheremetyev.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Fedor Sheremetyev

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by niXman (github.nixman@pm.me)  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "niXman", with  
commit author "niXman", are copyright of nixMan .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

niXman (github.nixman@pm.me)

2019/10/03

# Permission to Relicense under MPLv2

This is a statement by Jesse Gorzinski  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ThePrez", with  
commit author "ThePrez &lt;jgorzinski@gmail.com&gt;", are copyright of Jesse Gorzinski.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Jesse Gorzinski

2019/10/02

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by H. Eduardo Montoya Snchez  
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "montoyaedu", with commit author "Montoya Edu <montoya.edu@gmail.com>", are copyright of H. Eduardo Montoya Snchez. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

H. Eduardo Montoya Snchez

2017/03/20

# Permission to Relicense under MPLv2

This is a statement by Pavel Pimenov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle pavel-pimenov, with commit author Pavel Pimenov pavel.pimenov@gmail.com, are copyright of Pavel Pimenov . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pavel Pimenov

2020/02/04

# Permission to Relicense under MPLv2

This is a statement by Spotify AB that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gimaker", with commit author "Staffan Gimker", the commits made by the Github handle "danielnorberg", with commit author "Daniel Norberg", and the commits made by the Github handle "caipre", with commit author "Nick Platt", are copyright of Spotify AB. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Nick Platt <nickplatt@spotify.com>

2019/08/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arkadiusz Drabczyk (ardrabczyk) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ardrabczyk", with commit author "Arkadiusz Drabczyk <arkadiusz@drabczyk.org>", are copyright of Arkadiusz Drabczyk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arkadiusz Drabczyk

2020/11/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stephane Vales that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "StephaneVales", with commit author "Stephane Vales <7755128+stvales@users.noreply.github.com>", are copyright of Stephane Vales. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stephane Vales

2020/08/06

# Permission to Relicense under MPLv2

This is a statement by Patrik Wenger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "paddor", with commit author "Patrik Wenger", are copyright of Patrik Wenger . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrik Wenger

2019/08/31

## Naos Ltd (a New Zealand company)

This is a statement by Naos Ltd (Naos) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

The port of libzmq to run on the z/OS Mainframe ([GitHub Pull request #1136](https://github.com/zeromq/libzmq/pull/1136), [GitHub Pull request #1138](https://github.com/zeromq/libzmq/pull/1138), and [GitHub Pull request #1139](https://github.com/zeromq/libzmq/pull/1139)) was performed as work for hire under contract to iMatix Corporation

sprl, itself under contract to a client. Thus copyright in that portability work does not belong to Naos Ltd, and Naos Ltd hereby releases any claim to the copyright in the z/OS Mainframe portability work identified by the above three GitHub pull requests.

Ewen McNeill

Managing Director, Naos Ltd

2016-04-25

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Johan Mabilie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JohanMabilie", with commit author "Johan Mabilie johan.mabilie@gmail.com", are copyright of Johan Mabilie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Johan Mabilie

2017/03/20

## Brocade Communications Systems Inc.

This is a statement by Brocade Communications Systems Inc. (Brocade) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <lboccass@brocade.com>", are copyright of Brocade. This permission to relicense includes all past, present and future contributions of Brocade employees.

Luca Boccassi

Software Engineer, Brocade Communications Systems Inc.

2016-05-16

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lonard Michelet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "leonarf", with commit author "Lonard Michelet <leonard.michelet@openwide.fr>", are copyright of Lonard Michelet.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michelet Lonard 2017/03/29

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Constantin Rack that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "c-rack", with commit author "Constantin Rack <constantin.rack@gmail.com>", are copyright of Constantin Rack. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Constantin Rack

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Camachat that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "camachat", with commit author "Eric Camachat <eric@camachat.org>", are copyright of Eric Camachat. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric L. Camachat

March 20, 2017

# Permission to Relicense under MPLv2

This is a statement by Chih-Hsuan Yen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "yan12125", with commit author "Chih-Hsuan Yen <yan12125@gmail.com>", are copyright of Chih-Hsuan Yen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chih-Hsuan Yen

2019/10/12

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diorcet Yann  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "diorcety", with  
commit author "yann.diorcet@xenocs.com", are copyright of Diorcet Yann.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Diorcet Yann  
2019/09/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anonymous Maarten  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "madebr", with  
commit author "Anonymous Maarten <anonymous.maarten@gmail.com>", are copyright of Anonymous Maarten.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Anonymous Maarten  
2017/03/27

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Uli Khler.  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

All commits made by the Github handle "ulikoehler", with  
commit author "Uli Khler", are copyright of Uli Khler.

This document hereby grants the libzmq project team to relicense libzmq and / or CZMQ,  
including all past, present and future contributions of the author listed above.

Uli Khler  
2017/03/25

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrew Thompson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thompsa", with commit author "Andrew Thompson <andy@fud.org.nz>", are copyright of Andrew Thompson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrew Thompson  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Doron Somech (somedoron) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "somedoron", with commit author "Doron Somech <somedoron@gmail.com>", are copyright of Doron Somech. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Doron Somech  
2019/02/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rishi Theivendan (inuik) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "inuik", with commit author "Rishi Theivendran <29522253+inuik@users.noreply.github.com>" or "Rishi Theivendran <rishi.theivendran@rohde-schwarz.com>", are copyright of Rishi Theivendran. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rishi Theivendran  
2019/07/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Benjamin HENRION  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoobab", with  
commit author "Benjamin HENRION", are copyright of Benjamin HENRION .  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Benjamin HENRION (zoobab)

Done in Brussels on the 2020/02/03

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jens Auer  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jens.auer", with  
commit author "Jens Auer", are copyright of Jens Auer.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Jens Auer

2019/11/08

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Arsenault  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "arsenm", with  
commit author "Matt Arsenault <arsenm2@gmail.com>", are copyright of Matthew Arsenault.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Matthew Arsenault

2017/10/12

# Permission to Relicense under MPLv2

This is a statement by Matthias Gabriel  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).



A portion of the commits made by the Github handle "gabm", with commit author "Matthias Gabriel <matthias.gabriel@etit.tu-chemnitz.de>", are copyright of Matthias Gabriel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Gabriel  
2018/10/8

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division)

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license (at least as permissive as the MPLv2) chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hashstat", with commit author "Brandon Carpenter <brandon.carpenter@pnnl.gov>", are copyright of Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division).

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jereme Haack on behalf of Brandon Carpenter  
2019/02/18

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Luca Boccassi (bluca) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <bluca@debian.org>", are copyright of Luca Boccassi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Luca Boccassi  
2019/02/16

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Osiris Pedroso" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opedroso", with commit author "Osiris Pedroso <opedroso@gmail.com>", are copyright of "Osiris Pedroso". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Osiris Pedroso

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams (of MongoDB, Inc.) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbrearms", with commit author "Jonathan Reams jbrearms@mongodb.com" (specifically the commits merged in pull requests #1451, #1449, #1448, and #1174), are copyright of MongoDB, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/10/1

# Permission to Relicense under MPLv2

This is a statement by Aleksander Melnikov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "malexxz", with commit author "Aleksander Melnikov", are copyright of Aleksander Melnikov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aleksander Melnikov

2019/08/11

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by skicc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skicc", with commit author "skicc <skicc@fastmail.com>", are copyright of skicc. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

skicc

2019/06/15

# Permission to Relicense under MPLv2

This is a statement by Laszlo Boszormenyi (GCS) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gcsideal", with commit author "Laszlo Boszormenyi (GCS) <gcs@debian.org>", are copyright of Laszlo Boszormenyi (GCS) .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laszlo Boszormenyi (GCS)

2020/02/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Micromass UK Limited that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ricnewton", with commit author "Richard Newton" are copyright of Micromass UK Limited. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Steve Smith

Director Micromass UK Limited

2017/04/26

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jack Pimbert that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jackpimbert", with commit author "jackpimbert <jack.pimbert@gmail.com>", are

copyright of Jack Pimbert. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jack Pimbert

2019/05/24

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daniel Shih that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danielhtshih", with commit author "Daniel Shih <hotingwow@gmail.com>", are copyright of Daniel Shih. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daniel Shih

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego R.Losada that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drodri", with commit author "drodri <diego.rlosada@gmail.com>", are copyright of Diego Rodriguez-Losada. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Rodriguez-Losada

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tobias Schlter that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TobiSchluter", with commit author "TobiSchluter", are copyright of Tobias Schlter . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tobias Schlter

2019/09/13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bastian Lher that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bl0x", with commit author "Bastian Lher <me@l-dot.de>", are copyright of Bastian Lher. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bastian Lher

2019/08/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gennady Makovetski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gena-moscow", with commit author "Gennady Makovetski <makovetski@gmail.com>", are copyright of Gennady Makovetski. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gennady Makovetski

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Takeshi Abe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tabe", with commit author "Takeshi Abe <tabe@fixedpoint.jp>", are copyright of Takeshi Abe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Takeshi Abe

2017/03/22

# Permission to Relicense under MPLv2

This is a statement by Telford Berkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tberkey", with commit author "Telford Berkey <tberkey@gmail.com>", are copyright of Telford Berkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Telford Berkey

03 Feb 2020

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wouter Overmeire that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "lodagro", with commit author "lodagro <lodagro@gmail.com>", are copyright of Wouter Overmeire. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wouter Overmeire

2017/04/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Romain Moret that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "moretomain", with commit author "Romain Moret <moretomain@gmail.com>", are copyright of Romain Moret. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Romain Moret

2019/05/06

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Florian Ebeling that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "febeling", with commit author "Florian Ebeling <florian.ebeling@gmail.com>", are copyright of Florian Ebeling. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Florian Ebeling

2017/03/20

# Permission to Relicense under MPLv2

This is a statement by Bruno Bodin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bbdb68", with commit author "Bruno Bodin <brunobodin@gmail.com>", are copyright of Bruno Bodin . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bruno Bodin

2017/04/04

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joel Lauener that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jlauenercern", with commit author "Joel Lauener <Joel.Lauener@cern.ch>", are copyright of Joel Lauener . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joel Lauener

2019/08/12

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Weidmueller Interface GmbH & Co KG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "herbrechtsmeier", with commit author "Stefan Herbrechtsmeier", are copyright of Weidmueller Interface GmbH & Co KG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Herbrechtsmeier

2019/09/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL  
This is a statement by Roberto Santacroce Martins that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mileschet", with commit author "Roberto Santacroce Martins miles.chet@gmail.com", are copyright of Roberto Santacroce Martins. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roberto Santacroce Martins 2020/07/06

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stanisaw Macia  
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "stanpl", with commit author "Stanisaw Macia", are copyright of Stanisaw Macia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stanisaw Macia

2020/12/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Evgeny (Jim) Klimov  
that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jimklimov", with commit author "Jim Klimov <jim@jimklimov.com>" or "Jim Klimov <jimklimov@gmail.com>", are copyright of Evgeny (Jim) Klimov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.



Evgeny (Jim) Klimov

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Buchanan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bwbuchanan", with commit author "Brian Buchanan <bwb@holo.org>" or "Brian Buchanan <brian@tiogalake.com>", are copyright of Brian Buchanan.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Buchanan

2017/03/23

# Permission to Relicense under MPLv2

This is a statement by Shannen Saez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "shancat", with commit author "Shannen Saez <shannenlaptop@gmail.com>", are copyright of Shannen Saez.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shannen Saez

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ghislain PUTOIS that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ghpu", with commit author "Ghislain PUTOIS", are copyright of Ghislain PUTOIS.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ghislain PUTOIS

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dan Riegsecker  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danriegsecker", with  
commit author "Dan Riegsecker 1baldgeek@gmail.com", are copyright of  
Dan Riegsecker. This document hereby grants the libzmq project team to  
relicense libzmq, including all past, present and future contributions of  
the author listed above.

Dan Riegsecker

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothee Besset  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TTimo", with  
commit author "Timothee Besset <ttimo@ttimo.net>", are copyright of Timothee Besset.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Timothee Besset

2017/03/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Frank R. Dana Jr.  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ferdnyc", with  
commit author "FeRD (Frank Dana)", are copyright of Frank R. Dana, Jr.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Frank Richard Dana, Jr.

2020-03-16

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Erik Hugne  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Hugne", with  
commit author "erik.hugne@gmail.com", are copyright of Erik Hugne.  
Commits made by author "erik.hugne@ericsson.com" are NOT covered by this  
statement.

This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Erik Hugne  
2017/03/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Harald Achitz  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "a4z", with  
commit author "Harald Achitz <harald.achitz@gmail.com>" or  
"Harald Achitz <harald.achitz@tritech.se>" or  
"Harald Achitz <harald.achitz@getinge.com>", are copyright of Harald Achitz.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Harald Achitz  
2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Samuel Martin  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tSed", with  
commit author "Samuel Martin <s.martin49@gmail.com>", are copyright of Samuel Martin.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Samuel Martin  
2017/03/25

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mrio Kauba  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "soulik", with  
commit author "Mrio Kauba mario.kasuba@it-academy.sk", are copyright of Mrio Kauba.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Mrio Kauba  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boxkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ)  
under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the  
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boxkey", with commit author "boxkey  
[289844900@qq.com](289844900@qq.com)", are copyright of boxkey. This document hereby grants the libzmq  
project team to relicense libzmq, including all past, present and future contributions of the author listed above.

boxkey 2020/11/30

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Fabrice Fontaine  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ffontaine", with  
commit author "Fabrice Fontaine <fontaine.fabrice@gmail.com>", are copyright of Fabrice Fontaine.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Fabrice Fontaine  
2018-09-13

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gavin McNiff  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gavinmcniff", with commit author "Gavin McNiff <gavin@mcniff.ie>", are copyright of Gavin McNiff . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gavin McNiff  
2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Ford that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fanquake", with commit author "Michael Ford <fanquake@gmail.com>", are copyright of Michael Ford. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Ford  
2019/08/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Voskuil that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "evoskuil", with commit author "Eric Voskuil <eric@voskuil.org>", are copyright of Eric Voskuil. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric Voskuil  
2017/03/19

# Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mdionisio", with commit author "Michele Dionisio", are copyright of Michele Dionisio. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Michele Dionisio

2019/07/09

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by the Github user "std-any-emplace" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "std-any-emplace", with commit author "std-any-emplace", are copyright of the Github user "std-any-emplace". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"std-any-emplace"

2020/01/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Skallwe

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skaller", with commit author "skaller", are copyright of John Skaller . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Skaller

2019/09/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by G. Evan Burkitt

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eburkitt", with commit author "Evan Burkitt <evanb@edulinksys.com>", are copyright of G. Evan Burkitt. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

G. Evan Burkitt

2017/04/06

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Hall that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hwx", with commit author "Christopher Hall <hsw@ms2.hinet.net>", are copyright of Christopher Hall. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Hall

2019/08/07

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bjrn Tpel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjoto", with commit author "Bjorn Topel <bjorn.topel@gmail.com>", are copyright of Bjrn Tpel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bjrn Tpel

2017/03/26

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Manca George that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mancasg", with commit author "Manca George <mancas.f.george@gmail.com>", are copyright of Manca George . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manca George

2019/07/24

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jacques Germishuys that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jacquesg", with commit author "Jacques Germishuys <jacquesg@striata.com>", are copyright of Jacques Germishuys. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jacques Germishuys

2018/12/14

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chia-liang Kao that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "clkao", with commit author "Chia-liang Kao clkao@clkao.org", are copyright of Chia-liang Kao. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chia-liang Kao

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by crocket that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "crocket", with commit author "crocket <748856+crocket@users.noreply.github.com>", are copyright of crocket. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

crocket

2018/11/10



# Permission to Relicense under MPLv2

This is a statement by Fabien Ninoles that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ninoles", with commit author "Fabien Ninoles", are copyright of Fabien Ninoles.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fabien Ninoles

2020/02/11

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Hand that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mipaaa", with commit author "Michael Hand <mipaaa@gmail.com>", are copyright of Michael Hand. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Hand

2017/03/21

# Permission to Relicense under MPLv2

This is a statement by Brian Adamson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bebopagogo", with commit author "bebopagogo <bebopagogo@users.noreply.github.com>" and "Brian Adamson <badamson@gmail.com>", are copyright of Brian Adamson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Adamson 2019/08/11 s

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chengye Ke that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "imkcy9", with commit author "Chengye Ke <imkcy9@icloud.com>" or "Chengye Ke <imkcy9@gmail.com>", are copyright of Chengye Ke. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chengye Ke  
2019/05/18  
# Permission to Relicense under MPLv2

This is a statement by {{ name of company / name of individual }} that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "{{ github username }}", with commit author "{{ github commit author }}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}  
{{ creation date of document (format: yyyy/mm/dd) }}  
# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Francesco Montorsi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "f18m", with commit author "Francesco Montorsi <francesco.montorsi@gmail.com>", are copyright of Francesco Montorsi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Francesco Montorsi  
2018/09/14  
# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Flandrin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "simias", with commit author "Lionel Flandrin lflandrin@ereca.fr", are copyright of Lionel Flandrin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Flandrin

2018/05/02

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrey Sibiriyov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kobolog", with commit author "Andrey Sibiriyov <me@kobology.ru>", are copyright of Andrey Sibiriyov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrey Sibiriyov

2017/04/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by serg06 (serg06) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "serg06", with commit author "serg06 <serkhas@hotmail.com>" are copyright of serg06. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

serg06

2020/05/25

# Permission to Relicense under MPLv2

This is a statement by Mark Barbisan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mbarbisan", with commit author "Mark Barbisan <mark@barbisan.ca>", are copyright of Mark Barbisan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Barbisan

2019/08/31

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Felipe Goron Farinon (psl-felipefarinon) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "psl-felipefarinon", with commit author "Felipe Goron Farinon", are copyright of Felipe Goron Farinon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Felipe Goron Farinon  
2019/09/02  
The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Justin.Hung that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "loachfish", with commit author "Justin.Hung fronront@qq.com", are copyright of Justin.Hung . This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Justin.Hung

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alexander Straub that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "straubar", with commit author "Alexander Straub <alexander.straub@visus.uni-stuttgart.de>", are copyright of Alexander Straub. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alexander Straub

2019/09/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marc Su Clos (msune) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "msune", with commit author "Marc Sune <marcdevel@gmail.com>" or "Marc Sune <marc@voltanet.io>", are copyright of Marc Su. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Marc Su Clos

2019/08/31

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Serghei Novac that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "carbofos", with commit author "Serghei Novac <serghei.novac@epyd.com>", are copyright of Serghei Novac. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Serghei Novac

2019/03/05

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Grigorov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-g", with commit author "Martin Grigorov", are copyright of Martin Grigorov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Grigorov

2021/01/11

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "antonrd", with commit author "Anton Dimitrov <dimitrov.anton@gmail.com>", are copyright of Anton Dimitrov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Anton Dimitrov

2018/10/01

# Permission to Relicense under MPLv2

This is a statement by grmt. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "grmt", with commit author "grmt", are copyright of grmt. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

grmt (garmt.noname@gmail.com)

2020/05/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sbastien Rombauts  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SRombauts", with  
commit author "Sbastien Rombauts", are copyright of Sbastien Rombauts.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Sbastien Rombauts

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by David Jelenc  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djelenc", with  
commit author "David Jelenc <david.jelenc@fri.uni-lj.si>", are copyright of David Jelenc.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

David Jelenc

2017/03/20

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wenbin Hou  
that grants permission to relicense its copyrights in the libzmq C++  
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other  
Open Source Initiative approved license chosen by the current ZeroMQ  
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "WenbinHou", with  
commit author "Wenbin Hou <houwenbin@pku.edu.cn>", are copyright of Wenbin Hou.  
This document hereby grants the libzmq project team to relicense libzmq,  
including all past, present and future contributions of the author listed above.

Wenbin Hou

2018/05/16

# Permission to Relicense under MPLv2

This is a statement by Manuel Segura

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mesegura", with commit author "Manuel Segura", are copyright of Manuel Segura . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manuel Eduardo Segura  
2019/08/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Philippe Leite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "philippeleite", with commit author "Philippe Leite <philippe.leite@gmail.com>", are copyright of Philippe Leite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Philippe Leite  
2019/06/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Garlick (garlick) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "garlick", with commit author "Jim Garlick <garlick.jim@gmail.com>", are copyright of Jim Garlick. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Garlick  
2019/08/10

# Permission to Relicense under MPLv2

This is a statement by Dylan Cali that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).



A portion of the commits made by the Github handle "calid", with commit author "Dylan Cali <calid1984@gmail.com>", are copyright of Dylan Cali. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dylan Cali

2019/02/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mike Gatny (mgatny) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mgatny", with commit author "Mike Gatny <mgatny@gmail.com>" or "Mike Gatny <mgatny@connamara.com>", are copyright of Mike Gatny. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mike Gatny

2019/02/19

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "glemercier", with commit author "Gregory Lmercier <greglemercier@free.fr>", are copyright of Gregory Lmercier. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gregory Lmercier

2018/10/07

# Permission to Relicense under MPLv2

This is a statement by Thomas Chiantia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tomzbench", with commit author "Thomas<Thomas@Altronix.com>", are copyright of

Thomas Chiantia.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Chiantia

2019/08/10

# Permission to Relicense under MPLv2

This is a statement by Robert G. Jakobosky that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Neopallium", with commit author "Robert G. Jakobosky <bobby@sharedrealm.com>", are copyright of Robert G. Jakobosky. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gabriel Jakobosky

2019/08/17

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivo Danihelka that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fidlej", with commit author "Ivo Danihelka <ivo@danihelka.net>", are copyright of Ivo Danihelka. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivo Danihelka

2017/03/21

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William Swanson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "swansontec", with commit author "William Swanson <swansontec@gmail.com>", are copyright of William Swanson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William Swanson

2017/04/10

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gian Lorenzo Meocci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "meox", with commit author "Gian Lorenzo Meocci <glmeocci@gmail.com>", are copyright of Gian Lorenzo Meocci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gian Lorenzo Meocci

2017/04/09

# Permission to Relicense under MPLv2

This is a statement by Pierre Yager that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "zedalaye", with commit author "Pierre Yager <pierre.y@gmail.com>" or "Pierre Yager <pierre.yager@crisolid.com", are copyright of Pierre Yager. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Pierre Yager

2021/01/04

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ilya Kulakov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kentzo", with commit author "Ilya Kulakov <kulakov.ilya@gmail.com>", are copyright of Ilya Kulakov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ilya Kulakov

2017/05/23

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eelis van der Weegen that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Eelis", with commit author "Eelis van der Weegen <eelis@eelis.net>", are copyright of Eelis van der Weegen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eelis van der Weegen  
2019/02/22

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sylvain Corlay that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SylvainCorlay", with commit author "Sylvain Corlay sylvain.corlay@gmail.com", are copyright of Sylvain Corlay . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sylvain Corlay  
2017/03/20

# Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lourens Naud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "methodmissing", with commit author "Lourens Naud <lourens@methodmissing.com>", are copyright of Lourens Naud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lourens Naud  
2019/07/01

# Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nathan Toone that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the

Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "toonetown", with commit author "Nathan Toone <nathan@toonetown.com>", are copyright of Nathan Toone. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nathan Toone  
2018/11/05

## 1.47 httpclient-cache 4.5.13

### 1.47.1 Available under license :

Apache HttpClient Cache  
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this



License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.48 jackson 2.14.2

## 1.48.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with

Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered

to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
  
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.

4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".
8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

#### Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

## 1.49 opentelemetry-sdk 1.19.0

### 1.49.1 Available under license :

Apache-2.0

## 1.50 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

## 1.51 j2objc-annotations 1.3

### 1.51.1 Available under license :

For org.w3c.dom code.

See <<http://www.w3.org/Consortium/Legal/>>.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2009, JSR305 expert group

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the JSR305 expert group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

```
package java.security;
```

```
import java.io.Serializable;
```

```
/**
```

```

* Legacy security code; do not use.
*/
public abstract class Permission implements Guard, Serializable {
    public Permission(String name) { }

    public final String getName() { return null; }

    public void checkGuard(Object obj) throws SecurityException { }

    public PermissionCollection newPermissionCollection() {
        return new AllPermissionCollection();
    }

    public abstract String getActions();

    public abstract boolean implies(Permission permission);
}

```

```

=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Android-specific code.           ==
=====

```

#### Android Code

Copyright 2005-2008 The Android Open Source Project

This product includes software developed as part of  
The Android Open Source Project (<http://source.android.com>).

```

=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Harmony distribution.     ==
=====

```

#### Apache Harmony

Copyright 2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Harmony were originally developed by  
Intel Corporation and are licensed to the Apache Software  
Foundation under the "Software Grant and Corporate Contribution  
License Agreement", informally known as the "Intel Harmony CLA".

```

=====

```

== NOTICE file for the ICU License.

==

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

== NOTICE file for the KXML License.

==

Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to



the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
== NOTICE file for the W3C License. ==  
=====

Copyright (c) 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. This program is distributed under the W3C's Software Intellectual Property License. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See W3C License <http://www.w3.org/Consortium/Legal/> for more details.

=====  
== NOTICE file for the fdlibm License. ==  
=====

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business. Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

\*\*\*\*\*

Copyright (C) 2003, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

Created on May 2, 2003

To change the template for this generated file go to  
Window>Preferences>Java>Code Generation>Code and Comments

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. 1996-2005 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

- \* file name: UBiDiProps.java
- \* encoding: US-ASCII
- \* tab size: 8 (not used)
- \* indentation:4
- \*
- \* created on: 2005jan16
- \* created by: Markus W. Scherer
- \*
- \* Low-level Unicode bidi/shaping properties access.
- \* Java port of ubidi\_props.h/c.

\*\*\*\*\*  
Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2009, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2009-2010, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2010, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

(C) Copyright IBM Corp. 1996-2003 - All Rights Reserved \*

The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*

to removed.

\*

#####

This locale data is based on the ICU's Vietnamese locale data (rev. 1.38)  
found at:

<http://oss.software.ibm.com/cvs/icu/icu/source/data/locales/vi.txt?rev=1.38>

-----

(C) Copyright IBM Corp. 1999-2003 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by IBM. These materials are provided under terms of a License Agreement between IBM and Sun. This technology is protected by multiple US and International patents. This notice and attribution to IBM may not be removed.

-----

(C) Copyright Taligent, Inc. 1996 - 1997, All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998, All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 2002 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996,1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

-----  
(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----

\*\*\*\*\*  
\* Copyright (C) 1996-2004, International Business Machines Corporation and \*  
\* others. All Rights Reserved. \*  
\*\*\*\*\*

-----

Oracle designates certain files in this repository as subject to the "Classpath" exception. The designated files include the following notices. In the following notices, the LICENSE file referred to is:

\*\*\*\*\*  
START LICENSE file  
\*\*\*\*\*

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice



placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many

people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free

software, and you are welcome to redistribute it under certain conditions;  
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

\*\*\*\*\*

END LICENSE file

\*\*\*\*\*

-----

<!--

Copyright (c) 1998, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT



ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT



ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<?xml version="1.0" encoding="UTF-8"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<?xml version="1.0"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

`Replaceable` is an interface representing a string of characters that supports the replacement of a range of itself with a new string of characters. It is used by APIs that change a piece of text while retaining metadata. Metadata is data other than the Unicode characters returned by `char32At()`. One example of metadata is style attributes; another is an edit history, marking each character with an author and revision number.

An implicit aspect of the `Replaceable` API is that during a replace operation, new characters take on the metadata of the old characters. For example, if the string "the **bold** font" has range (4, 8) replaced with "strong", then it becomes "the **strong** font".

`Replaceable` specifies ranges using a start offset and a limit offset. The range of characters thus specified includes the characters at offset `start..limit-1`. That is, the start offset is inclusive, and the limit offset is exclusive.

`Replaceable` also includes API to access characters in the string: `length()`, `charAt()`, `char32At()`, and `extractBetween()`.

For a subclass to support metadata, typical behavior of `replace()` is the following:

- Set the metadata of the new text to the metadata of the first character replaced
- If no characters are replaced, use the metadata of the previous character
- If there is no previous character (i.e. `start == 0`), use the following character
- If there is no following character (i.e. the replaceable was empty), use default metadata
- If the code point U+FFFF is seen, it should be interpreted as a special marker having no metadata



If this is not the behavior, the subclass should document any differences.

<p>Copyright &copy; IBM Corporation 1999. All rights reserved.

@author Alan Liu

@stable ICU 2.0

-----  
<code>ReplaceableString</code> is an adapter class that implements the <code>Replaceable</code> API around an ordinary <code>StringBuffer</code>.

<p><em>Note:</em> This class does not support attributes and is not intended for general use. Most clients will need to implement { @link Replaceable } in their text representation class.

<p>Copyright &copy; IBM Corporation 1999. All rights reserved.

@see Replaceable

@author Alan Liu

@stable ICU 2.0

-----  
Copyright (C) 1991-2007 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Generated automatically from the Common Locale Data Repository. DO NOT EDIT!

-----  
Copyright (C) 1991-2011 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project



Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA



or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project

Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).



You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.



This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2013 Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.



This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1994, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1994, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.



This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,



Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1996, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1996, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1996, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.



DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1997, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1997, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT



ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1998, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1998, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.



Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.



This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2000, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or



FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA



or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2002, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2002, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it



under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003,2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2004, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2004, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2004, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.



This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2006, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



-----  
Copyright (c) 2007, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2009, 2013, Oracle and/or its affiliates. All rights reserved.  
Copyright 2009 Google Inc. All Rights Reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



Copyright (c) 2010, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2012, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright 2015 Google Inc.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Google designates this  
particular file as subject to the "Classpath" exception as provided  
by Google in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

-----  
Licensed Materials - Property of IBM

(C) Copyright IBM Corp. 1999 All Rights Reserved.

(C) IBM Corp. 1997-1998. All Rights Reserved.

The program is provided "as is" without any warranty express or  
implied, including the warranty of non-infringement and the implied  
warranties of merchantability and fitness for a particular purpose.  
IBM will not be liable for any damages suffered by you as a result  
of using the Program. In no event will IBM be liable for any  
special, indirect or consequential damages or lost profits even if  
IBM has been advised of the possibility of their occurrence. IBM  
will not be liable for any third party claims against you.

-----  
is licensed under the same terms. The copyright and license information  
for `java/net/Inet4AddressImpl.java` follows.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for `java/net/PlainDatagramSocketImpl.java` follows.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for  
java/net/PlainSocketImpl.java follows.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
licensed under the same terms. The copyright and license information for  
sun/nio/ch/FileChannelImpl.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/FileDispatcherImpl.java follows.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/InheritedChannel.java follows.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

licensed under the same terms. The copyright and license information for `sun/nio/ch/ServerSocketChannelImpl.java` follows.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

same terms. The copyright and license information for `sun/nio/ch/Net.java` follows.



Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for `java/io/FileSystem.java` follows.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
the same terms. The copyright and license information for  
java/lang/Long.java follows.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
the same terms. The copyright and license information for  
sun/nio/ch/IOStatus.java follows.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

under the same terms. The copyright and license information for `java/io/UnixFileSystem.java` follows.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

under the same terms. The copyright and license information for `java/lang/Integer.java` follows.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/net/NetworkInterface.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for  
java/net/SocketOptions.java follows.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
under the same terms. The copyright and license information for  
java/util/zip/ZipFile.java follows.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan XSLT processor)  
Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of this software was originally based on the following:  
- software copyright (c) 1999-2002, Lotus Development Corporation.,  
  <http://www.lotus.com>.  
- software copyright (c) 2001-2002, Sun Microsystems.,  
  <http://www.sun.com>.  
- software copyright (c) 2003, IBM Corporation.,  
  <http://www.ibm.com>.  
=====

=====  
The binary distribution package (ie. jars, samples and documentation) of  
this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
  
- Scott Hudson, Frank Flannery, C. Scott Ananian
  - CUP Parser Generator runtime (javacup/runtime) - see LICENSE.txt

=====  
The source distribution package (ie. all source and tools required to build  
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
  - Ant - see LICENSE.txt
  - Stylebook doc tool - see LICENSE.txt
  
- Elliot Joel Berk and C. Scott Ananian
  - Lexical Analyzer Generator (JLex) - see LICENSE.txt

---

Apache Xerces Java  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar  
were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

---

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons  
Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license

document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.



## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy

of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code

distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it

starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent

module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

ICU

There are two licenses here:

- ICU license
- Unicode Terms of Use

-----  
ICU License - ICU 1.8.1 and later

From <http://source.icu-project.org/repos/icu/icu/trunk/license.html>

X License (old version). For license pedigree see the

ICU FAQ at <http://icu-project.org/userguide/icufaq.html>

## COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

-----  
Unicode Terms of Use, from <http://www.unicode.org/copyright.html>

For the general privacy policy governing access to this site, see the Unicode Privacy Policy. For trademark usage, see the Unicode Consortium Name and Trademark Usage Policy.

#### Notice to End User: Terms of Use

Carefully read the following legal agreement ("Agreement"). Use or copying of the software and/or codes provided with this agreement (The "Software") constitutes your acceptance of these terms. If you have any questions about these terms of use, please contact the Unicode Consortium.

#### A. Unicode Copyright.

1. Copyright 1991-2014 Unicode, Inc. All rights reserved.
2. Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.
3. Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.
4. Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in Exhibit 1.
5. Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.
6. No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.
7. Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend. Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### C. Warranties and Disclaimers.

1. This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the



information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

2. If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.
3. EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages. In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

1. The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
2. The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.
3. All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

1. Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.
2. Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.

3. Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.
4. Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.
5. Entire Agreement. This Agreement constitutes the entire agreement between the parties.

## EXHIBIT 1

### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2014 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in  
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when

combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses

relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to

a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent



to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and  
<http://www.unicode.org/cldr/data/> . Unicode Software includes any source code  
published in the Unicode Standard or under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and  
<http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY  
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES  
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND  
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU  
DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES  
OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2006 Unicode, Inc. All rights reserved. Distributed under  
the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of the Unicode data files and any associated documentation (the "Data Files") or  
Unicode software and any associated documentation (the "Software") to deal in  
the Data Files or Software without restriction, including without limitation the  
rights to use, copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files or  
Software are furnished to do so, provided that (a) the above copyright notice(s)  
and this permission notice appear with all copies of the Data Files or Software,  
(b) both the above copyright notice(s) and this permission notice appear in  
associated documentation, and (c) there is clear notice in each modified Data  
File or in the Software as well as in the documentation associated with the Data  
File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY  
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD  
PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,  
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING  
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR  
SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not

be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

# 1.52 appdynamics-bindeps-alpine-linux-x64

## 23.4.0

### 1.52.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data

and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

-----

#### SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.



## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are designed  
to take away your freedom to share and change the works. By contrast,  
the GNU General Public License is intended to guarantee your freedom to  
share and change all versions of a program--to make sure it remains free  
software for all its users. We, the Free Software Foundation, use the  
GNU General Public License for most of our software; it applies also to  
any other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
them if you wish), that you receive source code or can get it if you  
want it, that you can change the software or use pieces of it in new  
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you  
these rights or asking you to surrender the rights. Therefore, you have  
certain responsibilities if you distribute copies of the software, or if  
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must pass on to the recipients the same  
freedoms that you received. You must make sure that they, too, receive  
or can get the source code. And you must show them these terms so they  
know their rights.

Developers that use the GNU GPL protect your rights with two steps:  
(1) assert copyright on the software, and (2) offer you this License  
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains  
that there is no warranty for this free software. For both users' and  
authors' sake, the GPL requires that modified versions be marked as  
changed, so that their problems will not be attributed erroneously to  
authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the

public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users

beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for



any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same

material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version,

but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the

parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published

by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General

Public License instead of this License. But first, please read  
<<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates  
the terms and conditions of version 3 of the GNU General Public  
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser  
General Public License, and the "GNU GPL" refers to version 3 of the GNU  
General Public License.

"The Library" refers to a covered work governed by this License,  
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided  
by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is deemed a mode  
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an  
Application with the Library. The particular version of the Library  
with which the Combined Work was made is also called the "Linked  
Version".

The "Minimal Corresponding Source" for a Combined Work means the  
Corresponding Source for the Combined Work, excluding any source code  
for portions of the Combined Work that, considered in isolation, are  
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the  
object code and/or source code for the Application, including any data  
and utility programs needed for reproducing the Combined Work from the  
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License  
without being bound by section 3 of the GNU GPL.

## 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

## 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

## 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during



execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

---

### SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

---

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.53 commons-fileupload 1.5

### 1.53.1 Available under license :

Apache Commons FileUpload  
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.54 jackson-dataformat-yaml 2.14.2

### 1.54.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.55 animal-sniffer-annotation 1.19

## 1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* The MIT License

\*

\* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in

\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

\* THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/org.codehaus.mojo/animal\_sniffer/IgnoreJRERequirement.java

## 1.56 guava 31.0.1-android

### 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Java8Compatibility.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Java8Compatibility.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/Java8Compatibility.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/BigDecimalMath.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/StandardRowSortedTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CollectPreconditions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/ImmutableSupplier.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingLock.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/ImmutableDoubleArray.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/ImmutableIntArray.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/AbstractHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Present.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedInts.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheStats.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/MathPreconditions.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/DoubleMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Funnels.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Hasher.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilter.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Murmur3\_32HashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashCode.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeParameter.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedLongs.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/DoubleUtils.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/MediaType.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalCause.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Optional.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalListener.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/LongMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Murmur3\_128HashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedLong.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Funnel.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Ticker.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedInteger.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FunctionalEquivalence.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Types.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalNotification.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/IntMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Enums.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ForwardingCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Cache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheLoader.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HostAndPort.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularContiguousSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/BigIntegerMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LoadingCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/PairwiseEquivalence.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.



\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/BaseImmutableMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/IndexedImmutableSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMapDifference.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RowSortedTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/Quantiles.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Dispatcher.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/MoreObjects.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Subscriber.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Strings.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Monitor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/Beta.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Runnables.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeVisitor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashingInputStream.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSequenceReader.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Utf8.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/VerifyException.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Verify.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredMultimapValues.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractValueGraph.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/StandardMutableGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ImmutableValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractGraph.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

```
*/
/**
 * Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Returns an array containing all of the elements in the specified collection. This method
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ObjectArrays.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
```



\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultisets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*\*  
\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/IntsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/AggregateFutureState.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/CombinedFuture.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Graph.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableGraph.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Network.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/PredecessorsFunction.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Graphs.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TopKSelector.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableNetwork.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableGraph.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableNetwork.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeMap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TransformedListIterator.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2005 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
* express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/Reflection.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Written by Doug Lea with assistance from members of JCP JSR-166  
* Expert Group and released to the public domain, as explained at  
* http://creativecommons.org/publicdomain/zero/1.0/  
*/
```

Found in path(s):  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/LongAdder.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Striped64.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MultimapBuilder.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/*
 * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
 * and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 *
 * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
 * java.util.HashMap class.
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}

\* key.</b> Proper calls will resolve to the version in { @code ImmutableSortedMap }, not this dummy

\* version.

\*

```
* @throws UnsupportedOperationException always
* @deprecated <b>Pass a key of type { @code Comparable } to use { @link
*   ImmutableSortedMap#of(Comparable, Object)}.</b>
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2019 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/Platform.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
```



jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/Subscribe.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/MultiInputStream.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizableSoftReference.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Charsets.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizableWeakReference.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LineBuffer.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Predicate.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ExecutionList.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ByteStreams.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Function.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Files.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/AsyncEventBus.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ObjectCountLinkedHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ClosingFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/AbstractBaseGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/Traverser.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/BaseGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ObjectCountHashMap.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/html/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/Closer.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/xml/package-info.java
```

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ClassPath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSink.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeCapture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/package-info.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/FileWriteMode.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Invokable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAddable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSource.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/LinearTransformation.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAddables.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteSource.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/StatsAccumulator.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/Stats.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAddables.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Parameter.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This following method is a modified version of one found in

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

\* which contained the following notice:

\*

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComputationException.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComparisonChain.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DiscreteDomain.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Floats.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Shorts.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Ints.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/InetAddresses.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Longs.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/MultiReader.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/UnicodeEscaper.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Doubles.java



\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/FileBackedOutputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain

\* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available

\* under GWT but with a slightly different signature.

\*  
\* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler wouldn't recognize  
\* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/Partially.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EnumHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Iterables.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/MapMakerInternalMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/net/HostSpecifier.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/TypeResolver.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Platform.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/annotations/GwtIncompatible.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/GwtCompatible.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ReferenceEntry.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedBytes.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteProcessor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/HtmlEscapers.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/UrlEscapers.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Cut.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Callables.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/InternetDomainName.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteArrayDataInput.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapMaker.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Escapers.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DenseImmutableTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheBuilder.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/SignedBytes.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright (C) 2016 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/CommonPattern.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/CommonMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Count.java
```

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractRangeSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/xml/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/html/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/net/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/  
/**  
* Holder for web specializations of methods of { @code Doubles}. Intended to be empty for regular  
* version.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2021 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/NullnessCasts.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/NullnessCasts.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullnessCasts.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Hashing.java

## 1.57 commons-io 2.8.0

### 1.57.1 Available under license :

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.58 jzmq 3.1.1-SNAPSHOT

### 1.58.1 Available under license :

This package was debianized by  
Alois Belaska <[alois.belaska@google.com](mailto:alois.belaska@google.com)>

The packaging scripts are 2009-2010 by these authors and are distributed  
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ  
-----

Project homepage, with original source code:  
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or  
modify it under the terms of the GNU Lesser General Public  
License as published by the Free Software Foundation; either  
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this package; if not, write to the Free Software

Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL'`.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

-----

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.)

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL'`.

On Debian systems, the complete text of the GNU General Public License can be found in `~/usr/share/common-licenses/GPL-2'`.

Licensing information for the included XMLParser library

-----

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen  
All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Frank Vanden Berghen nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for

them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

## 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that

is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with



the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no

more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from

a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that

transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the

patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.



Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software: you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation, either version 3 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program. If not, see <http://www.gnu.org/licenses/>.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided

by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is

necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

---

## SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

---

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.59 opentelemetry-sdk-extension-autoconfigure-spi 1.19.0

## 1.59.1 Available under license :

Apache-2.0

# 1.60 apache-log4j 2.17.1

## 1.60.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache license, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the license for the specific language governing permissions and  
\* limitations under the license.

\*/

## 1.61 annotations 4.1.1.4

## 1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/SuppressWarnings.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/TargetApi.java
```

## 1.62 protobuf-java-format 1.2

### 1.62.1 Available under license :

Copyright (c) 2009, Orbitz World Wide  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz World Wide nor the names of its contributors  
may be used to endorse or promote products derived from this software  
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Orbitz LLC  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.63 gson 2.8.9

### 1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TreeTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DateTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ConstructorConstructor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/UnsafeAllocator.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LazilyParsedNumber.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonTreeReader.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/TypeAdapterFactory.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TypeAdapters.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/TypeAdapter.java
 * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```



\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonStreamParser.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/LongSerializationPolicy.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldAttributes.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

- \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Preconditions.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/GsonBuilder.java

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonNull.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/LinkedHashMap.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/LinkedTreeMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
*/
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonReader.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/MalformedJsonException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonScope.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonToken.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonWriter.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2017 The Gson authors

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/ReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/PreJava9DateFormatProvider.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JavaVersion.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberPolicy.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/Streams.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/annotations/JsonAdapter.java
```

## 1.64 commons-codec 1.15

## 1.64.1 Available under license :

Apache Commons Codec  
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

---

The content of package org.apache.commons.codec.language.bm has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.

Original source copyright:  
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,



where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.65 asm 6.0

## 1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/package.html  
No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

```

* Creates a new { @link GeneratorAdapter }. <i>Subclasses must not use this
* constructor</i>. Instead, they must use the
* { @link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
* version.
*
* @param mv
*     the method visitor to which this adapter delegates calls.
* @param access
*     the method's access flags (see { @link Opcodes}).
* @param name
*     the method's name.
* @param desc
*     the method's descriptor (see { @link Type Type}).
* @throws IllegalStateException
*     If a subclass calls this constructor.
*/

```

Found in path(s):

```

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/GeneratorAdapter.java

```

No license file was found, but licenses were detected in source scan.

```

/**

```

```

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

```

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- \*
  - \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
  - \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/package.html
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/package.html
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/package.html
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/signature/package.html
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
  - \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
  - \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- \*
  - \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
  - \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new { @link LocalVariableAnnotationNode }. <i>Subclasses must  
\* not use this constructor</i>. Instead, they must use the  
\* { @link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String) }  
\* version.

\*

\* @param typeRef  
\* a reference to the annotated type. See { @link TypeReference }.

\* @param typePath  
\* the path to the annotated type argument, wildcard bound, array  
\* element type, or static inner type within 'typeRef'. May be  
\* <tt>null</tt> if the annotation targets 'typeRef' as a whole.

\* @param start  
\* the first instructions corresponding to the continuous ranges  
\* that make the scope of this local variable (inclusive).

\* @param end  
\* the last instructions corresponding to the continuous ranges  
\* that make the scope of this local variable (exclusive). This  
\* array must have the same size as the 'start' array.

\* @param index  
\* the local variable's index in each range. This array must have  
\* the same size as the 'start' array.

\* @param desc  
\* the class descriptor of the annotation class.

\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*



- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/CurrentFrame.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleOpenNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ParameterNode.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceModuleVisitor.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
- \* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckModuleAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Frame.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleProvideNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleExportNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/FieldRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/IncnInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/MethodRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ModuleWriter.java

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ByteVector.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Label.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/Method.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tools/Retrofitter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Edge.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/AnnotationRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleRequireNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Opcodes.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Context.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-

jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/analysis/Value.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/TypeInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/ModuleRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/signature/SignatureReader.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/TypeAnnotationNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/analysis/SourceValue.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Printer.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/analysis/Subroutine.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/ClassRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/analysis/Interpreter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tools/ModuleInfoBndPlugin.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/SignatureRemapper.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/tree/LocalVariableNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Item.java

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Handle.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Attribute.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ModuleVisitor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. *<i>Subclasses must not use this  
\* constructor</i>*. Instead, they must use the  
\* { @link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}  
\* version.  
\*  
\* @param mv  
\* the `MethodVisitor` to send the resulting inlined  
\* method code to (use `null` for none).  
\* @param access  
\* the method's access flags (see { @link Opcodes}). This  
\* parameter also indicates if the method is synthetic and/or  
\* deprecated.  
\* @param name  
\* the method's name.  
\* @param desc  
\* the method's descriptor (see { @link Type}).  
\* @param signature  
\* the method's signature. May be `null`.  
\* @param exceptions  
\* the internal names of the method's exception classes (see  
\* { @link Type#getInternalName() getInternalName}). May be  
\* `null`.  
\* @throws IllegalStateException  
\* If a subclass calls this constructor.  
\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter  
\* Copyright (c) 2004-2011, Eugene Kuleshov  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/SAXModuleAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/SAXFieldAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/ASMContentHandler.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/Processor.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-  
jar/org/objectweb/asm/xml/SAXCodeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its

```

* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Creates a new {@link AnalyzerAdapter}. Subclasses must not use this
 * constructor. Instead, they must use the
 * {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
 * version.
 *
 * @param owner
 *     the owner's class name.
 * @param access
 *     the method's access flags (see {@link Opcodes}).
 * @param name
 *     the method's name.
 * @param desc
 *     the method's descriptor (see {@link Type Type}).
 * @param mv
 *     the method visitor to which this adapter delegates calls. May
 *     be null.
 * @throws IllegalStateException
 *     If a subclass calls this constructor.
 */

```

Found in path(s):

```

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/AnalyzerAdapter.java

```

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2013 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions

```



\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/TypePath.java  
\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/TypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link Textifier}. *Subclasses must not use this  
\* constructor*. Instead, they must use the {@link #Textifier(int)}  
\* version.

\*

\* @throws IllegalStateException

\* If a subclass calls this constructor.

\*/

Found in path(s):

\* /opt/cola/permits/1138554392\_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

```

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link ClassNode}. Subclasses must not use this
 * constructor. Instead, they must use the {@link #ClassNode(int)}
 * version.
 *
 * @throws IllegalStateException
 *         If a subclass calls this constructor.
 */

```

Found in path(s):

```

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

```

## 1.66 kotlin 1.3.31

### 1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","c
ore.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","ru
netime/primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UIn
t.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/Stri
ngNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","kotlin/U
ByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/UShortArray.kt","kotlin/Co
mparator.kt","coroutines/Continuation.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Compariso
ns.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collecti
ons/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","
dummy.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/string.kt","generated/_UArrays.kt",
"generated/_UCollections.kt","generated/_UComparisons.kt","generated/_URanges.kt","generated/_USequences.kt"
,"Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotati
ons.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","re
flect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","generated/_CollectionsJs.kt","generated/_StringsJs.k
t","generated/_UArraysJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/jsTypeOf.kt",
"kotlin/kotlin.kt","kotlin/char.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMut
ableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collectio
ns/ArrayList.kt","kotlin/collections/ArraySorting.kt","kotlin/collections/ArraysJs.kt","kotlin/collections/EqualityCo
mparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCode
Map.kt","kotlin/collections/Utils.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","k
otlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt",
"kotlin/coroutines/CoroutineImpl.kt","util/Result.kt","kotlin/coroutines/SafeContinuationJs.kt","kotlin/coroutines/i
ntrinsics/IntrinsicsJs.kt","kotlin/coroutines/js/internal/EmptyContinuation.kt","kotlin/date.kt","kotlin/dom/Builders.k
t","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/do
m/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptio
nUtils.kt","kotlin/exceptions.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt",
"kotlin/math.kt","kotlin/numbers.kt","kotlin/numberConversions.kt","kotlin/promise.kt","kotlin/random/PlatformRan

```

dom.kt", "kotlin/reflect/JsClass.kt", "kotlin/reflect/KClassImpl.kt", "kotlin/reflect/primitives.kt", "kotlin/reflect/reflectio  
on.kt", "kotlin/regex.kt", "kotlin/regexp.kt", "kotlin/sequence.kt", "kotlin/stringsCode.kt", "kotlin/text.kt", "org.w3c/org.  
khronos/webgl.kt", "org.w3c/org.w3c.dom.clipboard.kt", "org.w3c/org.w3c.dom.css.kt", "org.w3c/org.w3c.dom.event  
s.kt", "org.w3c/org.w3c.dom.kt", "org.w3c/org.w3c.fetch.kt", "org.w3c/org.w3c.dom.mediacapture.kt", "org.w3c/org.  
w3c.dom.pointerevents.kt", "org.w3c/org.w3c.dom.svg.kt", "org.w3c/org.w3c.files.kt", "org.w3c/org.w3c.notification  
s.kt", "org.w3c/org.w3c.workers.kt", "org.w3c/org.w3c.xhr.kt", "annotations/Experimental.kt", "annotations/Inference.  
kt", "annotations/Multiplatform.kt", "collections/AbstractCollection.kt", "collections/AbstractIterator.kt", "collections/  
AbstractList.kt", "collections/AbstractMap.kt", "collections/AbstractSet.kt", "collections/Arrays.kt", "collections/Index  
edValue.kt", "collections/MapAccessors.kt", "collections/MapWithDefault.kt", "collections/MutableCollections.kt", "c  
ollections/ReversedViews.kt", "collections/SequenceBuilder.kt", "collections/SlidingWindow.kt", "collections/UArray  
Sorting.kt", "contracts/ContractBuilder.kt", "coroutines/ContinuationInterceptor.kt", "coroutines/CoroutineContext.kt"  
, "coroutines/CoroutineContextImpl.kt", "coroutines/intrinsics/Intrinsics.kt", "experimental/bitwiseOperations.kt", "exp  
erimental/inferenceMarker.kt", "internal/Annotations.kt", "properties/Delegates.kt", "properties/ObservableProperty.kt  
", "random/Random.kt", "random/URandom.kt", "random/XorWowRandom.kt", "ranges/Ranges.kt", "text/Char.kt", "te  
xt/Indent.kt", "text/Typography.kt", "text/regex/MatchResult.kt", "util/HashCode.kt", "util/KotlinVersion.kt", "util/Late  
init.kt", "util/Lazy.kt", "util/Suspend.kt", "util/Tuples.kt", "kotlin/UIntRange.kt", "kotlin/UITerators.kt", "kotlin/ULongR  
ange.kt", "kotlin/UMath.kt", "kotlin/UProgressionUtil.kt", "kotlin/UStrings.kt", "kotlin/annotations/Unsigned.kt", "koti  
n/MathH.kt", "Intrinsics.kt", "CoroutinesLibrary.kt", "coroutines.kt", "coroutinesIntrinsics.kt", "ContinuationIntercepto  
r.kt", "CoroutineContext.kt", "CoroutineContextImpl.kt", "Coroutines.kt", "SequenceBuilder.kt", "sourcesContent": ["(  
function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'],  
factory);\n }\n } else if (typeof exports === 'object') {\n factory(module.exports);\n }\n } else {\n  
root.kotlin = {};\n factory(root.kotlin);\n }\n })(this, function (Kotlin) {\n var \_ = Kotlin;\n\n  
insertContent();\n }));\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the  
Apache 2.0 license\n \* that can be found in the license/LICENSE.txt file.\n \*/\n\nKotlin.isArray = function  
(a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ ===  
'BooleanArray'\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$ !==  
'BooleanArray'\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof  
Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ ===  
'CharArray'\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof  
Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof  
Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof  
Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.\$type\$ ===  
'LongArray'\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) &&  
!a.\$type\$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) ||  
ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n var toString = Kotlin.isCharArray(a) ?  
String.fromCharCode : Kotlin.toString;\n return '[' + Array.prototype.map.call(a, function(e) { return  
toString(e); }).join(', ') + ']';\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return  
Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a ===  
b) {\n return true;\n }\n if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for  
(var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n  
return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return  
Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n var  
result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n result = ((31 \* result | 0) + Kotlin.hashCode(arr[i])) |  
0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return  
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n  
array.sort(Kotlin.doubleCompareTo)\n};\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is  
governed by the Apache 2.0 license\n \* that can be found in the license/LICENSE.txt file.\n  
\*/\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n return

```

f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n  getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,\n  propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n  obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n  obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:\n  null, implementedInterface: function () {\n    return Kotlin.kotlin.reflect.KMutableProperty0 }\n  },\n  immutable: { value: null, implementedInterface: function () {\n    return Kotlin.kotlin.reflect.KProperty0 }\n  }\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n    return\n  Kotlin.kotlin.reflect.KMutableProperty1 }\n  },\n    immutable: { value: null, implementedInterface: function\n  () {\n    return Kotlin.kotlin.reflect.KProperty1 }\n  }\n  }\n  ];\n\nfunction getPropertyRefMetadata(cache)\n  {\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n      baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n    };\n  }\n  return cache.value;\n}\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is\n  governed by the Apache 2.0 license\n  * that can be found in the license/LICENSE.txt file.\n  */\n\nKotlin.toShort =\n  function (a) {\n    return (a & 0xFFFF) << 16 >> 16;\n  };\n\nKotlin.toByte = function (a) {\n    return (a & 0xFF) <<\n  24 >> 24;\n  };\n\nKotlin.toChar = function (a) {\n    return a & 0xFFFF;\n  };\n\nKotlin.numberToLong = function (a)\n  {\n    return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n  };\n\nKotlin.numberToInt = function (a)\n  {\n    return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n  };\n\nKotlin.numberToShort = function\n  (a) {\n    return Kotlin.toShort(Kotlin.numberToInt(a));\n  };\n\nKotlin.numberToByte = function (a) {\n    return\n  Kotlin.toByte(Kotlin.numberToInt(a));\n  };\n\nKotlin.numberToDouble = function (a) {\n    return\n  +a;\n  };\n\nKotlin.numberToChar = function (a) {\n    return\n  Kotlin.toChar(Kotlin.numberToInt(a));\n  };\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return\n  2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function\n  (a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new\n  Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return\n  Kotlin.toChar(a);\n};\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the\n  Apache 2.0 license\n  * that can be found in the license/LICENSE.txt file.\n  */\n\nKotlin.equals = function (obj1,\n  obj2) {\n  if (obj1 == null) {\n    return obj2 == null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj2) {\n    return obj2 !== obj2;\n  }\n  if (typeof obj1 === \"object\" && typeof obj1.equals\n  === \"function\") {\n    return obj1.equals(obj2);\n  }\n  if (typeof obj1 === \"number\" && typeof obj2 ===\n  \"number\") {\n    return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2);\n  }\n  return obj1 ===\n  obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj == null) {\n    return 0;\n  }\n  var objType = typeof\n  obj;\n  if (\"object\" === objType) {\n    return \"function\" === typeof obj.hashCode ? obj.hashCode() :\n  getObjectHashCode(obj);\n  }\n  if (\"function\" === objType) {\n    return getObjectHashCode(obj);\n  }\n  if (\"number\" === objType) {\n    return Kotlin.numberHashCode(obj);\n  }\n  if (\"boolean\" === objType)\n  {\n    return Number(obj);\n  }\n  var str = String(obj);\n  return\n  getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null) {\n    return \"null\";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return \"[...]\";\n  }\n  else {\n    return o.toString();\n  }\n};\n\n/**\n  @const *\n  nvar POW_2_32 = 4294967296;\n  // TODO: consider switching to Symbol type once we are on ES6.\n  /**\n  @const *\n  nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue\";\n  nfunction\n  getObjectHashCode(obj) {\n  if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash =\n  (Math.random() * POW_2_32) | 0; // Make 32-bit signed integer.\n    Object.defineProperty(obj,\n  OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n  }\n  return\n  obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n};\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n  for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep\n  it 32-bit.\n  }\n  return hash;\n};\n\nKotlin.identityHashCode = getObjectHashCode;\n\n\"/*\n * Copyright 2010-\n  2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n  * that can be found in the\n  license/LICENSE.txt file.\n  */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n\n/

```

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS-IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

**\* Constructs a 64-bit two's-complement integer, given its low and high 32-bit values as signed integers. See the from\* functions below for more convenient ways of constructing Longs.**

**\* The internal representation of a long is the two given signed, 32-bit values. We use 32-bit pieces because these are the size of integers on which Javascript performs bit-operations. For operations like addition and multiplication, we split each number into 16-bit pieces, which can easily be multiplied within Javascript's floating-point representation without overflow or change in sign.**

**\* In the algorithms below, we frequently reduce the negative case to the positive case by negating the input(s) and then post-processing the result. Note that we must ALWAYS check specially whether those values are MIN\_VALUE (-2^63) because -MIN\_VALUE == MIN\_VALUE (since 2^63 cannot be represented as a positive number, it overflows back into a negative). Not handling this case would often result in infinite recursion.**

**@param {number} low The low (signed) 32 bits of the long.**

**@param {number} high The high (signed) 32 bits of the long.**

```

@constructor
@final
^Kotlin.Long = function(low, high) {
  /**
   * @type {number}
   * @private
   */
  this.low_ = low | 0; // force into 32 signed bits.
  /**
   * @type {number}
   * @private
   */
  this.high_ = high | 0; // force into 32 signed bits.
};
Kotlin.Long.$metadata$ = {
  kind: "class",
  simpleName: "Long",
  interfaces: []
};
NOTE: Common constant values ZERO, ONE, NEG_ONE, etc.
are defined below the from* methods on which they depend.
/**
 * A cache of the Long representations of
 * small integer values.
 * @type {!Object}
 * @private
 */
Kotlin.Long.IntCache_ = {};
/**
 * Returns a
 * Long representing the given (32-bit) integer value.
 * @param {number} value The 32-bit integer in question.
 * @return {!Kotlin.Long} The corresponding Long value.
 */
^Kotlin.Long.fromInt = function(value) {
  if (-128 <= value && value < 128) {
    var cachedObj = Kotlin.Long.IntCache_[value];
    if (cachedObj) {
      return cachedObj;
    }
    var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);
    if (-128 <= value && value < 128) {
      Kotlin.Long.IntCache_[value] = obj;
    }
    return obj;
  };
  /**
   * Returns a Long representing the
   * given value, provided that it is a finite
   * number. Otherwise, zero is returned.
   * @param {number} value The
   * number in question.
   * @return {!Kotlin.Long} The corresponding Long value.
   */
  ^Kotlin.Long.fromNumber =
  function(value) {
    if (isNaN(value) || !isFinite(value)) {
      return Kotlin.Long.ZERO;
    } else if (value <= -
      Kotlin.Long.TWO_PWR_63_DBL_) {
      return Kotlin.Long.MIN_VALUE;
    } else if (value + 1 >=
      Kotlin.Long.TWO_PWR_63_DBL_) {
      return Kotlin.Long.MAX_VALUE;
    } else if (value < 0) {
      return
      Kotlin.Long.fromNumber(-value).negate();
    } else {
      return new Kotlin.Long(
        (value %
          Kotlin.Long.TWO_PWR_32_DBL_) | 0,
        (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);
    }
  };
  /**
   * Returns a Long representing the 64-bit integer that comes by concatenating
   * the given high and
   * low bits. Each is assumed to use 32 bits.
   * @param {number} lowBits The low 32-bits.
   * @param {number} highBits The high 32-bits.
   * @return {!Kotlin.Long} The corresponding Long value.
   */
  ^Kotlin.Long.fromBits =
  function(lowBits, highBits) {
    return new Kotlin.Long(lowBits, highBits);
  };
  /**
   * Returns a Long
   * representation of the given string, written using the given
   * radix.
   * @param {string} str The textual
   * representation of the Long.
   * @param {number=} opt_radix The radix in which the text is written.
   * @return
   * {!Kotlin.Long} The corresponding Long value.
   */
  ^Kotlin.Long.fromString = function(str, opt_radix) {
    if (str.length == 0) {
      throw Error('number format error: empty string');
    }
    var radix = opt_radix || 10;
    if (radix < 2 || 36 < radix) {
      throw Error('radix out of range: ' + radix);
    }
    if (str.charAt(0) == '-') {
      return
      Kotlin.Long.fromString(str.substring(1), radix).negate();
    } else if (str.indexOf('-') >= 0) {
      throw Error('number
      format error: interior "-" character: ' + str);
    }
    // Do several (8) digits each time through the loop, so as to
    // minimize the calls to the very expensive emulated div.
    var radixToPower =
    Kotlin.Long.fromNumber(Math.pow(radix, 8));
    var result = Kotlin.Long.ZERO;
    for (var i = 0; i < str.length;
      i += 8) {
      var size = Math.min(8, str.length - i);
      var value = parseInt(str.substring(i, i + size), radix);
      if (size < 8) {
        var power = Kotlin.Long.fromNumber(Math.pow(radix, size));
        result =

```

```

result.multiply(power).add(Kotlin.Long.fromNumber(value));\n } else {\n result =
result.multiply(radixToPower);\n result = result.add(Kotlin.Long.fromNumber(value));\n }\n }\n return
result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_31_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type
{number}\n * @private\n *\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type
{!Kotlin.Long} *\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}
*\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}
*\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *
@private\n *\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The
value, assuming it is a 32-bit integer. *\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n\n/**
@return {number} The closest floating-point representation to this value. *\nKotlin.Long.prototype.toNumber =
function() {\n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n
this.getLowBitsUnsigned();\n};\n\n\n/** @return {number} The 32-bit hashCode of this value.
*\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n\n/**\n * @param
{number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation
of this value.\n * @override\n *\nKotlin.Long.prototype.toString = function(opt_radix) {\n var radix = opt_radix ||
10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (this.isZero()) {\n
return '0';\n }\n\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n // We need to
change the Long value before it can be negated, so we remove\n // the bottom-most digit in this base and then
recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div = this.div(radixLong);\n
var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) + rem.toInt().toString(radix);\n }
else {\n return '-' + this.negate().toString(radix);\n }\n }\n\n // Do several (6) digits each time through the loop,
so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 6));\n var rem = this;\n var result = '';\n while (true) {\n var
remDiv = rem.div(radixToPower);\n var intVal = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var
digits = intVal.toString(radix);\n rem = remDiv;\n if (rem.isZero()) {\n return digits + result;\n } else {\n
while (digits.length < 6) {\n digits = '0' + digits;\n }\n result = " + digits + result;\n }\n }\n};\n\n\n/**
@return {number} The high 32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n
return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.
*\nKotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n\n/** @return {number} The low
32-bits as an unsigned value. *\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >=
0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns
the number of bits needed to represent the absolute\n * value of this Long.\n
*\nKotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return
this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_ : this.low_;\n for (var bit

```

```

= 31; bit > 0; bit--) {\n    if ((val & (1 << bit)) != 0) {\n        break;\n    }\n    return this.high_ != 0 ? bit + 33
: bit + 1;\n }\n};\n\n/** @return {boolean} Whether this value is zero. */\nKotlin.Long.prototype.isZero =
function() {\n    return this.high_ == 0 && this.low_ == 0;\n};\n\n/** @return {boolean} Whether this value is
negative. */\nKotlin.Long.prototype.isNegative = function() {\n    return this.high_ < 0;\n};\n\n/** @return
{boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n    return (this.low_ & 1) ==
1;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n    return (this.high_ ==
other.high_) && (this.low_ == other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare
against.\n * @return {boolean} Whether this Long does not equal the other.\n
*/\nKotlin.Long.prototype.notEqualsLong = function(other) {\n    return (this.high_ != other.high_) || (this.low_ !=
other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}
Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n    return
this.compare(other) < 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n    return this.compare(other) <= 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*/\nKotlin.Long.prototype.greaterThan = function(other) {\n    return this.compare(other) > 0;\n};\n\n/**\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n    return
this.compare(other) >= 0;\n};\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long}
other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n * if
the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n    if (this.equalsLong(other)) {\n
return 0;\n    }\n\n    var thisNeg = this.isNegative();\n    var otherNeg = other.isNegative();\n    if (thisNeg &&
!otherNeg) {\n        return -1;\n    }\n    if (!thisNeg && otherNeg) {\n        return 1;\n    }\n\n    // at this point, the signs are the
same, so subtraction will not overflow\n    if (this.subtract(other).isNegative()) {\n        return -1;\n    } else {\n        return
1;\n    }\n};\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate =
function() {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n        return Kotlin.Long.MIN_VALUE;\n    } else
{\n        return this.not().add(Kotlin.Long.ONE);\n    }\n};\n\n/**\n * Returns the sum of this and the given Long.\n
* @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given
Long.\n */\nKotlin.Long.prototype.add = function(other) {\n    // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n    var a48 = this.high_ >>> 16;\n    var a32 = this.high_ & 0xFFFF;\n    var a16 = this.low_
>>> 16;\n    var a00 = this.low_ & 0xFFFF;\n\n    var b48 = other.high_ >>> 16;\n    var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n    var b00 = other.low_ & 0xFFFF;\n\n    var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n    c00
+= a00 + b00;\n    c16 += c00 >>> 16;\n    c00 &= 0xFFFF;\n    c16 += a16 + b16;\n    c32 += c16 >>> 16;\n    c16 &=
0xFFFF;\n    c32 += a32 + b32;\n    c48 += c32 >>> 16;\n    c32 &= 0xFFFF;\n    c48 += a48 + b48;\n    c48 &=
0xFFFF;\n    return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns the
difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return
{!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other)
{\n    return this.add(other.negate());\n};\n\n/**\n * Returns the product of this and the given long.\n * @param
{Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*/\nKotlin.Long.prototype.multiply = function(other) {\n    if (this.isZero()) {\n        return Kotlin.Long.ZERO;\n    } else
if (other.isZero()) {\n        return Kotlin.Long.ZERO;\n    }\n\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n    } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n        return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n    }\n\n    if (this.isNegative()) {\n        if (other.isNegative()) {\n            return
this.negate().multiply(other.negate());\n        } else {\n            return this.negate().multiply(other).negate();\n        }\n    } else if
(other.isNegative()) {\n        return this.multiply(other.negate()).negate();\n    }\n\n    // If both longs are small, use float
multiplication\n    if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n

```



```

other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n  return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return
{!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n  if
(other.isZero()) {\n    throw Error('division by zero');\n  }\n  else if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n
}\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    if (other.equalsLong(Kotlin.Long.ONE) ||\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n      return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
== MIN_VALUE\n    }\n    else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n
}\n    else {\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis =
this.shiftRight(1);\n      var approx = halfThis.div(other).shiftLeft(1);\n      if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n        return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n      }\n      else {\n        var rem = this.subtract(other.multiply(approx));\n        var result =
approx.add(rem.div(other));\n        return result;\n      }\n    }\n  }\n  else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n
if (other.isNegative()) {\n    return this.negate().div(other.negate());\n  }\n  else {\n    return
this.negate().div(other).negate();\n  }\n  }\n  else if (other.isNegative()) {\n    return
this.div(other.negate()).negate();\n  }\n\n  // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from
the remainder. It is critical that\n // the approximate value is less than or equal to the real value so that the\n //
remainder never becomes negative.\n  var res = Kotlin.Long.ZERO;\n  var rem = this;\n  while
(rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n //
smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n\n    // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n    var
approxRem = approxRes.multiply(other);\n    while (approxRem.isNegative() || approxRem.greaterThan(rem))\n    {\n      approx -= delta;\n      approxRes = Kotlin.Long.fromNumber(approx);\n      approxRem =
approxRes.multiply(other);\n    }\n\n    // We know the answer can't be zero... and actually, zero would cause\n //
infinite recursion since we would make no progress.\n    if (approxRes.isZero()) {\n      approxRes =
Kotlin.Long.ONE;\n    }\n\n    res = res.add(approxRes);\n    rem = rem.subtract(approxRem);\n  }\n  return
res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
function(other) {\n  return this.subtract(this.div(other).multiply(other));\n};\n\n\n/**\n * @return {!Kotlin.Long} The
bitwise-NOT of this value. */\nKotlin.Long.prototype.not = function() {\n  return Kotlin.Long.fromBits(~this.low_,
~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long}
other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n
*/\nKotlin.Long.prototype.and = function(other) {\n  return Kotlin.Long.fromBits(this.low_ & other.low_,\n
this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n *
@param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and

```

```

the other.\n *^nKotlin.Long.prototype.or = function(other) {\n  return Kotlin.Long.fromBits(this.low_ |
other.low_,\n                    this.high_ | other.high_);\n};\n\n/n\n/**\n * Returns the bitwise-XOR of this Long
and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
The bitwise-XOR of this and the other.\n *^nKotlin.Long.prototype.xor = function(other) {\n  return
Kotlin.Long.fromBits(this.low_ ^ other.low_,\n                    this.high_ ^ other.high_);\n};\n\n/n\n/**\n *
Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of
bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n
*^nKotlin.Long.prototype.shiftLeft = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return
this;\n  } else {\n    var low = this.low_;\n    if (numBits < 32) {\n      var high = this.high_;\n      return
Kotlin.Long.fromBits(\n      low << numBits,\n      (high << numBits) | (low >>> (32 - numBits)));\n    } else
{\n      return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n  }\n};\n\n/n\n/**\n * Returns this Long with
bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n
* @return {!Kotlin.Long} This shifted to the right by the given amount.\n *^nKotlin.Long.prototype.shiftRight =
function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n
if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n      (low >>> numBits) | (high
<<< (32 - numBits)),\n      high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(\n      high >>
(numBits - 32),\n      high >= 0 ? 0 : -1);\n    }\n  }\n};\n\n/n\n/**\n * Returns this Long with bits shifted to the right
by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number
of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *
zeros placed into the new leading bits.\n *^nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits
&= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var
low = this.low_;\n      return Kotlin.Long.fromBits(\n      (low >>> numBits) | (high <<< (32 - numBits)),\n      high
>>> numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return
Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  }\n};\n\n/n\n// Support for
Kotlin\nKotlin.Long.prototype.equals = function (other) {\n  return other instanceof Kotlin.Long &&
this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n  return
this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n  return
this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n  return
this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n  return
this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n  return new
Kotlin.kotlin.ranges.LongRange(this, other);\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *^n\n/n\n/**\n *
@param {string} id\n * @param {Object} declaration\n *^nKotlin.defineModule = function (id, declaration)
{\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n  return fun;\n};\n\nKotlin.wrapFunction =
function(fun) {\n  var f = function() {\n    f = fun();\n    return f.apply(this, arguments);\n  };
return function() {\n    return f.apply(this, arguments);\n  };\n};\n\nKotlin.isTypeOf = function(type) {\n  return
function (object) {\n    return typeof object === type;\n  };\n};\n\nKotlin.isInstanceOf = function (klass) {\n
return function (object) {\n    return Kotlin.isType(object, klass);\n  };\n};\n\nKotlin.orNull = function (fn) {\n
return function (object) {\n    return object == null || fn(object);\n  };\n};\n\nKotlin.andPredicate = function (a, b)
{\n  return function (object) {\n    return a(object) && b(object);\n  };\n};\n\nKotlin.kotlinModuleMetadata =
function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n  return
value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error(\n    \"This marker function

```

```

should never been called. \n      \nLooks like compiler did not eliminate it properly. \n      \nPlease, report
an issue if you caught this exception.");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return
function() {\n    return defaultValue;\n  }\n};", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\nKotlin.compareTo = function(a, b) {\n  var typeA = typeof a;\n  if (typeA === "number") {\n    if
(typeof b === "number") {\n      return Kotlin.doubleCompareTo(a, b);\n    }\n    return
Kotlin.primitiveCompareTo(a, b);\n  }\n  if (typeA === "string" || typeA === "boolean") {\n    return
Kotlin.primitiveCompareTo(a, b);\n  }\n  return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo =
function(a, b) {\n  return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function(a, b) {\n  if (a < b)
return -1;\n  if (a > b) return 1;\n  if (a === b) {\n    if (a !== 0) return 0;\n\n    var ia = 1 / a;\n    return ia
=== 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  }\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function
(value) {\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function(value) {\n  return
Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a,
b) {\n  return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new
ArrayBuffer(8);\n  var bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var
bufInt32 = new Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n\n  bufFloat64[0] = -1; //
bff00000_00000000\n  if (bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n\n  Kotlin.doubleToBits = function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n
};\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0] = value;\n    return
Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits =
function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] = value.high_;\n    return
bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n    return Kotlin.floatToRawBits(isNaN(value)
? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return
bufInt32[0];\n  };\n\n  Kotlin.floatFromBits = function(value) {\n    bufInt32[0] = value;\n    return
bufFloat32[0];\n  };\n\n  // returns zero value for number with positive sign bit and non-zero value for number
with negative sign bit.\n  Kotlin.doubleSignBit = function(value) {\n    bufFloat64[0] = value;\n    return
bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode = function(obj) {\n    if ((obj | 0) ===
obj) {\n      return obj | 0;\n    }\n    else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex]
* 31 | 0) + bufInt32[lowIndex] | 0;\n    }\n  };\n}\n\nKotlin.ensureNotNull = function(x) {\n  return x != null
? x : Kotlin.throwNPE();\n};\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\nKotlin.nif (typeof
String.prototype.startsWith === "undefined") {\n  String.prototype.startsWith = function(searchString, position)
{\n    position = position || 0;\n    return this.lastIndexOf(searchString, position) === position;\n  };\n}\n\nKotlin.nif
(typeof String.prototype.endsWith === "undefined") {\n  String.prototype.endsWith = function(searchString,
position) {\n    var subjectString = this.toString();\n    if (position === undefined || position >
subjectString.length) {\n      position = subjectString.length;\n    }\n    position -= searchString.length;\n
var lastIndex = subjectString.indexOf(searchString, position);\n    return lastIndex !== -1 && lastIndex ===
position;\n  };\n}\n\n// ES6 Math polyfills\nKotlin.nif (typeof Math.sign === "undefined") {\n  Math.sign = function(x) {\n
  x = +x; // convert to a number\n  if (x === 0 || isNaN(x)) {\n    return Number(x);\n  }\n  return x
> 0 ? 1 : -1;\n  };\n}\n\nKotlin.nif (typeof Math.trunc === "undefined") {\n  Math.trunc = function(x) {\n  if (isNaN(x))
{\n    return NaN;\n  }\n  if (x > 0) {\n    return Math.floor(x);\n  }\n  return Math.ceil(x);\n
};\n}\n\n(function() {\n  var epsilon = 2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n
var taylor_n_bound = Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var
upper_taylor_n_bound = 1/taylor_n_bound;\n\n  if (typeof Math.sinh === "undefined") {\n    Math.sinh =
function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) >
taylor_2_bound) {\n          result += (x * x * x) / 6;\n        }\n        return result;\n      } else {\n
var y = Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x - Math.LN2);\n        if
(!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      }\n    };\n  }\n}
}

```

```

if (typeof Math.cosh === "undefined") {\n    Math.cosh = function(x) {\n        var y = Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n        return (y + y1) / 2;\n    };\n}\n\nif (typeof Math.tanh === "undefined") {\n    Math.tanh = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var result = x;\n            if (Math.abs(x) > taylor_2_bound) {\n                result -= (x * x * x) / 3;\n            }\n            return result;\n        }\n        else {\n            var a = Math.exp(+x), b = Math.exp(-x);\n            return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n        }\n    };\n}\n\n// Inverse hyperbolic function implementations derived from boost special math functions,\n// Copyright Eric Ford & Hubert Holin 2001.\n\nif (typeof Math.asinh === "undefined") {\n    var asinh = function(x) {\n        if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                        {\n                            // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                            return Math.log(x * 2 + (1 / (x * 2)));\n                        }\n                    }\n            }\n        else\n            {\n                return Math.log(x + Math.sqrt(x * x + 1));\n            }\n        else if (x <= -taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n        else\n            {\n                // approximation by taylor series in x at 0 up to order 2\n                var result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                    {\n                        var x3 = x * x * x;\n                        // approximation by taylor series in x at 0 up to order 4\n                        result -= x3 / 6;\n                    }\n                return result;\n            }\n    };\n    Math.asinh = asinh;\n}\n\nif (typeof Math.acosh === "undefined") {\n    Math.acosh = function(x) {\n        if (x < 1)\n            {\n                return NaN;\n            }\n        else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                        {\n                            return Math.log(x + Math.sqrt(x * x - 1));\n                        }\n                    }\n            }\n        else\n            {\n                var y = Math.sqrt(x - 1);\n                // approximation by taylor series in y at 0 up to order 2\n                var result = y;\n                if (y >= taylor_2_bound)\n                    {\n                        var y3 = y * y * y;\n                        // approximation by taylor series in y at 0 up to order 4\n                        result -= y3 / 12;\n                    }\n                return Math.sqrt(2) * result;\n            }\n    };\n}\n\nif (typeof Math.atanh === "undefined") {\n    Math.atanh = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var result = x;\n            if (Math.abs(x) > taylor_2_bound) {\n                result += (x * x * x) / 3;\n            }\n            return result;\n        }\n        return Math.log((1 + x) / (1 - x)) / 2;\n    };\n}\n\nif (typeof Math.log1p === "undefined") {\n    Math.log1p = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n            return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n        }\n        return Math.log(x + 1);\n    };\n}\n\nif (typeof Math.expm1 === "undefined") {\n    Math.expm1 = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n            return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n        }\n        return Math.exp(x) - 1;\n    };\n}\n\nif (typeof Math.hypot === "undefined") {\n    Math.hypot = function() {\n        var y = 0;\n        var length = arguments.length;\n        for (var i = 0; i < length; i++) {\n            if (arguments[i] === Infinity || arguments[i] === -Infinity) {\n                return Infinity;\n            }\n            y += arguments[i] * arguments[i];\n        }\n        return Math.sqrt(y);\n    };\n}\n\nif (typeof Math.log10 === "undefined") {\n    Math.log10 = function(x) {\n        return Math.log(x) * Math.LOG10E;\n    };\n}\n\nif (typeof Math.log2 === "undefined") {\n    Math.log2 = function(x) {\n        return Math.log(x) * Math.LOG2E;\n    };\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof ArrayBuffer.isView === "undefined") {\n    ArrayBuffer.isView = function(a) {\n        return a != null && a.__proto__ != null && a.__proto__.__proto__ ===\n        Int8Array.prototype.__proto__;\n    };\n}\n\n(function() {\n    function normalizeOffset(offset, length) {\n        if (offset < 0) return Math.max(0, offset + length);\n        return Math.min(offset, length);\n    }\n    function typedArraySlice(begin, end) {\n        if (typeof end === "undefined") {\n            end = this.length;\n        }\n        begin = normalizeOffset(begin || 0, this.length);\n        end = Math.max(begin, normalizeOffset(end, this.length));\n        return new this.constructor(this.subarray(begin, end));\n    }\n    var arrays = [Int8Array, Int16Array,\n
```

```

Uint16Array, Int32Array, Float32Array, Float64Array];\n  for (var i = 0; i < arrays.length; ++i) {\n    var
TypedArray = arrays[i];\n    if (typeof TypedArray.prototype.slice === "undefined") {\n
Object.defineProperty(TypedArray.prototype, 'slice', {\n      value: typedArraySlice\n    });\n  }\n
}\n\n // Patch apply to work with TypedArrays if needed.\n try {\n   (function() {}).apply(null, new
Int32Array(0))\n } catch (e) {\n   var apply = Function.prototype.apply;\n
Object.defineProperty(Function.prototype, 'apply', {\n   value: function(self, array) {\n     return
apply.call(this, self, [].slice.call(array));\n   }\n });\n }\n\n // Patch map to work with TypedArrays if
needed.\n for (var i = 0; i < arrays.length; ++i) {\n   var TypedArray = arrays[i];\n   if (typeof
TypedArray.prototype.map === "undefined") {\n     Object.defineProperty(TypedArray.prototype, 'map', {\n
      value: function(callback, self) {\n        return [].slice.call(this).map(callback, self);\n      }\n
    });\n  }\n }\n\n // Patch sort to work with TypedArrays if needed.\n // TODO: consider to remove
following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n var totalOrderComparator =
function(a, b) {\n   if (a < b) return -1;\n   if (a > b) return 1;\n\n   if (a === b) {\n     if (a !== 0) return
0;\n     var ia = 1 / a;\n     return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n   }\n   return a !== a ? (b !==
b ? 0 : 1) : -1\n }; \n\n for (var i = 0; i < arrays.length; ++i) {\n   var TypedArray = arrays[i];\n   if (typeof
TypedArray.prototype.sort === "undefined") {\n     Object.defineProperty(TypedArray.prototype, 'sort', {\n
      value: function(compareFunction) {\n        return Array.prototype.sort.call(this, compareFunction ||
totalOrderComparator);\n      }\n    });\n  }\n }\n\n}());\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n  CLASS: "class",\n  INTERFACE: "interface",\n  OBJECT: "object"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n  var
propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n  if (propertyDescriptor != null
&& propertyDescriptor.get != null) {\n    return propertyDescriptor.get.call(thisObject);\n  }\n\n  propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n  if (propertyDescriptor !=
null && "value" in propertyDescriptor) {\n    return thisObject[propertyName];\n  }\n\n  return
Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function
(thisObject, klass, propertyName, value) {\n  var propertyDescriptor = Object.getOwnPropertyDescriptor(klass,
propertyName);\n  if (propertyDescriptor != null && propertyDescriptor.set != null) {\n
propertyDescriptor.set.call(thisObject, value);\n    return;\n  }\n\n  propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n  if (propertyDescriptor != null && "value" in
propertyDescriptor) {\n    thisObject[propertyName] = value;\n    return\n  }\n\n  Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n  if
(ctor === iface) return true;\n\n  var metadata = ctor.$metadata$;\n  if (metadata != null) {\n    var interfaces =
metadata.interfaces;\n    for (var i = 0; i < interfaces.length; i++) {\n      if
(isInheritanceFromInterface(interfaces[i], iface)) {\n        return true;\n      }\n    }\n\n    var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n    var superConstructor =
superPrototype != null ? superPrototype.constructor : null;\n    return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n  }\n\n  /**\n   * @param {*} object\n   * @param
{Function|Object} klass\n   * @returns {Boolean}\n   */\n  Kotlin.isType = function (object, klass) {\n    if (klass ===
Object) {\n      switch (typeof object) {\n        case "string":\n        case "number":\n        case
"boolean":\n        case "function":\n          return true;\n        default:\n          return object instanceof
Object;\n      }\n    }\n\n    if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n      return false;\n    }\n\n    if (typeof klass === "function" && object instanceof klass) {\n
return true;\n    }\n\n    var proto = Object.getPrototypeOf(klass);\n    var constructor = proto != null ?
proto.constructor : null;\n    if (constructor != null && "$metadata$" in constructor) {\n      var metadata =
constructor.$metadata$;\n      if (metadata.kind === Kotlin.Kind.OBJECT) {\n        return object === klass;\n      }\n    }\n\n    var classMetadata = klass.$metadata$;\n\n    // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns "object", nevertheless they can be used in RHS of instanceof\n    if (classMetadata == null)

```

```

{\n    return object instanceof class;\n }{\n\n    if (classMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n    return isInheritanceFromInterface(object.constructor, class);\n }{\n\n    return
false;\n};\n\nKotlin.isNumber = function (a) {\n    return typeof a === "number" || a instanceof
Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n    return value instanceof
Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n    var type = typeof value;\n\n    return type
=== "string" ||\n        type === "boolean" ||\n        Kotlin.isNumber(value) ||\n        Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n    return typeof value === "string"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};";/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a
package is omitted to get declarations directly under the module\n\n@PublishedApi\n\nexternal fun <T>
Array(size: Int): Array<T>\n\n@JsName("newArray")\n\nfun <T> newArray(size: Int, initialValue: T) =
fillArrayVal(Array<T>(size), initialValue)\n\n@JsName("newArrayF")\n\ninline fun <T> arrayWithFun(size: Int, init:
(Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName("fillArray")\n\ninline fun <T> fillArrayFun(array:
Array<T>, init: (Int) -> T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = init(i)\n    }\n    return
array\n}\n\n@JsName("booleanArray")\n\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n    val
result: dynamic = Array<Boolean>(size)\n    result.`$type$` = "BooleanArray"\n    return when (init) {\n        null,
true -> fillArrayVal(result, false)\n        false -> result\n        else -> fillArrayFun<Boolean>(result, init)\n
}\n}\n\n@JsName("booleanArrayF")\n\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName("charArray")\n\n@Suppress("UNUSED_PARAMETER")\n\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js("new Uint16Array(size)")\n    result.`$type$` = "CharArray"\n    return
when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName("charArrayF")\n\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char):
Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
\n        @Suppress("UNUSED_VARIABLE") // used in js block\n        val value = init(i)\n        js("array[i] = value;")\n
}\n    return array\n}\n\n@JsName("untypedCharArrayF")\n\ninline fun untypedCharArrayWithFun(size: Int, init:
(Int) -> Char): Array<Char> {\n    val array = Array<Char>(size)\n    for (i in 0..array.size - 1) {\n
\n        @Suppress("UNUSED_VARIABLE") // used in js block\n        val value = init(i)\n        js("array[i] = value;")\n
}\n    return array\n}\n\n@JsName("longArray")\n\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val
result: dynamic = Array<Long>(size)\n    result.`$type$` = "LongArray"\n    return when (init) {\n        null, true ->
fillArrayVal(result, 0L)\n        false -> result\n        else -> fillArrayFun<Long>(result, init)\n    }\n}\n\n@JsName("longArrayF")\n\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> =
fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initialValue: T): Array<T>
{\n    for (i in 0..array.size - 1) {\n        array[i] = initialValue\n    }\n    return array\n}\n\n/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>>\n
{\n    @JsName("name$") private var _name: String = ""\n    @JsName("ordinal$") private var _ordinal: Int =
0\n\n    val name: String\n        get() = _name\n\n    val ordinal: Int\n        get() = _ordinal\n\n    override fun
compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n    override fun equals(other: Any?) = this ===
other\n\n    override fun hashCode(): Int = js("Kotlin.identityHashCode")(this)\n\n    override fun toString() =
name\n\n    companion object\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js.internal\n\n@JsName("DoubleCompanionObject")\n\nprivate object DoubleCompanionObject {\n
\n    @JsName("MIN_VALUE")\n    val MIN_VALUE: Double = js("Number.MIN_VALUE")\n\n    @JsName("MAX_VALUE")\n    val MAX_VALUE: Double = js("Number.MAX_VALUE")\n\n    @JsName("POSITIVE_INFINITY")\n    val POSITIVE_INFINITY: Double =
js("Number.POSITIVE_INFINITY")\n\n    @JsName("NEGATIVE_INFINITY")\n    val NEGATIVE_INFINITY: Double = js("Number.NEGATIVE_INFINITY")\n\n    @JsName("NaN")\n    val NaN:

```

```

Double = js("Number.NaN")\n}\n\n@JsName("FloatCompanionObject")\nprivate object FloatCompanionObject
{\n  @JsName("MIN_VALUE")\n  val MIN_VALUE: Float = js("Number.MIN_VALUE")\n\n  @JsName("MAX_VALUE")\n  val MAX_VALUE: Float = js("Number.MAX_VALUE")\n\n  @JsName("POSITIVE_INFINITY")\n  val POSITIVE_INFINITY: Float =
js("Number.POSITIVE_INFINITY")\n\n  @JsName("NEGATIVE_INFINITY")\n  val
NEGATIVE_INFINITY: Float = js("Number.NEGATIVE_INFINITY")\n\n  @JsName("NaN")\n  val NaN:
Float = js("Number.NaN")\n}\n\n@JsName("IntCompanionObject")\nprivate object IntCompanionObject {\n
  @JsName("MIN_VALUE")\n  val MIN_VALUE: Int = -2147483647 - 1\n\n  @JsName("MAX_VALUE")\n
val MAX_VALUE: Int = 2147483647\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 4\n\n  @JsName("SIZE_BITS")\n  const val SIZE_BITS = 32\n}\n\n@JsName("LongCompanionObject")\nprivate
object LongCompanionObject {\n  @JsName("MIN_VALUE")\n  val MIN_VALUE: Long =
js("Kotlin.Long.MIN_VALUE")\n\n  @JsName("MAX_VALUE")\n  val MAX_VALUE: Long =
js("Kotlin.Long.MAX_VALUE")\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 8\n\n
  @JsName("SIZE_BITS")\n  const val SIZE_BITS = 64\n}\n\n@JsName("ShortCompanionObject")\nprivate
object ShortCompanionObject {\n  @JsName("MIN_VALUE")\n  val MIN_VALUE: Short = -32768\n\n
  @JsName("MAX_VALUE")\n  val MAX_VALUE: Short = 32767\n\n  @JsName("SIZE_BYTES")\n  const
val SIZE_BYTES = 2\n\n  @JsName("SIZE_BITS")\n  const val SIZE_BITS =
16\n}\n\n@JsName("ByteCompanionObject")\nprivate object ByteCompanionObject {\n
  @JsName("MIN_VALUE")\n  val MIN_VALUE: Byte = -128\n\n  @JsName("MAX_VALUE")\n  val
MAX_VALUE: Byte = 127\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 1\n\n
  @JsName("SIZE_BITS")\n  const val SIZE_BITS = 8\n}\n\n@JsName("CharCompanionObject")\nprivate
object CharCompanionObject {\n  @JsName("MIN_VALUE")\n  public const val MIN_VALUE: Char =
"\u0000"\n\n  @JsName("MAX_VALUE")\n  public const val MAX_VALUE: Char = "\uFFFF"\n\n
  @JsName("MIN_HIGH_SURROGATE")\n  public const val MIN_HIGH_SURROGATE: Char = "\uD800"\n\n
  @JsName("MAX_HIGH_SURROGATE")\n  public const val MAX_HIGH_SURROGATE: Char =
"\uDBFF"\n\n  @JsName("MIN_LOW_SURROGATE")\n  public const val MIN_LOW_SURROGATE: Char =
"\uDC00"\n\n  @JsName("MAX_LOW_SURROGATE")\n  public const val MAX_LOW_SURROGATE: Char =
"\uDFFF"\n\n  @JsName("MIN_SURROGATE")\n  public const val MIN_SURROGATE: Char =
MIN_HIGH_SURROGATE\n\n  @JsName("MAX_SURROGATE")\n  public const val MAX_SURROGATE:
Char = MAX_LOW_SURROGATE\n\n  @JsName("SIZE_BYTES")\n  const val SIZE_BYTES = 2\n\n
  @JsName("SIZE_BITS")\n  const val SIZE_BITS = 16\n}\n\nprivate object StringCompanionObject
{\n}\n\nprivate object BooleanCompanionObject {\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns 1st
*element* from the collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out
T>.component1(): T {\n  return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun ShortArray.component1(): Short {\n  return get(0)\n}\n\n/**\n * Returns 1st *element* from the
collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component1(): Long {\n  return get(0)\n}\n\n/**\n * Returns 1st *element* from the
collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun DoubleArray.component1(): Double {\n  return get(0)\n}\n\n/**\n * Returns 1st *element*
from the collection.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1():

```





```

operator fun ShortArray.component5(): Short {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component5(): Long {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun DoubleArray.component5(): Double {\n  return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5():
Boolean {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n  return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
IntArray.contains(element: Int): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
FloatArray.contains(element: Float): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator
fun BooleanArray.contains(element: Boolean): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns
`true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun <T> Array<out T>.elementAt(index:
Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n */\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
expect fun ByteArray.elementAt(index: Int): Byte\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int):
Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n */\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int):
Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n */\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int):
Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n */\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int):
Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the

```

[index] is out of bounds of this array.\n \* \n \* @sample

```

samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrNull(index: Int): Byte? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element at

```

the given [index] or `null` if the [index] is out of bounds of this array.\n \* \n \* @sample

```

samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrNull(index: Int): Double? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrNull(index: Int): Char? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) ->
Boolean): Byte? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.find(predicate: (Short) -> Boolean): Short? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n  return
firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) ->
Boolean): Long? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate:
(Boolean) -> Boolean): Boolean? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -
> Boolean): Byte? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n  return
lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n
*^n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) ->
Boolean): Long? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given

```

```

[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double?
{\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate:
(Boolean) -> Boolean): Boolean? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out
T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun ShortArray.first(): Short {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n    if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
DoubleArray.first(): Double {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun BooleanArray.first(): Boolean {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun CharArray.first(): Char {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
<T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n    for (element in
this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -
> Boolean): Short {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -
> Boolean): Long {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n    for (element in this) if

```

```

(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n    return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
ByteArray.firstOrNull(): Byte? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or
`null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull():
Int? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is
empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
CharArray.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out
T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n
return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this)
if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double?
{\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) ->
Boolean): Char? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of

```

```

bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int,
defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):
Short {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) ->
Int): Int {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrNull(index: Int,
defaultValue: (Int) -> Long): Long {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) ->
Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrNull(index: Int,
defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n *^public fun <T> Array<out T>.getOrNull(index: Int): T? {\n    return if
(index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n *^public fun ByteArray.getOrNull(index: Int): Byte? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n *^public fun ShortArray.getOrNull(index: Int):
Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n *^public fun IntArray.getOrNull(index:
Int): Int? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n *^public fun LongArray.getOrNull(index:
Int): Long? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n *^public fun
FloatArray.getOrNull(index: Int): Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*^public fun DoubleArray.getOrNull(index: Int): Double? {\n    return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n *^public fun BooleanArray.getOrNull(index: Int): Boolean? {\n    return if (index >= 0 && index <=
lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n *^public fun CharArray.getOrNull(index: Int): Char? {\n    return if (index >= 0 && index
<= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain

```

```

element.\n *^/npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n  if
(element == null) {\n    for (index in indices) {\n      if (this[index] == null) {\n        return index\n
}\n    }\n  } else {\n    for (index in indices) {\n      if (element == this[index]) {\n        return index\n
}\n    }\n  }\n  return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n *^/npublic fun ByteArray.indexOf(element: Byte): Int {\n  for (index in indices) {\n    if (element ==
this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n *^/npublic fun ShortArray.indexOf(element: Short): Int {\n  for (index in
indices) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n *^/npublic fun IntArray.indexOf(element: Int):
Int {\n  for (index in indices) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *^/npublic fun
LongArray.indexOf(element: Long): Int {\n  for (index in indices) {\n    if (element == this[index]) {\n
return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *^/npublic fun FloatArray.indexOf(element: Float): Int {\n  for (index in indices) {\n    if
(element == this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *^/npublic fun DoubleArray.indexOf(element: Double): Int
{\n  for (index in indices) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *^/npublic fun
BooleanArray.indexOf(element: Boolean): Int {\n  for (index in indices) {\n    if (element == this[index]) {\n
return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *^/npublic fun CharArray.indexOf(element: Char): Int {\n  for (index in indices) {\n    if
(element == this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun <T>
Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n  for (index in indices) {\n    if (predicate(this[index]))
{\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^/npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n  for (index in indices) {\n    if

```

```

(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n}\n\n/**\n * Returns the last element.\n */
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n */\n @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
ByteArray.last(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */\n @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun ShortArray.last(): Short {\n  if (isEmpty())\n    throw NoSuchElementException("Array
is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */\n @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n  if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.last(): Long {\n
if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n */\n @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
FloatArray.last(): Float {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */\n @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun DoubleArray.last(): Double {\n  if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.last(): Boolean {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n */\n @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
CharArray.last(): Char {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return

```



```

this[lastIndex]\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate:
(T) -> Boolean): T {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) ->
Boolean): Byte {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) ->
Boolean): Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) ->
Boolean): Int {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) ->
Boolean): Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) ->
Boolean): Float {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate:
(Double) -> Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate:
(Boolean) -> Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) ->
Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n    if
(element == null) {\n        for (index in indices.reversed()) {\n            if (this[index] == null) {\n                return
index\n            }\n        }\n    } else {\n        for (index in indices.reversed()) {\n            if (element == this[index]) {\n
                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the
array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
ShortArray.lastIndexOf(element: Short): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n

```

```

* Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.lastIndexOf(element: Long): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n
* Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n    for
(index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
CharArray.lastIndexOf(element: Char): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index])
{\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull():
Byte? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n    return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int?
{\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
* Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.lastOrNull(): Double? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun CharArray.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T>
Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element
= this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun

```

```

BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.random(): T {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun ByteArray.random(): Byte {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun ShortArray.random(): Short {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun IntArray.random(): Int {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun LongArray.random(): Long {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun FloatArray.random(): Float {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun DoubleArray.random(): Double {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun BooleanArray.random(): Boolean {
    return random(Random)
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun CharArray.random(): Char {
    return random(Random)
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun <T> Array<out T>.random(random: Random): T {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun ByteArray.random(random: Random): Byte {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun ShortArray.random(random: Random): Short {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun IntArray.random(random: Random): Int {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun LongArray.random(random: Random): Long {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
// Returns a random element from this array using the specified source of randomness.
// @throws NoSuchElementException if this array is empty.

@SinceKotlin("1.3")
public fun FloatArray.random(random: Random): Float {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return

```

```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun DoubleArray.random(random: Random): Double {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n
    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array
is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if
the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n    return when
(size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
ShortArray.single(): Short {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n
    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun IntArray.single(): Int {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n
    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single():
Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 ->
this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n *
Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic
fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n
    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n
    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n    var single:

```

```

Byte? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Byte\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n  var single: Short? =
null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Short\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n  var single: Int? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Int\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n  var single: Long? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Long\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n  var single: Float? =
null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Float\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n  var single:
Double? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Double\n}\n\n/**\n *
Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n  var
single: Boolean? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as
Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no
or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char
{\n  var single: Char? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n
if (found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Char\n}\n\n/**\n *
Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T>
Array<out T>.singleOrNull(): T? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or

```

```

`null` if the array is empty or has more than one element.\n *\npublic fun ByteArray.singleOrNull(): Byte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n *\npublic fun ShortArray.singleOrNull(): Short? {\n  return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n *\npublic
fun IntArray.singleOrNull(): Int? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n *\npublic fun LongArray.singleOrNull(): Long? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n *\npublic fun FloatArray.singleOrNull(): Float? {\n  return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n *\npublic
fun DoubleArray.singleOrNull(): Double? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n *\npublic fun BooleanArray.singleOrNull():
Boolean? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is
empty or has more than one element.\n *\npublic fun CharArray.singleOrNull(): Char? {\n  return if (size == 1)
this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n *\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {\n  var single: T? = null\n  var found = false\n  for (element in this) {\n    if
(predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n *\npublic inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n  var single: Byte? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n
found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\npublic
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n  var single: Short? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n *\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n  var single: Int? = null\n
var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n
single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n *\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n  var
single: Long? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if
(found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or
more than one element was found.\n *\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):
Float? {\n  var single: Float? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))
{\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return
null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.\n *\npublic inline fun DoubleArray.singleOrNull(predicate:
(Double) -> Boolean): Double? {\n  var single: Double? = null\n  var found = false\n  for (element in this) {\n
if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n
if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n *\npublic inline fun
BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  var single: Boolean? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was

```

```

found.\n *\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char?
= null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return
null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws

```

IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n  
require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun IntArray.dropLast(n: Int): List<Int> {\n  
require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun LongArray.dropLast(n: Int): List<Long> {\n  
require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n  
require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun DoubleArray.dropLast(n: Int): List<Double>  
{\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun BooleanArray.dropLast(n: Int):  
List<Boolean> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws  
IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic fun CharArray.dropLast(n: Int): List<Char> {\n  
require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size -  
n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given  
[predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun <T>  
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if  
(!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns  
a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun ByteArray.dropLastWhile(predicate:  
(Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n  
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements  
except last elements that satisfy the given [predicate].\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun ShortArray.dropLastWhile(predicate:  
(Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n  
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements  
except last elements that satisfy the given [predicate].\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun IntArray.dropLastWhile(predicate:  
(Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n  
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements  
except last elements that satisfy the given [predicate].\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun LongArray.dropLastWhile(predicate:  
(Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n  
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements  
except last elements that satisfy the given [predicate].\n \* \n \* @sample



```

samples.collections.Collections.Transformations.drop\n *\npublic inline fun FloatArray.dropLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n
  if (!predicate(this[index])) {\n    return take(index + 1)\n  }\n}\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for
(item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
  yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list =
ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropWhile(predicate:
(Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list = ArrayList<Short>()\n  for (item in this)\n
  if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =
ArrayList<Int>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n
  if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =
ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
  yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample

```

```

inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n  val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if\n      (!predicate(item)) {\n        list.add(item)\n        yielding = true\n      }\n  return list\n}\n\n/**\n * Returns a list\n * containing all elements except first elements that satisfy the given [predicate].\n */\n @sample\n samples.collections.Collections.Transformations.drop\n\n * \npublic inline fun CharArray.dropWhile(predicate:\n (Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =\n true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n\n * \npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n  return\n filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n  return\n filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return\n filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n  return\n filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n  return\n filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n  return\n filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n  return\n filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return\n filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the\n given [predicate].\n */\n\n * \npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n  return\n filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n [predicate].\n */\n\n * \n @param [predicate] function that takes the index of an element and the element itself\n * and returns\n the result of predicate evaluation on the element.\n */\n\n * \npublic inline fun <T> Array<out T>.filterIndexed(predicate:\n (index: Int, T) -> Boolean): List<T> {\n  return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a\n list containing only elements matching the given [predicate].\n */\n\n * \n @param [predicate] function that takes the index of\n an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n\n * \npublic inline\n fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n  return\n filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the\n given [predicate].\n */\n\n * \n @param [predicate] function that takes the index of an element and the element itself\n * and\n returns the result of predicate evaluation on the element.\n */\n\n * \npublic inline fun ShortArray.filterIndexed(predicate:\n (index: Int, Short) -> Boolean): List<Short> {\n  return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n\n * \n @param [predicate] function that takes\n the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n\n * \npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n  return\n filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the\n given [predicate].\n */\n\n * \n @param [predicate] function that takes the index of an element and the element itself\n * and\n returns the result of predicate evaluation on the element.\n */\n\n * \npublic inline fun LongArray.filterIndexed(predicate:\n (index: Int, Long) -> Boolean): List<Long> {\n  return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n\n * \n @param [predicate] function that takes\n the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n\n * \npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n  return\n filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the\n given [predicate].\n */\n\n * \n @param [predicate] function that takes the index of an element and the element itself\n * and

```

returns the result of predicate evaluation on the element.\n \*/\npublic inline fun  
DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n return  
filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching the  
given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and  
returns the result of predicate evaluation on the element.\n \*/\npublic inline fun  
BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n return  
filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/\*\*\n \* Returns a list containing only elements matching  
the given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \*  
and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun  
CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n return  
filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to  
the given [destination].\n \* @param [predicate] function that takes the index of an element and the element itself\n \*  
and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <T, C : MutableCollection<in  
T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed {  
index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return  
destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \*  
@param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of  
predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Byte>>  
ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed {  
index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return  
destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \*  
@param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of  
predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Short>>  
ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n forEachIndexed {  
index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return  
destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \*  
@param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of  
predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Int>>  
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n forEachIndexed { index,  
element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/\*\*\n \*  
Appends all elements matching the given [predicate] to the given [destination].\n \* @param [predicate] function that  
takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the  
element.\n \*/\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C,  
predicate: (index: Int, Long) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index,  
element)) destination.add(element)\n }\n return destination\n}\n\n/\*\*\n \* Appends all elements matching the  
given [predicate] to the given [destination].\n \* @param [predicate] function that takes the index of an element and  
the element itself\n \* and returns the result of predicate evaluation on the element.\n \*/\npublic inline fun <C :  
MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean):  
C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n\n return  
destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \*  
@param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of  
predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Double>>  
DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n forEachIndexed {  
index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return  
destination\n}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n \*  
@param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of  
predicate evaluation on the element.\n \*/\npublic inline fun <C : MutableCollection<in Boolean>>  
BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n forEachIndexed

```

{ index, element ->\n    if (predicate(index, element)) destination.add(element)\n } \n return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    } \n return
destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>>
Array<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R)
destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n
return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n
return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n
return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n
return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n
return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double>
{\n    return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n */\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean):
List<Boolean> {\n    return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all
elements not matching the given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n    return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n    return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n
for (element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n    for (element
in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in
Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n    for (element in this) if

```

```

(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this)
if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out
T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C,
predicate: (Byte) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
*/\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean):
C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n
for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices:
IntRange): List<T> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start,
indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified
[indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n  if (indices.isEmpty()) return
listOf()\n  return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange):
List<Short> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n  if (indices.isEmpty()) return listOf()\n  return

```

```

copyOfRange(indices.start, indices.endInclusive + 1).asList()\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n if
(indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n if (indices.isEmpty()) return listOf()\n return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n
if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n if (indices.isEmpty()) return listOf()\n return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n if
(indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0)
return emptyList()\n val list = ArrayList<T>(size)\n for (index in indices) {\n list.add(get(index))\n }\n
return list}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size
== 0) return emptyList()\n val list = ArrayList<Byte>(size)\n for (index in indices) {\n list.add(get(index))\n
}\n return list}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ShortArray.slice(indices: Iterable<Int>): List<Short> {\n val size = indices.collectionSizeOrDefault(10)\n if
(size == 0) return emptyList()\n val list = ArrayList<Short>(size)\n for (index in indices) {\n
list.add(get(index))\n }\n return list}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n
public fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Int>(size)\n for
(index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Long>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Float>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n val
size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Double>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>):
List<Boolean> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list
= ArrayList<Boolean>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Char>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T>
Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n val result = arrayOfNulls(this, indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n val result = ByteArray(indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun

```

```

ShortArray.sliceArray(indices: Collection<Int>): ShortArray {
    val result = ShortArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n * Returns an array containing elements of this array at specified [indices].
*n */
public fun
IntArray.sliceArray(indices: Collection<Int>): IntArray {
    val result = IntArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
LongArray.sliceArray(indices: Collection<Int>): LongArray {
    val result = LongArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {
    val result = FloatArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {
    val result = DoubleArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {
    val result = BooleanArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {
    val result = CharArray(indices.size)
    var targetIndex = 0
    for (sourceIndex in indices) {
        result[targetIndex++] = this[sourceIndex]
    }
    return result
}
*n */
public fun
<T> Array<T>.sliceArray(indices: IntRange): Array<T> {
    if (indices.isEmpty()) return copyOfRange(0, 0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
ByteArray.sliceArray(indices: IntRange): ByteArray {
    if (indices.isEmpty()) return ByteArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
ShortArray.sliceArray(indices: IntRange): ShortArray {
    if (indices.isEmpty()) return ShortArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
IntArray.sliceArray(indices: IntRange): IntArray {
    if (indices.isEmpty()) return IntArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
LongArray.sliceArray(indices: IntRange): LongArray {
    if (indices.isEmpty()) return LongArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
FloatArray.sliceArray(indices: IntRange): FloatArray {
    if (indices.isEmpty()) return FloatArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
DoubleArray.sliceArray(indices: IntRange): DoubleArray {
    if (indices.isEmpty()) return DoubleArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
BooleanArray.sliceArray(indices: IntRange): BooleanArray {
    if (indices.isEmpty()) return BooleanArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
CharArray.sliceArray(indices: IntRange): CharArray {
    if (indices.isEmpty()) return CharArray(0)
    return copyOfRange(indices.start, indices.endInclusive + 1)
}
*n */
public fun
*n * Returns a list containing first [n] elements.
*n * @throws IllegalArgumentException if [n] is negative.
*n * @sample
samples.collections.Collections.Transformations.take
*n */
public fun <T> Array<out T>.take(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >= size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<T>(n)
    for (item in this) {
        if (count++ == n) break
        list.add(item)
    }
    return list
}
*n */
public fun

```

a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun ByteArray.take(n: Int): List<Byte> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Byte>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun ShortArray.take(n: Int): List<Short> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Short>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun IntArray.take(n: Int): List<Int> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Int>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun LongArray.take(n: Int): List<Long> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Long>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun FloatArray.take(n: Int): List<Float> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Float>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun DoubleArray.take(n: Int): List<Double> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Double>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun BooleanArray.take(n: Int): List<Boolean> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Boolean>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing first [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun CharArray.take(n: Int): List<Char> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n if (n >= size) return toList() \n if (n == 1) return listOf(this[0]) \n var count = 0 \n val list = ArrayList<Char>(n) \n for (item in this) { \n if (count++ == n) \n break \n list.add(item) \n } \n return list \n } \n \n /\*\* \n \* Returns a list containing last [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun <T> Array<out T>.takeLast(n: Int): List<T> { \n require(n >= 0) { \"Requested element count \$n is less than zero.\" } \n if (n == 0) return emptyList() \n val size = size \n if (n >= size) return toList() \n if (n == 1) return listOf(this[size - 1]) \n val list = ArrayList<T>(n) \n for (index in size - n until size) \n list.add(this[index]) \n return list \n } \n \n /\*\* \n \* Returns a list containing last [n] elements. \n \* \n \* @throws IllegalArgumentException if [n] is negative. \n \* \n \* @sample samples.collections.Collections.Transformations.take \n \* \n public fun ByteArray.takeLast(n: Int): List<Byte> { \n



```

require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Byte>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun ShortArray.takeLast(n: Int): List<Short> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Short>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun IntArray.takeLast(n: Int): List<Int> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Int>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun LongArray.takeLast(n: Int): List<Long> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Long>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun FloatArray.takeLast(n: Int): List<Float> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Float>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun DoubleArray.takeLast(n: Int): List<Double> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Double>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun BooleanArray.takeLast(n: Int): List<Boolean> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Boolean>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
 */
samples.collections.Collections.Transformations.take

public fun CharArray.takeLast(n: Int): List<Char> {
require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(this[size - 1])
val list = ArrayList<Char>(n)
for (index in size - n until size)
    list.add(this[index])
return list
}

/**
 * Returns a list containing last elements satisfying the given [predicate].
 * @sample
 */
samples.collections.Collections.Transformations.take

public inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index]))
return drop(index + 1)
}
return toList()
}

/**
 * Returns a list containing last elements satisfying the given [predicate].
 * @sample
 */
samples.collections.Collections.Transformations.take

public inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index]))
return drop(index + 1)
}
return toList()
}

/**
 * Returns a list containing last elements satisfying the given [predicate].
 * @sample
 */
samples.collections.Collections.Transformations.take

public inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {
for (index in lastIndex

```

```

downTo 0) {\n    if (!predicate(this[index])) {\n        return drop(index + 1)\n    }\n } return
toList()\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return
drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n    for (index in lastIndex downTo 0) {\n
        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns
a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
        return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
        return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for
(item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n    val list = ArrayList<Byte>()\n    for (item in this) {\n        if (!predicate(item))\n
        break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n    val list = ArrayList<Short>()\n    for (item
in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n    val list = ArrayList<Int>()\n    for (item in this) {\n        if (!predicate(item))\n
        break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n    val list = ArrayList<Long>()\n    for (item
in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeWhile(predicate:
(Float) -> Boolean): List<Float> {\n    val list = ArrayList<Float>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n    val list =
ArrayList<Double>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.take\n *^\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*^\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list =
ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun <T> Array<T>.reverse(): Unit {\n
val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun ByteArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun ShortArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun IntArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun LongArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun FloatArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *^\npublic fun
DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =
lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*^\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the
array in-place.\n *^\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]
= this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with
elements in reversed order.\n *^\npublic fun <T> Array<out T>.reversed(): List<T> {\n    if (isEmpty()) return
emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements
in reversed order.\n *^\npublic fun ByteArray.reversed(): List<Byte> {\n    if (isEmpty()) return emptyList()\n    val
list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*^\npublic fun ShortArray.reversed(): List<Short> {\n    if (isEmpty()) return emptyList()\n    val list =
toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*^\npublic fun IntArray.reversed(): List<Int> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
LongArray.reversed(): List<Long> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()
\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
FloatArray.reversed(): List<Float> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()
\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
DoubleArray.reversed(): List<Double> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()
\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun

```

```

BooleanArray.reversed(): List<Boolean> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
CharArray.reversed(): List<Char> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic
fun <T> Array<T>.reversedArray(): Array<T> {\n  if (isEmpty()) return this\n  val result = arrayOfNulls(this,
size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return
result}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
ByteArray.reversedArray(): ByteArray {\n  if (isEmpty()) return this\n  val result = ByteArray(size)\n  val
lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray():
ShortArray {\n  if (isEmpty()) return this\n  val result = ShortArray(size)\n  val lastIndex = lastIndex\n  for (i in
0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result}\n\n/**\n * Returns an array with elements of this
array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n  if (isEmpty()) return this\n  val
result = IntArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n
return result}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
LongArray.reversedArray(): LongArray {\n  if (isEmpty()) return this\n  val result = LongArray(size)\n  val
lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray():
FloatArray {\n  if (isEmpty()) return this\n  val result = FloatArray(size)\n  val lastIndex = lastIndex\n  for (i in
0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result}\n\n/**\n * Returns an array with elements of this
array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n  if (isEmpty()) return
this\n  val result = DoubleArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex -
i] = this[i]\n  return result}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic
fun BooleanArray.reversedArray(): BooleanArray {\n  if (isEmpty()) return this\n  val result =
BooleanArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n
return result}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
CharArray.reversedArray(): CharArray {\n  if (isEmpty()) return this\n  val result = CharArray(size)\n  val
lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result}\n\n/**\n *
Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector]
function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit
{\n  if (size > 1) sortBy(compareBy(selector))}\n\n/**\n * Sorts elements in the array in-place descending
according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R :
Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n  if (size > 1)
sortByDescending(compareByDescending(selector))}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n
sortBy(reverseOrder())}\n\n/**\n * Sorts elements in the array in-place descending according to their natural
sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun
ShortArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n */\npublic fun
IntArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending():
Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place
descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n  if (size >
1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to

```

```

their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>\nArray<out T>.sorted(): List<T> {\n    return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n    return\n    toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n    sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n    return toTypedArray().apply { sort()\n    }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun\nIntArray.sorted(): List<Int> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all\n    elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n    return\n    toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n    sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n    return toTypedArray().apply { sort()\n    }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun\nDoubleArray.sorted(): List<Double> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a\n    list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n    return\n    toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted\n    according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order\n    relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements\n    of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n    this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal\n    elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>\nArray<T>.sortedArrayDescending(): Array<T> {\n    if (isEmpty()) return this\n    return this.copyOf().apply {\n    sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending\n    according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n    if\n    (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all\n    elements of this array sorted descending according to their natural sort order.\n */\npublic fun\nShortArray.sortedArrayDescending(): ShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {\n    sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to\n    their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n    if (isEmpty()) return\n    this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this\n    array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending():\n    LongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns

```

an array with all elements of this array sorted descending according to their natural sort order.

```

public fun
FloatArray.sortedArrayDescending(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sortDescending()
    }
}

```

\* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun DoubleArray.sortedArrayDescending(): DoubleArray {
    if (isEmpty())
        return this
    return this.copyOf().apply {
        sortDescending()
    }
}

```

\* Returns an array with all elements of this array sorted descending according to their natural sort order.

```

public fun
CharArray.sortedArrayDescending(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sortDescending()
    }
}

```

\* Returns an array with all elements of this array sorted according the specified [comparator].

\* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sortWith(comparator)
    }
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

\* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {
    return sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {
    return
        sortedWith(compareBy(selector))
}

```

\* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.

\* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>>
Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {
    return
        sortedWith(compareByDescending(selector))
}

```

\* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {
    return
        sortedWith(compareByDescending(selector))
}

```

\* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>>
ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {
    return

```

sortedWith(compareByDescending(selector))\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified

[comparator].\n \*\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun ByteArray.asList(): List<Byte>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun ShortArray.asList(): List<Short>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun IntArray.asList(): List<Int>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun LongArray.asList(): List<Long>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun FloatArray.asList(): List<Float>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun DoubleArray.asList(): List<Double>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun CharArray.asList(): List<Char>\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*deeply\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* If two corresponding elements are nested arrays, they are also compared deeply.\n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \* \n \* The elements of other types are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \*\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/\*\*\n \* Returns a string representation of the contents of this array as if it is a [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level that reference\n \* is rendered as `"[...]"` to prevent recursion.\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n \*\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*structurally\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*structurally\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*structurally\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*structurally\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*structurally\** equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the





as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n \* @SinceKotlin("1.1")\npublic expect fun DoubleArray.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n \* @SinceKotlin("1.1")\npublic expect fun BooleanArray.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n \* @SinceKotlin("1.1")\npublic expect fun CharArray.contentToString(): String\n\n\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n \* @SinceKotlin("1.3")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n \* @SinceKotlin("1.3")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n \* @SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n \* @SinceKotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0,

startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \*/\n\n@SinceKotlin("1.3")\npublic expect fun

LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \*/\n\n@SinceKotlin("1.3")\npublic expect fun

FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \*/\n\n@SinceKotlin("1.3")\npublic expect fun

DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \*/\n\n@SinceKotlin("1.3")\npublic expect fun

BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or



filled with zero values.

```

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf
public expect fun FloatArray.copyOf(newSize: Int): FloatArray
Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with zero values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf
public expect fun DoubleArray.copyOf(newSize: Int): DoubleArray
Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with `false` values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf
public expect fun BooleanArray.copyOf(newSize: Int): BooleanArray
Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf
public expect fun CharArray.copyOf(newSize: Int): CharArray
Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with `null` values if necessary.
- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.
@sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf
@Suppress("NO_ACTUAL_FOR_EXPECT")
public expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
@Suppress("NO_ACTUAL_FOR_EXPECT")
public expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
public expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray
Returns a new array which is a copy of the specified range of the original array.

```

@param fromIndex the start of the range (inclusive), must be in `0..array.size` \n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size` \n \*/\npublic expect fun

BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n \*/\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val <T> Array<out T>.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val ByteArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val ShortArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val IntArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val LongArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val FloatArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val DoubleArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val BooleanArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\npublic val CharArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if the array is not empty.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns the last valid index for the array.\n \*/\npublic val <T> Array<out T>.lastIndex: Int\n get() = size - 1\n\n/\*\*\n \* Returns the last valid index for the array.\n \*/\npublic val ByteArray.lastIndex: Int\n get() = size - 1\n\n/\*\*\n \* Returns the last valid index for the array.\n \*/\npublic val ShortArray.lastIndex: Int\n get() = size - 1\n\n/\*\*\n \* Returns the last valid index for the array.\n \*/\npublic val IntArray.lastIndex: Int\n get() = size - 1

`get() = size - 1` Returns the last valid index for the array.
   
`public val LongArray.lastIndex: Int`
  
`get() = size - 1` Returns the last valid index for the array.
   
`public val FloatArray.lastIndex: Int`
  
`get() = size - 1` Returns the last valid index for the array.
   
`public val DoubleArray.lastIndex: Int`
  
`get() = size - 1` Returns the last valid index for the array.
   
`public val BooleanArray.lastIndex: Int`
  
`get() = size - 1` Returns the last valid index for the array.
   
`public val CharArray.lastIndex: Int`
  
`get() = size - 1` Returns an array containing all elements of the original array and then the given [element].
   
`@Suppress("NO_ACTUAL_FOR_EXPECT")`
  
`public expect operator fun <T> Array<T>.plus(element: T): Array<T>`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun ByteArray.plus(element: Byte): ByteArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun ShortArray.plus(element: Short): ShortArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun IntArray.plus(element: Int): IntArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun LongArray.plus(element: Long): LongArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun FloatArray.plus(element: Float): FloatArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun DoubleArray.plus(element: Double): DoubleArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun BooleanArray.plus(element: Boolean): BooleanArray`
  
Returns an array containing all elements of the original array and then the given [element].
   
`public expect operator fun CharArray.plus(element: Char): CharArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`@Suppress("NO_ACTUAL_FOR_EXPECT")`
  
`public expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun IntArray.plus(elements: Collection<Int>): IntArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun LongArray.plus(elements: Collection<Long>): LongArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
   
`public expect operator fun CharArray.plus(elements: Collection<Char>): CharArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] array.
   
`@Suppress("NO_ACTUAL_FOR_EXPECT")`
  
`public expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] array.
   
`public expect operator fun ByteArray.plus(elements: ByteArray): ByteArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] array.
   
`public expect operator fun ShortArray.plus(elements: ShortArray): ShortArray`
  
Returns an array containing all elements of the original array and then all elements of the given [elements] array.
   
`public expect operator fun IntArray.plus(elements: IntArray): IntArray`
  
Returns an array containing all elements of the original array and then all elements of the given

[elements] array.\n \*^/npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n/n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*^/npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n/n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*^/npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n/n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*^/npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n/n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n \*^/npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n/n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n \*^/n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun IntArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun LongArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun ByteArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun ShortArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun DoubleArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun FloatArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place.\n \*^/npublic expect fun CharArray.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place according to the natural order of its elements.\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*^/npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n/n/\*\*\n \* Sorts the array in-place according to the order specified by the given [comparator].\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*^/npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n/n/\*\*\n \* Returns an array of Boolean containing all of the elements of this generic array.\n \*^/npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n return BooleanArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Byte containing all of the elements of this generic array.\n \*^/npublic fun Array<out Byte>.toByteArray(): ByteArray {\n return ByteArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Char containing all of the elements of this generic array.\n \*^/npublic fun Array<out Char>.toCharArray(): CharArray {\n return CharArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Double containing all of the elements of this generic array.\n \*^/npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n return DoubleArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Float containing all of the elements of this generic array.\n \*^/npublic fun Array<out Float>.toFloatArray(): FloatArray {\n return FloatArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Int containing all of the elements of this generic array.\n \*^/npublic fun Array<out Int>.toIntArray(): IntArray {\n return IntArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Long containing all of the elements of this generic array.\n \*^/npublic fun Array<out Long>.toLongArray(): LongArray {\n return LongArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns an array of Short containing all of the elements of this generic array.\n \*^/npublic fun Array<out Short>.toShortArray(): ShortArray {\n return ShortArray(size) { index -> this[index] }\n}\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun ShortArray.toTypedArray(): Array<Short>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun IntArray.toTypedArray(): Array<Int>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun LongArray.toTypedArray(): Array<Long>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun FloatArray.toTypedArray(): Array<Float>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n/n/\*\*\n \* Returns a *\*typed\** object array containing all of the elements of this primitive array.\n \*^/npublic expect fun CharArray.toTypedArray(): Array<Char>\n/n/\*\*\n \* Returns a [Map] containing key-value



pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/\*\*\n \* Returns a [Map] containing the elements from the given array indexed by the key\n \* returned from [keySelector] function applied to each element.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \*/\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K):

```

Map<K, T> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun
<K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K,
Short> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed
by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) ->
K): Map<K, Int> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun
<K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K,
Float> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed
by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector:
(Double) -> K): Map<K, Double> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun
<K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K,
Char> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out

```

```

T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K,
valueTransform: (Byte) -> V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic
inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V>
IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K,
valueTransform: (Long) -> V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic
inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V>
DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector:
(Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K,
valueTransform: (Char) -> V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and

```

returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \*/\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function and\n \* and value is provided by the [valueTransform] function applied to

elements of the given array.

```

\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n *
\n * public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out
T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element), valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added
to the map.\n *
\n * public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M,
keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element), valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector:
(Short) -> K, valueTransform: (Short) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element), valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element),
valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M :
MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform:
(Long) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element),
valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M :
MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform:
(Float) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element),
valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M :
MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K,
valueTransform: (Double) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element),
valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * public inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {
\n   for (element in this) {
\n     destination.put(keySelector(element),
valueTransform(element))
\n   }
\n   return destination
\n }
\n * Populates and returns the [destination] mutable map with key-value pairs,\n *
where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the

```

same key returned by [keySelector] the last one gets added to the map.

```

public inline fun <K, V, M :
MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform:
(Char) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <T, K, V, M :
MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M,
transform: (Byte) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M,
transform: (Long) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Appends all elements to the given [destination] collection.

```

public fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}

```

Appends all elements to the given [destination] collection.

```

public fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}

```

Appends all elements to the given [destination]

```

collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination:
C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all
elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>>
LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n
for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>>
BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun
<T> Array<out T>.toHashSet(): HashSet<T> {\n return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun
ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n
* Returns a [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n
* Returns a [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun FloatArray.toHashSet(): HashSet<Float> {\n return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun DoubleArray.toHashSet(): HashSet<Double> {\n return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n
*/\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return
toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n

```

```

*\npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 -> emptyList()\n        1 ->
listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [MutableList] filled with all elements
of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n    return
ArrayList(this.asCollection())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n    val list = ArrayList<Byte>(size)\n    for (item
in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n    val list = ArrayList<Short>(size)\n    for (item
in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list = ArrayList<Double>(size)\n    for (item in
this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this)
list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set
preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet():
Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet():
Set<Short> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet():
Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet():
Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet():
Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet():
Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -
> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun

```



```

<T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) ->
Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic
inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n */\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) ->
Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic
inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean)
-> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of
all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n
public inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C
: MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n  for (element in this) {\n    val list
= transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements
yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C,
transform: (Short) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n
for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C,
transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) ->
Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n
}

```

```

}\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n
for (element in this) {\n  val list = transform(element)\n  destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n  for (element in this) {\n  val list
= transform(element)\n  destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K> Array<out
T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic
inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic
inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map

```

where each group key is associated with a list of corresponding elements.

```

    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupBy
    * BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)
    * }
    * Groups elements of the original array by the key returned by the given [keySelector] function
    * applied to each element and returns a map where each group key is associated with a list of corresponding elements.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupBy
    * CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {
    *   return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupByKeysAndValues
    * Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupByKeysAndValues
    * ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupByKeysAndValues
    * ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupByKeysAndValues
    * IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys produced from the original array.
    * @sample
    samples.collections.Collections.Transformations.groupByKeysAndValues
    * LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {
    *   return
    *   groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
    * }
    * Groups values returned by the [valueTransform] function applied to each element of the original array
    * by the key returned by the given [keySelector] function applied to the element
    * and returns a map where each group key is associated with a list of corresponding values.
    * The returned map preserves the entry iteration order of the keys
  
```

```

produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short)
-> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n
public inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =

```

```

destination.getOrPut(key) { ArrayList<Int>() } \n    list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Long>() } \n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M,
keySelector: (Float) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Float>() } \n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M,
keySelector: (Double) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Double>() } \n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination:
M, keySelector: (Boolean) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list
= destination.getOrPut(key) { ArrayList<Boolean>() } \n        list.add(element)\n    }\n    return
destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K,
MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n    for (element in
this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<Char>() } \n
list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function
applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to
the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n *
\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector:
(Byte) -> K, valueTransform: (Byte) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the

```

```

[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector:
(Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector:
(Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector:
(Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n}\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return

```

destination\n}\n\n/\*\*\n \* Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n \* using the specified [keySelector] function to extract a key from each element.\n \* \n \* @sample samples.collections.Grouping.groupingByEachCount\n \* \n \* @SinceKotlin("1.1")\n \* \n \* public inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n \* \n \* \n \* return object : Grouping<T, K> {\n \* \n \* \n \* override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n \* \n \* \n \* override fun keyOf(element: T): K = keySelector(element)\n \* \n \* \n \* }\n \* \n \* \n \* }\n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* \n \* public inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n \* \n \* \n \* return mapTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n \* \n \* public inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n \* \n \* \n \* return mapIndexedTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n \* \n \* public inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n \* \n \* \n \* return mapIndexedTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n \* \n \* public inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n \* \n \* \n \* return mapIndexedTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n \* \n \* public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n \* \n \* \n \* return mapIndexedTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n \* \n \* public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n \* \n \* \n \* return mapIndexedTo(ArrayList<R>(size), transform)\n \* \n \* \n \* }\n \* \n \* \n \* Returns a list

containing the results of applying the given [transform] function to each element and its index in the original array.

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R> FloatArray.mapIndexed(transform:
(index: Int, Float) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

`* Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R>
DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)
}

```

`* Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

`* Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -
> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

`* Returns a list containing only the non-null results of applying the given [transform] function to each element and its index in the original array.`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <T, R : Any> Array<out
T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {
    return
mapIndexedNotNullTo(ArrayList<R>(), transform)
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends only the non-null results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index,
element -> transform(index, element)?.let { destination.add(it) }
}
    return destination
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <T, R, C : MutableCollection<in
R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for
(item in this)
        destination.add(transform(index++, item))
    return destination
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R, C : MutableCollection<in R>>
ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {
    var index = 0
    for (item in
this)
        destination.add(transform(index++, item))
    return destination
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R, C : MutableCollection<in R>>
ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {
    var index = 0
    for (item in
this)
        destination.add(transform(index++, item))
    return destination
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].`

`@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.`

```

public inline fun <R, C : MutableCollection<in R>>
IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {
    var index = 0
    for (item in
this)
        destination.add(transform(index++, item))
    return destination
}

```

`* Applies the given [transform] function to each element and its index in the original array and appends the results to the given`



[destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each element in the original array.\n \*/\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each element in the original array\n \* and appends only the non-null results to the given [destination].\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in

```

this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n
for (item in this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean)
-> R): C {\n    for (item in this)\n        destination.add(transform(item))\n        return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n        return
destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n
*/\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n    return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in
the same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n *
\n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
ByteArray.distinct(): List<Byte> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n */\npublic fun ShortArray.distinct(): List<Short> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n *
\n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
IntArray.distinct(): List<Int> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only
distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were
in the source array.\n */\npublic fun LongArray.distinct(): List<Long> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n *
\n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
FloatArray.distinct(): List<Float> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n */\npublic fun DoubleArray.distinct(): List<Double> {\n    return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n *
\n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
BooleanArray.distinct(): List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list

```

containing only distinct elements from the given array.

```

    * The elements in the resulting list are in the same
    order as they were in the source array.
    */
public fun CharArray.distinct(): List<Char> {
    return
    this.toMutableSet().toList()
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the same
    order as they were in the source array.
    */
public inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K):
List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the same order as they
    were in the source array.
    */
public inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {
    val set = HashSet<K>()
    val list =
    ArrayList<Byte>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the same order as they
    were in the source array.
    */
public inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {
    val set = HashSet<K>()
    val list = ArrayList<Short>()
    for (e in this) {
        val key = selector(e)
        if
        (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting
    list are in the same order as they were in the source array.
    */
public inline fun <K> IntArray.distinctBy(selector:
(Int) -> K): List<Int> {
    val set = HashSet<K>()
    val list = ArrayList<Int>()
    for (e in this) {
        val key
        = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The
    elements in the resulting list are in the same order as they were in the source array.
    */
public inline fun <K>
LongArray.distinctBy(selector: (Long) -> K): List<Long> {
    val set = HashSet<K>()
    val list =
    ArrayList<Long>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the same order as they
    were in the source array.
    */
public inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {
    val set = HashSet<K>()
    val list = ArrayList<Float>()
    for (e in this) {
        val key = selector(e)
        if
        (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting
    list are in the same order as they were in the source array.
    */
public inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {
    val set = HashSet<K>()
    val list =
    ArrayList<Double>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the same order as they
    were in the source array.
    */
public inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K):
List<Boolean> {
    val set = HashSet<K>()
    val list = ArrayList<Boolean>()
    for (e in this) {
        val key
        = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

```

    * The
    elements in the resulting list are in the same order as they were in the source array.
    */
public inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {
    val set = HashSet<K>()
    val list =
    ArrayList<Char>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a set containing all elements that are contained by both this set and the specified collection.

```

    * The returned set preserves the element iteration order of the original array.
    */
public infix fun
<T> Array<out T>.intersect(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

Returns a set containing all elements that are contained by both this set and the specified collection.

```

    * The returned set preserves the element iteration order of the original array.
    */
public infix fun
ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()

```

```

set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order
of the original array.\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n
val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>):
Set<Char> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The
returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out
T>.subtract(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return
set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the
specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic
infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n
set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n    val set =
this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>
{\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other:
Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n
/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun
FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n    val set = this.toMutableSet()\n
set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n    val set
= this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>):
Set<Boolean> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set

```

containing all elements that are contained by this array and not contained by the specified collection.

`CharArray.subtract(other: Iterable<Char>): Set<Char>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`CharArray.toMutableSet(): MutableSet<Char>` {  
 val set = LinkedHashSet<Char>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`FloatArray.toMutableSet(): MutableSet<Float>` {  
 val set = LinkedHashSet<Float>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`IntArray.toMutableSet(): MutableSet<Int>` {  
 val set = LinkedHashSet<Int>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`LongArray.toMutableSet(): MutableSet<Long>` {  
 val set = LinkedHashSet<Long>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`ShortArray.toMutableSet(): MutableSet<Short>` {  
 val set = LinkedHashSet<Short>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`BooleanArray.toMutableSet(): MutableSet<Boolean>` {  
 val set = LinkedHashSet<Boolean>(mapCapacity(size))  
 for (item in this) set.add(item)  
 return set  
} Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

`CharArray.union(other: Iterable<Char>): Set<Char>` {  
 val set = this.toMutableSet()  
 set.addAll(other)  
 return set  
} Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

`CharArray.union(other: Iterable<Char>): Set<Char>` {  
 val set = this.toMutableSet()  
 set.addAll(other)  
 return set  
} Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

`FloatArray.union(other: Iterable<Float>): Set<Float>` {  
 val set = this.toMutableSet()  
 set.addAll(other)  
 return set  
} Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

`IntArray.union(other: Iterable<Int>): Set<Int>` {  
 val set = this.toMutableSet()  
 set.addAll(other)  
 return set  
} Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are

```

unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun LongArray.union(other:
Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the
end\n * in the order of the [other] collection.\n */\npublic infix fun FloatArray.union(other: Iterable<Float>):
Set<Float> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order
of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the
order of the [other] collection.\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n
    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original
array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the
[other] collection.\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
*/\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T)
-> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic
inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
IntArray.all(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic
inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun
<T> Array<out T>.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any():
Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.any\n *^\npublic fun IntArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun LongArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun FloatArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun DoubleArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun BooleanArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun CharArray.any(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun ByteArray.any(predicate:
(Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun ShortArray.any(predicate:
(Short) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun DoubleArray.any(predicate:
(Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n * @kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n * @kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n * @kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n

```

```

*  

@kotlin.internal.InlineOnly  

public inline fun BooleanArray.count(): Int {  

    return size  

}  

* Returns the number of elements in this array.  

*  

@kotlin.internal.InlineOnly  

public inline fun CharArray.count(): Int {  

    return size  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

<T> Array<out T>.count(predicate: (T) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements matching the given  

[predicate].  

*  

public inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements  

matching the given [predicate].  

*  

public inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {  

    var  

count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the  

number of elements  

matching the given [predicate].  

*  

public inline fun IntArray.count(predicate: (Int) ->  

Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return  

count  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

LongArray.count(predicate: (Long) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements matching the given  

[predicate].  

*  

public inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {  

    var count = 0  

    for  

    (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements  

matching the given [predicate].  

*  

public inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {  

    var  

count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the  

number of elements  

matching the given [predicate].  

*  

public inline fun BooleanArray.count(predicate: (Boolean)  

-> Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return  

count  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

CharArray.count(predicate: (Char) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Accumulates value starting with [initial] value and  

applying [operation] from left to right to current accumulator value and each element.  

*  

public inline fun <T, R>  

Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {  

    var accumulator = initial  

    for (element in this)  

    accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right to current accumulator  

value and each element.  

*  

public inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator  

value and each element.  

*  

public inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R  

{  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator, element)  

    return  

accumulator  

}  

* Accumulates value starting with [initial] value and applying [operation] from left to right  

to current accumulator  

value and each element.  

*  

public inline fun <R> IntArray.fold(initial: R, operation: (acc:  

R, Int) -> R): R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator,  

element)  

    return  

accumulator  

}  

* Accumulates value starting with [initial] value and applying  

[operation] from left to right to current accumulator value and each element.  

*  

public inline fun <R>  

LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator, element)  

    return  

accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right to current accumulator  

value and each element.  

*  

public inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator  

value and each element.  

*  

public inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R):  

R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator = operation(accumulator, element)  

    return  

accumulator  

}  

* Accumulates value starting with [initial] value and applying [operation] from left to right  

to current accumulator  

value and each element.  

*  

public inline fun <R> BooleanArray.fold(initial: R, operation:  

(acc: R, Boolean) -> R): R {  

    var  

accumulator =  

initial  

    for (element in this) accumulator =

```



```

operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n    var accumulator = initial\n    for (element
in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Byte) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this)
accumulator = operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Int) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Float) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc:
R, Boolean) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with

```

[initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R>  
CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n \*/\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n

```

var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n
--index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R,
operation: (index: Int, Int, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index
>= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int,
Long, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n
public inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n
var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n  var index =
lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n  var index =
lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n
--index\n  }\n  return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic
inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n  for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
ByteArray.forEach(action: (Byte) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n
for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline

```

```

fun IntArray.forEach(action: (Int) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun LongArray.forEach(action: (Long) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun CharArray.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
}

public inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

public fun Array<out Double>.max(): Double? {
    if (isEmpty()) return null
    var max = this[0]
    if (max.isNaN()) return max
    for (i in 1..lastIndex) {
        val e = this[i]
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

public fun Array<out Float>.max(): Float? {
    if (isEmpty()) return null
    var max = this[0]
    if (max.isNaN()) return max
    for (i in 1..lastIndex) {
        val e = this[i]
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

```

```

`null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n  if (isEmpty())\n  return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun\nByteArray.max(): Byte? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e\n    = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there\n  are no elements.\n */\npublic fun ShortArray.max(): Short? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns\n  the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n  if (isEmpty()) return\n  null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return\n  max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max():\n  Long? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n  (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n  if (isEmpty())\n  return null\n  var max = this[0]\n  if (max.isNaN()) return max\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n  (e.isNaN()) return e\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or\n  `null` if there are no elements.\n */\n\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun\nDoubleArray.max(): Double? {\n  if (isEmpty()) return null\n  var max = this[0]\n  if (max.isNaN()) return\n  max\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n    if (max < e) max = e\n  }\n  return\n  max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n\n */\npublic fun\nCharArray.max(): Char? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e\n    = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element yielding the largest\n  value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out\n  T>.maxBy(selector: (T) -> R): T? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var maxValue =\n  selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)\n  {\n    maxElem = e\n    maxValue = v\n  }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first\n  element yielding the largest value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\n\n */\npublic inline fun <R : Comparable<R>>\nByteArray.maxBy(selector: (Byte) -> R): Byte? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var\n  maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if\n  (maxValue < v) {\n    maxElem = e\n    maxValue = v\n  }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\n\n */\npublic inline fun <R : Comparable<R>>\nShortArray.maxBy(selector: (Short) -> R): Short? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var\n  maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if\n  (maxValue < v) {\n    maxElem = e\n    maxValue = v\n  }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\n\n */\npublic inline fun <R : Comparable<R>>\nIntArray.maxBy(selector: (Int) -> R): Int? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var\n  maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if\n  (maxValue < v) {\n    maxElem = e\n    maxValue = v\n  }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\n\n */\npublic inline fun <R : Comparable<R>>\nLongArray.maxBy(selector: (Long) -> R): Long? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var\n  maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if\n  (maxValue < v) {\n    maxElem = e\n    maxValue = v\n  }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n\n * \n * @sample\n  samples.collections.Collections.Aggregates.maxBy\n */\n\n */\npublic inline fun <R : Comparable<R>>

```



```

Char>): Char? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n\n *\n\n @SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n  if (isEmpty()) return null\n  var min = this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n\n *\n\n @SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n  if (isEmpty()) return null\n  var min = this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun <T : Comparable<T>> Array<out T>.min(): T? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun ByteArray.min(): Byte? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun ShortArray.min(): Short? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun IntArray.min(): Int? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun LongArray.min(): Long? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n\n *\n\n public fun FloatArray.min(): Float? {\n  if (isEmpty()) return null\n  var min = this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n\n *\n\n public fun DoubleArray.min(): Double? {\n  if (isEmpty()) return null\n  var min = this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the smallest element or `null` if there are no elements.\n\n *\n\n public fun CharArray.min(): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n\n *\n\n public inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n\n *\n\n public inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n\n *\n\n public inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n\n *\n\n public inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n  if (isEmpty()) return null\n  var minElem =

```

```

this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R :
Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R :
Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R :
Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val
v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R :
Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val
v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R :
Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T?
{\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short?
{\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
IntArray.minWith(comparator: Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for
(i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n}

```



```

return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>):
Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\npublic fun
BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var
min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n
}\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n *\npublic fun CharArray.minWith(comparator: Comparator<in
Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n *\n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Array<out
T>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n *
@sample samples.collections.Collections.Aggregates.none\n *\npublic fun ByteArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun ShortArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun IntArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun DoubleArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun BooleanArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n *\n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun CharArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun DoubleArray.none(predicate:

```

```

(Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return
true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation:
(acc: S, T) -> S): S {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be
reduced.")\n  var accumulator: S = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n
if (isEmpty())\n  throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n */\npublic inline fun IntArray.reduce(operation:
(acc: Int, Int) -> Int): Int {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be
reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n
if (isEmpty())\n  throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator
= this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun DoubleArray.reduce(operation: (acc:
Double, Double) -> Double): Double {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty
array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun CharArray.reduce(operation: (acc: Char,
Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be
reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element with its

```

```

index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S>
Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = this[0]\n    for (index
in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) ->
Byte): Byte {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator,
this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself and calculates the next accumulator value.\n */\npublic inline fun
ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int):
Int {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator,
this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself and calculates the next accumulator value.\n */\npublic inline fun
LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -
> Float): Float {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be
reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index,
accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun
DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n
        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for
(index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean,

```

```

Boolean) -> Boolean): Boolean {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array
can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator =
operation(index, accumulator, this[index])
    }
    return accumulator
}
* Accumulates value starting
with the first element and applying [operation] from left to right
* to current accumulator value and each element
with its index in the original array.
* @param [operation] function that takes the index of an element, current
accumulator value
* and the element itself and calculates the next accumulator value.
*
public inline fun
CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty())
        throw
UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return
accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun <S, T : S> Array<out
T>.reduceRight(operation: (T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while
(index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
* Accumulates value starting with last element and applying [operation] from
right to left to each element and current accumulator value.
*
public inline fun
ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return
accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun IntArray.reduceRight(operation: (Int, acc:
Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array
can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator =
operation(get(index--), accumulator)
    }
    return accumulator
}
* Accumulates value starting with last
element and applying [operation] from right to left to each element and current accumulator value.
*
public
inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator =
get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return
accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun FloatArray.reduceRight(operation: (Float,
acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while
(index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double):
Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be
reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--),
accumulator)
    }
    return accumulator
}
* Accumulates value starting with last element and applying
[operation] from right to left to each element and current accumulator value.
*
public inline fun
BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator =
get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return
accumulator
}
* Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.
*
public inline fun CharArray.reduceRight(operation: (Char, acc:

```



```

lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n  var
index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
}\n  return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to
each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n  var sum:
Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun
ByteArray.sumBy(selector: (Byte) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n  var
sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun
IntArray.sumBy(selector: (Int) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n  var
sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n
var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int
{\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector:
(Short) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n
}\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each

```

```

element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n    var\n    sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic\ninline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n    var sum: Double = 0.0\n    for\n    (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values\n    produced by [selector] function applied to each element in the array.\n */\npublic inline fun\nFloatArray.sumByDouble(selector: (Float) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)\n    {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector:\n(Double) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n */\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) ->\nDouble): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in\n    the array.\n */\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n    var sum:\n    Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns\n    an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are\n    any `null` elements.\n */\npublic fun <T : Any> Array<T?.>.requireNonNulls(): Array<T> {\n    for (element in this)\n    {\n        if (element == null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Array<T>\n}\n\n/**\n * Splits the original array into\n    pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list\n    contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out\nT>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second =\n    ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n           \n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair\n    of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains\n    elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) ->\nBoolean): Pair<List<Byte>, List<Byte>> {\n    val first = ArrayList<Byte>()\n    val second = ArrayList<Byte>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n           \n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of\n    lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains\n    elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) ->\nBoolean): Pair<List<Short>, List<Short>> {\n    val first = ArrayList<Short>()\n    val second =\n    ArrayList<Short>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        }\n    }\n    else {\n        second.add(element)\n    }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array\n    into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list\n    contains elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate: (Int) ->\nBoolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val second = ArrayList<Int>()\n    for\n    (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n           \n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of\n    lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains\n    elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) ->\nBoolean): Pair<List<Long>, List<Long>> {\n    val first = ArrayList<Long>()\n    val second =\n    ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else\n        {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into\n    pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list\n    contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float)\n-> Boolean): Pair<List<Float>, List<Float>> {\n    val first = ArrayList<Float>()\n    val second =

```

```

ArrayList<Float>()\n for (element in this) {\n     if (predicate(element)) {\n         first.add(element)\n     } else
{\n         second.add(element)\n     }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\n\npublic inline fun DoubleArray.partition(predicate:
(Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first = ArrayList<Double>()\n    val second =
ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        }
else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array
into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\n\npublic inline fun BooleanArray.partition(predicate:
(Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n    val first = ArrayList<Boolean>()\n    val second =
ArrayList<Boolean>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        }
else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n */\n\npublic inline fun
CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val first =
ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n */\n\n@sample
samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n */\n\n@sample samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n */\n\n@sample
samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n */\n\n@sample samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R>
IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n */\n\n@sample
samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R> LongArray.zip(other: Array<out
R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n */\n\n@sample samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R>
FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n */\n\n@sample
samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n */\n\n@sample samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R>
BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n */\n\n@sample
samples.collections.Iterables.Operations.zipIterable\n\npublic infix fun <R> CharArray.zip(other: Array<out R>):

```



```

List<Pair<Char, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

/**
 * Returns a list of values built from the
 * elements of `this` array and the [other] array with the same index
 * using the provided [transform] function
 * applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same
 * index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length
 * of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements
 * of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each
 * pair of elements.
 * The returned list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return
list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same
 * index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length
 * of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements
 * of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each
 * pair of elements.
 * The returned list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
 * samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

```

list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun
<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R, V> Array<out
T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline
fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in
other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**

```

```

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*/\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n  val
arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n
for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n  val arraySize = size\n  val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other)
{\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic
inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray):

```



of `this` array and the [other] array with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest array.\n \* \n \* @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\",
postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? =

```

```

null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which
defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Int) -> CharSequence)? = null):
A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which
defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Long) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which
defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which
defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo

public fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Double) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Appendable * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which
defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo

public fun <A :

```

```

Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"",
postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Boolean) ->
CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinTo
 \*^public fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Char) -> CharSequence)? = null): A {
 buffer.append(prefix)
 var count = 0
 for (element in this) {
 if (++count > 1)
 buffer.append(separator)
 if (limit < 0 || count <= limit) {
 if (transform != null)
 buffer.append(transform(element))
 else
 buffer.append(element)
 } else break
 }
 if (limit >= 0 && count > limit) buffer.append(truncated)
 buffer.append(postfix)
 return buffer
 }

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinToString
 \*^public fun <T> Array<out T>.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((T) -> CharSequence)? = null): String {
 return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
 }

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinToString
 \*^public fun ByteArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Byte) -> CharSequence)? = null): String {
 return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
 }

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinToString
 \*^public fun ShortArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Short) -> CharSequence)? = null): String {
 return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
 }

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinToString
 \*^public fun IntArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Int) -> CharSequence)? = null): String {
 return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
 }

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").
 @sample samples.collections.Collections.Transformations.joinToString
 \*^public fun LongArray.joinToString(separator:

```

CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String { \n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/** \n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun FloatArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String { \n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/** \n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun DoubleArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String { \n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/** \n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun
BooleanArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence =
\"", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String { \n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/** \n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun CharArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String { \n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/** \n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *\npublic fun <T> Array<out T>.asIterable():
Iterable<T> { \n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/** \n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun
ByteArray.asIterable(): Iterable<Byte> { \n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/** \n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n *\npublic fun ShortArray.asIterable(): Iterable<Short> { \n  if (isEmpty()) return emptyList()\n  return
Iterable { this.iterator() }\n}\n\n/** \n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n *\npublic fun IntArray.asIterable(): Iterable<Int> { \n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/** \n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *\npublic fun LongArray.asIterable(): Iterable<Long> { \n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/** \n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *\npublic fun FloatArray.asIterable():
Iterable<Float> { \n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/** \n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun
DoubleArray.asIterable(): Iterable<Double> { \n  if (isEmpty()) return emptyList()\n  return Iterable {
this.iterator() }\n}\n\n/** \n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n *\npublic fun BooleanArray.asIterable(): Iterable<Boolean> { \n  if (isEmpty()) return

```



```

emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n    if
(isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence():
Sequence<Short> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():
Sequence<Int> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():
Sequence<Long> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n    if (isEmpty()) return emptySequence()\n    return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n */\n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n    if (isEmpty()) return emptySequence()\n    return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfByte")\n */\npublic fun Array<out Byte>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfShort")\n */\npublic fun Array<out Short>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfInt")\n */\npublic fun Array<out Int>.average(): Double {\n    var sum: Double
= 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfLong")\n */\npublic fun Array<out Long>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfFloat")\n */\npublic fun Array<out Float>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\n/*\n * @kotlin.jvm.JvmName("averageOfDouble")\n */\npublic fun Array<out Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return

```

```

if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\npublic fun ByteArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in
this) {\n        sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ShortArray.average():
Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\npublic fun IntArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int =
0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else
sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun LongArray.average():
Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\npublic fun FloatArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int
= 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
DoubleArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out
Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n    var sum: Int = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n    var sum:
Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out Float>.sum(): Float
{\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out
Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n
var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all elements in the array.\n */\npublic fun ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in
this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun IntArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun LongArray.sum(): Long {\n
var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all elements in the array.\n */\npublic fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\npublic fun DoubleArray.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun LongRange.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n    try {\n        return
random.nextLong(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n    try {\n        return
random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element:
Int?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element:
Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range
contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element:
Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value]
belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun
ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator
fun ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun
ClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *\n@Deprecated("This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:
Double): Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Double): Boolean {\n    return value.toLongExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

```

\*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n return contains(value.toFloat())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n return contains(value.toDouble())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n return contains(value.toLong())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n return contains(value.toDouble())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n return contains(value.toFloat())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \* \n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n

\*\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n



down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun

Byte.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Short.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Int.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toInt(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Short.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Int.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toInt(), -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \* \n \* The [to] value should be less than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n \*/\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range in the opposite direction with the same step.\n \*/\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range in the opposite direction with the same step.\n \*/\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range in the opposite direction with the same step.\n \*/\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range with the given step.\n \*/\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range with the given step.\n \*/\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/\*\*\n \* Returns a progression that goes over the same range with the given step.\n \*/\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first, last, if

```

(this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByteArray() else null\n}\n\ninternal fun
Long.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByteArray() else null\n}\n\ninternal fun
Short.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByteArray() else null\n}\n\ninternal fun
Double.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByteArray() else null\n}\n\ninternal fun
Float.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByteArray() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n\n**\n * Returns a range
from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n    return this ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Long.until(to: Byte): LongRange {\n    return this .. (to.toLong() - 1).toLong()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n    return this.toInt() ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Short.until(to: Byte): IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n    if (to <= '\u0000')
return CharRange.EMPTY\n    return this .. (to - 1).toChar()\n}\n\n**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n    if (to <= Int.MIN_VALUE) return
IntRange.EMPTY\n    return this .. (to - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding
the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is
empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n    return this .. (to.toLong() -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Int): IntRange {\n    if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n    return this.toInt() .. (to -
1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to:

```

```

Int): IntRange {
    \n    if (to <= Int.MIN_VALUE) return IntRange.EMPTY
    \n    return this.toInt() .. (to - 1).toInt()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Int.until(to: Long): LongRange {
    \n    if (to <= Long.MIN_VALUE) return LongRange.EMPTY
    \n    return this.toLong() .. (to - 1).toLong()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Long.until(to: Long): LongRange {
    \n    if (to <= Long.MIN_VALUE) return LongRange.EMPTY
    \n    return this .. (to - 1).toLong()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Byte.until(to: Long): LongRange {
    \n    if (to <= Long.MIN_VALUE) return LongRange.EMPTY
    \n    return this.toLong() .. (to - 1).toLong()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Short.until(to: Long): LongRange {
    \n    if (to <= Long.MIN_VALUE) return LongRange.EMPTY
    \n    return this.toLong() .. (to - 1).toLong()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Int.until(to: Short): IntRange {
    \n    return this .. (to.toInt() - 1).toInt()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Long.until(to: Short): LongRange {
    \n    return this .. (to.toLong() - 1).toLong()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Byte.until(to: Short): IntRange {
    \n    return this.toInt() .. (to.toInt() - 1).toInt()
}
\n\n/**
\n * Returns a range from this value up to but excluding the specified [to] value.
\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.
\n */
\npublic infix fun Short.until(to: Short): IntRange {
    \n    return this.toInt() .. (to.toInt() - 1).toInt()
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable
\n */
\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {
    \n    return if (this < minimumValue) minimumValue else this
}
\n\n/**
\n * Ensures that this value is not less than the specified [minimumValue].
\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast
\n */
\npublic fun

```



```

Double.coerceAtLeast(minimumValue: Double): Double {
    return if (this < minimumValue) minimumValue else
this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMostComparable
public fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {
    return if (this > maximumValue) maximumValue else this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun Byte.coerceAtMost(maximumValue: Byte):
Byte {
    return if (this > maximumValue) maximumValue else this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun Short.coerceAtMost(maximumValue: Short):
Short {
    return if (this > maximumValue) maximumValue else this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun Int.coerceAtMost(maximumValue: Int): Int
{
    return if (this > maximumValue) maximumValue else this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun Long.coerceAtMost(maximumValue: Long): Long {
    return if (this > maximumValue)
maximumValue else this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun
Float.coerceAtMost(maximumValue: Float): Float {
    return if (this > maximumValue) maximumValue else
this}
}

Ensures that this value is not greater than the specified [maximumValue].
return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
sample
samples.comparisons.ComparableOps.coerceAtMost
public fun Double.coerceAtMost(maximumValue:
Double): Double {
    return if (this > maximumValue) maximumValue else this}
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].
return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
sample
samples.comparisons.ComparableOps.coerceInComparable
public fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {
    if (minimumValue !== null
&& maximumValue !== null) {
        if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")
        if (this < minimumValue) return minimumValue
        if (this >
maximumValue) return maximumValue
    }
    else {
        if (minimumValue !== null && this <
minimumValue) return minimumValue
        if (maximumValue !== null && this > maximumValue) return
maximumValue
    }
    return this}
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].
return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
sample
samples.comparisons.ComparableOps.coerceIn
public fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {
    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue)
return maximumValue
    return this}
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].
return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
sample
samples.comparisons.ComparableOps.coerceIn
public fun Short.coerceIn(minimumValue: Short,

```

```

maximumValue: Short): Short {
    if (minimumValue > maximumValue) throw
    IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
    minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue)
    return maximumValue
    return this
}

/**
 * Ensures that this value lies in the specified range
 [minimumValue]..[maximumValue].
 *
 * @return this value if it's in the range, or [minimumValue] if this value
 is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
 *
 * @sample
 samples.comparisons.ComparableOps.coerceIn
 */
public fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {
    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue)
    return minimumValue
    if (this > maximumValue)
    return maximumValue
    return this
}

/**
 * Ensures
 that this value lies in the specified range [minimumValue]..[maximumValue].
 *
 * @return this value if it's in
 the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this
 value is greater
 than [maximumValue].
 *
 * @sample
 samples.comparisons.ComparableOps.coerceIn
 */
public fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {
    if (minimumValue > maximumValue)
    throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
    minimum $minimumValue.")
    if (this < minimumValue)
    return minimumValue
    if (this > maximumValue)
    return maximumValue
    return this
}

/**
 * Ensures that this value lies in the specified range
 [minimumValue]..[maximumValue].
 *
 * @return this value if it's in the range, or [minimumValue] if this value
 is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
 *
 * @sample
 samples.comparisons.ComparableOps.coerceIn
 */
public fun
Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {
    if (minimumValue > maximumValue) throw
    IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
    minimum $minimumValue.")
    if (this < minimumValue)
    return minimumValue
    if (this > maximumValue)
    return maximumValue
    return this
}

/**
 * Ensures that this value lies in the specified range
 [minimumValue]..[maximumValue].
 *
 * @return this value if it's in the range, or [minimumValue] if this value
 is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
 *
 * @sample
 samples.comparisons.ComparableOps.coerceIn
 */
public fun
Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {
    if (minimumValue > maximumValue) throw
    IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
    minimum $minimumValue.")
    if (this < minimumValue)
    return minimumValue
    if (this > maximumValue)
    return maximumValue
    return this
}

/**
 * Ensures that this value lies in the specified [range].
 *
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
 if this value is greater than `range.endInclusive`.
 *
 * @sample
 samples.comparisons.ComparableOps.coerceInFloatingPointRange
 */
@SinceKotlin("1.1")
public fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {
    if (range.isEmpty()) throw
    IllegalArgumentException("Cannot coerce value to an empty range: $range.")
    return when {
        // this <
start equiv to this <= start && !(this >= start)
        range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start
        // this > end equiv to this >= end && !(this <= end)
        range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->
range.endInclusive
        else -> this
    }
}

/**
 * Ensures that this value lies in the specified [range].
 *
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
 if this value is greater than `range.endInclusive`.
 *
 * @sample
 samples.comparisons.ComparableOps.coerceInComparable
 */
public fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {
    if (range is ClosedFloatingPointRange) {
        return
this.coerceIn<T>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")
    return when {
        this < range.start -> range.start
        this > range.endInclusive ->
range.endInclusive
        else -> this
    }
}

/**
 * Ensures that this value lies in the specified [range].
 *
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`

```

```

if this value is greater than `range.endInclusive`.n * `n * @sample samples.comparisons.ComparableOps.coerceIn`
`/\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {n if (range is ClosedFloatingPointRange) {n
return this.coerceIn<Int>(range)\n }n if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce
value to an empty range: $range.")\n return when {n this < range.start -> range.start\n this >
range.endInclusive -> range.endInclusive\n else -> this\n }}\n\n`/\n` * Ensures that this value lies in the
specified [range].n * `n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.n * `n * @sample
samples.comparisons.ComparableOps.coerceIn`
`/\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{n if (range is ClosedFloatingPointRange) {n return this.coerceIn<Long>(range)\n }n if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n return
when {n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else ->
this\n }}\n\n`/\n` * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license `n * that can be found in the license/LICENSE.txt file.\n *`/\n`// Auto-generated file. DO NOT
EDIT!`/\n`package kotlin`/\n`import
kotlin.experimental.*`/\n`@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")`/\n`@
SinceKotlin("1.3")`/\n`@ExperimentalUnsignedTypes`/\n`public inline class UByte @PublishedApi internal
constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {n\n companion object {n /**`/\n
* A constant holding the minimum value an instance of UByte can have.`/\n public const val
MIN_VALUE: UByte = UByte(0)`/\n /**`/\n * A constant holding the maximum value an instance of
UByte can have.`/\n public const val MAX_VALUE: UByte = UByte(-1)`/\n /**`/\n * The
number of bytes used to represent an instance of UByte in a binary form.`/\n public const val
SIZE_BYTES: Int = 1`/\n /**`/\n * The number of bits used to represent an instance of UByte in a binary
form.`/\n public const val SIZE_BITS: Int = 8\n }`/\n /**`/\n * Compares this value with the
specified value for order.`/\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,`/\n * or a positive number if it's greater than other.`/\n @kotlin.internal.InlineOnly`/\n
@Suppress("OVERRIDE_BY_INLINE")`/\n public override inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())`/\n /**`/\n * Compares this value with the specified value for order.`/\n
* Returns zero if this value is equal to the specified other value, a negative number if it's less than other,`/\n
* or a positive number if it's greater than other.`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())`/\n /**`/\n * Compares this value with the
specified value for order.`/\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,`/\n * or a positive number if it's greater than other.`/\n @kotlin.internal.InlineOnly`/\n
public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)`/\n /**`/\n * Compares
this value with the specified value for order.`/\n * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,`/\n * or a positive number if it's greater than other.`/\n
`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun compareTo(other: ULong): Int =
this.toULong().compareTo(other)`/\n /** Adds the other value to this value.`/\n @kotlin.internal.InlineOnly`/\n
public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())`/\n /** Adds the other value
to this value.`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun plus(other: UShort): UInt =
this.toUInt().plus(other.toUInt())`/\n /** Adds the other value to this value.`/\n @kotlin.internal.InlineOnly`/\n
public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)`/\n /** Adds the other value to this
value.`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)`/\n /** Subtracts the other value from this value.`/\n @kotlin.internal.InlineOnly`/\n
public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())`/\n /** Subtracts the
other value from this value.`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())`/\n /** Subtracts the other value from this value.`/\n
`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)`/\n
/** Subtracts the other value from this value.`/\n @kotlin.internal.InlineOnly`/\n public inline operator fun

```

```

minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n\n /** Divides this value by
the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UByte): UInt = this.toUInt().rem(other.toUInt())\n\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n\n /**
Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UByte = UByte(data.inc())\n\n /** Decrements this
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /**
Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline
operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a
bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun
and(other: UByte): UByte = UByte(this.data and other.data)\n\n /** Performs a bitwise OR operation between the
two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UByte): UByte = UByte(this.data
or other.data)\n\n /** Performs a bitwise XOR operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n
/** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UByte =
UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * If this value is less than or
equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UByte`. Otherwise the result is negative.\n * The resulting `Byte` value has the same binary representation
as this `UByte` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n\n /**\n
* Converts this [UByte] value to [Short].\n * The resulting `Short` value represents the same numerical
value as this `UByte`.\n * The least significant 8 bits of the resulting `Short` value are the same as the bits
of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort() and 0xFF\n\n /**\n * Converts
this [UByte] value to [Int].\n * The resulting `Int` value represents the same numerical value as this
`UByte`.\n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte`
value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n
public inline fun toInt(): Int = data.toInt() and 0xFF\n\n /**\n * Converts this [UByte] value to [Long].\n *
The resulting `Long` value represents the same numerical value as this `UByte`.\n * The least significant
8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n * whereas the most significant
56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long =
data.toLong() and 0xFF\n\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun
toUByte(): UByte = this\n\n /**\n * Converts this [UByte] value to [UShort].\n * The resulting `UShort`

```

```

value represents the same numerical value as this `UByte`.
 * The least significant 8 bits of the resulting
`UShort` value are the same as the bits of this `UByte` value,
 * whereas the most significant 8 bits are filled
with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = UShort(data.toShort()
and 0xFF)
/**
 * Converts this [UByte] value to [UInt].
 *
 * The resulting `UInt` value represents
the same numerical value as this `UByte`.
 * The least significant 8 bits of the resulting `UInt` value are
the same as the bits of this `UByte` value,
 * whereas the most significant 24 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)
/**
 * Converts this [UByte] value to [ULong].
 *
 * The resulting `ULong` value represents the same numerical
value as this `UByte`.
 * The least significant 8 bits of the resulting `ULong` value are the same as the bits
of this `UByte` value,
 * whereas the most significant 56 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)
/**
 * Converts this [UByte] value to [Float].
 *
 * The resulting `Float` value represents the same numerical
value as this `UByte`.
 *
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float =
this.toInt().toFloat()
/**
 * Converts this [UByte] value to [Double].
 *
 * The resulting `Double`
value represents the same numerical value as this `UByte`.
 *
@kotlin.internal.InlineOnly
public inline
fun toDouble(): Double = this.toInt().toDouble()
public override fun toString(): String =
toInt().toString()
}
}
/**
 * Converts this [Byte] value to [UByte].
 *
 * If this value is positive, the resulting
`UByte` value represents the same numerical value as this `Byte`.
 * The resulting `UByte` value has the same
binary representation as this `Byte` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toUByte(): UByte = UByte(this)
/**
 * Converts this [Short] value to [UByte].
 *
 * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the same
numerical value as this `Short`.
 * The resulting `UByte` value is represented by the least significant 8 bits of
this `Short` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toUByte(): UByte = UByte(this.toByte())
/**
 * Converts this [Int] value to [UByte].
 *
 * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the same
numerical value as this `Int`.
 * The resulting `UByte` value is represented by the least significant 8 bits of this
`Int` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public
inline fun Int.toUByte(): UByte = UByte(this.toByte())
/**
 * Converts this [Long] value to [UByte].
 *
 * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the
same numerical value as this `Long`.
 * The resulting `UByte` value is represented by the least significant 8
bits of this `Long` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toUByte(): UByte = UByte(this.toByte())
}
}
/**
 * Copyright 2010-2019 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 *
@n// Auto-
generated file. DO NOT EDIT!
}
package kotlin
import
kotlin.experimental.*
@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public inline class UInt @PublishedApi internal
constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {
    companion object {
        /**
         * A constant holding the minimum value an instance of UInt can have.
         *
         * public const val
MIN_VALUE: UInt = UInt(0)
        /**
         * A constant holding the maximum value an instance of UInt can
have.
         *
         * public const val MAX_VALUE: UInt = UInt(-1)
        /**
         * The number of bytes
used to represent an instance of UInt in a binary form.
         *
         * public const val SIZE_BYTES: Int = 4
        /**
         * The number of bits used to represent an instance of UInt in a binary form.
         *
         * public const
val SIZE_BITS: Int = 32
    }
}
/**
 * Compares this value with the specified value for order.
 *
 * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,
 * or a positive
number if it's greater than other.
 *
@kotlin.internal.InlineOnly
public inline operator fun

```

```

compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n /**\n *
Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n
@kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun
compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the
other value to this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt =
this.plus(other.toUInt())\n /** Adds the other value to this value. *\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n /** Adds the other value to this value.
*\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt =
UInt(this.data.plus(other.data))\n /** Adds the other value to this value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other
value from this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n /** Subtracts the other value from this value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n /** Subtracts the other value
from this value. *\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n /** Subtracts the other value from this value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n /** Multiplies this value by the other value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n /** Multiplies this value by the
other value. *\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n /** Multiplies this value by the other value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n /** Multiplies this value
by the other value. *\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n /** Divides this value by the other value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n /** Divides this value by the other
value. *\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n /** Divides this value by the other value. *\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n /** Divides this value by the other value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /** Calculates the remainder of dividing this value by the other value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n /**
Calculates the remainder of dividing this value by the other value. *\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /** Calculates the remainder of dividing
this value by the other value. *\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt
= uintRemainder(this, other)\n /** Calculates the remainder of dividing this value by the other value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n /** Increments this value. *\n @kotlin.internal.InlineOnly\n public inline
operator fun inc(): UInt = UInt(data.inc())\n /** Decrements this value. *\n @kotlin.internal.InlineOnly\n
public inline operator fun dec(): UInt = UInt(data.dec())\n\n /** Creates a range from this value to the specified
[other] value. *\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange =
UIntRange(this, other)\n\n /** Shifts this value left by the [bitCount] number of bits. *\n
@kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n /**

```

```

Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */
@kotlin.internal.InlineOnly public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount) /**
Performs a bitwise AND operation between the two values. */ @kotlin.internal.InlineOnly public inline infix
fun and(other: UInt): UInt = UInt(this.data and other.data) /** Performs a bitwise OR operation between the two
values. */ @kotlin.internal.InlineOnly public inline infix fun or(other: UInt): UInt = UInt(this.data or
other.data) /** Performs a bitwise XOR operation between the two values. */ @kotlin.internal.InlineOnly
public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data) /** Inverts the bits in this value.
*/ @kotlin.internal.InlineOnly public inline fun inv(): UInt = UInt(data.inv())
/* Converts this
[UInt] value to [Byte].
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte`
value represents
* the same numerical value as this `UInt`.
* The resulting `Byte` value is
represented by the least significant 8 bits of this `UInt` value.
* Note that the resulting `Byte` value may be
negative.
*/ @kotlin.internal.InlineOnly public inline fun toByte(): Byte = data.toByte()
/* Converts this
[UInt] value to [Short].
* If this value is less than or equals to [Short.MAX_VALUE], the
resulting `Short` value represents
* the same numerical value as this `UInt`.
* The resulting `Short`
value is represented by the least significant 16 bits of this `UInt` value.
* Note that the resulting `Short` value
may be negative.
*/ @kotlin.internal.InlineOnly public inline fun toShort(): Short = data.toShort()
/* Converts this
[UInt] value to [Int].
* If this value is less than or equals to [Int.MAX_VALUE],
the resulting `Int` value represents
* the same numerical value as this `UInt`. Otherwise the result is negative.
* The resulting `Int` value has the same binary representation as this `UInt` value.
*/ @kotlin.internal.InlineOnly public inline fun toInt(): Int = data
/* Converts this
[UInt] value to
[Long].
* The resulting `Long` value represents the same numerical value as this `UInt`.
* The
least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,
* whereas the
most significant 32 bits are filled with zeros.
*/ @kotlin.internal.InlineOnly public inline fun toLong():
Long = data.toLong() and 0xFFFF_FFFF
/* Converts this
[UInt] value to [UByte].
* If this
value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
* the same
numerical value as this `UInt`.
* The resulting `UByte` value is represented by the least significant 8 bits
of this `UInt` value.
*/ @kotlin.internal.InlineOnly public inline fun toUByte(): UByte =
data.toUByte()
/* Converts this
[UInt] value to [UShort].
* If this value is less than or equals
to [UShort.MAX_VALUE], the resulting `UShort` value represents
* the same numerical value as this `UInt`.
* The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.
*/ @kotlin.internal.InlineOnly public inline fun toUShort(): UShort = data.toUShort()
/** Returns this value.
*/ @kotlin.internal.InlineOnly public inline fun toUInt(): UInt = this
/* Converts this
[UInt] value
to [ULong].
* The resulting `ULong` value represents the same numerical value as this `UInt`.
*
* The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,
*
* whereas the most significant 32 bits are filled with zeros.
*/ @kotlin.internal.InlineOnly public inline
fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)
/* Converts this
[UInt] value to
[Float].
* The resulting value is the closest `Float` to this `UInt` value.
* In case when this `UInt`
value is exactly between two `Float`s,
* the one with zero at least significant bit of mantissa is selected.
*/ @kotlin.internal.InlineOnly public inline fun toFloat(): Float = this.toDouble().toFloat()
/* Converts
this
[UInt] value to [Double].
* The resulting `Double` value represents the same numerical value as this
`UInt`.
*/ @kotlin.internal.InlineOnly public inline fun toDouble(): Double = UIntToDouble(data)
public override fun toString(): String = toLong().toString()
/* Converts this
[Byte] value to [UInt].
* If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.
* The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,
* whereas the
most significant 24 bits are filled with the sign bit of this value.
*/ @SinceKotlin("1.3") @ExperimentalUnsignedTypes @kotlin.internal.InlineOnly public inline fun
Byte.toUInt(): UInt = UInt(this.toInt())
/* Converts this
[Short] value to [UInt].
* If this value is
positive, the resulting `UInt` value represents the same numerical value as this `Short`.
* The least significant

```

16 bits of the resulting `UInt` value are the same as the bits of this `Short` value, whereas the most significant 16 bits are filled with the sign bit of this value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n * If this value is positive,  
the resulting `UInt` value represents the same numerical value as this `Int`.\n * The resulting `UInt` value has the  
same binary representation as this `Int` value.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n * If this value is positive and less  
than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents  
the same numerical value as this  
`Long`.\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Long.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Float] value to [UInt].\n * The fractional part,  
if any, is rounded down.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's  
bigger than `UInt.MAX_VALUE`.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n * The  
fractional part, if any, is rounded down.\n * Returns zero if this `Double` value is negative or `NaN`,  
[UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Double.toUInt(): UInt = doubleToUInt(this)\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code  
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n// Auto-  
generated file. DO NOT EDIT!\npackage kotlin\nimport
```

```
kotlin.experimental.\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class UShort @PublishedApi internal  
constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n    companion object {\n\n        /**\n
```

```
 * A constant holding the minimum value an instance of UShort can have.\n        public const val  
MIN_VALUE: UShort = UShort(0)\n        /**\n * A constant holding the maximum value an instance of  
UShort can have.\n        public const val MAX_VALUE: UShort = UShort(-1)\n        /**\n * The  
number of bytes used to represent an instance of UShort in a binary form.\n        public const val
```

```
SIZE_BYTES: Int = 2\n        /**\n * The number of bits used to represent an instance of UShort in a binary  
form.\n        public const val SIZE_BITS: Int = 16\n    }\n    /**\n * Compares this value with the  
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if  
it's less than other,\n * or a positive number if it's greater than other.\n    @kotlin.internal.InlineOnly\n
```

```
public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n/**\n *  
Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other  
value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n    @kotlin
```

```
internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun  
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n/**\n * Compares this value with the  
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if  
it's less than other,\n * or a positive number if it's greater than other.\n    @kotlin.internal.InlineOnly\n
```

```
public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n/**\n * Compares  
this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a  
negative number if it's less than other,\n * or a positive number if it's greater than other.\n    @kotlin
```

```
internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int =  
this.toULong().compareTo(other)\n/** Adds the other value to this value.\n    @kotlin.internal.InlineOnly\n
```

```
public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n/** Adds the other value  
to this value.\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt =  
this.toUInt().plus(other.toUInt())\n/** Adds the other value to this value.\n    @kotlin.internal.InlineOnly\n
```



```

public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the
other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n
/** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by
the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UByte): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**
Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UShort = UShort(data.inc())\n /** Decrements
this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UShort = UShort(data.dec())\n\n
/** Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline
operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a
bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun
and(other: UShort): UShort = UShort(this.data and other.data)\n /** Performs a bitwise OR operation between the
two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UShort): UShort =
UShort(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: UShort): UShort = UShort(this.data xor
other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv():
UShort = UShort(data.inv())\n\n /**\n * Converts this [UShort] value to [Byte].\n * \n * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UShort`.\n * \n * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort`
value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toByte(): Byte = data.toByte()\n\n /**\n * Converts this [UShort] value to [Short].\n * \n * If this
value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same
numerical value as this `UShort`. Otherwise the result is negative.\n * \n * The resulting `Short` value has the
same binary representation as this `UShort` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun
toShort(): Short = data\n\n /**\n * Converts this [UShort] value to [Int].\n * \n * The resulting `Int` value

```

```

represents the same numerical value as this `UShort`.
 * The least significant 16 bits of the resulting `Int`
value are the same as the bits of this `UShort` value,
 * whereas the most significant 16 bits are filled with
zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toInt(): Int = data.toInt() and 0xFFFF
 * Converts this [UShort] value to [Long].
 * The resulting `Long` value represents the same numerical
value as this `UShort`.
 * The least significant 16 bits of the resulting `Long` value are the same as the bits
of this `UShort` value,
 * whereas the most significant 48 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toLong(): Long = data.toLong() and 0xFFFF
 * Converts this [UShort] value to [UByte].
 * If this value is less than or equals to [UByte.MAX_VALUE],
the resulting `UByte` value represents
 * the same numerical value as this `UShort`.
 * The resulting
`UByte` value is represented by the least significant 8 bits of this `UShort` value.
 *
@kotlin.internal.InlineOnly
public inline fun toUByte(): UByte = data.toUByte()
 /** Returns this value.
 *
@kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = this
 /** Converts this [UShort]
value to [UInt].
 * The resulting `UInt` value represents the same numerical value as this `UShort`.
 *
 * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,
 * whereas the most significant 16 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline
fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)
 * Converts this [UShort] value to [ULong].
 *
 * The resulting `ULong` value represents the same numerical value as this `UShort`.
 * The least
significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,
 * whereas the
most significant 48 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)
 * Converts this [UShort] value to [Float].
 *
 * The resulting `Float` value represents the same numerical value as this `UShort`.
 *
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toInt().toFloat()
 * Converts this
[UShort] value to [Double].
 * The resulting `Double` value represents the same numerical value as this
`UShort`.
 *
@kotlin.internal.InlineOnly
public inline fun toDouble(): Double =
this.toInt().toDouble()
public override fun toString(): String = toInt().toString()
 * Converts this
[Byte] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical
value as this `Byte`.
 * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this
`Byte` value,
 * whereas the most significant 8 bits are filled with the sign bit of this value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Short] value to [UShort].
 * If this
value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.
 * The
resulting `UShort` value has the same binary representation as this `Short` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toUShort(): UShort = UShort(this)
 * Converts this [Int] value to [UShort].
 * If this value is
positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same
numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16 bits of
this `Int` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public
inline fun Int.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Long] value to [UShort].
 * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the
same numerical value as this `Long`.
 * The resulting `UShort` value is represented by the least significant
16 bits of this `Long` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toUShort(): UShort = UShort(this.toShort())
 * Copyright 2010-2019 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 *
@Auto-generated file. DO NOT EDIT!
package kotlin.ranges
 * A range of values of type `Char`.
 *
public
class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
    override val start: Char get() = first
    override val endInclusive: Char get() = last
    override fun
contains(value: Char): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first >

```

```

last override fun equals(other: Any?): Boolean =
    other is CharRange && (isEmpty() &&
    other.isEmpty() || first == other.first && last == other.last) override fun hashCode(): Int =
    if (isEmpty()) -1 else (31 * first.toInt() + last.toInt()) override fun toString(): String =
    "$first..$last" companion object {
        /** An empty range of values of type Char. */ public val EMPTY: CharRange =
        CharRange(1.toChar(), 0.toChar()) } } /** A range of values of type `Int`. */ public class
IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {
    override val start: Int get() = first override val endInclusive: Int get() = last override fun contains(value: Int): Boolean =
    first <= value && value <= last override fun isEmpty(): Boolean = first > last override fun equals(other:
    Any?): Boolean =
    other is IntRange && (isEmpty() && other.isEmpty() || first == other.first && last
    == other.last) override fun hashCode(): Int =
    if (isEmpty()) -1 else (31 * first + last) override fun
    toString(): String = "$first..$last" companion object {
        /** An empty range of values of type Int. */ public val EMPTY: IntRange = IntRange(1, 0) } } /** A range of values of type `Long`. */ public class
LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long>
{
    override val start: Long get() = first override val endInclusive: Long get() = last override fun
    contains(value: Long): Boolean = first <= value && value <= last override fun isEmpty(): Boolean = first >
    last override fun equals(other: Any?): Boolean =
    other is LongRange && (isEmpty() &&
    other.isEmpty() || first == other.first && last == other.last) override fun hashCode(): Int =
    if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt() override fun toString():
    String = "$first..$last" companion object {
        /** An empty range of values of type Long. */ public val EMPTY: LongRange = LongRange(1, 0) } } /** Copyright 2010-2018 JetBrains s.r.o. Use of this
    source code is governed by the Apache 2.0 license * that can be found in the license/LICENSE.txt file. */
    @file:kotlin.jvm.JvmMultifileClass @file:kotlin.jvm.JvmName("CollectionsKt") package
    kotlin.collections import kotlin.contracts.* internal object EmptyIterator : ListIterator<Nothing> {
        override fun hasNext(): Boolean = false override fun hasPrevious(): Boolean = false override fun
        nextIndex(): Int = 0 override fun previousIndex(): Int = -1 override fun next(): Nothing = throw
        NoSuchElementException() override fun previous(): Nothing = throw
        NoSuchElementException() } internal object EmptyList : List<Nothing>, Serializable, RandomAccess {
        private const val serialVersionUID: Long = -7390468764508069838L override fun equals(other: Any?):
        Boolean = other is List<*> && other.isEmpty() override fun hashCode(): Int = 1 override fun toString():
        String = "[]" override val size: Int get() = 0 override fun isEmpty(): Boolean = true override fun
        contains(element: Nothing): Boolean = false override fun containsAll(elements: Collection<Nothing>): Boolean
        = elements.isEmpty() override fun get(index: Int): Nothing = throw IndexOutOfBoundsException("Empty list
        doesn't contain element at index $index.") override fun indexOf(element: Nothing): Int = -1 override fun
        lastIndexOf(element: Nothing): Int = -1 override fun iterator(): Iterator<Nothing> = EmptyIterator override
        fun listIterator(): ListIterator<Nothing> = EmptyIterator override fun listIterator(index: Int):
        ListIterator<Nothing> {
            if (index != 0) throw IndexOutOfBoundsException("Index: $index") return
            EmptyIterator } override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {
            if (fromIndex
            == 0 && toIndex == 0) return this throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex:
            $toIndex") } private fun readResolve(): Any = EmptyList } internal fun <T> Array<out
        T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false) private class
        ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {
            override val size:
            Int get() = values.size override fun isEmpty(): Boolean = values.isEmpty() override fun contains(element:
            T): Boolean = values.contains(element) override fun containsAll(elements: Collection<T>): Boolean =
            elements.all { contains(it) } override fun iterator(): Iterator<T> = values.iterator() // override hidden toArray
            implementation to prevent copying of values array public fun toArray(): Array<out Any?> =
            values.copyOfToArrayOfAny(isVarargs) } /** Returns an empty read-only list. The returned list is
            serializable (JVM). */ @sample samples.collections.Collections.Lists.emptyReadOnlyList /** public fun <T>
            emptyList(): List<T> = EmptyList /** Returns a new read-only list of given elements. The returned list is

```

```

serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n * \npublic fun <T>
listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an
empty read-only list. The returned list is serializable (JVM).\n * @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n * \n@kotlin.internal.InlineOnly\npublic inline fun <T>
listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample
samples.collections.Collections.Lists.emptyMutableList\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample
samples.collections.Collections.Lists.emptyArrayList\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample
samples.collections.Collections.Lists.mutableList\n * \npublic fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs =
true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample
samples.collections.Collections.Lists.arrayList\n * \npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T>
=\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n *
Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n * \npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n *
Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n * \npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with
the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function
returns a list element given its index.\n * @sample
samples.collections.Collections.Lists.readOnlyListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n
* @sample samples.collections.Collections.Lists.mutableListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index:
Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n    repeat(size) { index -> list.add(init(index)) }\n
return list\n}\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\n * \npublic val Collection<*>.indices: IntRange\n
get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n * \n * @sample
samples.collections.Collections.Collections.lastIndexOfList\n * \npublic val <T> List<T>.lastIndex: Int\n
get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n * \n@kotlin.internal.InlineOnly\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is
either null or empty.\n * @sample samples.collections.Collections.Collections.collectionOrNullEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty():
Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample
samples.collections.Collections.Collections.collectionOrNullEmpty\n * \n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Collections.listOrNullEmpty\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n *
Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n * \n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.isEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if all
elements in the specified collection are contained in this collection.\n * \n * Allows to overcome type-safety
restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample
samples.collections.Collections.Collections.collectionContainsAll\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T>
List<T>.optimizeReadOnlyList() = when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else ->
this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The
list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n *
otherwise the result is undefined.\n * \n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which one will be found.\n * \n * `null` value is considered to be less than any non-null value.\n * \n *
@return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted
insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be
inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample
samples.collections.Collections.Lists.binarySearchWithBoundaries\n *\npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n    rangeCheck(size, fromIndex,
toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid = (low +
high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = compareValues(midVal,
element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n
            return mid // key found\n    }\n\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range
for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending
order according to the specified [comparator].\n * otherwise the result is undefined.\n * \n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\n * \n * `null`
value is considered to be less than any non-null value.\n * \n * @return the index of the element, if it is contained in
the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The
insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified
subrange of list) still remains sorted according to the specified [comparator].\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparator\n *\npublic fun <T>
List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n
    rangeCheck(size, fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <=
high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp =
comparator.compare(midVal, element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n
            high = mid - 1\n        else\n            return mid // key found\n    }\n\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to
the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order
according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n * \n * If
the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n * \n *
`null` value is considered to be less than any non-null value.\n * \n * @return the index of the element with the
specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point
`(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n *
so that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchByKey\n *\npublic inline fun <T, K : Comparable<K>>
List<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n    crossinline selector: (T) ->
K?\n): Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this
overload --- too rare\n//\npublic fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,

```

```

fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int = \n//      binarySearch(fromIndex, toIndex) {
comparator.compare(selector(it), key) } \n \n \n /** \n * Searches this list or its range for an element for which
[comparison] function returns zero using the binary search algorithm. \n * The list is expected to be sorted into
ascending order according to the provided [comparison], \n * otherwise the result is undefined. \n * \n * If the list
contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found. \n * \n
* @param comparison function that compares an element of the list with the element being searched. \n * \n *
@return the index of the found element, if it is contained in the list within the specified range; \n * otherwise, the
inverted insertion point `(-insertion point - 1)`. \n * The insertion point is defined as the index at which the element
should be inserted, \n * so that the list (or the specified subrange of list) still remains sorted. \n * @sample
samples.collections.Collections.Lists.binarySearchWithComparisonFunction \n * \n public fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int { \n      rangeCheck(size,
fromIndex, toIndex) \n \n      var low = fromIndex \n      var high = toIndex - 1 \n \n      while (low <= high) { \n          val mid
= (low + high).ushr(1) // safe from overflows \n          val midVal = get(mid) \n          val cmp = comparison(midVal) \n \n
          if (cmp < 0) \n              low = mid + 1 \n          else if (cmp > 0) \n              high = mid - 1 \n          else \n              return
mid // key found \n      } \n      return -(low + 1) // key not found \n } \n \n /** \n * Checks that `from` and `to` are in \n * the
range of [0..size] and throws an appropriate exception, if they aren't. \n * \n private fun rangeCheck(size: Int,
fromIndex: Int, toIndex: Int) { \n      when { \n          fromIndex > toIndex -> throw
IllegalArgumentException("fromIndex ($fromIndex) is greater than toIndex ($toIndex).") \n          fromIndex < 0 ->
throw IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.") \n          toIndex > size -> throw
IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).") \n      } \n } \n \n \n @PublishedApi \n @SinceKotlin("1.3") \n internal expect fun checkIndexOverflow(index: Int):
Int \n \n @PublishedApi \n @SinceKotlin("1.3") \n internal expect fun checkCountOverflow(count: Int):
Int \n \n \n @PublishedApi \n @SinceKotlin("1.3") \n internal fun throwIndexOverflow() { throw
ArithmeticException("Index overflow has happened.") } \n \n @PublishedApi \n @SinceKotlin("1.3") \n internal fun
throwCountOverflow() { throw ArithmeticException("Count overflow has happened.") } \n \n "/* \n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file. \n
* \n \n @file:kotlin.jvm.JvmMultifileClass \n @file:kotlin.jvm.JvmName("MapsKt") \n \n package
kotlin.collections \n \n import kotlin.contracts.* \n \n private object EmptyMap : Map<Any?, Nothing>, Serializable { \n
private const val serialVersionUID: Long = 8246714829545688274 \n \n override fun equals(other: Any?):
Boolean = other is Map<*, *> && other.isEmpty() \n \n override fun hashCode(): Int = 0 \n \n override fun toString():
String = "{}" \n \n override val size: Int get() = 0 \n \n override fun isEmpty(): Boolean = true \n \n \n override fun
containsKey(key: Any?): Boolean = false \n \n override fun containsValue(value: Nothing): Boolean = false \n
override fun get(key: Any?): Nothing? = null \n \n override val entries: Set<Map.Entry<Any?, Nothing>> get() =
EmptySet \n \n override val keys: Set<Any?> get() = EmptySet \n \n override val values: Collection<Nothing> get() =
EmptyList \n \n private fun readResolve(): Any = EmptyMap \n } \n \n /** \n * Returns an empty read-only map of
specified type. \n * \n * The returned map is serializable (JVM). \n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap \n * \n public fun <K, V> emptyMap(): Map<K, V> =
@Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>) \n \n /** \n * Returns a new read-only map with
the specified contents, given as a list of pairs \n * where the first value is the key and the second is the value. \n * \n *
If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs. \n * \n *
Entries of the map are iterated in the order they were specified. \n * \n * The returned map is serializable (JVM). \n
* \n * @sample samples.collections.Maps.Instantiation.mapFromPairs \n * \n public fun <K, V> mapOf(vararg pairs:
Pair<K, V>): Map<K, V> = \n      if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else
emptyMap() \n \n /** \n * Returns an empty read-only map. \n * \n * The returned map is serializable (JVM). \n *
@sample samples.collections.Maps.Instantiation.emptyReadOnlyMap \n * \n @kotlin.internal.InlineOnly \n public
inline fun <K, V> mapOf(): Map<K, V> = emptyMap() \n \n /** \n * Returns an empty new [MutableMap]. \n * \n *
The returned map preserves the entry iteration order. \n * @sample

```

```

samples.collections.Maps.Instantiation.emptyMutableMap\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()\n\n**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have
the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are
iterated in the order they were specified.\n *\n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n *\npublic fun <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =\n  LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs)
}\n\n**\n * Returns an empty new [HashMap].\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n**\n * Returns a new [HashMap] with
the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n
*\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n *\npublic fun <K, V>
hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply {
putAll(pairs) }\n\n**\n * Returns an empty new [LinkedHashMap].\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf():
LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n**\n * Returns a new [LinkedHashMap] with the specified
contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If
multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n *
Entries of the map are iterated in the order they were specified.\n *\n * @sample
samples.collections.Maps.Instantiation.linkedMapFromPairs\n *\npublic fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n**\n *
Calculate the initial capacity of a map, based on Guava's com.google.common.collect.Maps approach. This is
equivalent\n * to the Collection constructor for HashSet, (c.size()/0.75f) + 1, but provides further optimisations for
very small or\n * very large sizes, allows support non-collection classes, and provides consistency for all map based
class construction.\n *\n@PublishedApi\ninternal fun mapCapacity(expectedSize: Int): Int {\n  if (expectedSize <
3) {\n    return expectedSize + 1\n  }\n  if (expectedSize < INT_MAX_POWER_OF_TWO) {\n    return
expectedSize + expectedSize / 3\n  }\n  return Int.MAX_VALUE // any large value\n}\n\nprivate const val
INT_MAX_POWER_OF_TWO: Int = Int.MAX_VALUE / 2 + 1\n\n** Returns `true` if this map is not empty.
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean =
!isEmpty()\n\n**\n * Returns `true` if this nullable map is either null or empty.\n * @sample
samples.collections.Maps.Usage.mapIsNullOrEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>?.isNullOrEmpty(): Boolean {\n  contract {\n    returns(false) implies (this@isNullOrEmpty != null)\n  }\n\n
return this == null || isEmpty()\n}\n\n**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n
*\n * @sample samples.collections.Maps.Usage.mapOrElse\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<K, V>?.orElse(): Map<K, V> = this ?: emptyMap()\n\n**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample
samples.collections.Maps.Usage.mapIfEmpty\n *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n  if (isEmpty())
defaultValue() else this\n\n**\n * Checks if the map contains the given key.\n *\n * This method allows to use the
`x in map` syntax for checking whether an object is contained in the map.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean =
containsKey(key)\n\n**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present
in the map.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V>
Map<out K, V>.get(key: K): V? =\n  @Suppress("UNCHECKED_CAST") (this as Map<K,
V>).get(key)\n\n**\n * Allows to use the index operator for storing values in a mutable map.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit

```

```

{\n  put(key, value)\n}\n\n**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K,
*>.containsKey(key: K): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as Map<K,
*>).containsKey(key)\n\n**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n
@sample samples.collections.Maps.Usage.containsValue\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K,
V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n**\n * Removes the specified key and its
corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key
was not present in the map.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key
of type `K`.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V>
MutableMap<out K, V>.remove(key: K): V? =\n  @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
V>).remove(key)\n\n**\n * Returns the key component of the map entry.\n *\n * This method allows to use
destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *   // do
something with the key and the value\n * }\n * ```\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
V> Map.Entry<K, V>.component1(): K = key\n\n**\n * Returns the value component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key,
value) in map) {\n *   // do something with the key and the value\n * }\n * ```\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V =
value\n\n**\n * Converts entry to [Pair] with key being first component and value being second.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key,
value)\n\n**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no
entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
= get(key) ?: defaultValue()\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
-> V): V {\n  val value = get(key)\n  if (value == null && !containsKey(key)) {\n    return defaultValue()\n  }
else {\n    @Suppress("UNCHECKED_CAST")\n    return value as V\n  }\n}\n\n**\n * Returns the value
for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by
[withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws
NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default
value was provided for that map.\n *\n@SinceKotlin("1.1")\npublic fun <K, V> Map<K, V>.getValue(key: K): V
= getOrImplicitDefault(key)\n\n**\n * Returns the value for the given key. If the key is not found in the map, calls
the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * Note that the
operation is not guaranteed to be atomic if the map is being modified concurrently.\n *\n * @sample
samples.collections.Maps.Usage.getOrPut\n
*\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K,
defaultValue: () -> V): V {\n  val value = get(key)\n  return if (value == null) {\n    val answer =
defaultValue()\n    put(key, answer)\n    answer\n  } else {\n    value\n  }\n}\n\n**\n * Returns an
[Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator():
Iterator<Map.Entry<K, V>> = entries.iterator()\n\n**\n * Returns a [MutableIterator] over the mutable entries in
the [MutableMap].\n *\n *\n@kotlin.jvm.JvmName("mutableIterator")\n@kotlin.internal.InlineOnly\npublic
inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> =
entries.iterator()\n\n**\n * Populates the given [destination] map with entries having the keys of this map and the
values obtained\n * by applying the [transform] function to each entry in this [Map].\n *\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) ->
R): M {\n  return entries.associateByTo(destination, { it.key }, transform)\n}\n\n**\n * Populates the given

```



[destination] map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.

```

public inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {
    return entries.associateByTo(destination, transform, { it.value })
}

```

Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.

```

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

```

Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.

```

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

```

Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.

```

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

```

Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map]. The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Transformations.mapValues
public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

```

Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one. The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Transformations.mapKeys
public inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

```

Returns a map containing all key-value pairs with keys matching the given [predicate]. The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Filtering.filterKeys
public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

```

Returns a map containing all key-value pairs with values matching the given [predicate]. The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Filtering.filterValues
public inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.value)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

```

Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter. @return the destination map.

```

@sample samples.collections.Maps.Filtering.filterTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

```

Returns a new map containing all key-value pairs matching the given [predicate]. The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Filtering.filter
public inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterTo(LinkedHashMap<K, V>(), predicate)
}

```

Appends all entries not matching the given [predicate] into the given [destination]. @return the destination map.

```

@sample samples.collections.Maps.Filtering.filterNotTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (!predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

```

Returns a new map containing all key-value pairs not matching the given [predicate]. The returned map preserves the entry iteration order of the original map. @sample

```

samples.collections.Maps.Filtering.filterNot\n
*\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {\n
return filterNotTo(LinkedHashMap<K, V>(),
predicate)\n}\n\n/**\n
* Returns a new map containing all key-value pairs from the given collection of pairs.\n
*\n
* The returned map preserves the entry iteration order of the original collection.\n
*\n
* If any of two pairs would have the same key the last one gets added to the map.\n
*\n
public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V>
{\n
if (this is Collection) {\n
return when (size) {\n
0 -> emptyMap()\n
1 -> mapOf(if (this is
List) this[0] else iterator().next())\n
else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n
}\n
}\n
return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n
*\n
public fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n
destination.apply {
putAll(this@toMap) }\n\n/**\n
* Returns a new map containing all key-value pairs from the given array of pairs.\n
*\n
* The returned map preserves the entry iteration order of the original array.\n
*\n
* If any of two pairs would have the same key the last one gets added to the map.\n
*\n
public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K,
V> = when (size) {\n
0 -> emptyMap()\n
1 -> mapOf(this[0])\n
else -> toMap(LinkedHashMap<K,
V>(mapCapacity(size)))\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs
from the given array of pairs.\n
*\n
public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K,
V>>.toMap(destination: M): M =\n
destination.apply { putAll(this@toMap) }\n\n/**\n
* Returns a new map
containing all key-value pairs from the given sequence of pairs.\n
*\n
* The returned map preserves the entry
iteration order of the original sequence.\n
*\n
* If any of two pairs would have the same key the last one gets added to
the map.\n
*\n
public fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K,
V>()).optimizeReadOnlyMap()\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs
from the given sequence of pairs.\n
*\n
public fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K,
V>>.toMap(destination: M): M =\n
destination.apply { putAll(this@toMap) }\n\n/**\n
* Returns a new read-only
map containing all key-value pairs from the original map.\n
*\n
* The returned map preserves the entry iteration
order of the original map.\n
*\n
@SinceKotlin("1.1")\n
public fun <K, V> Map<out K, V>.toMap(): Map<K, V> =
when (size) {\n
0 -> emptyMap()\n
1 -> toSingletonMap()\n
else -> toMutableMap()\n}\n\n/**\n
* Returns a
new mutable map containing all key-value pairs from the original map.\n
*\n
* The returned map preserves the entry iteration
order of the original map.\n
*\n
@SinceKotlin("1.1")\n
public fun <K, V> Map<out K,
V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n
* Populates and returns the
[destination] mutable map with key-value pairs from the given map.\n
*\n
@SinceKotlin("1.1")\n
public fun <K, V,
M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n
destination.apply {
putAll(this@toMap) }\n\n/**\n
* Creates a new read-only map by replacing or adding an entry to this map from a
given key-value [pair].\n
*\n
* The returned map preserves the entry iteration order of the original map.\n
*\n
* The
[pair] is iterated in the end if it has a unique key.\n
*\n
public operator fun <K, V> Map<out K, V>.plus(pair:
Pair<K, V>): Map<K, V> =\n
if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first,
pair.second) }\n\n/**\n
* Creates a new read-only map by replacing or adding entries to this map from a given
collection of key-value [pairs].\n
*\n
* The returned map preserves the entry iteration order of the original map.\n
*\n
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n
*\n
public operator fun <K,
V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n
if (this.isEmpty()) pairs.toMap() else
LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n
* Creates a new read-only map by replacing or adding entries
to this map from a given array of key-value [pairs].\n
*\n
* The returned map preserves the entry iteration order of
the original map.\n
*\n
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n
*\n
public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n
if (this.isEmpty())
pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n
* Creates a new read-only map by
replacing or adding entries to this map from a given sequence of key-value [pairs].\n
*\n
* The returned map
preserves the entry iteration order of the original map.\n
*\n
* Those [pairs] with unique keys are iterated in the end in
the order of [pairs] sequence.\n
*\n
public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K,
V>>): Map<K, V> =\n
LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n
* Creates

```

a new read-only map by replacing or adding entries to this map from another [map].

\* The returned map preserves the entry iteration order of the original map.

\* Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].

`plus(map: Map<out K, V>): Map<K, V> =` `LinkedHashMap(this).apply { putAll(map) }`

\* Appends or replaces the given [pair] in this mutable map.

`@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {` `put(pair.first, pair.second)` `}`

\* Appends or replaces all pairs from the given collection of [pairs] in this mutable map.

`@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {` `putAll(pairs)` `}`

\* Appends or replaces all pairs from the given array of [pairs] in this mutable map.

`@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {` `putAll(pairs)` `}`

\* Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.

`@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {` `putAll(pairs)` `}`

\* Appends or replaces all entries from the given [map] in this mutable map.

`@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {` `putAll(map)` `}`

\* Returns a map containing all entries of the original map except the entry with the given [key].

\* The returned map preserves the entry iteration order of the original map.

`@SinceKotlin("1.1")` `public operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =` `this.toMutableMap().apply { minusAssign(key) }` `.optimizeReadOnlyMap()`

\* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] collection.

\* The returned map preserves the entry iteration order of the original map.

`@SinceKotlin("1.1")` `public operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }` `.optimizeReadOnlyMap()`

\* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] array.

\* The returned map preserves the entry iteration order of the original map.

`@SinceKotlin("1.1")` `public operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }` `.optimizeReadOnlyMap()`

\* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] sequence.

\* The returned map preserves the entry iteration order of the original map.

`@SinceKotlin("1.1")` `public operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }` `.optimizeReadOnlyMap()`

\* Removes the entry with the given [key] from this mutable map.

`@SinceKotlin("1.1")` `@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {` `remove(key)` `}`

\* Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.

`@SinceKotlin("1.1")` `@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {` `this.keys.removeAll(keys)` `}`

\* Removes all entries the keys of which are contained in the given [keys] array from this mutable map.

`@SinceKotlin("1.1")` `@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {` `this.keys.removeAll(keys)` `}`

\* Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.

`@SinceKotlin("1.1")` `@kotlin.internal.InlineOnly` `public inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {` `this.keys.removeAll(keys)` `}`

`do not expose for now`

`@PublishedApi` `internal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {` `0 -> emptyMap()` `1 -> toSingletonMapOrSelf()` `else -> this` `}`

"/\*

\* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license

\* that can be found in the license/LICENSE.txt file.

\*/

`@file:kotlin.jvm.JvmMultifileClass` `@file:kotlin.jvm.JvmName("SetsKt")` `package kotlin.collections` `internal object EmptySet : Set<Nothing>, Serializable {` `private const val serialVersionUID: Long = 3406603774387020532` `override fun equals(other: Any?): Boolean = other is`

```

Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = ""[]\n\noverride val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element: Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve(): Any = EmptySet\n\n  /** Returns an empty read-only set. The returned set is serializable (JVM). */\n  @sample samples.collections.Collections.Sets.emptyReadOnlySet\n  *^public fun <T> emptySet(): Set<T> = EmptySet\n\n  /** Returns a new read-only set with the given elements. Elements of the set are iterated in the order they were specified. The returned set is serializable (JVM). */\n  @sample samples.collections.Collections.Sets.readOnlySet\n  *^public fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n  /** Returns an empty read-only set. The returned set is serializable (JVM). */\n  @sample samples.collections.Collections.Sets.emptyReadOnlySet\n  *^@kotlin.internal.InlineOnly\n  public inline fun <T> setOf(): Set<T> = emptySet()\n\n  /** Returns an empty new [MutableSet]. The returned set preserves the element iteration order. */\n  @sample samples.collections.Collections.Sets.emptyMutableSet\n  *^@kotlin.internal.InlineOnly\n  public inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n  /** Returns a new [MutableSet] with the given elements. Elements of the set are iterated in the order they were specified. */\n  @sample samples.collections.Collections.Sets.mutableSet\n  *^public fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n  /** Returns an empty new [HashSet]. */\n  @sample samples.collections.Collections.Sets.emptyHashSet\n  *^@kotlin.internal.InlineOnly\n  public inline fun <T> hashSetOf(): HashSet<T> = HashSet()\n\n  /** Returns a new [HashSet] with the given elements. */\n  @sample samples.collections.Collections.Sets.hashSet\n  *^public fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n  /** Returns an empty new [LinkedHashSet]. */\n  @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n  *^@kotlin.internal.InlineOnly\n  public inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\n\n  /** Returns a new [LinkedHashSet] with the given elements. Elements of the set are iterated in the order they were specified. */\n  @sample samples.collections.Collections.Sets.linkedSet\n  *^public fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n  /** Returns this Set if it's not `null` and the empty set otherwise. */\n  @sample samples.collections.Collections.Sets.emptySet\n  *^@kotlin.internal.InlineOnly\n  public inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\n  internal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 -> setOf(iterator().next())\n    else -> this\n  }\n\n  /** Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. */\n\n  @file:kotlin.jvm.JvmMultifileClass\n  @file:kotlin.jvm.JvmName("StringsKt")\n  @file:Suppress("PLATFORM_CLASS_MAPPED_TO_KOTLIN")\n  package kotlin.text\n\n  /** Parses the string as a signed [Byte] number and returns the result or `null` if the string is not a valid representation of a number. */\n  @kotlin.internal.InlineOnly\n  public fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n  /** Parses the string as a signed [Byte] number and returns the result or `null` if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion. */\n  @kotlin.internal.InlineOnly\n  public fun String.toByteOrNull(radix: Int): Byte? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByte()\n  }\n\n  /** Parses the string as a [Short] number and returns the result or `null` if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion. */\n  @kotlin.internal.InlineOnly\n  public fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n  /** Parses the string as a [Short] number and returns the result or `null` if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion. */\n  @kotlin.internal.InlineOnly\n  public fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n  }\n\n  /** Parses the string as an [Int] number and returns the result or `null` if the string is not a valid representation of a number. */\n  @kotlin.internal.InlineOnly\n  public fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n  /** Parses the

```

```

string as an [Int] number and returns the result or `null` if the string is not a valid representation of a number.
* @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
* Since Kotlin("1.1")
public fun String.toIntOrNull(radix: Int): Int? {
    checkRadix(radix)
    val length = this.length
    if (length == 0) return null
    val start: Int
    val isNegative: Boolean
    val limit: Int
    val firstChar = this[0]
    if (firstChar < '0') { // Possible leading sign
        if (length == 1) return null // non-digit (possible sign) only, no digits after
        start = 1
        if (firstChar == '-') {
            isNegative = true
            limit = Int.MIN_VALUE
        } else if (firstChar == '+') {
            isNegative = false
            limit = -Int.MAX_VALUE
        } else {
            return null
        }
        start = 0
        isNegative = false
        limit = -Int.MAX_VALUE
    }
    val limitBeforeMul = limit / radix
    var result = 0
    for (i in start..(length - 1)) {
        val digit = digitOf(this[i], radix)
        if (digit < 0) return null
        if (result < limitBeforeMul) return null
        result *= radix
        if (result < limit + digit) return null
        result -= digit
    }
    return if (isNegative) result else -result
}
* Parses the string as a [Long] number and returns the result or `null` if the string is not a valid representation of a number.
* Since Kotlin("1.1")
public fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)
* Parses the string as a [Long] number and returns the result or `null` if the string is not a valid representation of a number.
* @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
* Since Kotlin("1.1")
public fun String.toLongOrNull(radix: Int): Long? {
    checkRadix(radix)
    val length = this.length
    if (length == 0) return null
    val start: Int
    val isNegative: Boolean
    val limit: Long
    val firstChar = this[0]
    if (firstChar < '0') { // Possible leading sign
        if (length == 1) return null // non-digit (possible sign) only, no digits after
        start = 1
        if (firstChar == '-') {
            isNegative = true
            limit = Long.MIN_VALUE
        } else if (firstChar == '+') {
            isNegative = false
            limit = -Long.MAX_VALUE
        } else {
            return null
        }
        start = 0
        isNegative = false
        limit = -Long.MAX_VALUE
    }
    val limitBeforeMul = limit / radix
    var result = 0L
    for (i in start..(length - 1)) {
        val digit = digitOf(this[i], radix)
        if (digit < 0) return null
        if (result < limitBeforeMul) return null
        result *= radix
        if (result < limit + digit) return null
        result -= digit
    }
    return if (isNegative) result else -result
}
internal fun numberFormatException(input: String): Nothing = throw NumberFormatException("Invalid number format: '$input'")
}
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
* file:kotlin.jvm.JvmName("UnsignedKt")
@file:UseExperimental(ExperimentalUnsignedTypes::class)
package kotlin
@PublishedApi
internal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)
@PublishedApi
internal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)
@PublishedApi
internal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()
@PublishedApi
internal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()
// Division and remainder are based on Guava's UnsignedLongs implementation
// Copyright 2011 The Guava Authors
@PublishedApi
internal fun ulongDivide(v1: ULong, v2: ULong): ULong {
    val dividend = v1.toLong()
    val divisor = v2.toLong()
    if (divisor < 0) { // i.e., divisor >= 2^63
        return if (v1 < v2) ULong(0) else ULong(1)
    }
    // Optimization - use signed division if both dividend and divisor < 2^63
    if (dividend >= 0) {
        return ULong(dividend / divisor)
    }
    // Otherwise, approximate the quotient, check, and correct if necessary.
    val quotient = ((dividend ushr 1) / divisor) shl 1
    val rem = dividend - quotient * divisor
    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)
}
@PublishedApi
internal fun ulongRemainder(v1: ULong, v2: ULong): ULong {
    val dividend = v1.toLong()
    val divisor = v2.toLong()
    if (divisor < 0) { // i.e., divisor >= 2^63
        return if (v1 < v2) {
            v1 // dividend < divisor
        } else {
            v1 - v2 // dividend >= divisor
        }
    }
    // Optimization - use signed modulus if both dividend and divisor < 2^63
    if (dividend >= 0) {
        return ULong(dividend % divisor)
    }
    // Otherwise, approximate the quotient, check, and correct if necessary.
    val quotient = ((dividend ushr 1) / divisor) shl 1
    val rem = dividend - quotient * divisor
    return ULong(rem - if (ULong(rem) >=

```

```

ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n
v.isNaN() -> 0u\n v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n v >=
UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n v <= Int.MAX_VALUE -> v.toInt().toUInt()\n else -
> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n
v.isNaN() -> 0u\n v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n v >=
ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n v < Long.MAX_VALUE ->
v.toLong().toULong()\n\n // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not
representable in Double, so don't handle them.\n else -> (v - 9223372036854775808.0).toLong().toULong() +
9223372036854775808uL // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
if (v >= 0) return v.toString(base)\n\n var quotient = ((v ushr 1) / base) shl 1\n var rem = v - quotient * base\n
if (rem >= base) {\n rem -= base\n quotient += 1\n }\n return quotient.toString(base) +
rem.toString(base)\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class
IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n override
fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of
this iterable if it is known, or `null` otherwise.\n */\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n\n/**\n * Returns the size of
this iterable if it is known, or the specified [default] value otherwise.\n */\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**
Returns true when it's safe to convert this collection to a set without changing contains method behavior. *\nprivate
fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n\n/** Converts this collection to a
set, when it's worth so and it doesn't change contains method behavior. *\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is
Set -> this\n is Collection -> \n when {\n source is Collection && source.size < 2 -> this\n
else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> toHashSet()\n }\n\n\n/**
Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. *\n\ninternal fun
<T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> toHashSet()\n }\n\n\n\n/**\n *
Returns a single list of all elements from all collections in the given collection.\n * @sample
samples.collections.Iterables.Operations.flattenIterable\n */\n\npublic fun <T> Iterable<Iterable<T>>.flatten():
List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return
result\n}\n\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this
collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n */\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT =
ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n
listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n", "/*\n * Copyright 2010-2018

```

JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage\n\nkotlin.sequences\n\n/**\n * Given an [iterator] function constructs a [Sequence] that returns values through the\n * [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially\n * infinite.\n */\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n\n*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):\n\nSequence<T> = object : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = iterator()\n\n}\n\n/**\n * Creates a\n * sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n */\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n\n*\n\npublic fun <T>\n\nIterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that\n * returns the specified values.\n */\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n\n*\n\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else\n\nelements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\n\npublic fun <T> emptySequence():\n\nSequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>,\n\nDropTakeSequence<Nothing> {\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n    override fun\n\n    drop(n: Int) = EmptySequence\n\n    override fun take(n: Int) = EmptySequence\n\n}\n\n/**\n * Returns this sequence if\n * it's not `null` and the empty sequence otherwise.\n */\n * @sample\n\nsamples.collections.Sequences.Usage.sequenceOrEmpty\n\n*\n\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Sequence<T>?.orEmpty():\n\nSequence<T> = this ?: emptySequence()\n\n/**\n * Returns a sequence that iterates through the elements either of\n * this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n */\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n\n*\n\n@SinceKotlin("1.3")\n\npublic fun\n\n<T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n\n    val iterator =\n\n    this@ifEmpty.iterator()\n\n    if (iterator.hasNext()) {\n\n        yieldAll(iterator)\n\n    } else {\n\n        yieldAll(defaultValue())\n\n    }\n\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this\n * sequence.\n */\n * The operation is _intermediate_ and _stateless_.\n\n*\n\npublic fun <T>\n\nSequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all\n * elements from all iterables in this sequence.\n */\n * The operation is _intermediate_ and _stateless_.\n\n*\n\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\n\npublic fun <T> Sequence<Iterable<T>>.flatten():\n\nSequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):\n\nSequence<R> {\n\n    if (this is TransformingSequence<*, *>) {\n\n        return (this as TransformingSequence<*,\n\n        T>).flatten(iterator)\n\n    }\n\n    return FlatteningSequence(this, { it }, iterator)\n\n}\n\n/**\n * Returns a pair of lists,\n * where\n * *first* list is built from the first values of each pair from this sequence.\n * *second* list is built from the\n * second values of each pair from this sequence.\n */\n * The operation is _terminal_.\n\n*\n\npublic fun <T, R>\n\nSequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n\n    val listT = ArrayList<T>()\n\n    val listR =\n\n    ArrayList<R>()\n\n    for (pair in this) {\n\n        listT.add(pair.first)\n\n        listR.add(pair.second)\n\n    }\n\n    return listT to\n\n    listR\n\n}\n\n/**\n * A sequence that returns the values from the underlying [sequence] that either match or do not\n * match\n * the specified [predicate].\n */\n * @param sendWhen If `true`, values for which the predicate returns `true`\n * are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n\n*\n\ninternal class\n\nFilteringSequence<T>(\n\n    private val sequence: Sequence<T>,\n\n    private val sendWhen: Boolean = true,\n\n    private val predicate: (T) -> Boolean\n\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object :\n\n    Iterator<T> {\n\n        val iterator = sequence.iterator()\n\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1\n\n        for continue\n\n        var nextItem: T? = null\n\n        private fun calcNext() {\n\n            while (iterator.hasNext()) {\n\n                val item = iterator.next()\n\n                if (predicate(item) == sendWhen) {\n\n                    nextItem = item\n\n                    nextState = 1\n\n                    return\n\n                }\n\n            }\n\n            nextState = 0\n\n        }\n\n        override fun\n\n        next(): T {\n\n            if (nextState == -1)\n\n                calcNext()\n\n            if (nextState == 0)\n\n                throw\n\n                NoSuchElementException()\n\n            val result = nextItem\n\n            nextItem = null\n\n            nextState = -1\n\n        }\n\n    }\n\n}
```

```

@Suppress("UNCHECKED_CAST")\n    return result as T\n    }\n    override fun hasNext(): Boolean\n    {\n        if (nextState == -1)\n            calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A\n sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying\n [sequence].\n */\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>,\n private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n\ninternal fun <E>\nflatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n    return FlatteningSequence<T, R, E>(sequence,\n transformer, iterator)\n}\n\n/**\n * A\n sequence which returns the results of applying the given [transformer]\n function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value\n in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T,\n R>\nconstructor(private val sequence: Sequence<T>,\n private val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index =\n 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++), iterator.next())\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n\n/**\n * A\n sequence which combines values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence:\n Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object :\n Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next():\n IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n\n/**\n * A\n sequence which\n takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and\n returns the values returned by that function. The sequence stops returning\n * values as soon as one of the\n underlying sequences stops returning values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n private val sequence1: Sequence<T1>,\n private val sequence2: Sequence<T2>,\n private val transform: (T1,\n T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 =\n sequence1.iterator()\n        val iterator2 =\n sequence2.iterator()\n        override fun next(): V {\n            return\n transform(iterator1.next(), iterator2.next())\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        return\n iterator1.hasNext() && iterator2.hasNext()\n    }\n}\n\ninternal class FlatteningSequence<T, R,\n E>\nconstructor(\n private val sequence: Sequence<T>,\n private val transformer: (T) -> R,\n private val\n iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator =\n sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        return ensureItemIterator()\n    }\n\n    private fun\n ensureItemIterator(): Boolean {\n        if (itemIterator?.hasNext() == false)\n            itemIterator = null\n        while (itemIterator == null) {\n            if (!iterator.hasNext())\n                return false\n            } else {\n                val element =\n iterator.next()\n                val nextItemIterator =\n iterator(transformer(element))\n            }\n        }\n        if (nextItemIterator.hasNext())\n            itemIterator = nextItemIterator\n            return true\n        }\n    }\n\n    return true\n}\n}\n}\n\n/**\n * A\n sequence that supports drop(n) and\n take(n) operations\n */\ninternal interface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int):\n Sequence<T>\n    fun take(n: Int): Sequence<T>\n}\n\n/**\n * A\n sequence that skips [startIndex] values from the\n underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n private val sequence: Sequence<T>,\n private val startIndex: Int,\n private val\n endIndex: Int\n) : Sequence<T>,\n DropTakeSequence<T> {\n    init {\n        require(startIndex >= 0) {\n            \"startIndex should be non-negative, but is $startIndex\"\n        }\n        require(endIndex >= 0) {\n            \"endIndex should be\n non-negative, but is $endIndex\"\n        }\n        require(endIndex >= startIndex) {\n            \"endIndex should be not less than\n startIndex, but was $endIndex < $startIndex\"\n        }\n    }\n\n    private val count: Int\n get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else\n SubSequence(sequence, startIndex\n

```



```

+ n, endIndex)\n  override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence,
startIndex, startIndex + n)\n\n  override fun iterator() = object : Iterator<T> {\n\n    val iterator =
sequence.iterator()\n    var position = 0\n\n    // Shouldn't be called from constructor to avoid premature
iteration\n    private fun drop() {\n        while (position < startIndex && iterator.hasNext()) {\n
iterator.next()\n            position++\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        drop()\n
return (position < endIndex) && iterator.hasNext()\n    }\n\n    override fun next(): T {\n        drop()\n
if (position >= endIndex)\n            throw NoSuchElementException()\n            position++\n            return
iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count] values from the underlying
[sequence], and stops returning values\n * as soon as that count is reached.\n */\n\ninternal class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var left = count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 && iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function
returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\n\ninternal
class TakeWhileSequence<T>(\n    constructor(\n        private val sequence: Sequence<T>,\n        private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =
sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            if (iterator.hasNext()) {\n                val item = iterator.next()\n
if (predicate(item)) {\n                    nextState = 1\n                    nextItem = item\n                    return\n                }\n                nextState = 0\n            }\n\n            override fun next(): T {\n                if (nextState == -1)\n                    calcNext() // will change nextState\n                if (nextState == 0)\n                    throw NoSuchElementException()\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextItem as T\n                // Clean next to avoid keeping
reference on yielded instance\n                nextItem = null\n                nextState = -1\n                return result\n            }\n\n            override fun hasNext(): Boolean {\n                if (nextState == -1)\n                    calcNext() // will change nextState\n                return nextState == 1\n            }\n        }\n    }\n}\n\n/**\n * A sequence that skips the specified number of values from the
underlying [sequence] and returns\n * all values after that.\n */\n\ninternal class DropSequence<T>(\n    private val
sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n\n    override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var left = count\n\n        // Shouldn't be called from constructor to avoid
premature iteration\n        private fun drop() {\n            while (left > 0 && iterator.hasNext()) {\n
iterator.next()\n                left--\n            }\n        }\n\n        override fun next(): T {\n            drop()\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that skips the values from the underlying [sequence] while the given
[predicate] returns `true`\n * and returns\n * all values after that.\n */\n\ninternal class DropWhileSequence<T>(\n    constructor(\n        private val sequence: Sequence<T>,\n        private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =
sequence.iterator()\n        var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n            while (iterator.hasNext()) {\n                val item =
iterator.next()\n                if (!predicate(item)) {\n                    nextItem = item\n                    dropState = 1\n                    return\n                }\n            }\n            dropState = 0\n        }\n\n        override fun next(): T {\n            if
(dropState == -1)\n                drop()\n            if (dropState == 1) {\n

```

```
@Suppress("UNCHECKED_CAST")
private val dropState = 0
private fun return result = nextItem as T
private fun nextItem = null
private fun override fun
dropState == -1
drop()
return dropState == 1 ||
}
}
internal class DistinctSequence<T, K>(private val source: Sequence<T>,
private val keySelector: (T) -> K): Sequence<T> {
    override fun iterator(): Iterator<T> =
        DistinctIterator(source.iterator(), keySelector)
}
private class DistinctIterator<T, K>(private val source:
Iterator<T>, private val keySelector: (T) -> K): AbstractIterator<T>() {
    private val observed =
        HashSet<K>()
    override fun computeNext() {
        while (source.hasNext()) {
            val next =
                source.next()
            val key = keySelector(next)
            if (observed.add(key)) {
                setNext(next)
                return
            }
            done()
        }
    }
}
private class GeneratorSequence<T : Any>(private val
getInitialValue: () -> T?, private val getNextValue: (T) -> T?): Sequence<T> {
    override fun iterator():
        Iterator<T> = object : Iterator<T> {
            var nextItem: T? = null
            var nextState: Int = -2 // -2 for initial
            // unknown, -1 for next unknown, 0 for done, 1 for continue
            private fun calcNext() {
                nextItem = if
                    (nextState == -2) getInitialValue() else getNextValue(nextItem!!)
                nextState = if (nextItem == null) 0 else
                    1
            }
            override fun next(): T {
                if (nextState < 0) {
                    calcNext()
                    if (nextState
                        == 0) {
                        throw NoSuchElementException()
                    }
                    val result = nextItem as T // Do not clean
                    // nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue
                    nextState = -1
                    return result
                }
                if (nextState < 0) {
                    calcNext()
                    return nextState == 1
                }
            }
        }
}

/**
 * Returns a wrapper sequence that provides
 * values of this sequence, but ensures it can be iterated only one time.
 * The operation is _intermediate_ and
 * _stateless_.
 * [IllegalStateException] is thrown on iterating the returned sequence from the second time.
 */
public fun <T> Sequence<T>.constrainOnce(): Sequence<T> {
    // as? does not work in js
    // return this as?
    ConstrainedOnceSequence<T>?.constrainOnce(this)
    return if (this is
        ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)
}

/**
 * Returns a sequence which
 * invokes the function to calculate the next value on each iteration until the function returns `null`.
 * The
 * returned sequence is constrained to be iterated only once.
 * @see constrainOnce
 */
@sample samples.collections.Sequences.Building.generateSequence
public fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {
    return
        GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()
}

/**
 * Returns a sequence defined by
 * the starting value [seed] and the function [nextFunction],
 * which is invoked to calculate the next value based on
 * the previous one on each iteration.
 * The sequence produces values until it encounters first `null` value.
 * If
 * [seed] is `null`, an empty sequence is produced.
 * The sequence can be iterated multiple times, each time
 * starting with [seed].
 * @see kotlin.sequences.sequence
 * @sample
    samples.collections.Sequences.Building.generateSequenceWithSeed
 */
@kotlinter.internal.LowPriorityInOverloadResolution
public fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =
    if (seed == null) {
        EmptySequence
    } else {
        GeneratorSequence({ seed }, nextFunction)
}

/**
 * Returns a sequence defined by the function [seedFunction],
 * which is invoked to produce the starting value,
 * and the [nextFunction], which is invoked to calculate the next
 * value based on the previous one on each iteration.
 * The sequence produces values until it encounters first
 * `null` value.
 * If [seedFunction] returns `null`, an empty sequence is produced.
 * The sequence can be
 * iterated multiple times.
 * @see kotlin.sequences.sequence
 * @sample
    samples.collections.Sequences.Building.generateSequenceWithLazySeed
 */
public fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =
    GeneratorSequence(seedFunction, nextFunction)

/*
 * Copyright 2010-2019 JetBrains s.r.o. Use of this
 * source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
// Auto-generated file. DO NOT EDIT!
package
kotlin.experimental.UnsignedTypes
public inline class
UByteArray {
    @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
    @Published

```

```

Api\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\n\n  /** Creates
a new array of the specified [size], with all elements initialized to zero. */\n  public constructor(size: Int) :
this(ByteArray(size))\n\n  /**\n   * Returns the array element at the given [index]. This method can be called
using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcpetion] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n  public
operator fun get(index: Int): UByte = storage[index].toUByte()\n\n  /**\n   * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsExcpetion] except in Kotlin/JS\n   * where the behavior is
unspecified.\n   */\n  public operator fun set(index: Int, value: UByte) {\n    storage[index] = value.toByte()\n
}\n\n  /** Returns the number of elements in the array. */\n  public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. */\n  public override operator fun iterator(): UByteIterator =
Iterator(storage)\n\n  private class Iterator(private val array: ByteArray) : UByteIterator() {\n    private var index
= 0\n    override fun hasNext() = index < array.size\n    override fun nextUByte() = if (index < array.size)
array[index++].toUByte() else throw NoSuchElementException(index.toString())\n  }\n\n  override fun
contains(element: UByte): Boolean {\n    // TODO: Eliminate this check after KT-30016 gets fixed.\n    //
Currently JS BE does not generate special bridge method for this method.\n    if ((element as Any?) != UByte)
return false\n\n    return storage.contains(element.toByte())\n  }\n\n  override fun containsAll(elements:
Collection<UByte>): Boolean {\n    return (elements as Collection<*>).all { it is UByte &&
storage.contains(it.toByte()) }\n  }\n\n  override fun isEmpty(): Boolean = this.storage.size ==
0\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n  return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n", "*/\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
UIntArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@PublishedApi
\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n  /** Creates a new
array of the specified [size], with all elements initialized to zero. */\n  public constructor(size: Int) :
this(IntArray(size))\n\n  /**\n   * Returns the array element at the given [index]. This method can be called using
the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcpetion] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n  public
operator fun get(index: Int): UInt = storage[index].toInt()\n\n  /**\n   * Sets the element at the given [index] to
the given [value]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsExcpetion] except in Kotlin/JS\n   * where the behavior is
unspecified.\n   */\n  public operator fun set(index: Int, value: UInt) {\n    storage[index] = value.toInt()\n
}\n\n  /** Returns
the number of elements in the array. */\n  public override val size: Int get() = storage.size\n\n  /** Creates an
iterator over the elements of the array. */\n  public override operator fun iterator(): UIntIterator =
Iterator(storage)\n\n  private class Iterator(private val array: IntArray) : UIntIterator() {\n    private var index =
0\n    override fun hasNext() = index < array.size\n    override fun nextUInt() = if (index < array.size)
array[index++].toInt() else throw NoSuchElementException(index.toString())\n  }\n\n  override fun
contains(element: UInt): Boolean {\n    // TODO: Eliminate this check after KT-30016 gets fixed.\n    //
Currently JS BE does not generate special bridge method for this method.\n    if ((element as Any?) != UInt)
return false\n\n    return storage.contains(element.toInt())\n  }\n\n  override fun containsAll(elements:
Collection<UInt>): Boolean {\n    return (elements as Collection<*>).all { it is UInt &&
storage.contains(it.toInt()) }\n  }\n\n  override fun isEmpty(): Boolean = this.storage.size ==
0\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n    return UIntArray(UIntArray(size) { index ->
init(index).toInt()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
*/\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
ULongArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published
Api\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n    /** Creates
a new array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) :
this(LongArray(size))\n\n    /**\n     * Returns the array element at the given [index]. This method can be called
using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     * public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n     /**\n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n     *\n     * public operator fun set(index: Int, value: ULong) {\n         storage[index] = value.toLong()\n
}\n\n     /** Returns the number of elements in the array. */\n     public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. */\n     public override operator fun iterator(): ULongIterator =
Iterator(storage)\n\n     private class Iterator(private val array: LongArray) : ULongIterator() {\n         private var
index = 0\n         override fun hasNext() = index < array.size\n         override fun nextULong() = if (index < array.size)
array[index++].toULong() else throw NoSuchElementException(index.toString())\n     }\n\n     override fun
contains(element: ULong): Boolean {\n         // TODO: Eliminate this check after KT-30016 gets fixed.\n         //
Currently JS BE does not generate special bridge method for this method.\n         if ((element as Any?) !is ULong)
return false\n         return storage.contains(element.toLong())\n     }\n\n     override fun containsAll(elements:
Collection<ULong>): Boolean {\n         return (elements as Collection<*>).all { it is ULong &&
storage.contains(it.toLong()) }\n     }\n\n     override fun isEmpty(): Boolean = this.storage.size ==
0\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n    return ULongArray(LongArray(size) { index ->
init(index).toLong()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class ULong @PublishedApi internal
constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n    companion object {\n        /**\n
         * A constant holding the minimum value an instance of ULong can have.\n         *\n         * public const val
MIN_VALUE: ULong = ULong(0)\n\n         /**\n         * A constant holding the maximum value an instance of
ULong can have.\n         *\n         * public const val MAX_VALUE: ULong = ULong(-1)\n\n         /**\n         * The
number of bytes used to represent an instance of ULong in a binary form.\n         *\n         * public const val
SIZE_BYTES: Int = 8\n\n         /**\n         * The number of bits used to represent an instance of ULong in a binary
form.\n         *\n         * public const val SIZE_BITS: Int = 64\n     }\n\n     /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     *\n     * @kotlin.internal.InlineOnly\n
     public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n     /**\n     *
Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     *\n
*/\n}

```

```

@kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int =
this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a
positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n public override inline operator fun compareTo(other: ULong): Int =
ulongCompare(this.data, other.data)\n\n /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n
/** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other:
UShort): ULong = this.plus(other.toULong())\n\n /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n
/** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other:
ULong): ULong = ULong(this.data.plus(other.data))\n\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): ULong =
this.minus(other.toULong())\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n\n /** Subtracts the other
value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n /** Multiplies
this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte):
ULong = this.times(other.toULong())\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): ULong =
this.times(other.toULong())\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n\n /** Multiplies this value by
the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
ULong(this.data.times(other.data))\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n
/** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
UShort): ULong = this.div(other.toULong())\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n
/** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
ULong): ULong = ulongDivide(this, other)\n\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): ULong =
this.rem(other.toULong())\n\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n
/** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
ULong): ULong = ulongRemainder(this, other)\n\n /** Increments this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun inc(): ULong = ULong(data.inc())\n\n /** Decrements this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong = ULong(data.dec())\n\n /** Creates a
range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n /** Shifts this value left by the [bitCount]
number of bits. */\n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong =
ULong(data shl bitCount)\n\n /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros. */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data

```

```

    ushr bitCount)\n    /** Performs a bitwise AND operation between the two values. */\n
    @kotlin.internal.InlineOnly\n    public inline infix fun and(other: ULong): ULong = ULong(this.data and
    other.data)\n    /** Performs a bitwise OR operation between the two values. */\n    @kotlin.internal.InlineOnly\n
    public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n    /** Performs a bitwise XOR
    operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: ULong):
    ULong = ULong(this.data xor other.data)\n    /** Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n
    public inline fun inv(): ULong = ULong(data.inv())\n\n    /**\n     * Converts this [ULong] value to [Byte].\n     *\n
     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same
     numerical value as this `ULong`.\n     *\n     * The resulting `Byte` value is represented by the least significant 8 bits
     of this `ULong` value.\n     *\n     * Note that the resulting `Byte` value may be negative.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [ULong]
    value to [Short].\n     *\n     * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
    represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Short` value is represented
    by the least significant 16 bits of this `ULong` value.\n     *\n     * Note that the resulting `Short` value may be
    negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n
    * Converts this [ULong] value to [Int].\n     *\n     * If this value is less than or equals to [Int.MAX_VALUE], the
    resulting `Int`
    value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Int` value is
    represented by the least significant 32 bits of this `ULong` value.\n     *\n     * Note that the resulting `Int`
    value may be
    negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data.toInt()\n    /**\n
    * Converts this [ULong] value to [Long].\n     *\n     * If this value is less than or equals to [Long.MAX_VALUE],
    the
    resulting `Long` value represents\n     * the same numerical value as this `ULong`. Otherwise the result is
    negative.\n     *\n     * The resulting `Long` value has the same binary representation as this `ULong` value.\n
    */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data\n    /**\n     * Converts this [ULong]
    value to [UByte].\n     *\n     * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte`
    value
    represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `UByte` value is
    represented by the least significant 8 bits of this `ULong` value.\n     */\n    @kotlin.internal.InlineOnly\n
    public
    inline fun toUByte(): UByte = data.toUByte()\n    /**\n     * Converts this [ULong] value to [UShort].\n     *\n
     * If
    this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n     * the same
    numerical value as this `ULong`.\n     *\n     * The resulting `UShort` value is represented by the least significant
    16
    bits of this `ULong` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUShort(): UShort =
    data.toUShort()\n    /**\n     * Converts this [ULong] value to [UInt].\n     *\n     * If this value is less than
    or equals
    to [UInt.MAX_VALUE], the resulting `UInt` value represents\n     * the same numerical value as this `ULong`.\n
     *\n     * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n
     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUInt(): UInt = data.toUInt()\n    /** Returns this
    value. */\n    @kotlin.internal.InlineOnly\n    public inline fun toULong(): ULong = this\n    /**\n     * Converts
    this [ULong]
    value to [Float].\n     *\n     * The resulting value is the closest `Float` to this `ULong` value.\n     *\n
     * In case when this `ULong` value is exactly between two `Float`s,\n     * the one with zero at least significant
    bit of mantissa is
    selected.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toFloat(): Float = this.toDouble().toFloat()\n
    /**\n     * Converts this [ULong] value to [Double].\n     *\n     * The resulting value is the closest `Double`
    to
    this `ULong` value.\n     *\n     * In case when this `ULong` value is exactly between two `Double`s,\n     *
    the one with zero at
    least significant bit of mantissa is selected.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun
    toDouble():
    Double = ulongToDouble(data)\n\n    public override fun toString(): String = ulongToString(data)\n\n\n    /**\n
     * Converts this [Byte] value to [ULong].\n     *\n     * If this value is positive, the resulting `ULong` value
    represents
    the same numerical value as this `Byte`.\n     *\n     * The least significant 8 bits of the resulting `ULong`
    value
    are the same as the bits of this `Byte` value,\n     * whereas the most significant 56 bits are filled with the sign
    bit of
    this value.\n     */\n    @SinceKotlin("1.3")\n    @ExperimentalUnsignedTypes\n    @kotlin.internal.InlineOnly\n
    public inline fun
    Byte.toULong(): ULong = ULong(this.toLong())\n    /**\n     * Converts this [Short] value to [ULong].\n     *\n
     * If
    this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n     *\n
     * The least
  
```

significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value, whereas the most significant 48 bits are filled with the sign bit of this value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int] value to [ULong].\n *\n * If this value  
is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n *\n * The least  
significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n *\n * whereas the most  
significant 32 bits are filled with the sign bit of this value.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value  
is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting  
`ULong` value has the same binary representation as this `Long` value.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Long.toULong(): ULong = ULong(this)\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional  
part, if any, is rounded down.\n *\n * Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if  
it's bigger than `ULong.MAX_VALUE`.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double] value to [ULong].\n *\n * The fractional  
part, if any, is rounded down.\n *\n * Returns zero if this `Double` value is negative or `NaN`,  
[ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Double.toULong(): ULong = doubleToULong(this)\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this  
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n//  
Auto-generated file. DO NOT EDIT!\npackage
```

```
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
```

```
UShortArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published  
Api\ninternal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\n\n /**
```

```
Creates a new array of the specified [size], with all elements initialized to zero. *\n public constructor(size: Int) :  
this(ShortArray(size))\n /**\n * Returns the array element at the given [index]. This method can be called  
using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an
```

```
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n public  
operator fun get(index: Int): UShort = storage[index].toUShort()\n /**\n * Sets the element at the given  
[index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of  
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is  
unspecified.\n *\n public operator fun set(index: Int, value: UShort) {\n storage[index] = value.toShort()\n }\n /** Returns the number of elements in the array. *\n public override val size: Int get() = storage.size\n /** Creates an iterator over the elements of the array. *\n public override operator fun iterator(): UShortIterator =
```

```
Iterator(storage)\n\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n private var  
index = 0\n override fun hasNext() = index < array.size\n override fun nextUShort() = if (index <  
array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override  
fun contains(element: UShort): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n //  
Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UShort)  
return false\n return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements:
```

```
Collection<UShort>): Boolean {\n return (elements as Collection<*>).all { it is UShort &&  
storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size ==
```

```
0\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index ->  
init(index).toShort()})\n}\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

ushortArrayOf(vararg elements: UShort): UShortArray = elements\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin\n\npublic actual interface Comparator<T> {\n    @JsName("compare")\n    actual fun
compare(a: T, b: T): Int\n}\n\npublic actual inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int):
Comparator<T> = object : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparison(a,
b)\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after
a suspension point that returns value of type `T`.\n */\n@SinceKotlin("1.3")\npublic interface Continuation<in T>
{\n    /**\n     * Context of the coroutine that corresponds to this continuation.\n     */\n    public val context:
CoroutineContext\n\n    /**\n     * Resumes the execution of the corresponding coroutine passing successful or failed
[result] as the\n     * return value of the last suspension point.\n     */\n    public fun resumeWith(result:
Result<T>)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers
for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension
`suspend` functions on this particular\n * receiver only and are restricted from calling arbitrary suspension
functions.\n\n */\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npu
blic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing
[value] as the return value of the last suspension point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline
fun <T> Continuation<T>.resume(value: T): Unit =\n    resumeWith(Result.success(value))\n\n/**\n * Resumes the
execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension
point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation<T>.resumeWithException(exception: Throwable): Unit =\n    resumeWith(Result.failure(exception))\n\n/**\n * Creates [Continuation] instance with a given [context] and a
given implementation of [resumeWith] method.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation(\n    context: CoroutineContext,\n    crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T>
=\n    object : Continuation<T> {\n        override val context: CoroutineContext\n            get() = context\n\n        override fun resumeWith(result: Result<T>) =\n            resumeWith(result)\n    }\n\n/**\n * Creates a coroutine
without receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation
every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned
[Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or
exception.\n * Repeated invocation of any resume function on the resulting continuation produces
[IllegalStateException].\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T>
(suspend () -> T).createCoroutine(\n    completion: Continuation<T>): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when
coroutine completes with result or exception.\n * Repeated invocation of any resume function on the resulting
continuation produces [IllegalStateException].\n\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n    receiver: R,\n    completion: Continuation<T>): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Starts coroutine without receiver and with result type [T].\n * This
function creates and start a new, fresh instance of suspendable computation every time it is invoked.\n * The
[completion] continuation is invoked when coroutine completes with result or exception.\n\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n    completion: Continuation<T>)\n}

```



```

createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts coroutine with receiver
type [R] and result type [T].\n * This function creates and start a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when coroutine completes with result or
exception.\n * \n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() -
> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current
continuation instance inside suspend functions and suspends\n * currently running coroutine.\n * \n * In this function
both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the
same stack-frame where suspension function is run or asynchronously later in the same thread or\n * from a
different thread of execution. Repeated invocation of any resume function produces [IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block:
(Continuation<T>) -> Unit): T =\n suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n val
safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n\n/**\n * Returns
context of the current coroutine.\n
*\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic suspend inline
val coroutineContext: CoroutineContext\n get() {\n throw NotImplementedError("Implemented as
intrinsic")\n }\n\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage
kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) {\
\n"Failed requirement." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the
[value] is null. Otherwise returns the not null value.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any>
requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return
requireNotNull(value) { "Required value was null." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failRequireWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value !=
null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { "Check failed."
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n
if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n
return checkNotNull(value) { "Required value was null." }\n}\n\n/**\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :

```

```

Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {
    contract {
        returns() implies (value != null)
    }
    if (value == null) {
        val message = lazyMessage()
        throw
        IllegalStateException(message.toString())
    } else {
        return value
    }
}

Throws an
[IllegalStateException] with the given [message].
@sample samples.misc.Preconditions.failWithError
@kotlin.internal.InlineOnly
public inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())

Copyright 2010-2019 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
package
kotlin.collections
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.js
import
primitiveArrayConcat
import withType
Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample
samples.collections.Collections.Elements.elementAt
public actual fun <T> Array<out T>.elementAt(index:
Int): T {
    return elementAtOrElse(index) {
        throw IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public
actual fun ByteArray.elementAt(index: Int): Byte {
    return elementAtOrElse(index) {
        throw
        IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample
samples.collections.Collections.Elements.elementAt
public actual fun ShortArray.elementAt(index: Int): Short
{
    return elementAtOrElse(index) {
        throw IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public
actual fun IntArray.elementAt(index: Int): Int {
    return elementAtOrElse(index) {
        throw
        IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample
samples.collections.Collections.Elements.elementAt
public actual fun LongArray.elementAt(index: Int): Long
{
    return elementAtOrElse(index) {
        throw IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public
actual fun FloatArray.elementAt(index: Int): Float {
    return elementAtOrElse(index) {
        throw
        IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample
samples.collections.Collections.Elements.elementAt
public actual fun DoubleArray.elementAt(index: Int):
Double {
    return elementAtOrElse(index) {
        throw IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public
actual fun BooleanArray.elementAt(index: Int): Boolean {
    return elementAtOrElse(index) {
        throw
        IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample
samples.collections.Collections.Elements.elementAt
public actual fun CharArray.elementAt(index: Int): Char
{
    return elementAtOrElse(index) {
        throw IndexOutOfBoundsException("index: $index, size: $size")
    }
}

Returns a [List] that wraps the original array.
public actual fun <T> Array<out T>.asList():
List<T> {
    return ArrayList<T>(this.unsafeCast<Array<Any?>>())
}

Returns a [List] that wraps the
original array.
@kotlin.internal.InlineOnly
public actual inline fun ByteArray.asList(): List<Byte> {
    return this.unsafeCast<Array<Byte>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun ShortArray.asList(): List<Short> {
    return
    this.unsafeCast<Array<Short>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun IntArray.asList(): List<Int> {
    return

```

```

this.unsafeCast<Array<Int>>().asList()\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return\n    this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n    return\n    this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n    return\n    this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return\n    this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):\n        Char {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: Char): Int {\n            if ((element as Any?) !is Char) return -1\n            return\n            this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: Char): Int {\n            if ((element as\n            Any?) !is Char) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns\n * `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same\n * elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared\n * deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of\n * other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it\n * means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out\nT>.contentDeepEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code\n * based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays\n * contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin("1.1")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out\nT>.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the\n * contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains\n * itself on any nesting level that reference\n * is rendered as `[...]` to prevent recursion.\n * \n * @sample\n * samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin("1.1")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out\nT>.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays\n * are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers\n * it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun <T> Array<out\nT>.contentEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two\n * specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the\n * same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating\n * point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun ByteArray.contentEquals(other:\nByteArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are\n * *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it\n * means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun ShortArray.contentEquals(other:\nShortArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are\n * *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * \n */

```

\* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n

```

*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ByteArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ShortArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun IntArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun LongArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun FloatArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun DoubleArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun BooleanArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun CharArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample

```

```

samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun <T> Array<out T>.contentToString():
String {\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ByteArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ShortArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun IntArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun LongArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun FloatArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun DoubleArray.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun BooleanArray.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun CharArray.contentToString(): String {\n
definedExternally\n}\n\n**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset
the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of
the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n  arrayCopy(this, destination, destinationOffset,
startIndex, endIndex)\n  return destination\n}\n\n**\n * Copies this array or its subrange into the [destination]
array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the
subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n *
@param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices
range.\n *

```

```

\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *

```

@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```

destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n  return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n  return
this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun ByteArray.copyOf(): ByteArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun ShortArray.copyOf(): ShortArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun IntArray.copyOf(): IntArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\npublic actual fun LongArray.copyOf(): LongArray {\n  return withType("LongArray",
this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun FloatArray.copyOf(): FloatArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline fun DoubleArray.copyOf(): DoubleArray {\n  return this.asDynamic().slice()\n}\n\n/**\n * Returns
new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\npublic actual fun BooleanArray.copyOf():
BooleanArray {\n  return withType("BooleanArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n *^\npublic actual fun CharArray.copyOf(): CharArray {\n  return withType("CharArray",
this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given
[newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize]
is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\npublic actual fun
ByteArray.copyOf(newSize: Int): ByteArray {\n  require(newSize >= 0) { "Invalid new array size: $newSize." }\n  return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\npublic actual fun
ShortArray.copyOf(newSize: Int): ShortArray {\n  require(newSize >= 0) { "Invalid new
array size: $newSize." }\n  return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a
copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with
zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated
to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\npublic actual fun
IntArray.copyOf(newSize: Int): IntArray {\n  require(newSize >= 0) { "Invalid new array size: $newSize." }\n  return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n *
\n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If

```



```

[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual
fun LongArray.copyOf(newSize: Int): LongArray {\n    require(newSize >= 0) { "Invalid new array size:
$newSize.\n" }\n    return withType("LongArray", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new
array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded
at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy
array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements
in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun
FloatArray.copyOf(newSize: Int): FloatArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize.\n"
}\n    return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
*\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n    require(newSize >= 0) { "Invalid new
array size: $newSize.\n" }\n    return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is
a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end
with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is
truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun
BooleanArray.copyOf(newSize: Int): BooleanArray {\n    require(newSize >= 0) { "Invalid new array size:
$newSize.\n" }\n    return withType("BooleanArray", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun
CharArray.copyOf(newSize: Int): CharArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize.\n"
}\n    return withType("CharArray", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is
a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end
with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is
truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with `null` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n    require(newSize >= 0) { "Invalid new array size: $newSize.\n" }\n    return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
*\n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must
be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,

```

```

toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ShortArray.copyOfRange(fromIndex:
Int, toIndex: Int): ShortArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n *
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must
be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*/\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType(`LongArray`,
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified
range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n
* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex:
Int, toIndex: Int): DoubleArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n *
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType(`BooleanArray`,
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified
range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n
* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun
CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType(`CharArray`,
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns an array containing all elements of the original
array and then the given [element].\n */\n@Suppress(`ACTUAL_WITHOUT_EXPECT`,
`NOTHING_TO_INLINE`)\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n    return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n */\n@Suppress(`NOTHING_TO_INLINE`)\npublic actual inline
operator fun ByteArray.plus(element: Byte): ByteArray {\n    return plus(byteArrayOf(element))\n}\n\n/**\n *
Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(`NOTHING_TO_INLINE`)\npublic actual inline operator fun ShortArray.plus(element: Short):
ShortArray {\n    return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n */\n@Suppress(`NOTHING_TO_INLINE`)\npublic actual inline
operator fun IntArray.plus(element: Int): IntArray {\n    return plus(intArrayOf(element))\n}\n\n/**\n * Returns an
array containing all elements of the original array and then the given [element].\n */\n@Suppress(`NOTHING_TO_INLINE`)\npublic actual inline operator fun LongArray.plus(element: Long):
LongArray {\n    return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n */\n@Suppress(`NOTHING_TO_INLINE`)\npublic actual inline
operator fun FloatArray.plus(element: Float): FloatArray {\n    return plus(floatArrayOf(element))\n}\n\n/**\n *

```

Returns an array containing all elements of the original array and then the given [element].

```

*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n    return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n    return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n    return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *^@public actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n    return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(elements:

```

```

LongArray): LongArray { \n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(elements:
FloatArray): FloatArray { \n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray { \n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(elements:
BooleanArray): BooleanArray { \n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(elements:
CharArray): CharArray { \n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then the given [element].\n
*\n\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> { \n    return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n
*\n\n@library("primitiveArraySort")\npublic actual fun IntArray.sort(): Unit { \n    definedExternally\n}\n\n/**\n *
Sorts the array in-place.\n *\n\npublic actual fun LongArray.sort(): Unit { \n    if (size > 1) sort { a: Long, b: Long ->
a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n *\n\n@library("primitiveArraySort")\npublic actual fun
ByteArray.sort(): Unit { \n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n
*\n\n@library("primitiveArraySort")\npublic actual fun ShortArray.sort(): Unit { \n    definedExternally\n}\n\n/**\n *
Sorts the array in-place.\n *\n\n@library("primitiveArraySort")\npublic actual fun DoubleArray.sort(): Unit { \n
definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n\n@library("primitiveArraySort")\npublic actual fun
FloatArray.sort(): Unit { \n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n
*\n\n@library("primitiveArraySort")\npublic actual fun CharArray.sort(): Unit { \n    definedExternally\n}\n\n/**\n *
Sorts the array in-place according to the natural order of its elements.\n *\n\n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *\n\npublic actual fun <T : Comparable<T>>
Array<out T>.sort(): Unit { \n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparison] function.\n *\n\n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n *\n\npublic fun <T> Array<out T>.sort(comparison: (a: T,
b: T) -> Int): Unit { \n    if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts the array in-place
according to the order specified by the given [comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit { \n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison:
(a: Short, b: Short) -> Int): Unit { \n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according
to the order specified by the given [comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit { \n    asDynamic().sort(comparison)\n}\n\n/**\n *
Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int):
Unit { \n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by
the given [comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline
comparison: (a: Float, b: Float) -> Int): Unit { \n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit { \n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n\n\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a:

```

Char, b: Char) -> Int): Unit { \n asDynamic().sort(comparison)\n}\n\n/\*\* \n \* Sorts the array in-place according to the order specified by the given [comparator]. \n \* \n \* The sort is \_stable\_. It means that equal elements preserve their order relative to each other after sorting. \n \*/ \npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit { \n if (size > 1) sortArrayWith(this, comparator)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun ByteArray.toTypedArray(): Array<Byte> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun ShortArray.toTypedArray(): Array<Short> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun IntArray.toTypedArray(): Array<Int> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun LongArray.toTypedArray(): Array<Long> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun FloatArray.toTypedArray(): Array<Float> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun DoubleArray.toTypedArray(): Array<Double> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> { \n return js("[\]").slice.call(this)\n}\n\n/\*\* \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \*/ \npublic actual fun CharArray.toTypedArray(): Array<Char> { \n return Array(size) { index -> this[index] }\n}\n\n"/ \n \* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n \* that can be found in the license/LICENSE.txt file. \n

```

* \n @file:kotlin.jvm.JvmName("ComparisonsKt") \n @file:kotlin.jvm.JvmMultifileClass \n npackage
kotlin.comparisons \n \n /** \n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison. \n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable] \n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not \n * compare as equal, the result of that comparison is returned. \n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors \n * \npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int { \n require(selectors.size > 0) \n return
compareValuesByImpl(a, b, selectors) \n } \n \nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?): Int { \n for (fn in selectors) { \n val v1 = fn(a) \n val v2 = fn(b) \n
val diff = compareValues(v1, v2) \n if (diff != 0) return diff \n } \n return 0 \n } \n \n /** \n * Compares two
values using the specified [selector] function to calculate the result of the comparison. \n * The function is applied to
the given values [a] and [b] and return [Comparable] objects. \n * The result of comparison of these [Comparable]
instances is returned. \n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector \n
* \n @kotlin.internal.InlineOnly \npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->
Comparable<*>?): Int { \n return compareValues(selector(a), selector(b)) \n } \n \n /** \n * Compares two values
using the specified [selector] function to calculate the result of the comparison. \n * The function is applied to the
given values [a] and [b] and return objects of type K which are then being \n * compared with the given
[comparator]. \n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator \n
* \n @kotlin.internal.InlineOnly \npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in
K>, selector: (T) -> K): Int { \n return comparator.compare(selector(a), selector(b)) \n } \n \n /// Not so useful without
type inference for receiver of expression \n /// compareValuesWith(v1, v2, compareBy { it.prop1 }
thenByDescending { it.prop2 }) \n /// \n /** \n * Compares two values using the specified [comparator]. \n //
* \n @Suppress("NOTHING_TO_INLINE") \n //public inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b) \n \n /** \n * Compares two nullable [Comparable] values. Null
is considered less than any value. \n * \n * @sample samples.comparisons.Comparisons.compareValues \n * \npublic
fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int { \n if (a === b) return 0 \n if (a == null) return -1 \n
if (b == null) return 1 \n \n @Suppress("UNCHECKED_CAST") \n return (a as

```

```

Comparable<Any>.compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a
result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do
not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample
samples.comparisons.Comparisons.compareToWithSelectors\n *\n\npublic fun <T> compareToWithSelectors(vararg selectors: (T)
-> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareToValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareToWithSingleSelector\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareToWithSingleSelector(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->
compareToValuesBy(a, b, selector) }\n}\n\n\n/**\n * Creates a comparator using the [selector] function to transform values
being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample
samples.comparisons.Comparisons.compareToWithComparator\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun <T, K> compareToWithComparator(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->
compareToValuesBy(a, b, comparator, selector) }\n}\n\n\n/**\n * Creates a descending comparator
using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareToDescendingWithSingleSelector\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareToDescending(crossinline selector: (T) ->
Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->
compareToValuesBy(b, a, selector) }\n}\n\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then
applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is
reversed by this wrapper.\n *\n * @sample
samples.comparisons.Comparisons.compareToDescendingWithComparator\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareToDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->
compareToValuesBy(b, a, comparator,
selector) }\n}\n\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It
uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenBy\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -
>\n        val previousCompare = this@thenBy.compareTo(a, b)\n        if (previousCompare != 0) previousCompare else
compareToValuesBy(a, b, selector)\n    }\n}\n\n\n/**\n * Creates a comparator comparing values after the primary
comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with
the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByWithComparator\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByWithComparator(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@thenBy.compareTo(a, b)\n        if (previousCompare != 0) previousCompare else compareToValuesBy(a, b,
comparator, selector)\n    }\n}\n\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the
function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenByDescending\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compareTo(a, b)\n        if
(previousCompare != 0) previousCompare else compareToValuesBy(b, a, selector)\n    }\n}\n\n\n/**\n * Creates a
descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector]
function to transform values and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByDescendingWithComparator\n *\n\n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> Comparator<T>.thenByDescendingWithComparator(comparator: Comparator<in K>, crossinline selector: (T) ->
K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compareTo(a,
b)\n        if (previousCompare != 0) previousCompare else compareToValuesBy(b, a, comparator, selector)\n    }\n}

```

```

}

/**
 * Creates a comparator using the primary comparator and function to calculate a result of comparison.
 * @sample samples.comparisons.Comparisons.thenComparator
 */
@kotlin.internal.InlineOnly
public inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenComparator.compare(a, b)
        if (previousCompare != 0) previousCompare else comparison(a, b)
    }

/**
 * Combines this comparator and the given [comparator] such that the latter is applied only when the former considered values equal.
 * @sample samples.comparisons.Comparisons.then
 */
public infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@then.compare(a, b)
        if (previousCompare != 0) previousCompare else comparator.compare(a, b)
    }

/**
 * Combines this comparator and the given [comparator] such that the latter is applied only when the former considered values equal.
 * @sample samples.comparisons.Comparisons.thenDescending
 */
public infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =
    Comparator<T> { a, b ->
        val previousCompare = this@thenDescending.compare(a, b)
        if (previousCompare != 0) previousCompare else comparator.compare(b, a)
    }

// Not so useful without type inference for receiver of expression
/**
 * Extends the given [comparator] of non-nullable values to a comparator of nullable values considering `null` value less than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator
 */
public fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =
    Comparator { a, b ->
        when {
            a == b -> 0
            a == null -> -1
            b == null -> 1
            else -> comparator.compare(a, b)
        }
    }

/**
 * Provides a comparator of nullable [Comparable] values considering `null` value less than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastComparator
 */
@kotlin.internal.InlineOnly
public inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
    nullsFirst(naturalOrder())

/**
 * Extends the given [comparator] of non-nullable values to a comparator of nullable values considering `null` value greater than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator
 */
public fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =
    Comparator { a, b ->
        when {
            a == b -> 0
            a == null -> 1
            b == null -> -1
            else -> comparator.compare(a, b)
        }
    }

/**
 * Provides a comparator of nullable [Comparable] values considering `null` value greater than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastComparator
 */
@kotlin.internal.InlineOnly
public inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
    nullsLast(naturalOrder())

/**
 * Returns a comparator that compares [Comparable] objects in natural order.
 * @sample samples.comparisons.Comparisons.naturalOrderComparator
 */
public fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as Comparator<T>)

/**
 * Returns a comparator that compares [Comparable] objects in reversed natural order.
 * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator
 */
public fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)

/**
 * Returns a comparator that imposes the reverse ordering of this comparator.
 * @sample samples.comparisons.Comparisons.reversed
 */
public fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {
    is ReversedComparator -> this.comparator
    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)
    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as Comparator<T>)
    else -> ReversedComparator(this)
}

private class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {
    override fun compare(a: T, b: T): Int = comparator.compare(b, a)
    @Suppress("VIRTUAL_MEMBER_HIDDEN")
    fun reversed(): Comparator<T> = comparator
}

private object NaturalOrderComparator : Comparator<Comparable<Any>> {
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)
    @Suppress("VIRTUAL_MEMBER_HIDDEN")
    fun reversed(): Comparator<Comparable<Any>> = ReverseOrderComparator
}

private object ReverseOrderComparator : Comparator<Comparable<Any>> {

```

```

override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress(\\"VIRTUAL_MEMBER_HIDDEN\\")\n fun reversed(): Comparator<Comparable<Any>> =\n
NaturalOrderComparator<Any>()\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by\n
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"StandardKt\\")\npackage kotlin\n\nimport\n
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\n\npublic class NotImplementedError(message: String = \\"An operation is not implemented.\") :  

Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n * @param reason a string explaining why the implementation is missing.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError(\\"An operation is not implemented: $reason\\")\n\n\n/**\n * Calls the specified function [block] and returns its result.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return block()\n}\n\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return receiver.block()\n}\n\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n block()\n\n return this\n}\n\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n
*\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\\"1.1\\")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n block(this)\n\n return this\n}\n\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return block(this)\n}\n\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n
*\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\\"1.1\\")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n\n return if (predicate(this)) this else null\n}\n\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n
*\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\\"1.1\\")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n\n return if (!predicate(this)) this else null\n}\n\n\n/**\n * Executes the given function [action] specified number of [times].\n
*\n * A zero-based index of current iteration is passed as a parameter to [action].\n
*\n * @sample samples.misc.ControlFlow.repeat\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
*\n * that can be found in the license/LICENSE.txt file.\n
*\n\npackage\n
kotlin.comparisons\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.js.*\n\n\n/**\n * Returns the greater of two values.\n
*\n * If values are equal, returns the first one.\n
*\n\n@SinceKotlin(\\"1.1\\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n\n/**\n * Returns the greater of two values.\n
*\n\n@SinceKotlin(\\"1.1\\")\n@kotlin.internal.InlineOnly\n@Suppress(\\"DEPRECATION_ERROR\\")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n\n**\n */

```



```

* Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short): Short {\n    return Math.max(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int): Int {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun maxOf(a: Long, b: Long): Long {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float): Float {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double): Double {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of
three values.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n
return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short, c: Short): Short {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,
c: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float, c: Float): Float {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater
of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the
smaller of two values.\n
*\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic actual fun
<T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n
* Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short): Short {\n    return Math.min(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int): Int {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float): Float {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n

```

```

*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Double, b: Double): Double {n    return Math.min(a, b)}n}n/n/**n * Returns the smaller of
three values.n *\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {n
return minOf(a, minOf(b, c))}n}n/n/**n * Returns the smaller of three values.n
*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()}n}n/n/**n * Returns the smaller of three values.n
*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Short, b: Short, c: Short): Short {n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()}n}n/n/**n * Returns the smaller of three values.n
*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Int, b: Int, c: Int): Int {n    return Math.min(a, b, c)}n}n/n/**n * Returns the smaller of three
values.n *\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual inline fun minOf(a: Long, b: Long,
c: Long): Long {n    return minOf(a, minOf(b, c))}n}n/n/**n * Returns the smaller of three values.n
*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Float, b: Float, c: Float): Float {n    return Math.min(a, b, c)}n}n/n/**n * Returns the smaller
of three values.n
*\/n@SinceKotlin("1.1")n@kotlin.internal.InlineOnlyn@Suppress("DEPRECATION_ERROR")npublic actual
inline fun minOf(a: Double, b: Double, c: Double): Double {n    return Math.min(a, b, c)}n}n/n,"/*n * Copyright
2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license n * that can be found in
the license/LICENSE.txt file.n
*\/n@file:kotlin.jvm.JvmMultifileClassn@file:kotlin.jvm.JvmName("CollectionsKt")n\npackage
kotlin.collectionsn\n\n/n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*n\n/n/**n * Returns 1st
*element* from the collection.n *\/n@kotlin.internal.InlineOnlynpublic inline operator fun <T>
List<T>.component1(): T {n    return get(0)}n}n/n/**n * Returns 2nd *element* from the collection.n
*\/n@kotlin.internal.InlineOnlynpublic inline operator fun <T> List<T>.component2(): T {n    return
get(1)}n}n/n/**n * Returns 3rd *element* from the collection.n *\/n@kotlin.internal.InlineOnlynpublic inline
operator fun <T> List<T>.component3(): T {n    return get(2)}n}n/n/**n * Returns 4th *element* from the
collection.n *\/n@kotlin.internal.InlineOnlynpublic inline operator fun <T> List<T>.component4(): T {n    return
get(3)}n}n/n/**n * Returns 5th *element* from the collection.n *\/n@kotlin.internal.InlineOnlynpublic inline
operator fun <T> List<T>.component5(): T {n    return get(4)}n}n/n/**n * Returns `true` if [element] is found in
the collection.n *\/npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T):
Boolean {n    if (this is Collection)n        return contains(element)n    return indexOf(element) >= 0}n}n/n/**n *
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds
of this collection.n * n * @sample samples.collections.Collections.Elements.elementAt\n *\/npublic fun <T>
Iterable<T>.elementAt(index: Int): T {n    if (this is List)n        return get(index)n    return
elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index
$index.") }}n}n/n/**n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this list.n * n * @sample samples.collections.Collections.Elements.elementAt\n
*\/n@kotlin.internal.InlineOnlynpublic inline fun <T> List<T>.elementAt(index: Int): T {n    return
get(index)}n}n/n/**n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this collection.n * n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\/npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {n    if (this is List)n        return
this.getOrElse(index, defaultValue)n    if (index < 0)n        return defaultValue(index)n    val iterator = iterator()n
var count = 0n    while (iterator.hasNext()) {n        val element = iterator.next()n        if (index == count++)n
return elementn    }n    return defaultValue(index)}n}n/n/**n * Returns an element at the given [index] or the

```

result of calling the [defaultValue] function if the [index] is out of bounds of this list.

```

samples.collections.Collections.Elements.elementAtOrElse
@kotlin.internal.InlineOnly
public inline fun
<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)
}
Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.
samples.collections.Collections.Elements.elementAtOrNull
@kotlin.internal.InlineOnly
public fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? {
    if (this is List)
        return this.getOrNull(index)
    if (index <
0)
        return null
    val iterator = iterator()
    var count = 0
    while (iterator.hasNext()) {
        val element =
iterator.next()
        if (index == count++)
            return element
    }
    return null
}
Returns an
element at the given [index] or `null` if the [index] is out of bounds of this list.
samples.collections.Collections.Elements.elementAtOrNull
@kotlin.internal.InlineOnly
public inline fun
<T> List<T>.elementAtOrNull(index: Int): T? {
    return this.getOrNull(index)
}
Returns the first
element matching the given [predicate], or `null` if no such element was found.
@kotlin.internal.InlineOnly
public inline fun <T>
Iterable<T>.find(predicate: (T) -> Boolean): T? {
    return
firstOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such
element was found.
@kotlin.internal.InlineOnly
public inline fun <T>
Iterable<T>.findLast(predicate: (T) ->
Boolean): T? {
    return lastOrNull(predicate)
}
Returns the last element matching the given
[predicate], or `null` if no such element was found.
@kotlin.internal.InlineOnly
public inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? {
    return lastOrNull(predicate)
}
Returns first
element.
@throws [NoSuchElementException] if the collection is empty.
public fun <T>
Iterable<T>.first(): T {
    when (this) {
        is List -> return this.first()
        else -> {
            val iterator =
iterator()
            if (!iterator.hasNext())
                throw NoSuchElementException("Collection is empty.")
            return iterator.next()
        }
    }
}
Returns first element.
@throws [NoSuchElementException]
if the list is empty.
public fun <T> List<T>.first(): T {
    if (isEmpty())
        throw
NoSuchElementException("List is empty.")
    return this[0]
}
Returns the first element matching the
given [predicate].
@throws [NoSuchElementException] if no such element is found.
public inline fun <T>
Iterable<T>.first(predicate: (T) -> Boolean): T {
    for (element in this)
        if (predicate(element))
            return element
    throw NoSuchElementException("Collection contains no element matching the predicate.")
}
Returns
the first element, or `null` if the collection is empty.
public fun <T>
Iterable<T>.firstOrNull(): T? {
    when
(this) {
        is List -> {
            if (isEmpty())
                return null
            else
                return this[0]
        }
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
                return null
            return iterator.next()
        }
    }
}
Returns the first element, or `null` if the list is empty.
public
fun <T> List<T>.firstOrNull(): T? {
    return if (isEmpty()) null else this[0]
}
Returns the first element
matching the given [predicate], or `null` if element was not found.
public inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in this)
        if (predicate(element))
            return
element
    return null
}
Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.
@kotlin.internal.InlineOnly
public inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)
}
Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.
public fun <T> List<T>.getOrNull(index: Int): T? {
    return if (index >=
0 && index <= lastIndex) get(index) else null
}
Returns first index of [element], or -1 if the collection
does not contain element.
@kotlin.internal.OnlyInputTypes T
public fun <T>
Iterable<T>.indexOf(element: T):
Int {
    if (this is List)
        return this.indexOf(element)
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element == item)
            return index
        index++
    }
    return -
1
}
Returns first index of [element], or -1 if the list does not contain element.
@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases
public fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {
    return
indexOf(element)
}
Returns index of the first element matching the given [predicate], or -1 if the

```

```

collection does not contain such element.\n *\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) ->
Boolean): Int {\n  var index = 0\n  for (item in this) {\n    checkIndexOverflow(index)\n    if
(predicate(item))\n      return index\n      index++\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the list does not contain such element.\n *\npublic inline fun <T>
List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  var index = 0\n  for (item in this) {\n    if
(predicate(item))\n      return index\n      index++\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the collection does not contain such element.\n *\npublic inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  var lastIndex = -1\n  var index = 0\n  for (item
in this) {\n    checkIndexOverflow(index)\n    if (predicate(item))\n      lastIndex = index\n      index++\n  }\n  return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list
does not contain such element.\n *\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n
val iterator = this.listIterator(size)\n  while (iterator.hasPrevious()) {\n    if (predicate(iterator.previous())) {\n
return iterator.nextIndex()\n    }\n  }\n  return -1\n}\n\n/**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the collection is empty.\n *\npublic fun <T> Iterable<T>.last(): T {\n  when (this)
{\n    is List -> return this.last()\n    else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        throw NoSuchElementException("Collection is empty.")\n      var last = iterator.next()\n      while
(iterator.hasNext())\n        last = iterator.next()\n      return last\n    }\n  }\n}\n\n/**\n * Returns the last
element.\n * @throws [NoSuchElementException] if the list is empty.\n *\npublic fun <T> List<T>.last(): T {\n
if (isEmpty())\n  throw NoSuchElementException("List is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n  var last: T? =
null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      last = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return last as T\n}\n\n/**\n * Returns the
last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n  val iterator = this.listIterator(size)\n
while (iterator.hasPrevious()) {\n    val element = iterator.previous()\n    if (predicate(element)) return
element\n  }\n  throw NoSuchElementException("List contains no element matching the predicate.")\n}\n\n/**\n
* Returns last index of [element], or -1 if the collection does not contain element.\n *\npublic fun
<@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n  if (this is List) return
this.lastIndexOf(element)\n  var lastIndex = -1\n  var index = 0\n  for (item in this) {\n
checkIndexOverflow(index)\n    if (element == item)\n      lastIndex = index\n      index++\n  }\n  return
lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n
*\npublic fun @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n  return
lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n *\npublic fun
<T> Iterable<T>.lastOrNull(): T? {\n  when (this) {\n    is List -> return if (isEmpty()) null else this[size - 1]\n
else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        return null\n      var last =
iterator.next()\n      while (iterator.hasNext())\n        last = iterator.next()\n      return last\n    }\n  }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n *\npublic fun <T> List<T>.lastOrNull(): T?
{\n  return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n *\npublic inline fun <T> Iterable<T>.lastOrNull(predicate:
(T) -> Boolean): T? {\n  var last: T? = null\n  for (element in this) {\n    if (predicate(element)) {\n      last =
element\n    }\n  }\n  return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null`
if no such element was found.\n *\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n
val iterator = this.listIterator(size)\n  while (iterator.hasPrevious()) {\n    val element = iterator.previous()\n
if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns a random element from this
collection.\n * @throws NoSuchElementException if this collection is empty.\n

```

```

*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun <T> Collection<T>.random(): T {n
return random(Random)n}n/n/**n * Returns a random element from this collection using the specified source of
randomness.n * n * @throws NoSuchElementException if this collection is empty.n
*\/n@SinceKotlin("1.3")npublic fun <T> Collection<T>.random(random: Random): T {n if (isEmpty())n
throw NoSuchElementException("Collection is empty.")n return elementAt(random.nextInt(size))n}n/n/**n *
Returns the single element, or throws an exception if the collection is empty or has more than one element.n
*\/npublic fun <T> Iterable<T>.single(): T {n when (this) {n is List -> return this.single()n else -> {n
val iterator = iterator()n if (iterator.hasNext())n throw NoSuchElementException("Collection
is empty.")n val single = iterator.next()n if (iterator.hasNext())n throw
IllegalArgumentException("Collection has more than one element.")n return single\n }n
}n}n/n/**n * Returns the single element, or throws an exception if the list is empty or has more than one
element.n *\/npublic fun <T> List<T>.single(): T {n return when (size) {n 0 -> throw
NoSuchElementException("List is empty.")n 1 -> this[0]n else -> throw
IllegalArgumentException("List has more than one element.")n }n}n/n/**n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.n *\/npublic
inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {n var single: T? = nulln var found = false\n
for (element in this) {n if (predicate(element)) {n if (found) throw
IllegalArgumentException("Collection contains more than one matching element.")n single = element\n
found = true\n }n }n if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")n @Suppress("UNCHECKED_CAST")n return single as T\n}n/n/**n * Returns
single element, or `null` if the collection is empty or has more than one element.n *\/npublic fun <T>
Iterable<T>.singleOrNull(): T? {n when (this) {n is List -> return if (size == 1) this[0] else null\n else ->
{n val iterator = iterator()n if (iterator.hasNext())n return null\n val single =
iterator.next()n if (iterator.hasNext())n return null\n return single\n }n }n}n/n/**n
* Returns single element, or `null` if the list is empty or has more than one element.n *\/npublic fun <T>
List<T>.singleOrNull(): T? {n return if (size == 1) this[0] else null\n}n/n/**n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.n *\/npublic
inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {n var single: T? = nulln var found =
false\n for (element in this) {n if (predicate(element)) {n if (found) return null\n single =
element\n found = true\n }n }n if (!found) return null\n return single\n}n/n/**n * Returns a list
containing all elements except first [n] elements.n * n * @throws IllegalArgumentException if [n] is negative.n *
n * @sample samples.collections.Collections.Transformations.drop\n *\/npublic fun <T> Iterable<T>.drop(n: Int):
List<T> {n require(n >= 0) { "Requested element count $n is less than zero." }n if (n == 0) return toList()n
val list: ArrayList<T>\n if (this is Collection<*>) {n val resultSize = size - n\n if (resultSize <= 0)\n
return emptyList()n if (resultSize == 1)\n return listOf(last())n list = ArrayList<T>(resultSize)\n
if (this is List<T>) {n if (this is RandomAccess) {n for (index in n until size)\n
list.add(this[index])n } else {n for (item in listIterator(n))n list.add(item)\n }n
return list\n }n }n else {n list = ArrayList<T>()\n }n var count = 0\n for (item in this) {n
if (count++ >= n) list.add(item)\n }n return list.optimizeReadOnlyList()\n}n/n/**n * Returns a list
containing all elements except last [n] elements.n * n * @throws IllegalArgumentException if [n] is negative.n *
n * @sample samples.collections.Collections.Transformations.drop\n *\/npublic fun <T> List<T>.dropLast(n: Int):
List<T> {n require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))\n}n/n/**n * Returns a list containing all elements except last elements that satisfy the given
[predicate].n * n * @sample samples.collections.Collections.Transformations.drop\n *\/npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {n if (!isEmpty()) {n val iterator =
listIterator(size)\n while (iterator.hasPrevious()) {n if (!predicate(iterator.previous())) {n return
take(iterator.nextIndex() + 1)\n }n }n }n return emptyList()\n}n/n/**n * Returns a list containing
all elements except first elements that satisfy the given [predicate].n * n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *^\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *^\npublic
inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *^\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) ->
Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n *^\npublic inline
fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements that are
instances of specified type parameter R.\n *^\npublic inline fun <reified R> Iterable<*>.filterIsInstance():
List<@kotlin.internal.NoInfer R> {\n    return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *^\npublic inline fun <reified
R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if
(element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements
not matching the given [predicate].\n *^\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean):
List<T> {\n    return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that
are not `null`.\n *^\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n    return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n
*^\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n    for
(element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *^\npublic inline fun <T, C :
MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element
in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n *^\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element))
destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing elements at indices in the
specified [indices] range.\n *^\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if
(indices.isEmpty()) return listOf()\n    return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n
* Returns a list containing elements at specified [indices].\n *^\npublic fun <T> List<T>.slice(indices:
Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n
val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n *^\npublic fun <T> Iterable<T>.take(n: Int):
List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    if (this is Collection<T>) {\n        if (n >= size) return toList()\n        if (n == 1) return
listOf(first())\n    }\n    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this
is RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in
listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last elements

```

```

satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return
emptyList()\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if
(!predicate(iterator.previous())) {\n iterator.next()\n val expectedSize = size - iterator.nextIndex()\n
if (expectedSize == 0) return emptyList()\n return ArrayList<T>(expectedSize).apply {\n while
(iterator.hasNext())\n add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n }\n return list}\n}\n\n/**\n * Reverses elements in the list in-place.\n *^\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n *^\npublic fun <T> Iterable<T>.reversed(): List<T> {\n if (this is Collection && size <= 1) return toList()\n val
list = toMutableList()\n list.reverse()\n return list}\n}\n\n/**\n * Sorts elements in the list in-place according to
natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R :
Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareBy(selector))}\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareByDescending(selector))}\n}\n\n/**\n * Sorts elements in the list in-place descending according to
their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *^\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortWith(reverseOrder())}\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*\n *^\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n if (this is Collection) {\n if (size <= 1)
return this.toList()\n @Suppress("UNCHECKED_CAST")\n return (toTypedArray<Comparable<T>>())
as Array<T>).apply { sort() }.asList()\n }\n }\n return toMutableList().apply { sort() }\n}\n}\n\n/**\n * Returns a list of
all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *^\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareBy(selector))}\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareByDescending(selector))}\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *^\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T>
{\n return sortedWith(reverseOrder())}\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *^\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n if (this is
Collection) {\n if (size <= 1) return this.toList()\n @Suppress("UNCHECKED_CAST")\n return
(toTypedArray<Any?>()) as Array<T>).apply { sortWith(comparator) }.asList()\n }\n }\n return
toMutableList().apply { sortWith(comparator) }\n}\n}\n\n/**\n * Returns an array of Boolean containing all of the
elements of this collection.\n *^\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n val result
= BooleanArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return
result}\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n *^\npublic fun
Collection<Byte>.toByteArray(): ByteArray {\n val result = ByteArray(size)\n var index = 0\n for (element in

```

```

this)\n    result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the
elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n    val result =
CharArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun
Collection<Double>.toDoubleArray(): DoubleArray {\n    val result = DoubleArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Float containing
all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n    val result
= FloatArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun
Collection<Int>.toIntArray(): IntArray {\n    val result = IntArray(size)\n    var index = 0\n    for (element in this)\n
        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Long containing all of the elements
of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n    val result =
LongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun
Collection<Short>.toShortArray(): ShortArray {\n    val result = ShortArray(size)\n    var index = 0\n    for (element
in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs
provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would
have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order
of the original collection.\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>):
Map<K, V> {\n    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements
from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and
indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given
collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>>
Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n
        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline
fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element),
valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n *
\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n    for
(element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a

```



[Map] where keys are elements from the given collection and values are `\n * produced by the [valueSelector]` function applied to each element.`\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith``\n * \n * @SinceKotlin("1.3")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection, \n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @SinceKotlin("1.3")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n**\n * Appends all elements to the given [destination] collection.\n * \n * @public fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n**\n * Returns a [HashSet] of all elements.\n * \n * @public fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n**\n * Returns a [List] containing all elements.\n * \n * @public fun <T> Iterable<T>.toList(): List<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else iterator().next())\n else -> this.toMutableList()\n }\n }\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n**\n * Returns a [MutableList] filled with all elements of this collection.\n * \n * @public fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n**\n * Returns a [MutableList] filled with all elements of this collection.\n * \n * @public fun <T> Collection<T>.toMutableList(): MutableList<T> {\n return ArrayList(this)\n}\n\n**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * @public fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @public inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n * \n * @public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n**\n * Groups elements of the original collection by the key returned by the given [keySelector] function \n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy``\n * \n * @public inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection \n * by the key returned by the given [keySelector] function applied to the element \n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues``\n * \n * @public inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n**\n * Groups elements of the original collection by the key returned by the given [keySelector] function \n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The`

```

[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) ->
K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original collection\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n public inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n * \n @SinceKotlin("1.1")\n public inline fun <T, K>
Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K>
{\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element:
T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original collection.\n * \n public inline fun <T, R>
Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original collection.\n * @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n * \n public inline fun <T,
R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n * \n public inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n
* @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n * \n public inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed {
index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original collection\n * and appends the
results to the given [destination].\n * @param [transform] function that takes the index of an element and the
element itself\n * and returns the result of the transform applied to the element.\n * \n public inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var
index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return
destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each element in the original collection.\n * \n public inline fun <T, R : Any>
Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and
appends only the non-null results to the given [destination].\n * \n public inline fun <T, R : Any, C :
MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach {
element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original collection\n * and appends the results to the given
[destination].\n * \n public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C,

```

```

transform: (T) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination}\n}\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original collection.\n
*/\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n  return IndexingIterable { iterator()
}\n}\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * The elements in
the resulting list are in the same order as they were in the source collection.\n */\npublic fun <T>
Iterable<T>.distinct(): List<T> {\n  return this.toMutableSet().toList()\n}\n/**\n * Returns a list containing only
elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The
elements in the resulting list are in the same order as they were in the source collection.\n */\npublic inline fun <T,
K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n  val set = HashSet<K>()\n  val list =
ArrayList<T>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n}\n/**\n * Returns a set containing all elements that are contained by both this set and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix
fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n  val set = this.toMutableSet()\n  set.retainAll(other)\n  return set}\n}\n/**\n * Returns a set containing all elements that are contained by this
collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration
order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n
val set = this.toMutableSet()\n  set.removeAll(other)\n  return set}\n}\n/**\n * Returns a mutable set containing
all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the
original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n  return when (this) {\n
is Collection<T> -> LinkedHashSet(this)\n    else -> toCollection(LinkedHashSet<T>())\n  }\n}\n}\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in
the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>):
Set<T> {\n  val set = this.toMutableSet()\n  set.addAll(other)\n  return set}\n}\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic
inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n  if (this is Collection && isEmpty()) return
true\n  for (element in this) if (!predicate(element)) return false\n  return true}\n}\n/**\n * Returns `true` if
collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic
fun <T> Iterable<T>.any(): Boolean {\n  if (this is Collection) return !isEmpty()\n  return
iterator().hasNext()\n}\n}\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@param samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T>
Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n  if (this is Collection && isEmpty()) return false\n  for
(element in this) if (predicate(element)) return true\n  return false}\n}\n}\n/**\n * Returns the number of elements in
this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n  if (this is Collection) return size\n  var count =
0\n  for (element in this) checkCountOverflow(++count)\n  return count}\n}\n}\n/**\n * Returns the number of
elements in this collection.\n * @kotlin.internal.InlineOnly\n */\npublic inline fun <T> Collection<T>.count(): Int {\n
return size}\n}\n}\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T>
Iterable<T>.count(predicate: (T) -> Boolean): Int {\n  if (this is Collection && isEmpty()) return 0\n  var count =
0\n  for (element in this) if (predicate(element)) checkCountOverflow(++count)\n  return count}\n}\n}\n}\n *
Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R
{\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return
accumulator}\n}\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation:
(index: Int, acc: R, T) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator
= operation(checkIndexOverflow(index++), accumulator, element)\n  return accumulator}\n}\n}\n}\n *

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            accumulator = operation(iterator.previous(), accumulator)
        }
    }
    return accumulator
}

```

\* Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            val index = iterator.previousIndex()
            accumulator = operation(index, iterator.previous(), accumulator)
        }
    }
    return accumulator
}

```

\* Performs the given [action] on each element.

```

@kotlin.internal.HidesMembers
public inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

```

\* Performs the given [action] on each element, providing sequential index with the element.

@param [action] function that takes the index of an element and the element itself and performs the desired action on the element.

```

public inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(checkIndexOverflow(index++), item)
}

```

\* Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

```

\* Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

```

\* Returns the largest element or `null` if there are no elements.

\* Returns the first element yielding the largest value of the given function or `null` if there are no elements.

\* @sample samples.collections.Collections.Aggregates.maxBy

```

public inline fun <T, R> Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    var maxValue = selector(maxElem)
    while (iterator.hasNext()) {
        val e = iterator.next()
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

```

\* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

```

public inline fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

```

\* Returns the smallest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Double>.min(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

```

\* Returns the smallest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Float>.min(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

```

\* Returns the smallest element or `null` if there are no elements.

```

public inline fun <T> Comparable<T>> Iterable<T>.min(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var

```

```

min = iterator.next()\n while (iterator.hasNext()) {\n     val e = iterator.next()\n     if (min > e) min = e\n }
return min\n\n\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n * ^\npublic inline fun <T, R :
Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n     val iterator = iterator()\n     if (!iterator.hasNext())
return null\n     var minElem = iterator.next()\n     var minValue = selector(minElem)\n     while (iterator.hasNext())
{\n         val e = iterator.next()\n         val v = selector(e)\n         if (minValue > v) {\n             minElem = e\n
minValue = v\n         }\n     }\n     return minElem\n}\n\n\n * Returns the first element having the smallest value
according to the provided [comparator] or `null` if there are no elements.\n * ^\npublic fun <T>
Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n     val iterator = iterator()\n     if (!iterator.hasNext())
return null\n     var min = iterator.next()\n     while (iterator.hasNext()) {\n         val e = iterator.next()\n         if
(comparator.compare(min, e) > 0) min = e\n     }\n     return min\n}\n\n\n * Returns `true` if the collection has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n * ^\npublic fun <T>
Iterable<T>.none(): Boolean {\n     if (this is Collection) return isEmpty()\n     return !iterator().hasNext()\n}\n\n\n\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n * ^\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n     if (this is Collection && isEmpty()) return true\n     for
(element in this) if (predicate(element)) return false\n     return true\n}\n\n\n\n * Performs the given [action] on each
element and returns the collection itself afterwards.\n * ^\n@SinceKotlin("1.1")\npublic inline fun <T, C :
Iterable<T>> C.onEach(action: (T) -> Unit): C {\n     return apply { for (element in this) action(element)
}\n}\n\n\n\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * ^\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc:
S, T) -> S): S {\n     val iterator = this.iterator()\n     if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty collection can't be reduced.")\n     var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n         accumulator = operation(accumulator, iterator.next())\n     }\n     return
accumulator\n}\n\n\n\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself and
calculates the next accumulator value.\n * ^\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation:
(index: Int, acc: S, T) -> S): S {\n     val iterator = this.iterator()\n     if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty collection can't be reduced.")\n     var index = 1\n     var accumulator: S =
iterator.next()\n     while (iterator.hasNext()) {\n         accumulator = operation(checkIndexOverflow(index++),
accumulator, iterator.next())\n     }\n     return accumulator\n}\n\n\n\n * Accumulates value starting with last element
and applying [operation] from right to left to each element and current accumulator value.\n * ^\npublic inline fun
<S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n     val iterator = listIterator(size)\n     if
(!iterator.hasPrevious())\n         throw UnsupportedOperationException("Empty list can't be reduced.")\n     var
accumulator: S = iterator.previous()\n     while (iterator.hasPrevious()) {\n         accumulator =
operation(iterator.previous(), accumulator)\n     }\n     return accumulator\n}\n\n\n\n * Accumulates value starting
with last element and applying [operation] from right to left\n * to each element with its index in the original list and
current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *
and current accumulator value, and calculates the next accumulator value.\n * ^\npublic inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n     val iterator = listIterator(size)\n     if
(!iterator.hasPrevious())\n         throw UnsupportedOperationException("Empty list can't be reduced.")\n     var
accumulator: S = iterator.previous()\n     while (iterator.hasPrevious()) {\n         val index = iterator.previousIndex()\n
accumulator = operation(index, iterator.previous(), accumulator)\n     }\n     return accumulator\n}\n\n\n\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n * ^\npublic
inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n     var sum: Int = 0\n     for (element in this) {\n
sum += selector(element)\n     }\n     return sum\n}\n\n\n\n * Returns the sum of all values produced by [selector]
function applied to each element in the collection.\n * ^\npublic inline fun <T> Iterable<T>.sumByDouble(selector:

```

```

(T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.

public fun <T : Any>
Iterable<T?>.requireNonNulls(): Iterable<T> {
    for (element in this) {
        if (element == null) {
            throw
IllegalArgumentException("null element found in $this.")
        }
    }
}

@Suppress("UNCHECKED_CAST")
return this as Iterable<T>

Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

public fun <T : Any> List<T?>.requireNonNulls(): List<T> {
    for (element in this) {
        if (element ==
null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
}

@Suppress("UNCHECKED_CAST")
return this as List<T>

Splits this collection into a list of
lists each not exceeding the given [size].

The last list in the resulting list may have less elements than the
given [size].

@param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.

@sample
samples.collections.Collections.Transformations.chunked

SinceKotlin("1.2")
public fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {
    return windowed(size, size, partialWindows = true)
}

Splits this collection into several lists each not exceeding the given [size]
and applies the given [transform]
function to an each.

@return list of results of the [transform] applied to an each list.

Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.

You should not store it
or allow it to escape in some way, unless you made a snapshot of it.

The last list may have less elements than the
given [size].

@param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.

@sample samples.text.Strings.chunkedTransform

SinceKotlin("1.2")
public fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
{
    return windowed(size, size, partialWindows = true, transform = transform)
}

Returns a list
containing all elements of the original collection without the first occurrence of the given [element].

public
operator fun <T> Iterable<T>.minus(element: T): List<T> {
    val result =
ArrayList<T>(collectionSizeOrDefault(10))
    var removed = false
    return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }
}

Returns a list containing all elements of the
original collection except the elements contained in the given [elements] array.

The [elements] array may be
converted to a [HashSet] to speed up the operation, thus the elements are required to have
a correct and stable
implementation of `hashCode()` that doesn't change between successive invocations.

public operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {
    if (elements.isEmpty()) return this.toList()
    val other
= elements.toHashSet()
    return this.filterNot { it in other }
}

Returns a list containing all elements of
the original collection except the elements contained in the given [elements] collection.

The [elements]
collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have
a
correct and stable implementation of `hashCode()` that doesn't change between successive invocations.

public
operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {
    val other =
elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty())
        return this.toList()
    return
this.filterNot { it in other }
}

Returns a list containing all elements of the original collection except the
elements contained in the given [elements] sequence.

The [elements] sequence may be converted to a
[HashSet] to speed up the operation, thus the elements are required to have
a correct and stable implementation
of `hashCode()` that doesn't change between successive invocations.

public operator fun <T>
Iterable<T>.minus(elements: Sequence<T>): List<T> {
    val other = elements.toHashSet()
    if
(other.isEmpty())
        return this.toList()
    return this.filterNot { it in other }
}

Returns a list
containing all elements of the original collection without the first occurrence of the given [element].

@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minusElement(element: T): List<T> {
    return
minus(element)
}

Splits the original collection into pair of lists,
where *first* list contains
elements for which [predicate] yielded `true`,
while *second* list contains elements for which [predicate]
yielded `false`.

public inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>,

```

```

List<T>> {\n    val first = ArrayList<T>()\n    val second = ArrayList<T>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the
given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element: T): List<T> {\n    if (this is Collection)
return this.plus(element)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */
*\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n    val result = ArrayList<T>(size + 1)\n
result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the
original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T>
Iterable<T>.plus(elements: Array<out T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val
result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a
list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic
operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result = ArrayList<T>(this.size +
elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list
containing all elements of the original collection and then all elements of the given [elements] collection.\n */
*\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n    if (this is Collection) return
this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if
(elements is Collection) {\n        val result = ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n
result.addAll(elements)\n        return result\n    } else {\n        val result = ArrayList<T>(this)\n
result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>()\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Collection<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n
val result = ArrayList<List<T>>((thisSize + step - 1) / step)\n        var index = 0\n        while (index < thisSize) {\n
            val windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows)
break\n            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return
result\n    }\n    val result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral

```

and is valid only inside that function.

- You should not store it or allow it to escape in some way, unless you made a snapshot of it.
- Several last lists may have less elements than the given [size].
- Both [size] and [step] must be positive and can be greater than the number of elements in this collection.
- @param size the number of elements to take in each window
- @param step the number of elements to move the window forward by on an each step, by default 1
- @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved
- @sample

```

samples.collections.Sequences.Transformations.averageWindows
*/
@SinceKotlin("1.2")
public fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {
    checkWindowSizeStep(size, step)
    if (this is RandomAccess && this is List) {
        val thisSize = this.size
        val result = ArrayList<R>((thisSize + step - 1) / step)
        val window = MovingSubList(this)
        var index = 0
        while (index < thisSize) {
            window.move(index, (index + size).coerceAtMost(thisSize))
            if (!partialWindows && window.size < size) break
            result.add(transform(window))
            index += step
        }
        return result
    }
    val result = ArrayList<R>()
    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {
        result.add(transform(it))
    }
    return result
}

```

**zip**

- Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.
- The returned list has length of the shortest collection.
- @sample

```

samples.collections.Iterables.Operations.zipIterable
*/
public infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

```

- Returns a list of values built from the elements of `this` collection and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
- The returned list has length of the shortest collection.
- @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform
*/
public inline fun <T, R, V>
Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {
    val arraySize = other.size
    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in this) {
        if (i >= arraySize) break
        list.add(transform(element, other[i++]))
    }
    return list
}

```

- Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.
- The returned list has length of the shortest collection.
- @sample

```

samples.collections.Iterables.Operations.zipIterable
*/
public infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

```

- Returns a list of values built from the elements of `this` collection and the [other] collection with the same index using the provided [transform] function applied to each pair of elements.
- The returned list has length of the shortest collection.
- @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform
*/
public inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {
    val first = iterator()
    val second = other.iterator()
    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))
    while (first.hasNext() && second.hasNext()) {
        list.add(transform(first.next(), second.next()))
    }
    return list
}

```

- Returns a list of pairs of each two adjacent elements in this collection.
- The returned list is empty if this collection contains less than two elements.
- @sample

```

samples.collections.Collections.Transformations.zipWithNext
*/
@SinceKotlin("1.2")
public fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {
    return zipWithNext { a, b -> a to b }
}

```

- Returns a list containing the results of applying the given [transform] function to an each pair of two adjacent elements in this collection.
- The returned list is empty if this collection contains less than two elements.
- @sample

```

samples.collections.Collections.Transformations.zipWithNextToFindDeltas
*/
@SinceKotlin("1.2")
public inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {
    val iterator = iterator()
    if (!iterator.hasNext()) return emptyList()
    val result = mutableListOf<R>()
    var current = iterator.next()
    while (iterator.hasNext()) {
        val next = iterator.next()
        result.add(transform(current, next))
        current = next
    }
    return result
}

```

- Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
- If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the



```

[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \n public fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = '|', prefix: CharSequence = "\", postfix: CharSequence
= "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n
(limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n * \n public fun <T>
Iterable<T>.joinToString(separator: CharSequence = '|', prefix: CharSequence = "\", postfix: CharSequence =
 "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/n/**\n * Returns this
collection as an [Iterable].\n * \n @kotlin.internal.InlineOnly\n public inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n    return this\n}\n\n/n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n * \n public fun <T> Iterable<T>.asSequence():
Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/n/**\n * Returns an average value of elements in the
collection.\n * \n @kotlin.jvm.JvmName("averageOfByte")\n public fun Iterable<Byte>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfShort")\n public fun
Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/n/**\n * Returns an average value of elements in the collection.\n
* \n @kotlin.jvm.JvmName("averageOfInt")\n public fun Iterable<Int>.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfLong")\n public fun
Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/n/**\n * Returns an average value of elements in the collection.\n
* \n @kotlin.jvm.JvmName("averageOfFloat")\n public fun
Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/n/**\n * Returns an average value of elements in the collection.\n
* \n @kotlin.jvm.JvmName("averageOfDouble")\n public fun Iterable<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/n/**\n * Returns
the sum of all elements in the collection.\n * \n @kotlin.jvm.JvmName("sumOfByte")\n public fun
Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/n/**\n * Returns the sum of all elements in the collection.\n
* \n @kotlin.jvm.JvmName("sumOfShort")\n public fun Iterable<Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/n/**\n * Returns the sum of all elements in the
collection.\n * \n @kotlin.jvm.JvmName("sumOfInt")\n public fun Iterable<Int>.sum(): Int {\n    var sum: Int = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/n/**\n * Returns the sum of all elements in
the collection.\n * \n @kotlin.jvm.JvmName("sumOfLong")\n public fun Iterable<Long>.sum(): Long {\n    var
sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/n/**\n * Returns the

```

```

sum of all elements in the collection.\n *@\n@kotlin.jvm.JvmName("\sumOfFloat")\npublic fun
Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n\n*\n@kotlin.jvm.JvmName("\sumOfDouble")\npublic fun Iterable<Double>.sum(): Double {\n    var sum: Double
= 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport
kotlin.random.Random\n\n/** Returns the array if it's not `null`, or an empty array otherwise.\n\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?:
emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toArray():
Array<T> = copyToArray(this)\n\n@JsName("\copyToArray")\n@PublishedApi\ninternal fun <T>
copyToArray(collection: Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !==
undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("\copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("\copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)
{\n        array[index] = null.unsafeCast<T>()\n    }\n    return array\n}\n\n/**\n * Returns an immutable list
containing only the specified object [element].\n *\npublic fun <T> listOf(element: T): List<T> =
arrayListOf(element)\n\n/**\n * Returns an immutable set containing only the specified object [element].\n\n*\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map,
mapping only the specified key to the\n * specified value.\n *\npublic fun <K, V> mapOf(pair: Pair<K, V>):
Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills the list with the provided [value].\n *\n * Each element in the list
gets replaced with the [value].\n *\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T):
Unit {\n    for (index in 0..lastIndex) {\n        this[index] = value\n    }\n}\n\n/**\n * Randomly shuffles elements in
this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n\n*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n *\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit
{\n    collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order
specified with [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>):
Unit {\n    collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>,
comparator: Comparator<in T>) {\n    if (list.size <= 1) return\n    val array = copyToArray(list)\n    sortArrayWith(array, comparator)\n    for (i in 0 until array.size) {\n        list[i] = array[i]\n    }\n}\n\ninternal
actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n    return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("\arrayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,
startIndex: Int, endIndex: Int) {\n    AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n    val
rangeSize = endIndex - startIndex\n    AbstractList.checkRangeIndexes(destinationOffset, destinationOffset +
rangeSize, destination.size)\n    if (js("\ArrayBuffer").isView(destination) &&
js("\ArrayBuffer").isView(source)) {\n        val subrange = source.asDynamic().subarray(startIndex, endIndex)\n        destination.asDynamic().set(subrange, destinationOffset)\n    } else {\n        if (source !== destination ||

```

```

destinationOffset <= startIndex) {\n        for (index in 0 until rangeSize) {\n
destination[destinationOffset + index] = source[startIndex + index]\n        }\n    } else {\n        for (index in
rangeSize - 1 downTo 0) {\n            destination[destinationOffset + index] = source[startIndex + index]\n
}\n    }\n}\n}\n}\n}\n// no singleton map implementation in js, return map as
is\n@Suppress(\`"NOTHING_TO_INLINE"\`)internal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\`"NOTHING_TO_INLINE"\`)internal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n\n@Suppress(\`"NOTHING_TO_INLINE"\`)internal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n    if (isVarargs)\n        // no need to copy vararg
array in JS\n        this\n    else\n        this.copyOfOf()\n\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n    if (index < 0) {\n        throwIndexOverflow()\n    }\n    return
index\n}\n\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n    if (count < 0) {\n
throwCountOverflow()\n    }\n    return count\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\`"CollectionsKt"\`)package
kotlin.collections\n\n\n/*\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * @sample samples.collections.iterators.iterator\n *\n*\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n\n/*\n * Returns an [Iterator] wrapping each value produced by
this [Iterator] with the [IndexedValue],\n * containing value and it's index.\n * @sample
samples.collections.iterators.withIndexIterator\n *\n*\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n\n/*\n * Performs the given [operation] on each element of
this [Iterator].\n * @sample samples.collections.iterators.forEachIterator\n *\n*\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n    for (element in this) operation(element)\n}\n\n\n/*\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n *\n*\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n    private var index =
0\n    final override fun hasNext(): Boolean = iterator.hasNext()\n    final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n *\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\`"ComparisonsKt"\`)package
kotlin.comparisons\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n\n/*\n * Returns the
greater of two values.\n * If values are equal, returns the first one.\n *\n*\n@SinceKotlin(\`"1.1"\`)public expect fun
<T : Comparable<T>> maxOf(a: T, b: T): T\n\n\n/*\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n\n/*\n * Returns the greater of two values.\n *\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short): Short\n\n\n/*\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n\n/*\n
 * Returns the greater of two values.\n *\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Long, b: Long): Long\n\n\n/*\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float):
Float\n\n\n/*\n * Returns the greater of two values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n\n/*\n * Returns the greater of three values.\n *\n*\n@SinceKotlin(\`"1.1"\`)public expect fun <T :
Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n\n/*\n * Returns the greater of three values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte\n\n\n/*\n * Returns the greater of three values.\n
*\n*\n@SinceKotlin(\`"1.1"\`)@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n\n/*\n * Returns the greater of three values.\n

```

```

*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int):
Int\n\n/**\n * Returns the greater of three values.\n *^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c:
Float): Float\n\n/**\n * Returns the greater of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given
[comparator].\n *^@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*^@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal,
returns the first one.\n *^@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T):
T\n\n/**\n * Returns the smaller of two values.\n *^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n
* Returns the smaller of two values.\n *^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float):
Float\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double):
Double\n\n/**\n * Returns the smaller of three values.\n *^@SinceKotlin("1.1")\npublic expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int):
Int\n\n/**\n * Returns the smaller of three values.\n *^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float):
Float\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given
[comparator].\n *^@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*^@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) <= 0) a else b\n}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*^@n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
[List] containing all key-value pairs.\n *^npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if
(size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return
emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return listOf(first.toPair())\n    val result =

```

```

ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n }
while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.\n */\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in
this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original
map.\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n
return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R :
Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the
original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R :
Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>)
-> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return
destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends
the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K,
V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns `true` if all entries match the given
[predicate].\n */\n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V>
Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for
(element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if map has at least
one entry.\n */\n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K,
V>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given
[predicate].\n */\n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun
<K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return false\n
for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of entries
in this map.\n */\n * @kotlin.internal.InlineOnly\n */\npublic inline fun <K, V> Map<out K, V>.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V>
Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n if (isEmpty()) return 0\n var count =
0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Performs the given [action]
on each entry.\n */\n * @kotlin.internal.HidesMembers\n */\npublic inline fun <K, V> Map<out K, V>.forEach(action:
(Map.Entry<K, V>) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Returns the first entry
yielding the largest value of the given function or `null` if there are no entries.\n */\n * @sample
samples.collections.Collections.Aggregates.maxBy\n */\n * @kotlin.internal.InlineOnly\n */\npublic inline fun <K, V, R :
Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return
entries.maxBy(selector)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided
[comparator] or `null` if there are no entries.\n */\n * @kotlin.internal.InlineOnly\n */\npublic inline fun <K, V> Map<out
K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return
entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function
or `null` if there are no entries.\n */\n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic
inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K,
V>? {\n return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to
the provided [comparator] or `null` if there are no entries.\n */\npublic fun <K, V> Map<out K,
V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return
entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n */\n * @sample

```

```

samples.collections.Collections.Aggregates.none\n *\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n
return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <K, V> Map<out K,
V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n  if (isEmpty()) return true\n  for (element in
this) if (predicate(element)) return false\n  return true\n}\n\n/**\n * Performs the given [action] on each entry and
returns the map itself afterwards.\n * \n *@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>>
M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n  return apply { for (element in this) action(element)
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n
*\n *@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K,
V>> {\n  return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries
when being iterated.\n * \n *\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n
return entries.asSequence()\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n * \n\npackage
kotlin.ranges\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float.rangeTo(that:
Float): ClosedFloatingPointRange<Float> =\n
this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()\n"/*\n * Copyright
2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in
the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns
`true` if [element] is found in the sequence.\n * \n * The operation is _terminal_.\n * \n *\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic fun <T> Sequence<T>.elementAt(index: Int): T
{\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at
index $index.") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  if (index < 0)\n    return
defaultValue(index)\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element
= iterator.next()\n    if (index == count++)\n      return element\n  }\n  return
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\npublic fun <T>
Sequence<T>.elementAtOrNull(index: Int): T? {\n  if (index < 0)\n    return null\n  val iterator = iterator()\n
var count = 0\n  while (iterator.hasNext()) {\n    val element = iterator.next()\n    if (index == count++)\n
return element\n  }\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n * \n * The operation is _terminal_.\n * \n *@kotlin.internal.InlineOnly\npublic inline
fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * The operation is
_terminal_.\n * \n *@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) ->
Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * \n * @throws
[NoSuchElementException] if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n *\npublic fun <T>
Sequence<T>.first(): T {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    throw
NoSuchElementException("Sequence is empty.")\n  return iterator.next()\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * \n * @throws [NoSuchElementException] if no such element is found.\n * \n * The

```

operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n/\*\*\n \* Returns the first element, or `null` if the sequence is empty.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n}\n\n/\*\*\n \* Returns the first element matching the given [predicate], or `null` if element was not found.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element))\n return element\n return null\n}\n\n/\*\*\n \* Returns first index of [element], or -1 if the sequence does not contain element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/\*\*\n \* Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/\*\*\n \* Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/\*\*\n \* Returns the last element.\n \* @throws [NoSuchElementException] if the sequence is empty.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <T> Sequence<T>.last(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Sequence is empty.")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/\*\*\n \* Returns the last element matching the given [predicate].\n \* @throws [NoSuchElementException] if no such element is found.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element))\n last = element\n found = true\n }\n if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n @Suppress("UNCHECKED\_CAST")\n return last as T\n}\n\n/\*\*\n \* Returns last index of [element], or -1 if the sequence does not contain element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/\*\*\n \* Returns the last element, or `null` if the sequence is empty.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/\*\*\n \* Returns the last element matching the given [predicate], or `null` if no such element was found.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element))\n last = element\n }\n return last\n}\n\n/\*\*\n \* Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic fun <T> Sequence<T>.single(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Sequence is empty.")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException("Sequence has more than one element.")\n return single\n}\n\n/\*\*\n \* Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n \*\n \* The operation is `_terminal_`.\n \*\n\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element))\n if (found) throw IllegalArgumentException("Sequence contains more than one matching element.")\n single = element\n found = true\n }\n if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n return single\n}\n

```

contains no element matching the predicate.)\n @Suppress("UNCHECKED_CAST")\n return single as
T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The
operation is _terminal_.\n *\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n val iterator = iterator()\n if
(!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n
return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T>
Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for
(element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n
}\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a sequence containing
all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n
== 0 -> this\n this is DropTakeSequence -> this.drop(n)\n else -> DropSequence(this, n)\n }\n}\n\n/**\n *
Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n
*\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n return
FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the
given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n // TODO:
Rewrite with generalized MapFilterIndexingSequence\n return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) })), { it.value
})\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, C : MutableCollection<in
T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed {
index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return
destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter
R.\n *\n * The operation is _intermediate_ and _stateless_.\n *\npublic inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress("UNCHECKED_CAST")\n return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n *\npublic inline fun <reified R, C : MutableCollection<in R>>
Sequence<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R)
destination.add(element)\n return destination\n}\n\n/**\n * Returns a sequence containing all elements not
matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\npublic fun <T>
Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, false,
predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n
@Suppress("UNCHECKED_CAST")\n return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all
elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n *\npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if
(element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, C :

```



```

MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) if (!predicate(element)) destination.add(element)
    return destination
}

Appends all elements matching the given [predicate] to the given [destination].

The operation is _terminal_.

public inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C
{
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Returns a sequence containing first [n] elements.

The operation is _intermediate_ and _stateless_.

@throws IllegalArgumentException if [n] is negative.

@sample
samples.collections.Collections.Transformations.take

public fun <T> Sequence<T>.take(n: Int): Sequence<T>
{
    require(n >= 0) { "Requested element count $n is less than zero." }
    return when {
        n == 0 -> emptySequence()
        this is DropTakeSequence -> this.take(n)
        else -> TakeSequence(this, n)
    }
}

Returns a sequence containing first elements satisfying the given [predicate].

The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Transformations.take

public fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T>
{
    return TakeWhileSequence(this, predicate)
}

Returns a sequence that yields elements of this sequence sorted according to their natural sort order.

The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

The operation is _intermediate_ and _stateful_.

public fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T>
{
    return object : Sequence<T> {
        override fun iterator(): Iterator<T> {
            val sortedList = this@sorted.toMutableList()
            sortedList.sort()
            return sortedList.iterator()
        }
    }
}

Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.

The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

The operation is _intermediate_ and _stateful_.

public inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T>
{
    return sortedWith(compareBy(selector))
}

Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.

The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

The operation is _intermediate_ and _stateful_.

public inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T>
{
    return sortedWith(compareByDescending(selector))
}

Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.

The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

The operation is _intermediate_ and _stateful_.

public fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T>
{
    return sortedWith(reverseOrder())
}

Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].

The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

The operation is _intermediate_ and _stateful_.

public fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T>
{
    return object : Sequence<T> {
        override fun iterator(): Iterator<T> {
            val sortedList = this@sortedWith.toMutableList()
            sortedList.sortWith(comparator)
            return sortedList.iterator()
        }
    }
}

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given sequence.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original sequence.

The operation is _terminal_.

public inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V>
{
    return associateTo(LinkedHashMap<K, V>(), transform)
}

Returns a [Map] containing the elements from the given sequence indexed by the key returned from [keySelector] function applied to each element.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

The returned map preserves the entry iteration order of the original sequence.

The operation is _terminal_.

public inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T>
{
    return associateByTo(LinkedHashMap<K, T>(), keySelector)
}

Returns a [Map] containing the values

```

provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.

\* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original sequence.

\* The operation is `_terminal_`.

```
public inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)
}
```

\* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given sequence and value is the element itself.

\* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

\* The operation is `_terminal_`.

```
public inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
```

\* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given sequence.

\* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

\* The operation is `_terminal_`.

```
public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
```

\* Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given sequence.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The operation is `_terminal_`.

```
public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}
```

\* Returns a [Map] where keys are elements from the given sequence and values are produced by the [valueSelector] function applied to each element.

\* If any two elements are equal, the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original sequence.

\* The operation is `_terminal_`.

\* @sample samples.collections.Collections.Transformations.associateWith

\* @SinceKotlin("1.3")

```
public inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    return associateWithTo(result, valueSelector)
}
```

\* Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence, where key is the element itself and value is provided by the [valueSelector] function applied to that key.

\* If any two elements are equal, the last one overwrites the former value in the map.

\* The operation is `_terminal_`.

\* @SinceKotlin("1.3")

```
public inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}
```

\* Appends all elements to the given [destination] collection.

\* The operation is `_terminal_`.

```
public fun <T, C> MutableCollection<in T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
```

\* Returns a [HashSet] of all elements.

\* The operation is `_terminal_`.

```
public fun <T> Sequence<T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>())
}
```

\* Returns a [List] containing all elements.

\* The operation is `_terminal_`.

```
public fun <T> Sequence<T>.toList(): List<T> {
    return this.toMutableList().optimizeReadOnlyList()
}
```

\* Returns a [MutableList] filled with all elements of this sequence.

\* The operation is `_terminal_`.

```
public fun <T> Sequence<T>.toMutableList(): MutableList<T> {
    return toCollection(ArrayList<T>())
}
```

\* Returns a [Set] of all elements.

\* The returned set preserves the element iteration order of the original sequence.

\* The operation is `_terminal_`.

```
public fun <T> Sequence<T>.toSet(): Set<T> {
    return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
}
```

\* Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.

\* The operation is `_intermediate_` and `_stateless_`.

```
public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>):
```

```

Sequence<R> {\n  return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n *\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n *\n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n */\n\n @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n *\n * by the key returned by the given [keySelector] function applied to the element\n *\n * and returns a map where each group key is associated with a list of corresponding values.\n *\n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n */\n\n @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n *\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n *\n * @return The [destination] map.\n *\n * The operation is _terminal_.\n */\n\n @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n *\n * by the key returned by the given [keySelector] function applied to the element\n *\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n *\n * @return The [destination] map.\n *\n * The operation is _terminal_.\n */\n\n @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n *\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n\n @sample samples.collections.Grouping.groupingByEachCount\n */\n\n @SinceKotlin("1.1")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n  return object : Grouping<T, K> {\n    override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n    override fun keyOf(element: T): K = keySelector(element)\n  }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n *\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n  return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n *\n * to each element and its index in the original sequence.\n *\n * @param [transform] function that takes the index of an element and the element itself\n *\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n  return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n *\n * to each element and its index in the original sequence.\n *\n * @param [transform] function that takes the index of an element and the element

```

itself and returns the result of the transform applied to the element. The operation is `_intermediate_` and `_stateless_`.

```

public fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {
    return TransformingIndexedSequence(this, transform).filterNotNull()
}

```

Applies the given [transform] function to each element and its index in the original sequence and appends only the non-null results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is `_terminal_`.

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element and its index in the original sequence and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is `_terminal_`.

```

public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(checkIndexOverflow(index++), item))
    return destination
}

```

Returns a sequence containing only the non-null results of applying the given [transform] function to each element in the original sequence. The operation is `_intermediate_` and `_stateless_`.

```

public fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {
    return TransformingSequence(this, transform).filterNotNull()
}

```

Applies the given [transform] function to each element in the original sequence and appends only the non-null results to the given [destination]. The operation is `_terminal_`.

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    forEach { element -> transform(element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element of the original sequence and appends the results to the given [destination]. The operation is `_terminal_`.

```

public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

```

Returns a sequence of [IndexedValue] for each element of the original sequence. The operation is `_intermediate_` and `_stateless_`.

```

public fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {
    return IndexingSequence(this)
}

```

Returns a sequence containing only distinct elements from the given sequence. The elements in the resulting sequence are in the same order as they were in the source sequence. The operation is `_intermediate_` and `_stateful_`.

```

public fun <T> Sequence<T>.distinct(): Sequence<T> {
    return this.distinctBy { it }
}

```

Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function. The elements in the resulting sequence are in the same order as they were in the source sequence. The operation is `_intermediate_` and `_stateful_`.

```

public fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {
    return DistinctSequence(this, selector)
}

```

Returns a mutable set containing all distinct elements from the given sequence. The returned set preserves the element iteration order of the original sequence. The operation is `_terminal_`.

```

public fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>()
    for (item in this)
        set.add(item)
    return set
}

```

Returns `true` if all elements match the given [predicate]. The operation is `_terminal_`.

```

@sample samples.collections.Collections.Aggregates.all
public inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}

```

Returns `true` if sequence has at least one element. The operation is `_terminal_`.

```

@sample samples.collections.Collections.Aggregates.any
public fun <T> Sequence<T>.any(): Boolean {
    return iterator().hasNext()
}

```

Returns `true` if at least one element matches the given [predicate]. The operation is `_terminal_`.

```

@sample samples.collections.Collections.Aggregates.anyWithPredicate
public inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

```

Returns the number of elements in this sequence. The operation is

```

_terminal_.\n *\npublic fun <T> Sequence<T>.count(): Int {\n    var count = 0\n    for (element in this)
checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.count(predicate: (T) ->
Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n
return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, R>
Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original sequence.\n *\n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is
_terminal_.\n *\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) ->
R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator\n}\n\n/**\n * Performs the
given [action] on each element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T>
Sequence<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element.\n *\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The
operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the
largest element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The
operation is _terminal_.\n *\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return
max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max < e)
max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n * If any
of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n *\n@SinceKotlin("1.1")\npublic fun
Sequence<Float>.max(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max =
iterator.next()\n    if (max.isNaN()) return max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if
(e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or
`null` if there are no elements.\n *\n * The operation is _terminal_.\n *\npublic fun <T : Comparable<T>>
Sequence<T>.max(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n    }\n
return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there
are no elements.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.maxBy\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var maxElem = iterator.next()\n    var maxValue = selector(maxElem)\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n
        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n *\npublic fun <T>
Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())
return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest element or `null`
if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * If any of elements is

```

```

`NaN` returns `NaN`.
 * The operation is _terminal_.
 * Since Kotlin("1.1")
public fun
Sequence<Float>.min(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min =
iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}
 * Returns the smallest element or
`null` if there are no elements.
 * The operation is _terminal_.
 * public fun <T : Comparable<T>>
Sequence<T>.min(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min =
iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (min > e) min = e
    }
    return
min
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no
elements.
 * The operation is _terminal_.
 * @sample
samples.collections.Collections.Aggregates.minBy
 * public inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    var minValue = selector(minElem)
    while (iterator.hasNext()) {
        val e =
iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.
 * The operation is _terminal_.
 * public fun <T>
Sequence<T>.minWith(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext())
return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if
(comparator.compare(min, e) > 0) min = e
    }
    return min
}
 * Returns `true` if the sequence has no
elements.
 * The operation is _terminal_.
 * @sample samples.collections.Collections.Aggregates.none
 * public fun <T> Sequence<T>.none(): Boolean {
    return !iterator().hasNext()
}
 * Returns `true` if
no elements match the given [predicate].
 * The operation is _terminal_.
 * @sample
samples.collections.Collections.Aggregates.noneWithPredicate
 * public inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
false
    return true
}
 * Returns a sequence which performs the given [action] on each element of the
original sequence as they pass through it.
 * The operation is _intermediate_ and _stateless_.
 * Since Kotlin("1.1")
public fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {
    return
map {
    action(it)
    it
}
}
 * Accumulates value starting with the first element and applying
[operation] from left to right to current accumulator value and each element.
 * The operation is _terminal_.
 * public inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {
    val iterator =
this.iterator()
    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be
reduced.")
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator =
operation(accumulator, iterator.next())
    }
    return accumulator
}
 * Accumulates value starting with
the first element and applying [operation] from left to right
 * to current accumulator value and each element with
its index in the original sequence.
 * @param [operation] function that takes the index of an element, current
accumulator value
 * and the element itself and calculates the next accumulator value.
 * The operation is
_terminal_.
 * public inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    val iterator = this.iterator()
    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty
sequence can't be reduced.")
    var index = 1
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
    }
    return
accumulator
}
 * Returns the sum of all values produced by [selector] function applied to each element in
the sequence.
 * The operation is _terminal_.
 * public inline fun <T> Sequence<T>.sumBy(selector: (T) ->
Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return
sum
}
 * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.
 * The operation is _terminal_.
 * public inline fun <T> Sequence<T>.sumByDouble(selector:
(T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
 * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.
 * The operation is _intermediate_ and
_stateless_.
 * public fun <T : Any> Sequence<T?.>.requireNonNulls(): Sequence<T> {
    return map { it? :

```

throw IllegalArgumentException("null element found in \$this.") } } } }

- \* Splits this sequence into a sequence of lists each not exceeding the given [size].
- \* The last list in the resulting sequence may have less elements than the given [size].
- \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.
- \* The operation is `_intermediate_` and `_stateful_`.
- \* @sample samples.collections.Collections.Transformations.chunked

```
*\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> { \n    return \n    windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding \n the given [size]\n * and applies the given [transform] function to an each.\n * @return sequence of results of the \n [transform] applied to an each list.\n * Note that the list passed to the [transform] function is ephemeral and is \n valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a \n snapshot of it.\n * The last list may have less elements than the given [size].\n * @param size the number of \n elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n * The operation is _intermediate_ and _stateful_.\n * @sample samples.text.Strings.chunkedTransform\n\n*/\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): \n Sequence<R> { \n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given \n [element].\n * The operation is _intermediate_ and _stateless_.\n\n*/\npublic operator fun <T> \n Sequence<T>.minus(element: T): Sequence<T> { \n    return object: Sequence<T> { \n        override fun iterator(): \n Iterator<T> { \n            var removed = false\n            return this@minus.filter { if (!removed && it == element) { \n                removed = true; false } else true }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements \n of original sequence except the elements contained in the given [elements] array.\n * Note that the source \n sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting \n sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * The [elements] \n array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct \n and stable implementation of `hashCode()` that doesn't change between successive invocations.\n * The \n operation is _intermediate_ and _stateful_.\n\n*/\npublic operator fun <T> Sequence<T>.minus(elements: Array<out \n T>): Sequence<T> { \n    if (elements.isEmpty()) return this\n    return object: Sequence<T> { \n        override fun \n iterator(): Iterator<T> { \n            val other = elements.toHashSet()\n            return this@minus.filterNot { it in other \n }\n        }.iterator()\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the \n elements contained in the given [elements] collection.\n * Note that the source sequence and the collection \n being subtracted are iterated only when an `iterator` is requested from\n * the resulting \n sequence. Changing any of \n them between successive calls to `iterator` may affect the result.\n * The [elements] \n collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct \n and stable \n implementation of `hashCode()` that doesn't change between successive invocations.\n * The operation is \n _intermediate_ and _stateful_.\n\n*/\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): \n Sequence<T> { \n    return object: Sequence<T> { \n        override fun iterator(): Iterator<T> { \n            val other = \n elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return this@minus.iterator()\n            else\n                return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence \n containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * Note that the source \n sequence and the sequence being subtracted are iterated only when an `iterator` is requested \n from\n * the resulting \n sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * The operation \n is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * The [elements] \n sequence may be converted to a [HashSet] to speed up the operation, thus the elements are \n required to have\n * a correct \n and stable \n implementation of `hashCode()` that doesn't change between successive \n invocations.\n\n*/\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> { \n    return object: Sequence<T> { \n        override fun iterator(): Iterator<T> { \n            val other = \n elements.toHashSet()\n            if (other.isEmpty())\n                return this@minus.iterator()\n            else\n                return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all

```

elements of the original sequence without the first occurrence of the given [element].\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun <T>  
Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/\*\*\n \* Splits the original sequence into pair of lists,\n \* where \*first\* list contains elements for which [predicate] yielded `true`,\n \* while \*second\* list contains elements for which [predicate] yielded `false`.\n \*/\n \* The operation is \_terminal\_.\n \*/\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/\*\*\n \* Returns a sequence containing all elements of the original sequence and then the given [element].\n \*/\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/\*\*\n \* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n \*/\n \* Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \*/\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/\*\*\n \* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n \*/\n \* Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \*/\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/\*\*\n \* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n \*/\n \* Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n \*/\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/\*\*\n \* Returns a sequence containing all elements of the original sequence and then the given [element].\n \*/\n \* The operation is \_intermediate\_ and \_stateless\_.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/\*\*\n \* Returns a sequence of snapshots of the window of the given [size]\n \* sliding along this sequence with the given [step], where each\n \* snapshot is a list.\n \*/\n \* Several last lists may have less elements than the given [size].\n \*/\n \* Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n \* @param size the number of elements to take in each window\n \* @param step the number of elements to move the window forward by on an each step, by default 1\n \* @param partialWindows controls whether or not to keep partial windows in the end if any,\n \* by default `false` which means partial windows won't be preserved\n \*/\n \* @sample samples.collections.Sequences.Transformations.takeWindows\n \*/\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/\*\*\n \* Returns a sequence of results of applying the given [transform] function to\n \* an each list representing a view over the window of the given [size]\n \* sliding along this sequence with the given [step].\n \*/\n \* Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n \* You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n \*/\n \* Several last lists may have less elements than the given [size].\n \*/\n \* Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n \* @param size the number of elements to take in each window\n \* @param step the number of elements to move the window forward by on an each step, by default 1\n \* @param partialWindows controls whether or not to keep partial windows in the end if any,\n \* by default `false` which means partial windows won't be preserved\n \*/\n \* @sample samples.collections.Sequences.Transformations.averageWindows\n \*/\n@SinceKotlin("1.2")\npublic fun <T, R>



```

Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
Sequence<R> {\n  return windowedSequence(size, step, partialWindows, reuseBuffer =
true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the
[other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n
*\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other:
Sequence<R>): Sequence<Pair<T, R>> {\n  return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends
as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n *
@sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V>
Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n  return
MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in
this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The
operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n  return zipWithNext { a, b -> a to b }\n}\n\n/**\n *
Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two
adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two
elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin("1.2")\npublic
fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n  return sequence result@
{\n    val iterator = iterator()\n    if (!iterator.hasNext()) return@result\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n      val next = iterator.next()\n      yield(transform(current, next))\n
current = next\n    }\n  }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable>
Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): A
{\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      buffer.appendElement(element, transform)\n
    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n
return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>
Sequence<T>.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence =
\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T>
Sequence<T>.asIterable(): Iterable<T> {\n  return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as
a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{\n  return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is
_terminal_.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Sequence<Byte>.average(): Double {\n
var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n

```

```

checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Sequence<Int>.average(): Double {\n var sum: Double
= 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Sequence<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n
checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
checkCountOverflow(++count)\n } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += element\n } \n return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun
Sequence<Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n } \n return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += element\n } \n return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Sequence<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n } \n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n var sum: Float = 0.0f\n
for (element in this) {\n sum += element\n } \n return sum\n}\n\n/**\n * Returns the sum of all elements in
the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun
Sequence<Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n
} \n return sum\n}\n\n", null, "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n@n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a set
containing all elements of the original set except the given [element].\n *\n * The returned set preserves the element
iteration order of the original set.\n *\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n val result
= LinkedHashSet<T>(mapCapacity(size))\n var removed = false\n return this.filterTo(result) { if (!removed &&
it == element) { removed = true; false } else true } \n}\n\n/**\n * Returns a set containing all elements of the original
set except the elements contained in the given [elements] array.\n *\n * The returned set preserves the element
iteration order of the original set.\n *\n * The [elements] array may be converted to a [HashSet] to speed up the
operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that
doesn't change between successive invocations.\n *\npublic operator fun <T> Set<T>.minus(elements: Array<out

```

```

T>): Set<T> {\n  val result = LinkedHashSet<T>(this)\n  result.removeAll(elements)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements]\n collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements]\n collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a\n correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic\n operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n  val other =\n elements.convertToSetForSetOperationWith(this)\n  if (other.isEmpty())\n    return this.toSet()\n  if (other is\n Set)\n    return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n  val result = LinkedHashSet<T>(this)\n result.removeAll(other)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the original set\n except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element\n iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the\n operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that\n doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements:\n Sequence<T>): Set<T> {\n  val result = LinkedHashSet<T>(this)\n  result.removeAll(elements)\n  return\n result\n}\n\n/**\n * Returns a set containing all elements of the original set\n except the given [element].\n * \n * The\n returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline\n fun <T> Set<T>.minusElement(element: T): Set<T> {\n  return minus(element)\n}\n\n/**\n * Returns a set\n containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The\n returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T>\n Set<T>.plus(element: T): Set<T> {\n  val result = LinkedHashSet<T>(mapCapacity(size + 1))\n result.addAll(this)\n  result.add(element)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the\n original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves\n the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>):\n Set<T> {\n  val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n  result.addAll(this)\n result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the original set and\n the given [elements] collection,\n * which aren't already in this set.\n * \n * The returned set preserves the element\n iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val\n result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size *\n 2))\n  result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a set containing all\n elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The\n returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T>\n Set<T>.plus(elements: Sequence<T>): Set<T> {\n  val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a set containing all elements of\n the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the\n element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>\n Set<T>.plusElement(element: T): Set<T> {\n  return plus(element)\n}\n\n"/>\n * Copyright 2010-2019 JetBrains\n s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage\n kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\n https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns a\n character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char\n sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun\n CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling\n the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample\n samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun\n CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n  return if (index >= 0 && index\n <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if

```

```

the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n @kotlin.internal.InlineOnly\n public inline fun
CharSequence.elementAtOrNull(index: Int): Char? {\n     return this.getOrNull(index)\n }\n\n /**\n * Returns the first
character matching the given [predicate], or `null` if no such character was found.\n
*\n @kotlin.internal.InlineOnly\n public inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n
return firstOrNull(predicate)\n }\n\n /**\n * Returns the last character matching the given [predicate], or `null` if no
such character was found.\n * \n @kotlin.internal.InlineOnly\n public inline fun CharSequence.findLast(predicate:
(Char) -> Boolean): Char? {\n     return lastOrNull(predicate)\n }\n\n /**\n * Returns first character.\n * @throws
[NoSuchElementException] if the char sequence is empty.\n * \n public fun CharSequence.first(): Char {\n     if
(isEmpty())\n         throw NoSuchElementException("Char sequence is empty.")\n     return this[0]\n }\n\n /**\n *
Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such
character is found.\n * \n public inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n     for (element
in this) if (predicate(element)) return element\n     throw NoSuchElementException("Char sequence contains no
character matching the predicate.")\n }\n\n /**\n * Returns the first character, or `null` if the char sequence is
empty.\n * \n public fun CharSequence.firstOrNull(): Char? {\n     return if (isEmpty()) null else this[0]\n }\n\n /**\n *
Returns the first character matching the given [predicate], or `null` if character was not found.\n * \n public inline fun
CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n     for (element in this) if (predicate(element))
return element\n     return null\n }\n\n /**\n * Returns a character at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this char sequence.\n
*\n @kotlin.internal.InlineOnly\n public inline fun CharSequence.getOrNull(index: Int, defaultValue: (Int) -> Char):
Char {\n     return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n }\n\n /**\n * Returns a
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n public fun
CharSequence.getOrNull(index: Int): Char? {\n     return if (index >= 0 && index <= lastIndex) get(index) else
null\n }\n\n /**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n * \n public inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
for (index in indices) {\n     if (predicate(this[index]))\n         return index\n     }\n }\n return -
1\n }\n\n /**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n * \n public inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
for (index in indices.reversed()) {\n     if (predicate(this[index]))\n         return index\n     }\n }\n return -
1\n }\n\n /**\n * Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n
*\n public fun CharSequence.last(): Char {\n     if (isEmpty())\n         throw NoSuchElementException("Char
sequence is empty.")\n     return this[lastIndex]\n }\n\n /**\n * Returns the last character matching the given
[predicate].\n * @throws [NoSuchElementException] if no such character is found.\n * \n public inline fun
CharSequence.last(predicate: (Char) -> Boolean): Char {\n     for (index in this.indices.reversed()) {\n         val
element = this[index]\n         if (predicate(element)) return element\n     }\n     throw NoSuchElementException("Char
sequence contains no character matching the predicate.")\n }\n\n /**\n * Returns the last character, or `null` if the
char sequence is empty.\n * \n public fun CharSequence.lastOrNull(): Char? {\n     return if (isEmpty()) null else
this[length - 1]\n }\n\n /**\n * Returns the last character matching the given [predicate], or `null` if no such
character was found.\n * \n public inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n     for (index
in this.indices.reversed()) {\n         val element = this[index]\n         if (predicate(element)) return element\n     }\n
return null\n }\n\n /**\n * Returns a random character from this char sequence.\n * \n * @throws
NoSuchElementException if this char sequence is empty.\n
*\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n public inline fun CharSequence.random(): Char {\n     return
random(Random)\n }\n\n /**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n
*\n @SinceKotlin("1.3")\n public fun CharSequence.random(random: Random): Char {\n     if (isEmpty())\n         throw
NoSuchElementException("Char sequence is empty.")\n     return get(random.nextInt(length))\n }\n\n /**\n * Returns
the single character, or throws an exception if the char sequence is empty or has more than one character.\n

```

```

*^public fun CharSequence.single(): Char {
    return when (length) {
        0 -> throw NoSuchElementException("Char sequence is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Char sequence has more than one element.")
    }
}

* Returns the single character matching the given [predicate], or throws exception if there is no or more than one matching character.

*^public inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {
    var single: Char? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Char sequence contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Char sequence contains no character matching the predicate.")
    @SuppressWarnings("UNCHECKED_CAST")
    return single as Char
}

* Returns single character, or `null` if the char sequence is empty or has more than one character.

*^public fun CharSequence.singleOrNull(): Char? {
    return if (length == 1) this[0] else null
}

* Returns the single character matching the given [predicate], or `null` if character was not found or more than one character was found.

*^public inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {
    var single: Char? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}

* Returns a subsequence of this char sequence with the first [n] characters removed.

* @throws IllegalArgumentException if [n] is negative.
* @sample samples.text.Strings.drop

*^public fun CharSequence.drop(n: Int): CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return subSequence(n.coerceAtMost(length), length)
}

* Returns a string with the first [n] characters removed.

* @throws IllegalArgumentException if [n] is negative.
* @sample samples.text.Strings.drop

*^public fun String.drop(n: Int): String {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return substring(n.coerceAtMost(length))
}

* Returns a subsequence of this char sequence with the last [n] characters removed.

* @throws IllegalArgumentException if [n] is negative.
* @sample samples.text.Strings.drop

*^public fun CharSequence.dropLast(n: Int): CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return take((length - n).coerceAtLeast(0))
}

* Returns a string with the last [n] characters removed.

* @throws IllegalArgumentException if [n] is negative.
* @sample samples.text.Strings.drop

*^public fun String.dropLast(n: Int): String {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return take((length - n).coerceAtLeast(0))
}

* Returns a subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].

* @sample samples.text.Strings.drop

*^public inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return subSequence(0, index + 1)
        }
    }
    return ""
}

* Returns a string containing all characters except last characters that satisfy the given [predicate].

* @sample samples.text.Strings.drop

*^public inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return substring(0, index + 1)
        }
    }
    return ""
}

* Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given [predicate].

* @sample samples.text.Strings.drop

*^public inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {
    for (index in this.indices) {
        if (!predicate(this[index])) {
            return subSequence(index, length)
        }
    }
    return ""
}

* Returns a string containing all characters except first characters that satisfy the given [predicate].

* @sample samples.text.Strings.drop

*^public inline fun String.dropWhile(predicate: (Char) -> Boolean): String {
    for (index in this.indices) {
        if (!predicate(this[index])) {
            return substring(index)
        }
    }
    return ""
}

* Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].

*^public inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {
    return filterTo(StringBuilder(), predicate)
}

* Returns a string containing only those characters from the original string that match the given [predicate].

*^public inline fun String.filter(predicate: (Char) -> Boolean): String {
    return filterTo(StringBuilder(), predicate).toString()
}

* Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].

```

@param [predicate] function that takes the index of a character and the character itself\n \* and returns the result of predicate evaluation on the character.\n \*/\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/\*\*\n \* Returns a string containing only those characters from the original string that match the given [predicate].\n \*/\n \* @param [predicate] function that takes the index of a character and the character itself\n \* and returns the result of predicate evaluation on the character.\n \*/\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/\*\*\n \* Appends all characters matching the given [predicate] to the given [destination].\n \*/\n \* @param [predicate] function that takes the index of a character and the character itself\n \* and returns the result of predicate evaluation on the character.\n \*/\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))\n destination.append(element)\n }\n return destination\n}\n\n/\*\*\n \* Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n \*/\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/\*\*\n \* Returns a string containing only those characters from the original string that do not match the given [predicate].\n \*/\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/\*\*\n \* Appends all characters not matching the given [predicate] to the given [destination].\n \*/\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/\*\*\n \* Appends all characters matching the given [predicate] to the given [destination].\n \*/\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/\*\*\n \* Returns a char sequence containing characters of the original char sequence at the specified range of [indices].\n \*/\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return ""\n return subSequence(indices)\n}\n\n/\*\*\n \* Returns a string containing characters of the original string at the specified range of [indices].\n \*/\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return ""\n return substring(indices)\n}\n\n/\*\*\n \* Returns a char sequence containing characters of the original char sequence at specified [indices].\n \*/\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return ""\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/\*\*\n \* Returns a string containing characters of the original string at specified [indices].\n \*/\n \* @kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/\*\*\n \* Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n \*/\n \* @throws IllegalArgumentException if [n] is negative.\n \*/\n \* @sample samples.text.Strings.take\n \*/\npublic fun CharSequence.take(n: Int): CharSequence {\n require(n >= 0) { "Requested character count \$n is less than zero." }\n return subSequence(0, n.coerceAtMost(length))\n}\n\n/\*\*\n \* Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n \*/\n \* @throws IllegalArgumentException if [n] is negative.\n \*/\n \* @sample samples.text.Strings.take\n \*/\npublic fun String.take(n: Int): String {\n require(n >= 0) { "Requested character count \$n is less than zero." }\n return substring(0, n.coerceAtMost(length))\n}\n\n/\*\*\n \* Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n \*/\n \* @throws IllegalArgumentException if [n] is negative.\n \*/\n \* @sample samples.text.Strings.take\n \*/\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n require(n >= 0) { "Requested character count \$n is less than zero." }\n val length = length\n return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/\*\*\n \* Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n \*/\n \* @throws IllegalArgumentException if [n] is negative.\n \*/\n \* @sample samples.text.Strings.take\n \*/\npublic fun

```

String.takeLast(n: Int): String {\n  require(n >= 0) {\n    "Requested character count $n is less than zero." }\n  val
length = length\n  return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.take\n */\n\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return
subSequence(index + 1, length)\n    }\n  }\n  return subSequence(0, length)\n}\n\n/**\n * Returns a string
containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\n\npublic
inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n    return substring(index + 1)\n  }\n  return this\n}\n\n/**\n * Returns
a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.take\n */\n\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean):
CharSequence {\n  for (index in 0 until length)\n    if (!predicate(get(index))) {\n      return subSequence(0,
index)\n    }\n  return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that
satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\n\npublic inline fun
String.takeWhile(predicate: (Char) -> Boolean): String {\n  for (index in 0 until length)\n    if
(!predicate(get(index))) {\n      return substring(0, index)\n    }\n  return this\n}\n\n/**\n * Returns a char
sequence with characters in reversed order.\n */\n\npublic fun CharSequence.reversed(): CharSequence {\n  return
StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n  return (this as
CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by
[transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the
same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the
original char sequence.\n */\n\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>):
Map<K, V> {\n  val capacity = mapCapacity(length).coerceAtLeast(16)\n  return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters
from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each
character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\n\npublic
inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(length).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original char sequence.\n */\n\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val capacity
= mapCapacity(length).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n
* and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector]
the last one gets added to the map.\n */\n\npublic inline fun <K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any
two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\n\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char)
-> K, valueTransform: (Char) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable

```

```

map with key-value pairs\n * provided by [transform] function applied to each character of the given char
sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination}\n}\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n
* produced by the [valueSelector] function applied to each character.\n * \n * If any two characters are equal, the
last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char
sequence.\n * \n * @sample samples.text.Strings.associateWith\n *\n@SinceKotlin("1.3")\npublic inline fun <V>
CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result = LinkedHashMap<Char,
V>(mapCapacity(length).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n}\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each character of the given char
sequence,\n * where key is the character itself and value is provided by the [valueSelector] function applied to that
key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n
*\n@SinceKotlin("1.3")\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination}\n}\n/**\n * Appends all characters to
the given [destination] collection.\n *\npublic fun <C : MutableCollection<in Char>>
CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination}\n}\n/**\n * Returns a [HashSet] of all characters.\n *\npublic fun CharSequence.toHashSet():
HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length)))\n}\n}\n/**\n * Returns a [List]
containing all characters.\n *\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -
> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n}\n/**\n * Returns a
[MutableList] filled with all characters of this char sequence.\n *\npublic fun CharSequence.toMutableList():
MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n}\n/**\n * Returns a [Set] of all
characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n *\npublic
fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n }\n}\n}\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each character of original char sequence.\n
*\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return
flatMapTo(ArrayList<R>(), transform)\n}\n}\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each character of original char sequence, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>):
C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n}\n}\n/**\n * Groups characters of the original char sequence by the key returned by the given
[keySelector] function\n * applied to each character and returns a map where each group key is associated with a list
of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic
inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n}\n/**\n * Groups values returned by the
[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n}\n/**\n * Groups
characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n

```



```

* @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
* \npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n *
by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map
each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
* \npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-
fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n
* \n@SinceKotlin("1.1")\npublic inline fun <K>
CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n return object :
Grouping<Char, K> {\n override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n
override fun keyOf(element: Char): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each character in the original char sequence.\n
* \npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(length),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
character and its index in the original char sequence.\n * @param [transform] function that takes the index of a
character and the character itself\n * and returns the result of the transform applied to the character.\n
* \npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return
mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each character and its index in the original char sequence.\n
* @param [transform] function that takes the index of a character and the character itself\n * and returns the result of
the transform applied to the character.\n
* \npublic inline fun <R : Any>
CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
character and its index in the original char sequence\n * and appends only the non-null results to the given
[destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and
returns the result of the transform applied to the character.\n
* \npublic inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) ->
R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return
destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of a character and the character itself\n * and returns the result of the transform applied to the character.\n
* \npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++,
item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given
[transform] function\n * to each character in the original char sequence.\n
* \npublic inline fun <R : Any>
CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n
* and appends only the non-null results to the given [destination].\n
* \npublic inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach
{ element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each character of the original char sequence\n * and appends the results to the given
[destination].\n
* \npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C,

```

```

transform: (Char) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination}\n}\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each character of the original char
sequence.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n  return IndexingIterable
{ iterator() }\n}\n/**\n * Returns `true` if all characters match the given [predicate].\n */\n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) ->
Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return false\n  return true}\n}\n/**\n *
Returns `true` if char sequence has at least one character.\n */\n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n  return
!isEmpty()\n}\n/**\n * Returns `true` if at least one character matches the given [predicate].\n */\n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false}\n}\n/**\n * Returns the length of this char sequence.\n */\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.count(): Int {\n  return length}\n}\n/**\n * Returns the number of characters matching the given
[predicate].\n */\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n  var count = 0\n
for (element in this) if (predicate(element)) ++count\n  return count}\n}\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right to current accumulator value and each character.\n
*/\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n  var accumulator =
initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator}\n}\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n */\n * to current accumulator
value and each character with its index in the original char sequence.\n */\n * @param [operation] function that takes the
index of a character, current accumulator value\n */\n * and the character itself, and calculates the next accumulator
value.\n */\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R):
R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++,
accumulator, element)\n  return accumulator}\n}\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from right to left to each character and current accumulator value.\n */\n */\npublic inline fun <R>
CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator}\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n */\n * to each character with its index in the original char sequence and current accumulator value.\n */\n *
@param [operation] function that takes the index of a character, the character itself\n */\n * and current accumulator value, and
calculates the next accumulator value.\n */\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R,
operation: (index: Int, Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while
(index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator}\n}\n/**\n * Performs the given [action] on each character.\n */\n */\npublic inline fun
CharSequence.forEach(action: (Char) -> Unit): Unit {\n  for (element in this) action(element)\n}\n}\n/**\n *
Performs the given [action] on each character, providing sequential index with the character.\n */\n * @param [action]
function that takes the index of a character and the character itself\n */\n * and performs the desired action on the
character.\n */\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n  var
index = 0\n  for (item in this) action(index++, item)\n}\n}\n/**\n * Returns the largest character or `null` if there are
no characters.\n */\n */\npublic fun CharSequence.max(): Char? {\n  if (isEmpty()) return null\n  var max = this[0]\n
for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max}\n}\n/**\n * Returns
the first character yielding the largest value of the given function or `null` if there are no characters.\n */\n */\n *
@sample samples.collections.Collections.Aggregates.maxBy\n */\n */\npublic inline fun <R : Comparable<R>>
CharSequence.maxBy(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n
var maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if
(maxValue < v) {\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem}\n}\n/**\n * Returns the first
character having the largest value according to the provided [comparator] or `null` if there are no
characters.\n */\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n  if (isEmpty())

```

```

return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n */\n@sample\nsamples.collections.Collections.Aggregates.minBy\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minBy(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n */\n@sample\nsamples.collections.Collections.Aggregates.none\n\n/**\n * Returns `true` if no characters match the given [predicate].\n */\n@sample\nsamples.collections.Collections.Aggregates.noneWithPredicate\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n  return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n */\n@param [operation] function that takes the index of a character, current accumulator value\n * and the character itself and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n */\n@param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n}

```

return sum\n}\n\n/\*\*\n \* Splits this char sequence into a list of strings each not exceeding the given [size].\n \* \n \* The last string in the resulting list may have less characters than the given [size].\n \* \n \* @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n \* \n \* @sample samples.collections.Collections.Transformations.chunked\n

```

*\n@SinceKotlin("1.2")\npublic fun CharSequence.chunked(size: Int): List<String> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n
```

```

*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n
```

```

*\n@SinceKotlin("1.2")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n    return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n
```

```

*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n    return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n * \n * @public inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n * \n * @public inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * \n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
```

```

*\n@SinceKotlin("1.2")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n    return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given

```

[transform] function to\n \* an each char sequence representing a view over the window of the given [size]\n \* sliding along this char sequence with the given [step].\n \* \n \* Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n \* You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n \* Several last char sequences may have less characters than the given [size].\n \* \n \* Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n \* @param size the number of elements to take in each window\n \* @param step the number of elements to move the window forward by on an each step, by default 1\n \* @param partialWindows controls whether or not to keep partial windows in the end if any,\n \* by default `false` which means partial windows won't be preserved\n \* \n \* @sample samples.collections.Sequences.Transformations.averageWindows

```
*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize = this.length\n    val result = ArrayList<R>((thisSize + step - 1) / step)\n    var index = 0\n    while (index < thisSize)\n    {\n        val end = index + size\n        val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break } else end\n        result.add(transform(subSequence(index, coercedEnd)))\n        index += step\n    }\n    return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows
```

```
*\n@SinceKotlin("1.2")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n    return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * \n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows
```

```
*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n    checkWindowSizeStep(size, step)\n    val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n    return windows.asSequence().map { index -> transform(subSequence(index, (index + size).coerceAtMost(length))) }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip
```

```
*\npublic infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {\n    return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform
```

```
*\npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n    val length = minOf(this.length, other.length)\n    val list = ArrayList<V>(length)\n    for (i in 0 until length) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext
```

```

*\n@SinceKotlin("1.2")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n    return
zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if
this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n *\n@SinceKotlin("1.2")\npublic
inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n    val size = length - 1\n
if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for (index in 0 until size) {\n
result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n * Creates an [Iterable] instance
that wraps the original char sequence returning its characters when being iterated.\n *\npublic fun
CharSequence.asIterable(): Iterable<Char> {\n    if (this is String && isEmpty()) return emptyList()\n    return
Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence
returning its characters when being iterated.\n *\npublic fun CharSequence.asSequence(): Sequence<Char> {\n    if
(this is String && isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\nimport kotlin.contracts.contract\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing characters matching the [predicate] removed.\n *\npublic inline fun
CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var startIndex = 0\n    var endIndex = length
- 1\n    var startFound = false\n\n    while (startIndex <= endIndex) {\n        val index = if (!startFound) startIndex
else endIndex\n        val match = predicate(this[index])\n\n        if (!startFound) {\n            if (!match)\n
startFound = true\n            else\n                startIndex += 1\n        } else {\n            if (!match)\n                break\n
            else\n                endIndex -= 1\n        }\n    }\n\n    return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n *
Returns a string having leading and trailing characters matching the [predicate] removed.\n *\npublic inline fun
String.trim(predicate: (Char) -> Boolean): String =\n    (this as CharSequence).trim(predicate).toString()\n}\n\n/**\n *
Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n *\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return
""\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n *\npublic inline
fun String.trimStart(predicate: (Char) -> Boolean): String =\n    (this as
CharSequence).trimStart(predicate).toString()\n}\n\n/**\n * Returns a sub sequence of this char sequence having
trailing characters matching the [predicate] removed.\n *\npublic inline fun CharSequence.trimEnd(predicate:
(Char) -> Boolean): CharSequence {\n    for (index in this.indices.reversed())\n        if (!predicate(this[index]))\n
return subSequence(0, index + 1)\n    return ""\n}\n\n/**\n * Returns a string having trailing characters
matching the [predicate] removed.\n *\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimEnd(predicate).toString()\n}\n\n/**\n * Returns a sub sequence of this char sequence
having leading and trailing characters from the [chars] array removed.\n *\npublic fun CharSequence.trim(vararg
chars: Char): CharSequence = trim { it in chars }\n}\n\n/**\n * Returns a string having leading and trailing characters
from the [chars] array removed.\n *\npublic fun String.trim(vararg chars: Char): String = trim { it in chars
}\n}\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array
removed.\n *\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars
}\n}\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n *\npublic fun
String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n}\n\n/**\n * Returns a sub sequence of this char
sequence having trailing characters from the [chars] array removed.\n *\npublic fun CharSequence.trimEnd(vararg
chars: Char): CharSequence = trimEnd { it in chars }\n}\n\n/**\n * Returns a string having trailing characters from the
[chars] array removed.\n *\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n}\n\n/**\n *
Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n *\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n}\n\n/**\n * Returns a string having leading and

```

```

trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified character or space.\n */\n * @param length the desired
string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified.
Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char
sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample
samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '):
CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length is less than
zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n    val sb =
StringBuilder(length)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    sb.append(this)\n    return
sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n */\n *
@param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length]
consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n *
@sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n(this as
CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this
char sequence padded at the end\n * to the specified [length] with the specified character or space.\n */\n * @param
length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the
[length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length]
consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that
length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char
= ' '): CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length is less
than zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n    val sb =
StringBuilder(length)\n    sb.append(this)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    return
sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n */\n *
@param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length]
consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n *
@sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n(this as
CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is
either `null` or empty.\n */\n * @sample samples.text.Strings.stringOrNull\n */\npublic fun CharSequence?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n */\n * @sample
samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty():
Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n */\n * @sample
samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//\npublic fun
String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence
is not empty and contains some characters except of whitespace characters.\n */\n * @sample
samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either
`null` or empty or consists solely of whitespace characters.\n\n * @sample
samples.text.Strings.stringOrNull\n\n * @kotlin.internal.InlineOnly\n\npublic inline fun
CharSequence?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty !=
null)\n    }\n\n    return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n\n * @public operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n    private var index = 0\n\n    public override fun nextChar(): Char = get(index++)\n\n    public override fun hasNext(): Boolean = index <
length\n}\n\n/**\n * Returns the string if it is not `null`, or the empty string otherwise.
*\n\n * @kotlin.internal.InlineOnly\n\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n/**\n * Returns this
char sequence if it's not empty\n\n * or the result of calling [defaultValue] function if the char sequence is empty.\n\n *
*\n * @sample samples.text.Strings.stringIfEmpty\n\n * @kotlin.internal.InlineOnly\n\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : CharSequence, C : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char
sequence if it is not empty and doesn't consist solely of whitespace characters,\n\n * or the result of calling
[defaultValue] function otherwise.\n\n * @sample samples.text.Strings.stringIfNotBlank\n\n * @kotlin.internal.InlineOnly\n\npublic inline fun <C, R> C.ifBlank(defaultValue: () ->
R): R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue() else this\n\n/**\n * Returns the range of valid
character indices for this char sequence.\n\n * @public val CharSequence.indices: IntRange\n    get() = 0..length -
1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n\n * @public val
CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode
surrogate pair at the specified [index].\n\n * @public fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n        && this[index].isHighSurrogate()\n        && this[index +
1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n\n * @public fun
String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a
subsequence of this char sequence specified by the given [range] of indices.\n\n * @public fun
CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive +
1)\n\n/**\n * Returns a subsequence of this char sequence.\n\n * This extension is chosen only for invocation with
old-named parameters.\n\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n\n * @kotlin.internal.InlineOnly\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\n\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\n\n * @param startIndex the start index (inclusive).\n\n *
@param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n\n *
*\n\n * @kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the
specified [range] of this char sequence.\n\n * @public fun CharSequence.substring(range: IntRange): String =
subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n\n * @public fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n\n * @public fun
String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns
a substring after the first occurrence of [delimiter].\n\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n\n * @public fun String.substringAfter(delimiter:
Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)

```



```

missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence
of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this):
String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string
does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n *
Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==
-1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this):
String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the
string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n
public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n    val
index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at
the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first
character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the
string.\n */\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence):
CharSequence {\n    if (endIndex < startIndex)\n        throw IndexOutOfBoundsException("\nEnd index ($endIndex)
is less than start index ($startIndex).")\n    val sb = StringBuilder()\n    sb.append(this, 0, startIndex)\n
sb.append(replacement)\n    sb.append(this, endIndex, length)\n    return sb\n}\n\n/**\n * Replaces the part of the
string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first
character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the
string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int,
replacement: CharSequence): String =\n    (this as CharSequence).replaceRange(startIndex, endIndex,
replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given [range]\n * is replaced with the [replacement] char sequence.\n * *n * The end index of the [range] is included
in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement:
CharSequence): CharSequence =\n    replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n *
Replace the part of string at the given [range] with the [replacement] string.\n * *n * The end index of the [range] is
included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range:
IntRange, replacement: CharSequence): String =\n    (this as CharSequence).replaceRange(range,
replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given range is removed.\n * *n * @param startIndex the index of the first character to be removed.\n * @param
endIndex the index of the first character after the removed part to keep in the string.\n * *n * [endIndex] is not
included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int):
CharSequence {\n    if (endIndex < startIndex)\n        throw IndexOutOfBoundsException("\nEnd index ($endIndex)
is less than start index ($startIndex).")\n    if (endIndex == startIndex)\n        return this.subSequence(0,
length)\n    val sb = StringBuilder(length - (endIndex - startIndex))\n    sb.append(this, 0, startIndex)\n
sb.append(this, endIndex, length)\n    return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n *
@param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first
character after the removed part to keep in the string.\n * *n * [endIndex] is not included in the removed part.\n */\n
@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n

```

(this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n\*\*\n \* Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n\n \* The end index of the [range] is included in the removed part.\n\n \* \n\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n\*\*\n \* Removes the part of a string at the given [range].\n\n \* The end index of the [range] is included in the removed part.\n\n \* \n\n@kotlin.internal.InlineOnly\n\npublic inline fun String.removeRange(range: IntRange): String =\n (this as CharSequence).removeRange(range).toString()\n\n\*\*\n \* If this char sequence starts with the given [prefix], returns a new char sequence\n\n \* with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n\n \* \n\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n\n if (startsWith(prefix)) {\n\n return subSequence(prefix.length, length)\n\n }\n\n return subSequence(0, length)\n\n}\n\n\*\*\n \* If this string starts with the given [prefix], returns a copy of this string\n\n \* with the prefix removed. Otherwise, returns this string.\n\n \* \n\npublic fun String.removePrefix(prefix: CharSequence): String {\n\n if (startsWith(prefix)) {\n\n return substring(prefix.length)\n\n }\n\n return this\n\n}\n\n\*\*\n \* If this char sequence ends with the given [suffix], returns a new char sequence\n\n \* with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n\n \* \n\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n\n if (endsWith(suffix)) {\n\n return subSequence(0, length - suffix.length)\n\n }\n\n return subSequence(0, length)\n\n}\n\n\*\*\n \* If this string ends with the given [suffix], returns a copy of this string\n\n \* with the suffix removed. Otherwise, returns this string.\n\n \* \n\npublic fun String.removeSuffix(suffix: CharSequence): String {\n\n if (endsWith(suffix)) {\n\n return substring(0, length - suffix.length)\n\n }\n\n return this\n\n}\n\n\*\*\n \* When this char sequence starts with the given [prefix] and ends with the given [suffix],\n\n \* returns a new char sequence having both the given [prefix] and [suffix] removed.\n\n \* Otherwise returns a new char sequence with the same characters.\n\n \* \n\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n\n return subSequence(prefix.length, length - suffix.length)\n\n }\n\n return subSequence(0, length)\n\n}\n\n\*\*\n \* Removes from a string both the given [prefix] and [suffix] if and only if\n\n \* it starts with the [prefix] and ends with the [suffix].\n\n \* Otherwise returns this string unchanged.\n\n \* \n\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n\n return substring(prefix.length, length - suffix.length)\n\n }\n\n return this\n\n}\n\n\*\*\n \* When this char sequence starts with and ends with the given [delimiter],\n\n \* returns a new char sequence having this [delimiter] removed both from the start and end.\n\n \* Otherwise returns a new char sequence with the same characters.\n\n \* \n\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n\*\*\n \* Removes the given [delimiter] string from both the start and the end of this string\n\n \* if and only if it starts with and ends with the [delimiter].\n\n \* Otherwise returns this string unchanged.\n\n \* \n\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n\n \* \n\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n\n val index = indexOf(delimiter)\n\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n\n}\n\n\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n\n \* \n\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n\n val index = indexOf(delimiter)\n\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n\n}\n\n\*\*\n \* Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n\n \* \n\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n\n val index = indexOf(delimiter)\n\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n\n}\n\n\*\*\n \* Replace part of string after the first occurrence of given

delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/\*\*\n \* Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/\*\*\n \* Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/\*\*\n \* Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n \* with the given [replacement].\n \* The [replacement] can consist of any combination of literal text and \$-substitutions. To treat the replacement string\n \* literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/\*\*\n \* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n \* with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n \* replacement for that match.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/\*\*\n \* Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n \*/\n \* @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n/\*\*\n \* Returns `true` if this char sequence matches the given regular expression.\n \*/\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/\*\*\n \* Implementation of [regionMatches] for CharSequences.\n \* Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n \*/\n@internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n return false\n }\n for (index in 0 until length) {\n if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n return false\n }\n return true\n}\n\n/\*\*\n \* Returns `true` if this char sequence starts with the specified character.\n \*/\npublic fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n this.length > 0 && this[0].equals(char, ignoreCase)\n\n/\*\*\n \* Returns `true` if this char sequence ends with the specified character.\n \*/\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n this.length > 0 &&

```

this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified
prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n
if (!ignoreCase && this is String && prefix is String)\n    return this.startsWith(prefix)\n else\n    return
regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun
CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if
(!ignoreCase && this is String && prefix is String)\n    return this.startsWith(prefix, startIndex)\n else\n
return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char
sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase && this is String && suffix is String)\n    return
this.endsWith(suffix)\n else\n    return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n */\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
*/\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n
val shortestLength = minOf(this.length, other.length)\n\n var i = 0\n while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n    i++\n } \n if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n    i--\n } \n return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n */\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n
*/\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n val thisLength = this.length\n val otherLength = other.length\n val
shortestLength = minOf(thisLength, otherLength)\n\n var i = 0\n while (i < shortestLength && this[thisLength -
i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n    i++\n } \n if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n    i--\n } \n
return subSequence(thisLength - i, thisLength).toString()\n}\n\n// indexOfAny()\n\n/**\n * Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n */\n * @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.\n */\n * \n\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n if (!ignoreCase && chars.size == 1 && this is String) {\n    val char = chars.single()\n
return nativeIndexOf(char, startIndex)\n } \n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n    val
charAtIndex = get(index)\n    if (chars.any { it.equals(charAtIndex, ignoreCase) })\n        return index\n } \n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n */\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n */\n * \n\npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n
if (!ignoreCase && chars.size == 1 && this is String) {\n    val char = chars.single()\n    return
nativeLastIndexOf(char, startIndex)\n } \n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n
val charAtIndex = get(index)\n    if (chars.any { it.equals(charAtIndex, ignoreCase) })\n        return index\n
} \n\n return -1\n}\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int,
ignoreCase: Boolean, last: Boolean = false): Int {\n val indices = if (!last)\n    startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n else\n    startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n    for (index in

```

```

indices) {\n        if (other.regionMatches(0, this, index, other.length, ignoreCase))\n            return index\n    }\n } else {\n    for (index in indices) {\n        if (other.regionMatchesImpl(0, this, index, other.length,\nignoreCase))\n            return index\n    }\n }\n return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings:\nCollection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase\n&& strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else\nlastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    }\n    val indices = if (!last)\nstartIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n    if (this is String) {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length,\nignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    } else {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index,\nit.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    }\n }\n\n return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore\ncharacter case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of\nmatched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n * To avoid\nambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the\nbeginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string\nat that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0,\nignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last =\nfalse)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from\nthe specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start\nsearching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to\nignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last\noccurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n * To\navoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the\nend toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this\nstring at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int =\nlastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last =\ntrue)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting\nfrom the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore\ncharacter case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched\nstring from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings]\nhave characters in common, this method proceeds from\n * the\nbeginning to the end of this string, and finds at each\nposition the first element in [strings]\n * that matches this string at that position.\n */\npublic fun\nCharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence\nof any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally\nignoring the case.\n * @param startIndex The index of character to start\nsearching at. The search proceeds\nbackward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when\nmatching\na string. By default `false`.\n * @return An index of the last occurrence of matched\nstring from [strings] or -1 if\nnone of [strings] are found.\n * To avoid ambiguous results when strings in [strings]\nhave characters in common,\nthis method proceeds from\n * the\nend toward the beginning of this string, and finds at each\nposition the first\nelement in [strings]\n * that matches this string at that position.\n */\npublic fun\nCharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean =\nfalse): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n/**\n * Returns\nthe index within this string of the first occurrence of the specified character, starting from the\nspecified\n[startIndex].\n * @param ignoreCase `true` to ignore character case when\nmatching a character. By default\n`false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun

```

```

CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeIndexOf(char, startIndex)
}

/** Returns the index within this char sequence of the first occurrence of the specified
 [string],
 * starting from the specified [startIndex].
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the first occurrence of [string] or -1 if none is found.
 */
public fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOf(string, startIndex, length, ignoreCase)
    else
        nativeIndexOf(string, startIndex)
}

/** Returns the index within this char sequence of the last occurrence of the specified
 character,
 * starting from the specified [startIndex].
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
 * @return An index of the first occurrence of [char] or -1 if none is found.
 */
public fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeLastIndexOf(char, startIndex)
}

/** Returns the index within this char sequence of the last occurrence of the specified
 [string],
 * starting from the specified [startIndex].
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the first occurrence of [string] or -1 if none is found.
 */
public fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOf(string, startIndex, 0, ignoreCase, last = true)
    else
        nativeLastIndexOf(string, startIndex)
}

/** Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.
 * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.
 */
@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")
public operator fun
CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =
    if (other is String)
        indexOf(other, ignoreCase = ignoreCase) >= 0
    else
        indexOf(other, 0, length, ignoreCase) >= 0

/** Returns `true` if this char sequence contains the specified character [char].
 * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.
 */
@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")
public operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =
    indexOf(char, ignoreCase = ignoreCase) >= 0

/** Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].
 */
@kotlin.internal.InlineOnly
public inline operator fun CharSequence.contains(regex: Regex): Boolean =
    regex.containsMatchIn(this)

// rangesDelimitedBy
private class DelimitedRangesSequence(
    private val input: CharSequence,
    private val startIndex: Int,
    private val limit: Int,
    private val getNextMatch:
        CharSequence.(currentIndex: Int) -> Pair<Int, Int>?
) : Sequence<IntRange> {
    override fun iterator():
        Iterator<IntRange> = object : Iterator<IntRange> {
        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue
        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)
        var nextSearchIndex: Int = currentStartIndex
        var nextItem: IntRange? = null
        var counter: Int = 0

        private fun calcNext() {
            if (nextSearchIndex < 0) {
                nextState = 0
                nextItem = null
            } else {
                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {
                    nextItem = currentStartIndex..input.lastIndex
                    nextSearchIndex = -1
                } else {
                    val match = input.getNextMatch(nextSearchIndex)
                    if (match == null) {
                        nextItem = currentStartIndex..input.lastIndex
                        nextSearchIndex = -1
                    } else {
                        val (index, length) = match
                        nextItem = currentStartIndex until index
                        currentStartIndex = index + length
                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0
                    }
                }
                nextState = 1
            }
        }

        override fun next(): IntRange {
            if (nextState == -1)
                calcNext()
            if (nextState == 0)
                throw NoSuchElementException()
            val result = nextItem as IntRange
            // Clean next to avoid keeping reference on yielded instance

```

```

nextItem = null\n        nextState = -1\n        return result\n    }\n\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext()\n        return nextState == 1\n    }\n}\n\n/**\n * Returns a\n sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start\n searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is\n coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore\n character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings\n to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters:\n CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit\n >= 0, { \"Limit must be non-negative, but was $limit.\" })\n    return DelimitedRangesSequence(this, startIndex,\n limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null\n else it to 1 }\n    })\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around\n occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n *\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value less than\n [startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\n *\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n *\n * @param limit\n The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous\n results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the\n end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that\n position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0,\n ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit >= 0, { \"Limit must be non-\n negative, but was $limit.\" })\n    val delimitersList = delimiters.asList()\n    return\n DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex,\n ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length } })\n}\n\n/**\n * Splits this\n char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters\n One or more strings to be used as delimiters.\n *\n * @param ignoreCase `true` to ignore character case when matching\n a delimiter. By default `false`.\n *\n * @param limit The maximum number of substrings to return. Zero by default\n means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common,\n this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in\n [delimiters]\n * that matches this string at that position.\n */\npublic fun CharSequence.splitToSequence(vararg\n delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this\n char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or\n more strings to be used as delimiters.\n *\n * @param ignoreCase `true` to ignore character case when matching a\n delimiter. By default `false`.\n *\n * @param limit The maximum number of substrings to return. Zero by default means\n no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this\n method proceeds from\n * the beginning to the end of this string, and matches at each position the first element in\n [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun\n CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n    if\n (delimiters.size == 1) {\n        val delimiter = delimiters[0]\n        if (!delimiter.isEmpty()) {\n            return\n split(delimiter, ignoreCase, limit)\n        }\n    }\n    return rangesDelimitedBy(delimiters, ignoreCase =\n ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of\n strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be\n used as delimiters.\n *\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default\n `false`.\n *\n * @param limit The maximum number of substrings to return.\n */\npublic fun\n CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):\n Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)\n }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param\n delimiters One or more characters to be used as delimiters.\n *\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default\n `false`.\n *\n * @param limit The maximum number of substrings to return.\n */\npublic fun\n CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):\n List<String> =\n splitToSequence(*delimiters, ignoreCase = ignoreCase, limit = limit)\n}

```

```

@param delimiters One or more characters to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.
/public fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        return split(delimiters[0].toString(), ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }
}
/n/**
 * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].
 * This is specialized version of split which receives single non-empty delimiter and offers better performance
 */
@param delimiter String used as delimiter
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.
/private fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {
    require(limit >= 0, {
        "Limit must be non-negative, but was $limit."
    })
    var currentOffset = 0
    var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    if (nextIndex == -1 || limit == 1) {
        return listOf(this.toString())
    }
    val isLimited = limit > 0
    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)
    do {
        result.add(substring(currentOffset, nextIndex))
        currentOffset = nextIndex + delimiter.length
        // Do not search for next occurrence if we're reaching limit
        if (isLimited && result.size == limit - 1) break
        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    } while (nextIndex != -1)
    result.add(substring(currentOffset, length))
    return result
}
/n/**
 * Splits this char sequence around matches of the given regular expression.
 */
@param limit Non-negative value specifying the maximum number of substrings to return.
 * Zero by default means no limit is set.
*/
@kotlin.internal.InlineOnly
/public inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)
/n/**
 * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.
 * The lines returned do not include terminating line separators.
 */
/public fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n", "\\r")
/n/**
 * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF, LF or CR.
 * The lines returned do not include terminating line separators.
 */
/public fun CharSequence.lines(): List<String> = lineSequence().toList()
/n/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
/package kotlin.text
/nimport kotlin.js.RegExp
/n/**
 * Converts the characters in the specified array to a string.
 */
@SinceKotlin("1.2")
/public actual fun String(chars: CharArray): String {
    var result = ""
    for (char in chars) {
        result += char
    }
    return result
}
/n/**
 * Converts the characters from a portion of the specified array to a string.
 * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero
 * or `offset + length` is out of [chars] array bounds.
 */
@SinceKotlin("1.2")
/public actual fun String(chars: CharArray, offset: Int, length: Int): String {
    if (offset < 0 || length < 0 || chars.size - offset < length)
        throw IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")
    var result = ""
    for (index in offset until offset + length) {
        result += chars[index]
    }
    return result
}
/n/**
 * Returns a copy of this string converted to upper case using the rules of the default locale.
 */
/sample samples.text.Strings.toUpperCase()
@kotlin.internal.InlineOnly
/public actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()
/n/**
 * Returns a copy of this string converted to lower case using the rules of the default locale.
 */
/sample samples.text.Strings.toLowerCase()
@kotlin.internal.InlineOnly
/public actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()
/n@kotlin.internal.InlineOnly
/internal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)
/n@kotlin.internal.InlineOnly
/internal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)
/n@kotlin.internal.InlineOnly
/internal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)
/n@kotlin.internal.InlineOnly
/internal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)
/n@kotlin.internal.InlineOnly
/public actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)
/n@kotlin.internal.InlineOnly
/public actual inline fun

```



```

String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String =
asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String):
Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to
implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS
")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n
val n1 = this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n
        var start = 0\n        while (true) {\n            val end = minOf(start + 16, min)\n            var s1 = this.substring(start,
end)\n            var s2 = other.substring(start, end)\n            if (s1 != s2) {\n                s1 = s1.toUpperCase()\n
s2 = s2.toUpperCase()\n                if (s1 != s2) {\n                    s1 = s1.toLowerCase()\n                    s2 =
s2.toLowerCase()\n                    if (s1 != s2) {\n                        return s1.compareTo(s2)\n                    }\n
}\n            }\n            if (end == min) break\n            start = end\n        }\n        return n1 - n2\n    } else {\n        return
compareTo(other)\n    }\n}\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b
-> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin("1.2")\npublic actual val
String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n    get() =
STRING_CASE_INSENSITIVE_ORDER\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UArraysKt")\n@file:kotlin.jvm.JvmPacka
geName("kotlin.collections.unsigned")\n\npackage kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns 1st
*element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component1(): UInt {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component1(): ULong {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component1(): UByte {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component1(): UShort {\n    return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component2(): UInt {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component2(): ULong {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component2(): UByte {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component2(): UShort {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component3(): UInt {\n    return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component3(): ULong {\n    return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component3(): UByte {\n    return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component3(): UShort {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component4(): UInt {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component4(): ULong {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component4(): UByte {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component4(): UShort {\n    return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component5(): UInt {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component5(): ULong {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component5(): UByte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component5(): UShort {\n    return get(4)\n}\n\n/**\n * Returns an element at the given [index] or
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):
UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):
ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int):
UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):
UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&

```

```

index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(): UInt {\n    return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the

```

```

[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.getOrNull(index: Int): UInt? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n  return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n  return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n  return storage.indexOfLast { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n  return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n  return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n  return storage.indexOfLast {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the
array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.last(): UInt {\n  return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n *
@throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n  return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n *
@throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(): UByte {\n  return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n  return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n  for (index in this.indices.reversed()) {\n    val element =
this[index]\n    if (predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *
@throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n  for (index in this.indices.reversed()) {\n    val
element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n  for (index in this.indices.reversed()) {\n    val
element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns
last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n    return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(): ULong {\n    return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n    return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n    return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n    var single: UInt? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as ULong\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n  var single: UByte? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n        single = element\n        found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n  return single as UByte\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n  var single: UShort? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n        single = element\n        found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n  return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n  var single: UInt? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) return null\n        single = element\n
found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n  var single: ULong? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n        if (found) return null\n        single =
element\n        found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n  var single: UByte? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n        if (found) return null\n        single =
element\n        found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n  var single: UShort? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n        if (found) return null\n        single
= element\n        found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *
\n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws

```

IllegalArgumentException if [n] is negative.\n \* \n \* @sample  
samples.collections.Collections.Transformations.drop\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0)
{\n if (!predicate(this[index])) {\n return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0)
```

```

{\n    if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n } \n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo\n 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return\n  emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given\n [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    var yielding = false\n    val list =\n  ArrayList<UInt>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all\n elements except first elements that satisfy the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    var yielding = false\n    val list =\n  ArrayList<ULong>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))\n            list.add(item)\n            yielding = true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all\n elements except first elements that satisfy the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    var yielding = false\n    val list =\n  ArrayList<UByte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))\n            list.add(item)\n            yielding = true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all\n elements except first elements that satisfy the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    var yielding = false\n    val list =\n  ArrayList<UShort>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))\n            list.add(item)\n            yielding = true\n    }\n    return list\n}\n\n/**\n * Returns a list containing only\n elements matching the given [predicate].\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterTo(ArrayList<UInt>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterTo(ArrayList<ULong>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterTo(ArrayList<UByte>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n    return filterTo(ArrayList<UShort>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @param\n [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate\n evaluation on the element.\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n    return\n  filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the

```

given [predicate].\n \* @param [predicate] function that takes the index of an element and the element itself\n \* and returns the result of predicate evaluation on the element.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n return filterNotTo(ArrayList<UByte>(),

```

```

predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n    return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for (element
in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive

```

```

+ 1).asList()\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UInt>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<ULong>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UByte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UShort>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {\n    return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {\n    return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {\n    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange):
UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sliceArray(indices: IntRange): ULongArray {\n    return
ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: IntRange): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n    require(n >= 0) {
"Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UInt>(n)\n    for
(item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.take\n

```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)\n  {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)\n  {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo 0)\n  {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list\n containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  val list = ArrayList<UShort>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Returns a list with elements in reversed order.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUByteArray.reversed(): List<UByte> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns

```



```

a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.reversed(): List<UShort> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n
list.reverse()\n return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n return ULongArray(storage.reversedArray())\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray {\n return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reversedArray(): UShortArray {\n return UShortArray(storage.reversedArray())\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n if
(size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n if
(size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a
list of all elements sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n return
copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort
order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted():
List<ULong> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sorted(): List<UByte> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all
elements sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n
return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortedArray(): UIntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray
{\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n
if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray
{\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():
UIntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns

```

an array with all elements of this array sorted descending according to their natural sort order.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():
ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt>
{\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortedDescending(): List<ULong> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending():
List<UByte> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sortedDescending(): List<UShort> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n
* of the corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.asByteArray(): ByteArray {\n    return storage\n}\n\n/**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray {\n    return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray(): LongArray {\n    return storage\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n    return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray {\n    return UByteArray(this)\n}\n\n/**\n * Returns an array of type
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
```

corresponding element of this array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
IntArray.asUIntArray(): UIntArray {\n    return UIntArray(this)\n}\n\n/**\n * Returns an array of type  
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the  
corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
LongArray.asULongArray(): ULongArray {\n    return ULongArray(this)\n}\n\n/**\n * Returns an array of type  
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the  
corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ShortArray.asUShortArray(): UShortArray {\n    return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two  
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the  
same order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun  
UIntArray.contentEquals(other: UIntArray): Boolean {\n    return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of  
the same elements in the same order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun  
ULongArray.contentEquals(other: ULongArray): Boolean {\n    return  
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal  
to one another,\n * i.e. contain the same number of the same elements in the same order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other:  
UByteArray): Boolean {\n    return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two  
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the  
same order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun  
UShortArray.contentEquals(other: UShortArray): Boolean {\n    return  
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is  
[List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int  
{\n    return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it  
is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code  
based on the contents of this array as if it is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n    return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it  
is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode():  
Int {\n    return storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the  
specified array as if it is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n    return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified  
array as if it is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n    return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified  
array as if it is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n    return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified  
array as if it is [List].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n    return joinToString(", ", "[", "]")\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and  
returns that array.\n * It's allowed to pass the same array in the [destination] and even specify the subrange so  
that it overlaps with the destination range.\n
```

destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UIntArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
ULongArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(): UShortArray {\n    return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start
of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in
`fromIndex..array.size`\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return
UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n

```

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {^ return
UByteArray(storage.copyOfRange(fromIndex, toIndex))^}^n/n/**^n * Returns a new array which is a copy of the
specified range of the original array.^n * ^n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`^n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {^ return
UShortArray(storage.copyOfRange(fromIndex, toIndex))^}^n/n/**^n * Returns the range of valid indices for the
array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UIntArray.indices:
IntRange^n get() = storage.indices^n/n/**^n * Returns the range of valid indices for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val ULongArray.indices: IntRange^n
get() = storage.indices^n/n/**^n * Returns the range of valid indices for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UByteArray.indices: IntRange^n
get() = storage.indices^n/n/**^n * Returns the range of valid indices for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UShortArray.indices: IntRange^n
get() = storage.indices^n/n/**^n * Returns the last valid index for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UIntArray.lastIndex: Int^n get() =
storage.lastIndex^n/n/**^n * Returns the last valid index for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val ULongArray.lastIndex: Int^n get() =
storage.lastIndex^n/n/**^n * Returns the last valid index for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UByteArray.lastIndex: Int^n get() =
storage.lastIndex^n/n/**^n * Returns the last valid index for the array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public inline val UShortArray.lastIndex: Int^n get() =
storage.lastIndex^n/n/**^n * Returns an array containing all elements of the original array and then the given
[element].^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline
operator fun UIntArray.plus(element: UInt): UIntArray {^ return UIntArray(storage +
element.toInt())^}^n/n/**^n * Returns an array containing all elements of the original array and then the given
[element].^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline
operator fun ULongArray.plus(element: ULong): ULongArray {^ return ULongArray(storage +
element.toLong())^}^n/n/**^n * Returns an array containing all elements of the original array and then the given
[element].^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline
operator fun UByteArray.plus(element: UByte): UByteArray {^ return UByteArray(storage +
element.toByte())^}^n/n/**^n * Returns an array containing all elements of the original array and then the given
[element].^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline
operator fun UShortArray.plus(element: UShort): UShortArray {^ return UShortArray(storage +
element.toShort())^}^n/n/**^n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {^ var index = size^n val result =
storage.copyOfOf(size + elements.size)^n for (element in elements) result[index++] = element.toInt()^n return
UIntArray(result)^}^n/n/**^n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {^ var index = size^n val result =
storage.copyOfOf(size + elements.size)^n for (element in elements) result[index++] = element.toLong()^n return
ULongArray(result)^}^n/n/**^n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public
operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {^ var index = size^n val result =
storage.copyOfOf(size + elements.size)^n for (element in elements) result[index++] = element.toByte()^n return
UByteArray(result)^}^n/n/**^n * Returns an array containing all elements of the original array and then all elements

```

of the given [elements] collection.

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toShort()\n  return
UShortArray(result)\n}\n\n**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n  return UIntArray(storage + elements.storage)\n}\n\n**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.plus(elements: ULongArray): ULongArray {\n  return ULongArray(storage +
elements.storage)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n  return UByteArray(storage +
elements.storage)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n  return UShortArray(storage +
elements.storage)\n}\n\n**\n * Sorts the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n**\n * Sorts the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n**\n * Sorts the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n**\n * Sorts the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n**\n * Returns an array of type [ByteArray], which is a copy of this array where each element
is a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.toByteArray(): ByteArray {\n  return storage.copyOf()\n}\n\n**\n * Returns an array of type
[IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.toIntArray(): IntArray {\n  return storage.copyOf()\n}\n\n**\n * Returns an array of type [LongArray],
which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.toLongArray(): LongArray {\n  return storage.copyOf()\n}\n\n**\n * Returns an array of type
[ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.toShortArray(): ShortArray {\n  return storage.copyOf()\n}\n\n**\n * Returns a *typed* object array
containing all of the elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt>
{\n  return Array(size) { index -> this[index] }\n}\n\n**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.toTypedArray(): Array<ULong> {\n  return Array(size) { index -> this[index] }\n}\n\n**\n *
Returns a *typed* object array containing all of the elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray():

```

```

Array<UByte> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array
containing all of the elements of this primitive array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray():
Array<UShort> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing
all of the elements of this generic array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.toUByteArray(): UByteArray {\n    return UByteArray(size) { index -> this[index] }\n}\n\n/**\n
* Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned
reinterpretation\n
* of the corresponding element of this array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.toUByteArray(): UByteArray {\n    return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of
UInt containing all of the elements of this generic array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray
{\n    return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a
copy of this array where each element is an unsigned reinterpretation\n
* of the corresponding element of this
array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.toUIntArray(): UIntArray {\n    return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong
containing all of the elements of this generic array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray():
ULongArray {\n    return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n
* of the
corresponding element of this array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.toULongArray(): ULongArray {\n    return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array
of UShort containing all of the elements of this generic array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():
UShortArray {\n    return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n
* of the
corresponding element of this array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.toUShortArray(): UShortArray {\n    return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :

```



```

MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n

```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements\n * of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to\n * the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The\n * [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>>\n    UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {\n            ArrayList<UInt>()\n        }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the\n * original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the\n * [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The\n * [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<ULong>>>\n    ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {\n            ArrayList<ULong>()\n        }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the\n * original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the\n * [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The\n * [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UByte>>>\n    UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {\n            ArrayList<UByte>()\n        }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the
```

original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n \* for (element in this) {\n \* val key = keySelector(element)\n \* val list = destination.getOrPut(key) { ArrayList<UShort>() }\n \* list.add(element)\n \* }\n \* return destination\n \* }\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n \* for (element in this) {\n \* val key = keySelector(element)\n \* val list = destination.getOrPut(key) { ArrayList<V>() }\n \* list.add(valueTransform(element))\n \* }\n \* return destination\n \* }\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n \* for (element in this) {\n \* val key = keySelector(element)\n \* val list = destination.getOrPut(key) { ArrayList<V>() }\n \* list.add(valueTransform(element))\n \* }\n \* return destination\n \* }\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n \* for (element in this) {\n \* val key = keySelector(element)\n \* val list = destination.getOrPut(key) { ArrayList<V>() }\n \* list.add(valueTransform(element))\n \* }\n \* return destination\n \* }\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n \* for (element in this) {\n \* val key = keySelector(element)\n \* val list = destination.getOrPut(key) { ArrayList<V>() }\n \* list.add(valueTransform(element))\n \* }\n \* return destination\n \* }\n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <R> UIntArray.map(transform: (UInt) -> R): List<R> {\n \* return mapTo(ArrayList<R>(size), transform)\n \* }\n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {\n \* return mapTo(ArrayList<R>(size), transform)\n \* }\n \* \n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.map(transform: (UByte) -> R): List<R> {\n return mapTo(ArrayList<R>(size),  
transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each  
element in the original array.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.map(transform: (UShort) -> R): List<R> {\n return mapTo(ArrayList<R>(size),  
transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each  
element and its index in the original array.\n \* @param [transform] function that takes the index of an element and  
the element itself\n \* and returns the result of the transform applied to the element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n return  
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the  
given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function  
that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the  
element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n return  
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the  
given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function  
that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the  
element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n return  
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the  
given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function  
that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the  
element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n return  
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each  
element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param  
[transform] function that takes the index of an element and the element itself\n \* and returns the result of the  
transform applied to the element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :  
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n var  
index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results  
to the given [destination].\n \* @param [transform] function that takes the index of an element and the element  
itself\n \* and returns the result of the transform applied to the element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :  
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n  
var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return  
destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results  
to the given [destination].\n \* @param [transform] function that takes the index of an  
element and the element itself\n \* and returns the result of the transform applied to the element.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :  
MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n  
var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return  
destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results  
to the given [destination].\n \* @param [transform] function that takes the index of an  
element and the element itself\n \* and returns the result of the transform applied to the element.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n
var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in
this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n for (item in
this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of
[IndexValue] for each element of the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex():
Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of
[IndexValue] for each element of the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex():
Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
of [IndexedValue] for each element of the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex():
Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
of [IndexedValue] for each element of the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value

```

starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n  var accumulator = initial\n  for
(element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n */
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n  var accumulator = initial\n  for
(element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left to each element and current accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Performs the given [action] on each element.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.forEach(action: (UInt) -> Unit): Unit {  
for (element in this) action(element)  
}
```

Performs the given [action] on each element.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.forEach(action: (ULong) -> Unit): Unit {  
for (element in this) action(element)  
}
```

Performs the given [action] on each element.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.forEach(action: (UByte) -> Unit): Unit {  
for (element in this) action(element)  
}
```

Performs the given [action] on each element.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.forEach(action: (UShort) -> Unit): Unit {  
for (element in this) action(element)  
}
```

Performs the given [action] on each element, providing sequential index with the element.

@param [action]



function that takes the index of an element and the element itself  
`* @param [action] function that takes the index of an element and the element itself`  
and performs the desired action on the element.

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself
and performs the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself
and performs the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself
and performs the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n
 * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var maxV = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxV < v) {\n      maxElem = e\n      maxV = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n
 * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var maxV = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxV < v) {\n      maxElem = e\n      maxV = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n
 * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  var maxV = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxV < v) {\n      maxElem = e\n      maxV = v\n    }\n  }\n  return

```

```

maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val
v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return
maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or
`null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var max
= this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n if (isEmpty())
return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var minElem =
this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v =
selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var
minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val
v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var
minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val
v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var
minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val
v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return
minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n
return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return false\n  return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator
value.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the

```

next accumulator value.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to  
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]  
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the  
next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left  
to each element and current accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left  
to each element and current accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left  
to each element and current accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left  
to each element and current accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]  
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the  
next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from  
right to left\n * to each element with its index in the original array and current accumulator value.\n * @param  
[operation] function that takes the index of an element, the element itself\n * and current accumulator value, and
```

calculates the next accumulator value.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element  
and applying [operation] from right to left\n * to each element with its index in the original array and current  
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and  
current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element  
and applying [operation] from right to left\n * to each element with its index in the original array and current  
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and  
current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum +=  
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function  
applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum  
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]  
function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum  
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]  
function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum  
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]  
function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)  
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in  
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

UByteArray.sumByDouble(selector: (UByte) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.sumByDouble(selector: (UShort) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterable

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterable

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterable

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterable

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}
// Returns a list of values built from the elements of `this` array and the [other] array with the same index
// using the provided [transform] function applied to each pair of elements.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterableWithTransform

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
// Returns a list of values built from the elements of `this` array and the [other] array with the same index
// using the provided [transform] function applied to each pair of elements.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterableWithTransform

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
// Returns a list of values built from the elements of `this` array and the [other] array with the same index
// using the provided [transform] function applied to each pair of elements.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterableWithTransform

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
// Returns a list of values built from the elements of `this` array and the [other] array with the same index
// using the provided [transform] function applied to each pair of elements.
// The returned list has length of the shortest collection.
// @sample samples.collections.Iterables.Operations.zipIterableWithTransform

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {
    val size = minOf(size,

```

```

other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

```



```

samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n

```

```

}n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sum(): UInt {\n return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sum(): ULong {\n return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in
the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.sum(): UInt {\n return sumBy { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sum(): UInt {\n return sumBy { it.toUInt() }\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UCollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.random.*\n\n/**\n * Returns an
array of UByte containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray():
UByteArray {\n val result = UByteArray(size)\n var index = 0\n for (element in this)\n result[index++] =
element\n return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray
{\n val result = UIntArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n
return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray():
ULongArray {\n val result = ULongArray(size)\n var index = 0\n for (element in this)\n result[index++] =
element\n return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():
UShortArray {\n val result = UShortArray(size)\n var index = 0\n for (element in this)\n result[index++] =
element\n return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n
}\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license \n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.random.*\n\n/**\n * Returns the

```

```

greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, b:
UInt): UInt {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, b: ULong): ULong {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three
values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the
greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater
of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UInt, b: UInt): UInt {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three
values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the
smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller
of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n *
Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
*\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage
kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n
*\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n
*\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n
*\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random:
Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e: IllegalArgumentException) {\n

```

```

throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using
the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random):
ULong {\n    try {\n        return random.nextULong(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntRange.contains(element: UInt?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n *
Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is
`null`.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongRange.contains(element: ULong?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
UByte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toInt())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
UShort): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte):
UIntProgression {\n    return UIntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns
a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt):
UIntProgression {\n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong):
ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort):
UIntProgression {\n    return UIntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns
a progression that goes over the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed():
UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed():
ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a

```

progression that goes over the same range with the given step.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int):  
UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return UIntProgression.fromClosedRange(first, last, if  
(this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given  
step.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step:  
Long): ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return  
ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from  
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,  
then the returned range is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun  
UByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return  
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]  
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.until(to: UInt): UIntRange {\n    if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n    return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a  
range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to  
`this` value, then the returned range is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic  
infix fun ULong.until(to: ULong): ULongRange {\n    if (to <= ULong.MIN_VALUE) return  
ULongRange.EMPTY\n    return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but  
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned  
range is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to:  
UShort): UIntRange {\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n    return this.toUInt() .. (to -  
1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return  
this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample  
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt):  
UInt {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less  
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]  
or the [minimumValue] otherwise.\n * \n * @sample  
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue:  
ULong): ULong {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this  
value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the  
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample  
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue:  
UByte): UByte {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value  
is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the  
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample  
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue:  
UShort): UShort {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this  
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the  
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample  
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt):  
UInt {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not  
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the  
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
```

```

samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtMost(maximumValue:
ULong): ULong {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue:
UByte): UByte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue:
UShort): UShort {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt,
maximumValue: UInt): UInt {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this <
minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue: ULong,
maximumValue: ULong): ULong {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte,
maximumValue: UByte): UByte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort,
maximumValue: UShort): UShort {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`. \n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n

```

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun UInt.coerceIn(range: ClosedRange<UInt>):
UInt {^n if (range is ClosedFloatingPointRange) {^n return this.coerceIn<UInt>(range)^n }^n if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")^n return
when {^n this < range.start -> range.start^n this > range.endInclusive -> range.endInclusive^n else ->
this^n }^n }^n/**^n * Ensures that this value lies in the specified [range].^n * ^n * @return this value if it's in the
[range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than
`range.endInclusive`.^n * ^n * @sample samples.comparisons.ComparableOps.coerceInUnsigned^
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun ULong.coerceIn(range:
ClosedRange<ULong>): ULong {^n if (range is ClosedFloatingPointRange) {^n return
this.coerceIn<ULong>(range)^n }^n if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")^n return when {^n this < range.start -> range.start^n this >
range.endInclusive -> range.endInclusive^n else -> this^n }^n }^n", /*^n * Copyright 2010-2019 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license ^n * that can be found in the
license/LICENSE.txt file.^
*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("USequencesKt")^n^package
kotlin.sequences^n^// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt^// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib^//^n^import kotlin.random.*^n^/**^n * Returns the
sum of all elements in the sequence.^n * ^n * The operation is _terminal_.^
*^@kotlin.jvm.JvmName("sumOfUInt")^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
Sequence<UInt>.sum(): UInt {^n var sum: UInt = 0u^n for (element in this) {^n sum += element^n }^n
return sum^n }^n }^n/**^n * Returns the sum of all elements in the sequence.^n * ^n * The operation is _terminal_.^
*^@kotlin.jvm.JvmName("sumOfULong")^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
Sequence<ULong>.sum(): ULong {^n var sum: ULong = 0uL^n for (element in this) {^n sum += element^
}^n return sum^n }^n }^n/**^n * Returns the sum of all elements in the sequence.^n * ^n * The operation is
_terminal_.^
*^@kotlin.jvm.JvmName("sumOfUByte")^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
Sequence<UByte>.sum(): UInt {^n var sum: UInt = 0u^n for (element in this) {^n sum += element^
}^n return sum^n }^n }^n/**^n * Returns the sum of all elements in the sequence.^n * ^n * The operation is _terminal_.^
*^@kotlin.jvm.JvmName("sumOfUShort")^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
Sequence<UShort>.sum(): UInt {^n var sum: UInt = 0u^n for (element in this) {^n sum += element^
}^n return sum^n }^n }^n", /*^n * Copyright 2010-2015 JetBrains s.r.o.^n * ^n * Licensed under the Apache License,
Version 2.0 (the "License");^n * you may not use this file except in compliance with the License.^n * You may
obtain a copy of the License at^n * ^n * http://www.apache.org/licenses/LICENSE-2.0^n * ^n * Unless required by
applicable law or agreed to in writing, software^n * distributed under the License is distributed on an "AS IS"
BASIS,^n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.^n * See the
License for the specific language governing permissions and^n * limitations under the License.^n * ^n^package
kotlin.collections^n^import kotlin.internal.PlatformDependent^n^/**^n * Classes that inherit from this interface can
be represented as a sequence of elements that can^n * be iterated over.^n * @param T the type of element being
iterated over. The iterator is covariant on its element type.^n * ^n^public interface Iterable<out T> {^n /**^n *
Returns an iterator over the elements of this object.^n * ^n^public operator fun iterator(): Iterator<T> }^n }^n/**^n
* Classes that inherit from this interface can be represented as a sequence of elements that can^n * be iterated over
and that supports removing elements during iteration.^n * @param T the type of element being iterated over. The
mutable iterator is invariant on its element type.^n * ^n^public interface MutableIterable<out T> : Iterable<T> {^n
/**^n * Returns an iterator over the elements of this sequence that supports removing elements during iteration.^
* ^n^override fun iterator(): MutableIterator<T> }^n }^n/**^n * A generic collection of elements. Methods in this
interface support only read-only access to the collection;^n * read/write access is supported through the
[MutableCollection] interface.^n * @param E the type of elements contained in the collection. The collection is
covariant on its element type.^n * ^n^public interface Collection<out E> : Iterable<E> {^n // Query Operations^

```

```

/**\n * Returns the size of the collection.\n */\n public val size: Int\n\n /**\n * Returns `true` if the
collection is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n
* Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element:
@UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n /**\n *
Checks if all elements in the specified collection are contained in this collection.\n */\n public fun
containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements
that supports adding and removing elements.\n */\n * @param E the type of elements contained in the collection. The
mutable collection is invariant on its element type.\n */\n public interface MutableCollection<E> : Collection<E>,
MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification
Operations\n /**\n * Adds the specified element to the collection.\n */\n * @return `true` if the element has
been added, `false` if the collection does not support duplicates\n * and the element is already contained in the
collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the
specified element from this\n * collection, if it is present.\n */\n * @return `true` if the element has been
successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E):
Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to
this collection.\n */\n * @return `true` if any of the specified elements was added to the collection, `false` if the
collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n *
Removes all of this collection's elements that are also contained in the specified collection.\n */\n * @return
`true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n
*/\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this
collection that are contained in the specified collection.\n */\n * @return `true` if any element was removed
from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements:
Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear():
Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access
to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements
contained in the list. The list is covariant on its element type.\n */\n public interface List<out E> : Collection<E> {\n
// Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun
contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n
override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access
Operations\n /**\n * Returns the element at the specified index in the list.\n */\n public operator fun
get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun
indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun
lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the
elements in this list (in proper sequence).\n */\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns
a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public
fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list
between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this
list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n */\n * Structural
changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int,
toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing
elements.\n * @param E the type of elements contained in the list. The mutable list is invariant on its element
type.\n */\n public interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n
/**\n * Adds the specified element to the end of this list.\n */\n * @return `true` because the list is always
modified as the result of this operation.\n */\n override fun add(element: E): Boolean\n\n override fun
remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the
specified collection to the end of this list.\n */\n * The elements are appended in the order they appear in the

```



[elements] collection. \n \* \n \* @return `true` if the list was changed as the result of the operation. \n \* \n

override fun addAll(elements: Collection<E>): Boolean \n \n /\*\* \n \* Inserts all of the elements of the specified collection [elements] into this list at the specified [index]. \n \* \n \* @return `true` if the list was changed as the result of the operation. \n \* \n public fun addAll(index: Int, elements: Collection<E>): Boolean \n \n override fun removeAll(elements: Collection<E>): Boolean \n override fun retainAll(elements: Collection<E>): Boolean \n override fun clear(): Unit \n \n // Positional Access Operations \n /\*\* \n \* Replaces the element at the specified position in this list with the specified element. \n \* \n \* @return the element previously at the specified position. \n \* \n public operator fun set(index: Int, element: E): E \n \n /\*\* \n \* Inserts an element into the list at the specified [index]. \n \* \n public fun add(index: Int, element: E): Unit \n \n /\*\* \n \* Removes an element at the specified [index] from the list. \n \* \n \* @return the element that has been removed. \n \* \n public fun removeAt(index: Int): E \n \n // List Iterators \n override fun listIterator(): MutableListIterator<E> \n \n override fun listIterator(index: Int): MutableListIterator<E> \n \n // View \n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> \n \n /\*\* \n \* A generic unordered collection of elements that does not support duplicate elements. \n \* Methods in this interface support only read-only access to the set; \n \* read/write access is supported through the [MutableSet] interface. \n \* @param E the type of elements contained in the set. The set is covariant on its element type. \n \* \n public interface Set<out E> : Collection<E> { \n // Query Operations \n \n override val size: Int \n override fun isEmpty(): Boolean \n override fun contains(element: @UnsafeVariance E): Boolean \n override fun iterator(): Iterator<E> \n \n // Bulk Operations \n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean \n \n /\*\* \n \* A generic unordered collection of elements that does not support duplicate elements, and supports \n \* adding and removing elements. \n \* @param E the type of elements contained in the set. The mutable set is invariant on its element type. \n \* \n public interface MutableSet<E> : Set<E>, MutableCollection<E> { \n // Query Operations \n override fun iterator(): MutableIterator<E> \n \n // Modification Operations \n /\*\* \n \* Adds the specified element to the set. \n \* \n \* @return `true` if the element has been added, `false` if the element is already contained in the set. \n \* \n override fun add(element: E): Boolean \n \n override fun remove(element: E): Boolean \n \n // Bulk Modification Operations \n override fun addAll(elements: Collection<E>): Boolean \n override fun removeAll(elements: Collection<E>): Boolean \n override fun retainAll(elements: Collection<E>): Boolean \n override fun clear(): Unit \n \n /\*\* \n \* A collection that holds pairs of objects (keys and values) and supports efficiently retrieving \n \* the value corresponding to each key. Map keys are unique; the map holds only one value for each key. \n \* Methods in this interface support only read-only access to the map; read-write access is supported through \n \* the [MutableMap] interface. \n \* @param K the type of map keys. The map is invariant on its key type, as it \n \* can accept key as a parameter (of [containsKey] for example) and return it in [keys] set. \n \* @param V the type of map values. The map is covariant on its value type. \n \* \n public interface Map<K, out V> { \n // Query Operations \n /\*\* \n \* Returns the number of key/value pairs in the map. \n \* \n \* \n public val size: Int \n \n /\*\* \n \* Returns `true` if the map is empty (contains no elements), `false` otherwise. \n \* \n \* \n public fun isEmpty(): Boolean \n \n /\*\* \n \* Returns `true` if the map contains the specified [key]. \n \* \n \* \n public fun containsKey(key: K): Boolean \n \n /\*\* \n \* Returns `true` if the map maps one or more keys to the specified [value]. \n \* \n \* \n public fun containsValue(value: @UnsafeVariance V): Boolean \n \n /\*\* \n \* Returns the value corresponding to the given [key], or `null` if such a key is not present in the map. \n \* \n \* \n public operator fun get(key: K): V? \n \n /\*\* \n \* Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map. \n \* \n \* \n \* @since JDK 1.8 \n \* \n @SinceKotlin("1.1") \n @PlatformDependent \n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V { \n // See default implementation in JDK sources \n return null as V \n } \n \n // Views \n /\*\* \n \* Returns a read-only [Set] of all keys in this map. \n \* \n \* \n public val keys: Set<K> \n \n /\*\* \n \* Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values. \n \* \n \* \n public val values: Collection<V> \n \n /\*\* \n \* Returns a read-only [Set] of all key/value pairs in this map. \n \* \n \* \n public val entries: Set<Map.Entry<K, V>> \n \n /\*\* \n \* Represents a key/value pair held by a [Map]. \n \* \n \* \n public interface Entry<out K, out V> { \n /\*\* \n \* Returns the key of this key/value pair. \n \* \n \* \n public val key: K \n \n /\*\* \n \* Returns the value of this key/value pair. \n \* \n \* \n

```

public val value: V\n } }\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and
supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one
value for each key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the
type of map values. The mutable map is invariant on its value type.\n */\npublic interface MutableMap<K, V> :
Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key]
in the map.\n * @return the previous value associated with the key, or `null` if the key was not present in
the map.\n */\n public fun put(key: K, value: V): V?\n /**\n * Removes the specified key and its
corresponding value from this map.\n * @return the previous value associated with the key, or `null` if the
key was not present in the map.\n */\n public fun remove(key: K): V?\n /**\n * Removes the entry for the
specified key only if it is mapped to the specified value.\n * @return true if entry was removed\n */\n
@SinceKotlin("1.1")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See
default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n *
Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out
K, V>): Unit\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n //
Views\n /**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys:
MutableSet<K>\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection
may contain duplicate values.\n */\n override val values: MutableCollection<V>\n /**\n * Returns a
[MutableSet] of all key/value pairs in this map.\n */\n override val entries:
MutableSet<MutableMap.MutableEntry<K, V>>\n /**\n * Represents a key/value pair held by a
[MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes
the value associated with the key of this entry.\n * @return the previous value corresponding to the
key.\n */\n public fun setValue(newValue: V): V\n }\n\n"/\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence
of values of type `Byte`.*/\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() =
nextByte()\n /** Returns the next value in the sequence without boxing.*/\n public abstract fun nextByte():
Byte\n}\n\n/** An iterator over a sequence of values of type `Char`.*/\npublic abstract class CharIterator :
Iterator<Char> {\n override final fun next() = nextChar()\n /** Returns the next value in the sequence without
boxing.*/\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`.
*/\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n /**
Returns the next value in the sequence without boxing.*/\n public abstract fun nextShort(): Short\n}\n\n/** An
iterator over a sequence of values of type `Int`.*/\npublic abstract class IntIterator : Iterator<Int> {\n override final
fun next() = nextInt()\n /** Returns the next value in the sequence without boxing.*/\n public abstract fun
nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`.*/\npublic abstract class LongIterator :
Iterator<Long> {\n override final fun next() = nextLong()\n /** Returns the next value in the sequence without
boxing.*/\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`.
*/\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n /** Returns
the next value in the sequence without boxing.*/\n public abstract fun nextFloat(): Float\n}\n\n/** An iterator
over a sequence of values of type `Double`.*/\npublic abstract class DoubleIterator : Iterator<Double> {\n
override final fun next() = nextDouble()\n /** Returns the next value in the sequence without boxing.*/\n
public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`.
*/\npublic abstract class BooleanIterator : Iterator<Boolean> {\n override final fun next() = nextBoolean()\n
/** Returns the next value in the sequence without boxing.*/\n public abstract fun nextBoolean():
Boolean\n}\n\n"/\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\n/** An iterator over a progression of values of type `Char`.*/\n * @property
step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first:
Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement = last.toInt()\n private var hasNext:

```

```

Boolean = if (step > 0) first <= last else first >= last\n  private var next = if (hasNext) first.toInt() else
finalElement\n\n  override fun hasNext(): Boolean = hasNext\n\n  override fun nextChar(): Char {\n    val value
= next\n    if (value == finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n
hasNext = false\n    }\n    else {\n      next += step\n    }\n    return value.toChar()\n  }\n}\n\n/**\n *
An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is
incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator()
{\n  private val finalElement = last\n  private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n
private var next = if (hasNext) first else finalElement\n\n  override fun hasNext(): Boolean = hasNext\n\n
override fun nextInt(): Int {\n    val value = next\n    if (value == finalElement) {\n      if (!hasNext) throw
kotlin.NoSuchElementException()\n      hasNext = false\n    }\n    else {\n      next += step\n    }\n
return value\n  }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the
number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long,
last: Long, val step: Long) : LongIterator() {\n  private val finalElement = last\n  private var hasNext: Boolean =
if (step > 0) first <= last else first >= last\n  private var next = if (hasNext) first else finalElement\n\n
override fun hasNext(): Boolean = hasNext\n\n  override fun nextLong(): Long {\n    val value = next\n    if (value ==
finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    }\n
else {\n      next += step\n    }\n    return value\n  }\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class
CharProgression\n  internal constructor\n  (\n    start: Char,\n    endInclusive: Char,\n    step: Int\n
): Iterable<Char> {\n  init {\n    if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-
zero.")\n    if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.")\n  }\n\n  /**\n   * The first element in the progression.\n
*/\n  public val first: Char = start\n\n  /**\n   * The last element in the progression.\n */\n  public val last:
Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n  /**\n   * The step of the
progression.\n */\n  public val step: Int = step\n\n  override fun iterator(): CharIterator =
CharProgressionIterator(first, last, step)\n\n  /** Checks if the progression is empty. */\n  public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n  override fun equals(other: Any?): Boolean =\n
other is CharProgression && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last &&
step == other.step)\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * first.toInt() +
last.toInt()) + step)\n\n  override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo
$last step ${-step}"\n\n  companion object {\n    /**\n     * Creates CharProgression within the specified
bounds of a closed range.\n     * The progression starts with the [rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n     * In order to go backwards the [step] must be
negative.\n     * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n     */\n    public fun
fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression =
CharProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic
open class IntProgression\n  internal constructor\n  (\n    start: Int,\n    endInclusive: Int,\n    step:
Int\n  ): Iterable<Int> {\n  init {\n    if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-
zero.")\n    if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.")\n  }\n\n  /**\n   * The first element in the progression.\n
*/\n  public val first: Int = start\n\n  /**\n   * The last element in the progression.\n */\n  public val last: Int =
getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n  /**\n   * The step of the
progression.\n */\n  public val step: Int = step\n\n  override fun iterator(): IntIterator =
IntProgressionIterator(first, last, step)\n\n  /** Checks if the progression is empty. */\n  public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n  override fun equals(other: Any?): Boolean =\n
other is IntProgression && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last &&

```

```

step == other.step))\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first + last) +
step)\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-
step}\"\n\n    companion object {\n        /**\n         * Creates IntProgression within the specified bounds of a closed
range.\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not
excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun
fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd,
step)\n    }\n\n    /**\n     * A progression of values of type `Long`.\n     */\n    public open class LongProgression\ninternal constructor(\n    start: Long,\n    endInclusive: Long,\n    step: Long\n) :
Iterable<Long> {\n    init {\n        if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-
zero.\")\n        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than
Long.MIN_VALUE to avoid overflow on negation.\")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Long = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last:
Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n    /**\n     * The step
of the progression.\n     */\n    public val step: Long = step\n\n    override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongProgression && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last &&
step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr
32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n    override fun toString(): String = if (step > 0)
\"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         *
Creates LongProgression within the specified bounds of a closed range.\n         * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order
to go backwards the [step] must be negative.\n         * [step] must be greater than `Long.MIN_VALUE` and
not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):
LongProgression = LongProgression(rangeStart, rangeEnd, step)\n    }\n\n    /**\n     * Copyright 2010-2019
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n     * that can be found in the
license/LICENSE.txt file.\n     */\n    package kotlin.ranges\n\n    /**\n     * Represents a range of values (for example,
numbers or characters).\n     * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n     */\n    public interface
ClosedRange<T: Comparable<T>> {\n        /**\n         * The minimum value in the range.\n         */\n        public val start:
T\n\n        /**\n         * The maximum value in the range (inclusive).\n         */\n        public val endInclusive: T\n\n        /**\n         * Checks whether the specified [value] belongs to the range.\n         */\n        public operator fun contains(value: T):
Boolean = value >= start && value <= endInclusive\n\n        /**\n         * Checks whether the range is empty.\n         */\n        public fun isEmpty(): Boolean = start > endInclusive\n    }\n\n    /**\n     * Copyright 2010-2015 JetBrains s.r.o.\n     * Licensed under the Apache License, Version 2.0 (the \"License\");\n     * you may not use this file except in
compliance with the License.\n     * You may obtain a copy of the License at\n     *
http://www.apache.org/licenses/LICENSE-2.0\n     * Unless required by applicable law or agreed to in writing,
software\n     * distributed under the License is distributed on an \"AS IS\" BASIS,\n     * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n     * See the License for the specific language
governing permissions and\n     * limitations under the License.\n     */\n    package kotlin\n\n    /**\n     * The type with only
one value: the `Unit` object. This type corresponds to the `void` type in Java.\n     */\n    public object Unit {\n        override
fun toString() = \"kotlin.Unit\\n\", \"/*\n     * Copyright 2010-2015 JetBrains s.r.o.\n     * Licensed under the
Apache License, Version 2.0 (the \"License\");\n     * you may not use this file except in compliance with the
License.\n     * You may obtain a copy of the License at\n     *
http://www.apache.org/licenses/LICENSE-2.0\n     * Unless required by applicable law or agreed to in writing,
software\n     * distributed under the License is distributed
on an \"AS IS\" BASIS,\n     * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.\n     * See the License for the specific language governing permissions and\n     * limitations under the

```

```

License.\n *\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n *\npublic enum class AnnotationTarget {\n  /**\n  Class, interface or object, annotation class is also included\n  CLASS,\n  /** Annotation class only\n  ANNOTATION_CLASS,\n  /** Generic type parameter (unsupported yet)\n  TYPE_PARAMETER,\n  /** Property\n  PROPERTY,\n  /** Field, including property's backing field\n  FIELD,\n  /** Local variable\n  LOCAL_VARIABLE,\n  /** Value parameter of a function or a constructor\n  VALUE_PARAMETER,\n  /** Constructor only (primary or secondary)\n  CONSTRUCTOR,\n  /** Function (constructors are not included)\n  FUNCTION,\n  /** Property getter only\n  PROPERTY_GETTER,\n  /** Property setter only\n  PROPERTY_SETTER,\n  /** Type usage\n  TYPE,\n  /** Any expression\n  EXPRESSION,\n  /** File\n  FILE,\n  /** Type alias\n  TYPE_ALIAS,\n  /** Since Kotlin 1.1\n  TYPE_ALIAS,\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n *\npublic enum class AnnotationRetention {\n  /**\n  Annotation isn't stored in binary output\n  SOURCE,\n  /** Annotation is stored in binary output, but invisible for reflection\n  BINARY,\n  /** Annotation is stored in binary output and visible for reflection (default retention)\n  RUNTIME,\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n *\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n *\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n *\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n *\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n\n"/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n *\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n *\n\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java.util.Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n *\n\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n  val mod = a % b\n  return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n  val mod = a % b\n  return if (mod >= 0) mod else

```

```

mod + b)\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n    return mod(mod(a, c) -
mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n    return mod(mod(a, c) -
mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of
the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in
case of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *
@param start first element of the progression\n * @param end ending bound for the progression\n * @param step
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n
* @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int =
when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if (start <=
end) end else end + differenceModulo(start, end, -step)\n    else -> throw kotlin.IllegalArgumentException("Step is
zero.")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the
progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case
of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *
@param start first element of the progression\n * @param end ending bound for the progression\n * @param step
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n
* @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long):
Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if
(start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/**\n * Copyright 2010-2015 JetBrains s.r.o.\n *
Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in
compliance with the License.\n * You may obtain a copy of the License at\n *
http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a
parameter passed to a function or a property getter/setter,\n * including `this` and extension receiver parameters.\n
*\n * @public interface KParameter : KAnnotatedElement {\n *     /**\n *      * 0-based index of this parameter in the
parameter list of its containing callable.\n *     *\n *     public val index: Int\n *     /**\n *      * Name of this parameter as it
was declared in the source code,\n *     * or `null` if the parameter has no name or its name is not available at
runtime.\n *     * Examples of nameless parameters include `this` instance for member functions,\n *     * extension
receiver for extension functions or properties, parameters of Java methods\n *     * compiled without the debug
information, and others.\n *     *\n *     public val name: String?\n *     /**\n *      * Type of this parameter. For a `vararg`
parameter, this is the type of the corresponding array,\n *     * not the individual element.\n *     *\n *     public val type:
KType\n *     /**\n *      * Kind of this parameter.\n *     *\n *     public val kind: Kind\n *     /**\n *      * Kind represents a
particular position of the parameter declaration in the source code,\n *     * such as an instance, an extension receiver
parameter or a value parameter.\n *     *\n *     public enum class Kind {\n *     /** Instance required to make a call to
the member, or an outer class instance for an inner class constructor.\n *     * INSTANCE,\n *     /** Extension
receiver of an extension function or property.\n *     * EXTENSION_RECEIVER,\n *     /** Ordinary named
value parameter.\n *     * VALUE,\n *     }\n *     /**\n *      * `true` if this parameter is optional and can be omitted when
making a call via [KCallable.callBy], or `false` otherwise.\n *     *\n *     A parameter is optional in any of the two
cases:\n *     * 1. The default value is provided at the declaration of this parameter.\n *     * 2. The parameter is declared
in a member function and one of the corresponding parameters in the super functions is optional.\n *     *\n *     public
val isOptional: Boolean\n *     /**\n *      * `true` if this parameter is `vararg`.\n *     * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n *     *
for more information.\n *     *\n *     @SinceKotlin("1.1")\n *     public val isVararg: Boolean\n *     }\n *     "/**\n * Copyright
2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the

```

license/LICENSE.txt file.

```

package kotlin.reflect

 * Represents a type. Type is usually either a class
with optional type arguments,
 * or a type parameter of some declaration, plus nullability.

public interface
KType : KAnnotatedElement {

 /**
 * The declaration of the classifier used in this type.
 * For example,
in the type `List<String>` the classifier would be the [KClass] instance for [List].
 * Returns `null` if this
type is not denotable in Kotlin, for example if it is an intersection type.

 @SinceKotlin("1.1")
 public
val classifier: KClassifier?

 /**
 * Type arguments passed for the parameters of the classifier in this type.
 * For example, in the type `Array<out Number>` the only type argument is `out Number`.
 * In case this
type is based on an inner class, the returned list contains the type arguments provided for the innermost class first,
 * then its outer class, and so on.
 * For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C,
D, A, B]`.

 @SinceKotlin("1.1")
 public val arguments: List<KTypeProjection>

 /**
 * `true`
if this type was marked nullable in the source code.
 * For Kotlin types, it means that `null` value is
allowed to be represented by this type.
 * In practice it means that the type was declared with a question mark at
the end.
 * For non-Kotlin types, it means the type or the symbol which was declared with this type
 * is
annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].
 * Note that
even if [isMarkedNullable] is false, values of the type can still be `null`.
 * This may happen if it is a type of the
type parameter with a nullable upper bound:
 * ``
 * fun <T> foo(t: T) {
 * // isMarkedNullable
== false for t's type, but t can be null here when T = `Any?`
 * }
 * ``
 *
 @SinceKotlin("1.1")
 public val
isMarkedNullable: Boolean

 /**
 * Represents a type projection. Type projection is usually the argument to
another type in a type usage.
 * For example, in the type `Array<out Number>`, `out Number` is the covariant
projection of the type represented by the class `Number`.
 * Type projection is either the star projection, or an
entity consisting of a specific type plus optional variance.
 * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)
 * for more information.

 @SinceKotlin("1.1")
 public data class KTypeProjection constructor(

 /**
 * The use-site variance
specified in the projection, or `null` if this is a star projection.

 @SinceKotlin("1.1")
 public val variance: KVariance?,

 /**
 * The type specified in the projection, or `null` if this is a star projection.

 @SinceKotlin("1.1")
 public val type:
KType?

 {

 public companion object {

 /**
 * Star projection, denoted by the `*` character.

 @SinceKotlin("1.1")
 public val STAR: KTypeProjection = KTypeProjection(null, null)

 /**
 * Creates an invariant projection of a given type. Invariant projection is just the type itself,
 * without any use-
site variance modifiers applied to it.
 * For example, in the type `Set<String>`, `String` is an invariant
projection of the type represented by the class `String`.

 @SinceKotlin("1.1")
 public fun invariant(type: KType):
KTypeProjection =
KTypeProjection(KVariance.INVARIANT, type)

 /**
 * Creates a
contravariant projection of a given type, denoted by the `in` modifier applied to a type.
 * For example, in the
type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.

 @SinceKotlin("1.1")
 public fun contravariant(type: KType): KTypeProjection =
KTypeProjection(KVariance.IN, type)

 /**
 * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.
 * For example, in the
type `Array<out Number>`, `out Number` is a covariant projection of the type of class
`Number`.

 @SinceKotlin("1.1")
 public fun covariant(type: KType): KTypeProjection =
KTypeProjection(KVariance.OUT, type)
}
}

"

```

\* Copyright 2010-2016 JetBrains s.r.o.
 \* Licensed
under the Apache License, Version 2.0 (the "License");
 \* you may not use this file except in compliance with the
License.
 \* You may obtain a copy of the License at
 \* <http://www.apache.org/licenses/LICENSE-2.0>
 \* Unless required by applicable law or agreed to in writing, software
 \* distributed under the License is distributed
on an "AS IS" BASIS,
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.
 \* See the License for the specific language governing permissions and
 \* limitations under the
License.

package kotlin.reflect

 \* Represents variance applied to a type parameter on the declaration
site (\*declaration-site variance\*),
 \* or to a type in a projection (\*use-site variance\*).
 \* See the [Kotlin
language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)
 \* for more information.

```

*\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n *\n@SinceKotlin("1.1")\nenum class
KVariance {\n /**\n * The affected type parameter or type is *invariant*, which means it has no variance
applied to it.\n *\n INVARIANT,\n\n /**\n * The affected type parameter or type is *contravariant*.
Denoted by the `in` modifier in the source code.\n *\n IN,\n\n /**\n * The affected type parameter or type
is *covariant*. Denoted by the `out` modifier in the source code.\n *\n OUT,\n}\n"},/*\n * Copyright 2010-
2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n *\n * you may not use
this file except in compliance with the License.\n *\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing,
software\n *\n * distributed under the License is distributed on an "AS IS" BASIS,\n *\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n *\n * See the License for the specific language
governing permissions and\n *\n * limitations under the License.\n *\n@package kotlin.reflect\n\n/**\n * Visibility is
an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.\n *\n * Visibility can
be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.\n *\n * Note that some
Java visibilities such as package-private and protected (which also gives access to items from the same package)\n *\n *
cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.\n *\n * See the [Kotlin
language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)\n *\n * for more information.\n
}\n\n@SinceKotlin("1.1")\nenum class KVisibility {\n /**\n * Visibility of declarations marked with the
`public` modifier, or with no modifier at all.\n *\n PUBLIC,\n\n /**\n * Visibility of declarations marked
with the `protected` modifier.\n *\n PROTECTED,\n\n /**\n * Visibility of declarations marked with the
`internal` modifier.\n *\n INTERNAL,\n\n /**\n * Visibility of declarations marked with the `private`
modifier.\n *\n PRIVATE,\n}\n"},/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n *\n * that can be found in the license/LICENSE.txt file.\n
}\n\n@JsName("arrayIterator")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n null
-> {\n val arr: Array<dynamic> = array\n object : Iterator<dynamic> {\n var index = 0\n
override fun hasNext() = index < arr.size\n override fun next() = if (index < arr.size) arr[index++] else throw
NoSuchElementException("$index")\n }\n }\n "BooleanArray" -> booleanArrayIterator(array)\n
"ByteArray" -> byteArrayIterator(array)\n "ShortArray" -> shortArrayIterator(array)\n "CharArray" ->
charArrayIterator(array)\n "IntArray" -> intArrayIterator(array)\n "LongArray" -> longArrayIterator(array)\n
"FloatArray" -> floatArrayIterator(array)\n "DoubleArray" -> doubleArrayIterator(array)\n else -> throw
IllegalStateException("Unsupported type argument for arrayIterator:
$type")\n}\n\n@JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("byteArrayIterator")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n var index = 0\n override fun hasNext() =
index < array.size\n override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n var index = 0\n override fun hasNext() = index
< array.size\n override fun nextFloat() = if (index < array.size) array[index++] else throw

```



```

NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun hasNext()
= index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex, endIndex)\n
    } else {\n        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n
    }\n}\n\n@JsName("captureStack")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance:
Throwable) {\n    if (js("Error").captureStackTrace) {\n        js("Error").captureStackTrace(instance,
instance::class.js);\n    } else {\n        instance.asDynamic().stack = js("new Error()").stack;\n
    }\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause: Throwable?):
Throwable {\n    val throwable = js("new Error()")\n    throwable.message = if (jsTypeOf(message) ==
"undefined") {\n        if (cause != null) cause.toString() else null\n    } else {\n        message\n    }\n
throwable.cause = cause\n    throwable.name = "Throwable"\n    return
throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n    override
fun equals(other: Any?): Boolean {\n        return other is BoxedChar && c == other.c\n    }\n\n    override fun
hashCode(): Int {\n        return c\n    }\n\n    override fun toString(): String {\n        return
js("this.c").unsafeCast<Char>().toString()\n    }\n\n    override fun compareTo(other: Int): Int {\n        return
js("this.c - other").unsafeCast<Int>()\n    }\n\n    @JsName("valueOf")\n    public fun valueOf(): Int {\n
return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n    val typed
= js("Array")(args.size)\n    for (i in args.indices) {\n        val arr = args[i]\n        if (arr !is Array<*>) {\n
typed[i] = js("[]").slice.call(arr)\n        } else {\n            typed[i] = arr\n        }\n    }\n    return
js("[]").concat.apply(js("[]"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n    return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n
* For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n
* If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n
* If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n
* If the first argument is a regular Array without the $type$ property
default to arrayConcat.\n
*\n@PublishedApi\n@JsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal
fun <T> primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js("arguments")\n    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n        for (i in
args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js("new
a.constructor(size)")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val
arr = args[i].asDynamic()\n            for (j in 0 until arr.length) {\n                result[size++] = arr[j]\n            }\n
            return result\n        }\n    }\n}\n\n@JsName("booleanArrayOf")\ninternal fun booleanArrayOf() =
withType("BooleanArray", js("[]").slice.call(arguments))\n\n@JsName("charArrayOf") // The arguments have
to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new
Uint16Array([]).slice.call(arguments)))\n\n@JsName("longArrayOf")\ninternal fun longArrayOf() =
withType("LongArray",
js("[]").slice.call(arguments))\n\n@JsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun
withType(type: String, array: dynamic): dynamic {\n    array.`$type$` = type\n    return array\n}"/**\n
* Copyright

```

2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n \* that can be found in the license/LICENSE.txt file.\n \*\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See:

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\nimport kotlin.js.*\n\n/\n\n/**\n * Reverses elements in the list in-place.\n *\n\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n"/\n\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
```

\n \* that can be found in the license/LICENSE.txt file.\n \*\n\npackage kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See:

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\nimport kotlin.js.*\n\n/\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n *\n\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\npublic actual fun CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw\n    IndexOutOfBoundsException("index: $index, length: $length") }\n}\n\n"/\n\n * Copyright 2010-2019 JetBrains
```

s.r.o. Use of this source code is governed by the Apache 2.0 license \n \* that can be found in the license/LICENSE.txt file.\n \*\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\nimport kotlin.js.\*\n\n/\n\n/\*\*\n \* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.



FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String =

```

`\"`\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or
a class) specific name in JavaScript.\n * This may be useful in the following cases:\n * * There are two
functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to
prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler
produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n *
You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you
want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration,
which is uncommon in Kotlin.\n * Example:\n * ``` kotlin\n * class Person(val name: String) {\n * fun
hello() {\n * println("Hello $name!")\n * }\n * @JsName("helloWithGreeting")\n * fun
hello(greeting: String) {\n * println("$greeting $name!")\n * }\n * }\n * ```\n * @property name the
name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required
to denote a valid JavaScript identifier.\n * \n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS,
FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual
annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported
from native JavaScript library.\n * The compiler produces the code relevant for the target module system, for
example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n * The
annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file
(which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By
applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the
declarations from the file.\n * Example:\n * ``` kotlin\n * @JsModule("jquery")\n * external abstract class
jQuery()\n * // some declarations here\n * }\n * @JsModule("jquery")\n * external fun jQuery(element:
Element): JQuery\n * ```\n * @property import name of a module to import declaration from.\n * It is not
interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n * @see
JsNonModule\n * \n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION,
FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be
used without module system.\n * By default, an `external` declaration is available regardless your target module
system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module
system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a
module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment
[JsModule] with the `@JsNonModule` annotation.\n * For example:\n * ``` kotlin\n *
@JsModule("jquery")\n * @JsNonModule\n * @JsName("$")\n * external abstract class JQuery() {\n * //
some declarations here\n * }\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("$")\n * external
fun JQuery(element: Element): JQuery\n * ```\n * @see JsModule\n *
\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic
annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n * JavaScript
does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler
turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to
plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with
this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the
`@JsQualifier(...)`\n * annotation.\n * Note that a file marked with the `@JsQualifier(...)` annotation can't
contain non-`external` declarations.\n * Example:\n * ```\n * @file:JsQualifier("my.jsPackageName")\n *
package some.kotlinPackage\n * external fun foo(x: Int)\n * external fun bar(): String\n * ```\n *
\n * @property value the qualifier to add to the declarations in the generated code.\n * It must be a sequence of
valid JavaScript identifiers separated by the `.` character.\n * Examples of valid qualifiers are: `foo`,
`bar.Baz`, `_.$.f`\n * @see JsModule\n *
\n\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class
JsQualifier(val value: String),"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by

```

the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.jvm
// these are used in common generated code in stdlib
// TODO: find how to deprecate these ones
@Target(AnnotationTarget.FIELD)
@Retention(AnnotationRetention.SOURCE)
public actual annotation class Volatile
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)
@Retention(AnnotationRetention.SOURCE)
public actual annotation class Synchronized
"/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.js
/**
 * Function corresponding to JavaScript's `typeof` operator
 */
@kotlin.internal.InlineOnly
@Suppress("UNUSED_PARAMETER")
public inline fun jsTypeOf(a: Any?): String = js("typeof a")
"/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")
package kotlin
/**
 * Returns an empty array of the specified type [T].
 */
public inline fun <T> emptyArray(): Array<T> = js("[]")
@library
public fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally
@library
public fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally
@library
public fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally
@library
public fun longArrayOf(vararg elements: Long): LongArray = definedExternally
@library
public fun intArrayOf(vararg elements: Int): IntArray = definedExternally
@library
public fun charArrayOf(vararg elements: Char): CharArray = definedExternally
@library
public fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally
@library
public fun byteArrayOf(vararg elements: Byte): ByteArray = definedExternally
@library
public fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally
/**
 * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].
 */
public actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)
/**
 * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].
 * The [mode] parameter is ignored.
 */
public actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)
/**
 * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].
 * The [lock] parameter is ignored.
 */
public actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)
internal fun fillFrom(src: dynamic, dst: dynamic): dynamic {
    val srcLen: Int = src.length
    val dstLen: Int = dst.length
    var index: Int = 0
    while (index < srcLen && index < dstLen) dst[index] = src[index++]
    return dst
}
internal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {
    val result = source.slice(0, newSize)
    copyArrayType(source, result)
    var index: Int = source.length
    if (newSize > index) {
        result.length = newSize
        while (index < newSize) result[index++] = defaultValue
    }
    return result
}
internal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {
    val result = array.slice()
    result.length += collection.size
    copyArrayType(array, result)
    var index: Int = array.length
    for (element in collection) result[index++] = element
    return result
}
internal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {
    var index = startIndex
    for (element in collection) dst[index++] = element
    return dst
}
internal inline fun copyArrayType(from: dynamic, to: dynamic) {
    if (from.`$type$` !== undefined) {
        to.`$type$` = from.`$type$`
    }
}
internal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass)
"/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.text
// actually \s is enough to match all whitespace, but \xA0 added because of different regexp behavior of Rhino used in Selenium tests
public actual fun Char.isWhitespace(): Boolean = toString().matches("[\\s\\xA0]")
@kotlin.internal.InlineOnly
public actual inline fun Char.toLowerCase(): Char = js("String.fromCharCode")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()
@kotlin.internal.InlineOnly
public actual inline fun Char.toUpperCase(): Char =

```

```

js("String.fromCharCode")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n/**\n * Returns
`true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n
*/\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableCollection] interface.\n */\n * @param E the type of elements contained in the collection. The collection is
invariant on its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual
constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n    actual abstract override fun add(element: E):
Boolean\n\n    actual override fun remove(element: E): Boolean {\n        val iterator = iterator()\n        while
(iterator.hasNext()) {\n            if (iterator.next() == element) {\n                iterator.remove()\n                return true\n
            }\n        }\n        return false\n    }\n\n    actual override fun addAll(elements: Collection<E>): Boolean {\n
var modified = false\n    for (element in elements) {\n        if (add(element)) modified = true\n    }\n    return modified\n
}\n\n    actual override fun removeAll(elements: Collection<E>): Boolean = (this as
MutableIterable<E>).removeAll { it in elements }\n\n    actual override fun retainAll(elements: Collection<E>):
Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\n\n    actual override fun clear(): Unit {\n
val iterator = this.iterator()\n    while (iterator.hasNext()) {\n        iterator.next()\n        iterator.remove()\n
}\n    }\n\n    open fun toJSON(): Any = this.toArray()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n/**\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n
* Provides a skeletal implementation of the [MutableList] interface.\n */\n * @param E the type of elements
contained in the list. The list is invariant on its element type.\n */\npublic actual abstract class
AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n
protected var modCount: Int = 0\n\n    abstract override fun add(index: Int, element: E): Unit\n\n    abstract override
fun removeAt(index: Int): E\n\n    abstract override fun set(index: Int, element: E): E\n\n    /**\n     * Adds the
specified element to the end of this list.\n     * @return `true` because the list is always modified as the result
of this operation.\n     */\n    actual override fun add(element: E): Boolean {\n        add(size, element)\n        return
true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        var _index =
index\n        var changed = false\n        for (e in elements) {\n            add(_index++, e)\n            changed = true\n
        }\n        return changed\n    }\n\n    actual override fun clear() {\n        removeRange(0, size)\n    }\n\n    actual
override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\n\n    actual override fun
retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\n\n    actual override fun iterator():
MutableIterator<E> = IteratorImpl()\n\n    actual override fun contains(element: E): Boolean = indexOf(element) >=
0\n\n    actual override fun indexOf(element: E): Int {\n        for (index in 0..lastIndex) {\n            if (get(index) ==
element) {\n                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun
lastIndexOf(element: E): Int {\n        for (index in lastIndex downTo 0) {\n            if (get(index) == element) {\n
                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun listIterator():
MutableListIterator<E> = listIterator(0)\n\n    actual override fun listIterator(index: Int): MutableListIterator<E> =
ListIteratorImpl(index)\n\n    actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> =
SubList(this, fromIndex, toIndex)\n\n    /**\n     * Removes the range of elements from this list starting from
[fromIndex] and ending with but not including [toIndex].\n     */\n    protected open fun removeRange(fromIndex:
Int, toIndex: Int) {\n        val iterator = listIterator(fromIndex)\n        repeat(toIndex - fromIndex) {\n
            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    /**\n     * Compares this list with another list instance
with the ordered structural equality.\n     * @return true, if [other] instance is a [List] of the same size, which
contains the same elements in the same order.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other

```

```

=== this) return true\n    if (other !is List<*>) return false\n\n    return AbstractList.orderedEquals(this, other)\n
}\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n\n private open inner class IteratorImpl : MutableIterator<E> {\n /**
the index of the item that will be returned on the next call to [next]()\n */\n protected var index = 0\n /** the
index of the item that was returned on the previous call to [next]()\n */\n * or [ListIterator.previous]() (for
`ListIterator`),\n * -1 if no such item exists\n */\n protected var last = -1\n\n override fun
hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw
NoSuchElementException()\n last = index++\n return get(last)\n }\n\n override fun remove()\n
{\n check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n
removeAt(last)\n index = last\n last = -1\n }\n }\n\n /**\n * Implementation of
`MutableListIterator` for abstract lists.\n */\n private inner class ListIteratorImpl(index: Int) : IteratorImpl(),
MutableListIterator<E> {\n\n init {\n AbstractList.checkPositionIndex(index,
this@AbstractMutableList.size)\n this.index = index\n }\n\n override fun hasPrevious(): Boolean =
index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if
(!hasPrevious()) throw NoSuchElementException()\n last = --index\n return get(last)\n }\n\n
override fun previousIndex(): Int = index - 1\n\n override fun add(element: E) {\n add(index, element)\n
index++\n last = -1\n }\n\n override fun set(element: E) {\n check(last != -1) { \"Call
next() or previous() before updating element value with the iterator.\" }\n this@AbstractMutableList[last] =
element\n }\n }\n\n private class SubList<E>(private val list: AbstractMutableList<E>, private val
fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n private var _size: Int = 0\n
init {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n this._size = toIndex -
fromIndex\n }\n\n override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, _size)\n list.add(fromIndex + index, element)\n _size++\n
}\n\n override fun get(index: Int): E {\n AbstractList.checkElementIndex(index, _size)\n return
list[fromIndex + index]\n }\n\n override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, _size)\n val result = list.removeAt(fromIndex + index)\n
_size--\n return result\n }\n\n override fun set(index: Int, element: E): E {\n
AbstractList.checkElementIndex(index, _size)\n return list.set(fromIndex + index, element)\n }\n\n
override val size: Int get() = _size\n }\n\n }\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n */\n\n * Based on
GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal
implementation of the [MutableMap] interface.\n */\n\n * The implementor is required to implement [entries] property,
which should return mutable set of map entries, and [put] function.\n */\n\n * @param K the type of map keys. The
map is invariant on its key type.\n */\n\n * @param V the type of map values. The map is invariant on its value type.\n
*/\n\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(),
MutableMap<K, V> {\n\n /**\n * A mutable [Map.Entry] shared by several [Map] implementations.\n */\n\n internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n
constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n private var _value = value\n\n
override val value: V get() = _value\n\n override fun setValue(newValue: V): V {\n val oldValue =
this._value\n this._value = newValue\n return oldValue\n }\n\n override fun hashCode(): Int =
entryHashCode(this)\n\n override fun toString(): String = entryToString(this)\n\n override fun equals(other:
Any?): Boolean = entryEquals(this, other)\n }\n\n actual override fun clear() {\n entries.clear()\n }\n\n
private var _keys: MutableSet<K>? = null\n\n actual override val keys: MutableSet<K>\n get() {\n if
(_keys == null) {\n _keys = object : AbstractMutableSet<K>() {\n\n override fun add(element:
K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\n\n override fun
clear() {\n this@AbstractMutableMap.clear()\n }\n\n override operator fun
contains(element: K): Boolean = containsKey(element)\n\n override operator fun iterator():
MutableIterator<K> {\n val entryIterator = entries.iterator()\n return object :

```

```

MutableIterator<K> {\n
    override fun hasNext(): Boolean = entryIterator.hasNext()\n
    override fun next(): K = entryIterator.next().key\n
    override fun remove() =\n
entryIterator.remove()\n
    }\n
    }\n
    override fun remove(element: K): Boolean\n
{\n
    if (containsKey(element)) {\n
        this@AbstractMutableMap.remove(element)\n
        return true\n
    }\n
    return false\n
    }\n
    override val\n
size: Int get() = this@AbstractMutableMap.size\n
    }\n
    }\n
    return _keys!!\n
    }\n
    actual\n
abstract override fun put(key: K, value: V): V? {\n
    actual override fun putAll(from: Map<out K, V>) {\n
        for\n
        ((key, value) in from) {\n
            put(key, value)\n
        }\n
    }\n
    private var _values: MutableCollection<V>? =\n
null\n
    actual override val values: MutableCollection<V>\n
get() {\n
        if (_values == null) {\n
            _values = object : AbstractMutableCollection<V>() {\n
                override fun add(element: V): Boolean = throw\n
                UnsupportedOperationException("Add is not supported on values")\n
                override fun clear() =\n
                this@AbstractMutableMap.clear()\n
                override operator fun contains(element: V): Boolean =\n
                containsValue(element)\n
                override operator fun iterator(): MutableIterator<V> {\n
                    val\n
                    entryIterator = entries.iterator()\n
                    return object : MutableIterator<V> {\n
                        override fun\n
                        hasNext(): Boolean = entryIterator.hasNext()\n
                        override fun\n
                        next(): V = entryIterator.next().value\n
                        override fun\n
                        remove() = entryIterator.remove()\n
                    }\n
                }\n
            }\n
        }\n
        _values\n
    }\n
    override val size: Int get() = this@AbstractMutableMap.size\n
    }\n
    // TODO: should we implement them\n
    this way? Currently it's unspecified in JVM\n
    override fun equals(other: Any?): Boolean {\n
        if (this === other) return true\n
        if (other !is Collection<*>) return false\n
        return\n
        AbstractList.orderedEquals(this, other)\n
    }\n
    override fun hashCode(): Int =\n
    AbstractList.orderedHashCode(this)\n
    }\n
    }\n
    return _values!!\n
    }\n
    actual override\n
fun remove(key: K): V? {\n
        val iter = entries.iterator()\n
        while (iter.hasNext()) {\n
            val entry =\n
            iter.next()\n
            val k = entry.key\n
            if (key == k) {\n
                val value = entry.value\n
                iter.remove()\n
                return value\n
            }\n
        }\n
        return null\n
    }\n
    }\n
    return null\n
    }\n
    }\n
}

/**\n
 * Copyright 2010-2018\n
 * JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
 * that can be found in the\n
 * license/LICENSE.txt file.\n
 */\n
package kotlin.collections\n
/**\n
 * Provides a skeletal implementation of the\n
 * [MutableSet] interface.\n
 * @param E the type of elements contained in the set. The set is invariant on its\n
 * element type.\n
 */\n
public actual abstract class AbstractMutableSet<E> protected actual constructor() :\n
AbstractMutableCollection<E>(), MutableSet<E> {\n
    /**\n
     * Compares this set with another set instance with\n
     * the unordered structural equality.\n
     * @return `true`, if [other] instance is a [Set] of the same size, all\n
     * elements of which are contained in this set.\n
     */\n
    override fun equals(other: Any?): Boolean {\n
        if (other\n
        === this) return true\n
        if (other !is Set<*>) return false\n
        return AbstractSet.setEquals(this, other)\n
    }\n
    /**\n
     * Returns the hash code value for this set.\n
     */\n
    override fun hashCode(): Int =\n
    AbstractSet.unorderedHashCode(this)\n
}

/**\n
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is\n
 * governed by the Apache 2.0 license\n
 * that can be found in the license/LICENSE.txt file.\n
 */\n
package\n
kotlin.collections\n
/**\n
 * Provides a [MutableList] implementation, which uses a resizable array as its backing\n
 * storage.\n
 * This implementation doesn't provide a way to manage capacity, as backing JS array is resizable\n
 * itself.\n
 * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not\n
 * include any of the\n
 * capacity and "growth increment" concepts.\n
 */\n
public actual open class ArrayList<E>\n
internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess\n
{\n
    /**\n
     * Creates an empty [ArrayList].\n
     */\n
    public actual constructor() : this(emptyArray()) {\n
    }\n
    /**\n
     * Creates an empty [ArrayList].\n
     * @param initialCapacity initial capacity (ignored)\n
     */\n
    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n
    public actual\n
    constructor(initialCapacity: Int = 0) : this(emptyArray()) {\n
    }\n
    /**\n
     * Creates an [ArrayList] filled from the\n
     * [elements] collection.\n
     */\n
    public actual constructor(elements: Collection<E>) :\n
    this(elements.toArray<Any?>()) {\n
    }\n
    /**\n
     * Does nothing in this ArrayList implementation.\n
     */\n
    public\n
    actual fun trimToSize() {\n
    }\n
    /**\n
     * Does nothing in this ArrayList implementation.\n
     */\n
    public actual fun\n
    ensureCapacity(minCapacity: Int) {\n
    }\n
    actual override val size: Int get() = array.size\n
}

```



```

@Suppress("UNCHECKED_CAST")\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n
actual override fun set(index: Int, element: E): E {\n    rangeCheck(index)\n
@Suppress("UNCHECKED_CAST")\n    return array[index].apply { array[index] = element } as E\n } \n\n
actual override fun add(element: E): Boolean {\n    array.asDynamic().push(element)\n    modCount++\n
return true\n } \n\n actual override fun add(index: Int, element: E): Unit {\n
array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n    modCount++\n } \n\n actual override
fun addAll(elements: Collection<E>): Boolean {\n    if (elements.isEmpty()) return false\n\n    array +=
elements.toArray<Any?>()\n    modCount++\n    return true\n } \n\n actual override fun addAll(index:
Int, elements: Collection<E>): Boolean {\n    insertionRangeCheck(index)\n\n    if (index == size) return
addAll(elements)\n    if (elements.isEmpty()) return false\n    when (index) {\n        size -> return
addAll(elements)\n        0 -> array = elements.toArray<Any?>() + array\n        else -> array =
array.copyOfRange(0, index).asDynamic().concat(elements.toArray<Any?>()), array.copyOfRange(index,
size)\n    } \n\n    modCount++\n    return true\n } \n\n actual override fun removeAt(index: Int): E {\n
rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n
else\n        array.asDynamic().splice(index, 1)[0]\n } \n\n actual override fun remove(element: E): Boolean {\n
    for (index in array.indices) {\n        if (array[index] == element) {\n            array.asDynamic().splice(index,
1)\n            modCount++\n            return true\n        } \n    } \n    return false\n } \n\n override fun
removeRange(fromIndex: Int, toIndex: Int) {\n    modCount++\n    array.asDynamic().splice(fromIndex,
toIndex - fromIndex)\n } \n\n actual override fun clear() {\n    array = emptyArray()\n    modCount++\n
} \n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun
lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n
override fun toArray(): Array<Any?> = js("{}").slice.call(array)\n\n\n private fun rangeCheck(index: Int) =
index.apply {\n    AbstractList.checkElementIndex(index, size)\n } \n\n private fun
insertionRangeCheck(index: Int) = index.apply {\n    AbstractList.checkPositionIndex(index, size)\n } \n}", "/*\n
* Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun <T> sortArrayWith(array:
Array<out T>, comparison: (T, T) -> Int) {\n    if (getStableSortingIsSupported()) {\n
array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, Comparator(comparison))\n    } \n} \n\n\ninternal fun <T> sortArrayWith(array: Array<out T>,
comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T ->
comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    } \n} \n\n\ninternal fun <T :
Comparable<T>> sortArray(array: Array<out T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison =
{ a: T, b: T -> a.compareTo(b) }\n        array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n    } \n} \n\n\nprivate var
_stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean {\n
_stableSortingIsSupported?.let { return it }\n    _stableSortingIsSupported = false\n\n    val array =
js("{}").unsafeCast<Array<Int>>()\n    // known implementations may use stable sort for arrays of up to 512
elements\n    // so we create slightly more elements to test stability\n    for (index in 0 until 600)\n        array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n
array.asDynamic().sort(comparison)\n    for (index in 1 until array.size) {\n        val a = array[index - 1]\n        val b
= array[index]\n        if ((a and 3) == (b and 3) && a >= b) return false\n    } \n    _stableSortingIsSupported = true\n
return true\n } \n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator:
Comparator<in T>) {\n    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result =
mergeSort(array, buffer, start, endInclusive, comparator)\n    if (result !== array) {\n        result.forEachIndexed { i,
v -> array[i] = v }\n    } \n} \n\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array:
Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end)\n        return array\n    } \n\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median,

```

```

comparator)\n    val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n    val target = if (left ===
buffer) array else buffer\n\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in
start..end) {\n        when {\n            leftIndex <= median && rightIndex <= end -> {\n                val leftValue =
left[leftIndex]\n                val rightValue = right[rightIndex]\n                if (comparator.compare(leftValue,
rightValue) <= 0) {\n                    target[i] = leftValue\n                    leftIndex++\n                } else {\n
target[i] = rightValue\n                    rightIndex++\n                }\n                leftIndex <= median -> {\n
target[i] = left[leftIndex]\n                    leftIndex++\n                }\n                else /* rightIndex <= end */ -> {\n
target[i] = right[rightIndex]\n                    rightIndex++\n                }\n            }\n        }\n        return target\n    }", /*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js
.JsName("contentDeepHashCodeImpl")\ninternal fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\n
var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element == null -> 0\n
js("Kotlin").isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n
element is UByteArray -> element.contentHashCode()\n            element is UShortArray ->
element.contentHashCode()\n            element is UIntArray -> element.contentHashCode()\n            element is
ULongArray -> element.contentHashCode()\n        }\n        else -> element.hashCode()\n    }\n\n    result = 31 * result + elementHash\n    }\n    return result\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n    /*\n * Subclasses must override
to return a value indicating\n * whether or not two keys or values are equal.\n * */\n    abstract fun equals(value1:
Any?, value2: Any?): Boolean\n\n    /*\n * Subclasses must override to return the hash code of a given key.\n
*/\n    abstract fun getHashCode(value: Any?): Int\n\n    object HashCode : EqualityComparator {\n        override
fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n        override fun getHashCode(value:
Any?): Int = value?.hashCode() ?: 0\n    }\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on
GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/*\n * Hash table based implementation of the [MutableMap]
interface.\n * */\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]
and [entries] collections.\n */\n\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>,
MutableMap<K, V> {\n    private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n        override
fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not
supported on entries")\n\n        override fun clear() {\n            this@HashMap.clear()\n        }\n\n        override
operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n        override operator
fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun
remove(element: MutableEntry<K, V>): Boolean {\n            if (contains(element)) {\n
this@HashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override
val size: Int get() = this@HashMap.size\n    }\n\n    /*\n * Internal implementation of the map: either string-
based or hashcode-based.\n * */\n    private val internalMap: InternalMap<K, V>\n\n    private val equality:
EqualityComparator\n\n    internal constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap
= internalMap\n        this.equality = internalMap.equality\n    }\n\n    /*\n * Constructs an empty [HashMap]
instance.\n * */\n    actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /*\n *
Constructs an empty [HashMap] instance.\n * */\n    * @param initialCapacity the initial capacity (ignored)\n
* @param loadFactor the load factor (ignored)\n * */\n    * @throws IllegalArgumentException if the initial
capacity or load factor are negative\n * */\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual
constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : this() {\n        // This implementation of HashMap has no need of load factors or
capacities.\n        require(initialCapacity >= 0) { "Negative initial capacity: $initialCapacity" }\n    }

```

```

require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n }\n\n actual constructor(initialCapacity:
Int) : this(initialCapacity, 0.0f)\n\n /**\n * Constructs an instance of [HashMap] filled with the contents of the
specified [original] map.\n *\n actual constructor(original: Map<out K, V>) : this() {\n
this.putAll(original)\n }\n\n actual override fun clear() {\n internalMap.clear()\n//
structureChanged(this)\n }\n\n actual override fun containsKey(key: K): Boolean =
internalMap.containsKey(key)\n\n actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n\n actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n get() {\n if
(_entries == null) {\n _entries = createEntrySet()\n }\n return _entries!!\n }\n\n
protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual
override operator fun get(key: K): V? = internalMap.get(key)\n\n actual override fun put(key: K, value: V): V? =
internalMap.put(key, value)\n\n actual override fun remove(key: K): V? = internalMap.remove(key)\n\n actual
override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n
*\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n }\", \"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n *\n\n *\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n\n
*\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a
[HashMap] instance.\n *\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n
private val map: HashMap<E, Any>\n\n /**\n * Constructs a new empty [HashSet].\n *\n actual
constructor() {\n map = HashMap<E, Any>()\n }\n\n /**\n * Constructs a new [HashSet] filled with the
elements of the specified collection.\n *\n actual constructor(elements: Collection<E>) {\n map =
HashMap<E, Any>(elements.size)\n addAll(elements)\n }\n\n /**\n * Constructs a new empty
[HashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load
factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n\n actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n map = HashMap<E, Any>(initialCapacity,
loadFactor)\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Protected
constructor to specify the underlying map. This is used by\n * LinkedHashSet.\n * @param map underlying
map to use.\n *\n internal constructor(map: HashMap<E, Any>) {\n this.map = map\n }\n\n actual
override fun add(element: E): Boolean {\n val old = map.put(element, this)\n return old == null\n }\n\n
actual override fun clear() {\n map.clear()\n }\n\n// public override fun clone(): Any {\n// return
HashSet<E>(this)\n// }\n\n actual override operator fun contains(element: E): Boolean =
map.containsKey(element)\n\n actual override fun isEmpty(): Boolean = map.isEmpty()\n\n actual override fun
iterator(): MutableIterator<E> = map.keys.iterator()\n\n actual override fun remove(element: E): Boolean =
map.remove(element) != null\n\n\n actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new
instance of the specialized implementation of [HashSet] with the specified [String] elements,\n * which elements the
keys as properties of JS object without hashing them.\n *\npublic fun stringSetOf(vararg elements: String):
HashSet<String> {\n return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n }\n }\", \"/*\n *
Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\n *\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n\n
*\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport
kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to
provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n
*\n\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>

```

```

{\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n override fun put(key: K, value: V): V? {\n val hashCode = equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)\n if (chainOrEntry == null) {\n // This is a new chain, put it to the map.\n backingMap[hashCode] = SimpleEntry(key, value)\n } else {\n if (chainOrEntry !is Array<*>) {\n // It is an entry\n val entry: SimpleEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return entry.setValue(value)\n } else {\n backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n size++\n return null\n }\n } else {\n // Chain already exists, perhaps key also exists.\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n val entry = chain.findEntryInChain(key)\n if (entry != null) {\n return entry.setValue(value)\n }\n chain.asDynamic().push(SimpleEntry(key, value))\n }\n }\n size++\n// structureChanged(host)\n return null\n }\n\n override fun remove(key: K): V? {\n val hashCode = equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n if (chainOrEntry !is Array<*>) {\n val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n deleteProperty(backingMap, hashCode)\n size--\n return entry.value\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n for (index in chain.indices) {\n val entry = chain[index]\n if (equality.equals(key, entry.key)) {\n if (chain.size == 1) {\n chain.asDynamic().length = 0\n // remove the whole array\n deleteProperty(backingMap, hashCode)\n } else {\n // splice out the entry we're removing\n chain.asDynamic().splice(index, 1)\n }\n size--\n// structureChanged(host)\n return entry.value\n }\n }\n }\n return null\n }\n\n override fun clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n override fun contains(key: K): Boolean = getEntry(key) != null\n\n override fun get(key: K): V? = getEntry(key)?.value\n\n private fun getEntry(key: K): MutableEntry<K, V>? {\n val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n if (chainOrEntry !is Array<*>) {\n val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return entry\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n return chain.findEntryInChain(key)\n }\n }\n\n private fun Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? = firstOrNull { entry -> equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n return object : MutableIterator<MutableEntry<K, V>> {\n var state = -1 // -1 not ready, 0 - ready, 1 - done\n val keys: Array<Int> = js("Object").keys(backingMap)\n var keyIndex = -1\n var chainOrEntry: dynamic = null\n var isChain = false\n var itemIndex = -1\n var lastEntry: MutableEntry<K, V>? = null\n private fun computeNext(): Int {\n if (chainOrEntry != null && isChain) {\n val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n if (++itemIndex < chainSize)\n return 0\n }\n if (++keyIndex < keys.size)\n {\n chainOrEntry = backingMap[keys[keyIndex]]\n isChain = chainOrEntry is Array<*>\n itemIndex = 0\n return 0\n } else {\n chainOrEntry = null\n return 1\n }\n }\n\n override fun hasNext(): Boolean {\n if (state == -1)\n state = computeNext()\n return state == 0\n }\n\n override fun next(): MutableEntry<K, V> {\n if (!hasNext()) throw NoSuchElementException()\n val lastEntry = if (isChain) {\n chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n } else {\n chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n }\n this.lastEntry = lastEntry\n state = -1\n return lastEntry\n }\n\n override fun remove() {\n checkNotNull(lastEntry)\n this@InternalHashCodeMap.remove(lastEntry!!.key)\n lastEntry = null\n // the chain being iterated just got modified by InternalHashCodeMap.remove\n itemIndex--\n }\n }\n }\n\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n return if (chainOrEntry === undefined) null else chainOrEntry\n }

```

```

}\n\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\ninternal inline fun
deleteProperty(obj: Any, property: Any) {\n    js("delete obj[property]")\n}\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of
[InternalStringMap] and [InternalHashCodeMap].\n */\n\ninterface InternalMap<K, V> :
MutableIterable<MutableMap.MutableEntry<K, V>> {\n    val equality: EqualityComparator\n    val size: Int\n
operator fun contains(key: K): Boolean\n    operator fun get(key: K): V?\n    fun put(key: K, value: V): V?\n    fun
remove(key: K): V?\n    fun clear(): Unit\n\n    fun createJsMap(): dynamic {\n        val result =
js("Object.create(null)")\n        // force to switch object representation to dictionary mode\n        // Using js-function
due to JS_IR limitations\n        js("result[\"foo\"] = 1")\n        js("delete result[\"foo\"]")\n        return result\n
    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * Based on GWT InternalStringMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n
* A simple wrapper around JavaScript Map for key type is string.\n * \n * Though this map is instantiated only with
K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to
generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\n\ninternal
class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n    private var
backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n    /**\n     * A mod
count to track 'value' replacements in map to ensure that the 'value' that we have in the\n     * iterator entry is
guaranteed to be still correct.\n     * This is to optimize for the common scenario where the values are not modified
during\n     * iterations where the entries are never stale.\n     */\n    private var valueMod: Int = 0\n    override
operator fun contains(key: K): Boolean {\n        if (key !is String) return false\n        return backingMap[key] !==
undefined\n    }\n\n    override operator fun get(key: K): V? {\n        if (key !is String) return null\n        val value =
backingMap[key]\n        return if (value !== undefined) value.unsafeCast<V>() else null\n    }\n\n    override fun
put(key: K, value: V): V? {\n        require(key is String)\n        val oldValue = backingMap[key]\n        backingMap[key] = value\n        if (oldValue === undefined) {\n            size++\n            structureChanged(host)\n            return null\n        } else {\n            valueMod++\n            return
oldValue.unsafeCast<V>()\n        }\n    }\n\n    override fun remove(key: K): V? {\n        if (key !is String) return
null\n        val value = backingMap[key]\n        if (value !== undefined) {\n            deleteProperty(backingMap,
key)\n            size--\n            structureChanged(host)\n            return value.unsafeCast<V>()\n        } else {\n            valueMod++\n            return null\n        }\n    }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n        return object :
MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =
js("Object").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n            override fun next():
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n                @Suppress("UNCHECKED_CAST")\n                return newMapEntry(key as K)\n            }\n            override
fun remove() {\n                @Suppress("UNCHECKED_CAST")\n                this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n\n    private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n        override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n        override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n        override fun toString(): String =
AbstractMap.entryToString(this)\n        override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,
other)\n    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * Based on GWT LinkedHashMap\n * \n
*/\n\npackage

```

```

Copyright 2008 Google Inc.
package kotlin.collections
import
kotlin.collections.MutableMap.MutableEntry
/**
 * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order
 * of entries during the iteration.
 * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.
 * public actual open class
LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {
    /**
     * The entry we use includes
next/prev pointers for a doubly-linked circular
     * list with a head node. This reduces the special cases we have to
deal with
     * in the list operations.
     * Note that we duplicate the key from the underlying hash map so we
can find
     * the eldest entry. The alternative would have been to modify HashMap so more
of the code was
directly usable here, but this would have added some
     * overhead to HashMap, or to reimplement most of the
HashMap code here with
     * small modifications. Paying a small storage cost only if you use
LinkedHashMap and minimizing code size seemed like a better tradeoff
    private class ChainEntry<K,
V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {
        internal var next:
ChainEntry<K, V>? = null
        internal var prev: ChainEntry<K, V>? = null
    }
    private inner class
EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {
        private inner class EntryIterator :
MutableIterator<MutableEntry<K, V>> {
            // The last entry that was returned from this iterator.
private var last: ChainEntry<K, V>? = null
            // The next entry to return from this iterator.
private
var next: ChainEntry<K, V>? = null
            init {
                next = head
            }
            recordLastKnownStructure(map, this)
            override fun hasNext(): Boolean {
                return
next != null
            }
            override fun next(): MutableEntry<K, V> {
                checkStructuralChange(map, this)
                if (!hasNext()) throw NoSuchElementException()
                val
current = next!!
                last = current
                next = current.next.takeIf { it != head }
                return
current
            }
            override fun remove() {
                check(last != null)
                checkStructuralChange(map, this)
                last!!.remove()
                map.remove(last!!.key)
            }
            recordLastKnownStructure(map, this)
            last = null
        }
        override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")
        override fun clear() {
            this@LinkedHashMap.clear()
        }
        override operator fun
contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)
        override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = EntryIterator()
        override fun remove(element: MutableEntry<K,
V>): Boolean {
            if (contains(element)) {
                this@LinkedHashMap.remove(element.key)
            }
            return true
        }
        return false
    }
    override val size: Int get() = this@LinkedHashMap.size
}
/**
 * The head of the insert order chain, which is a doubly-linked circular
 * list.
 * The most
recently inserted node is at the end of the chain, ie.
 * chain.prev.
    private var head: ChainEntry<K, V>?
= null
    /**
     * Add this node to the end of the chain.
     * private fun ChainEntry<K, V>.addToEnd()
{
    // This entry is not in the list.
    check(next == null && prev == null)
    val _head = head
    if
(_head == null) {
        head = this
        next = this
        prev = this
    } else {
        // Chain is
valid.
        val _tail = checkNotNull(_head.prev)
        // Update me.
        prev = _tail
        next =
_head
        // Update my new siblings: current head and old tail
        _head.prev = this
        _tail.next =
this
    }
}
    /**
     * Remove this node from the chain it is a part of.
     * private fun
ChainEntry<K, V>.remove() {
        if (this.next === this) {
            // if this is single element, remove head
            head = null
        } else {
            if (head === this) {
                // if this is first element, move head to next
                head = next
            }
            next!!.prev = prev
            prev!!.next = next
        }
        next = null
        prev = null
    }
    /**
     * The hashmap that keeps track of our entries and the chain. Note that we
duplicate the key here to eliminate changes to HashMap and minimize the
code here, at the expense of
additional space.
    private val map: HashMap<K, ChainEntry<K, V>>
    /**
     * Constructs an empty
[LinkedHashMap] instance.
    actual constructor() : super() {
        map = HashMap<K, ChainEntry<K,
V>>()
    }
    internal constructor(backingMap: HashMap<K, Any>) : super() {
        @Suppress("UNCHECKED_CAST") // expected to work due to erasure
        map = backingMap as
HashMap<K, ChainEntry<K, V>>
    }
    /**
     * Constructs an empty [LinkedHashMap] instance.

```

```

* @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n
*\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n    map = HashMap<K, ChainEntry<K,
V>>()\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Constructs an
instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n */\n actual
constructor(original: Map<out K, V>) {\n    map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n }\n\n actual override fun clear() {\n    map.clear()\n    head = null\n }\n\n//
override fun clone(): Any {\n//    return LinkedHashMap(this)\n// }\n\n\n actual override fun containsKey(key:
K): Boolean = map.containsKey(key)\n\n actual override fun containsValue(value: V): Boolean {\n    var node:
ChainEntry<K, V> = head ?: return false\n    do {\n        if (node.value == value) {\n            return true\n
}\n        node = node.next!!\n    } while (node != head)\n    return false\n }\n\n\n override fun
createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual override operator fun
get(key: K): V? = map.get(key)?.value\n\n actual override fun put(key: K, value: V): V? {\n    val old =
map.get(key)\n    if (old == null) {\n        val newEntry = ChainEntry(key, value)\n        map.put(key,
newEntry)\n        newEntry.addToEnd()\n        return null\n    } else {\n        return old.setValue(value)\n
}\n }\n\n\n actual override fun remove(key: K): V? {\n    val entry = map.remove(key)\n    if (entry != null)
{\n        entry.remove()\n        return entry.value\n    }\n    return null\n }\n\n\n actual override val size:
Int get() = map.size\n}\n\n/**\n * Constructs the specialized implementation of [LinkedHashMap] with [String]
keys, which stores the keys as properties of\n * JS object without hashing them.\n */\n\npublic fun <V>
linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n    return
LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}", "/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n
*/\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a
[LinkedHashMap] instance.\n */\n * This implementation preserves the insertion order of elements during the
iteration.\n */\n\npublic actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E> {\n\n    internal
constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n    /**\n     * Constructs a new empty
[LinkedHashSet].\n     */\n    actual constructor() : super(LinkedHashMap<E, Any>())\n\n    /**\n     * Constructs a
new [LinkedHashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements:
Collection<E>) : super(LinkedHashMap<E, Any>()) {\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a
new empty [LinkedHashSet].\n     */\n    * @param initialCapacity the initial capacity (ignored)\n    * @param
loadFactor the load factor (ignored)\n    */\n    * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n    */\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity,
loadFactor))\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    // public override fun
clone(): Any {\n//        return LinkedHashSet(this)\n//    }\n\n}\n\n\n/**\n * Creates a new instance of the specialized
implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties
of JS object without hashing them.\n */\n\npublic fun linkedStringSetOf(vararg elements: String):
LinkedHashSet<String> {\n    return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements)
}\n}\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.contracts.*\n\n\n@Deprecated("Do not use Synchronized annotation in pure Kotlin/JS code", level =
DeprecationLevel.ERROR)\npublic typealias Synchronized = kotlin.jvm.Synchronized\n\n\n@Deprecated("Do not
use Volatile annotation in pure Kotlin/JS code", level = DeprecationLevel.ERROR)\npublic typealias Volatile =
kotlin.jvm.Volatile\n\n\n@kotl.in.internal.InlineOnly\npublic actual inline fun <R> synchronized(lock: Any, block: () -
> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return
block()\n}\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0

```

```

license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.io\n\ninternal abstract class
BaseOutput {\n  open fun println() {\n    print("\\n")\n  }\n  open fun println(message: Any?) {\n
print(message)\n    println()\n  }\n  abstract fun print(message: Any?)\n  open fun flush() {} \n\n/**
JsName used to make the declaration available outside of module to test it
*\n@JsName("NodeJsOutput")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n
override fun print(message: Any?) = outputStream.write(String(message))\n}\n\n/** JsName used to make the
declaration available outside of module to test it *\n@JsName("OutputToConsoleLog")\ninternal class
OutputToConsoleLog : BaseOutput() {\n  override fun print(message: Any?) {\n    console.log(message)\n
}\n  override fun println(message: Any?) {\n    console.log(message)\n  }\n  override fun println() {\n
console.log("")\n  }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use
at try.kotl.in *\n@JsName("BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n  var buffer
= ""\n  override fun print(message: Any?) {\n    buffer += String(message)\n  }\n  override fun flush() {\n
buffer = ""\n  }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n@JsName("BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog : BufferedOutput()
{\n  override fun print(message: Any?) {\n    var s = String(message)\n    val i = s.lastIndexOf("\\n")\n    if (i
>= 0) {\n      buffer += s.substring(0, i)\n      flush()\n      s = s.substring(i + 1)\n    }\n    buffer +=
s\n  }\n  override fun flush() {\n    console.log(buffer)\n    buffer = ""\n  }\n}\n\n/** JsName used to
make the declaration available outside of module to test it and use at try.kotl.in *\n@JsName("output")\ninternal
var output = run {\n  val isNode: Boolean = js("typeof process !== 'undefined' && process.versions &&
!!process.versions.node")\n  if (isNode) NodeJsOutput(js("process.stdout")) else
BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String =
js("String")(value)\n\n/** Prints the line separator to the standard output stream. *\npublic actual fun println() {\n
output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. *\npublic
actual fun println(message: Any?) {\n  output.println(message)\n}\n\n/** Prints the given [message] to the standard
output stream. *\npublic actual fun print(message: Any?) {\n  output.print(message)\n}\n\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n@JsName("CoroutineImpl")\n
ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n  protected var state = 0\n  protected var exceptionState = 0\n  protected var result: Any? = null\n  protected
var exception: Throwable? = null\n  protected var finallyPath: Array<Int>? = null\n\n  public override val context:
CoroutineContext = resultContinuation.context\n\n  private var intercepted_: Continuation<Any?>? = null\n\n
public fun intercepted(): Continuation<Any?> =\n    intercepted_ ?:
(context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n    .also { intercepted_ = it }\n\n
override fun resumeWith(result: Result<Any?>) {\n  var current = this\n  var currentResult: Any? =
result.getOrNull()\n  var currentException: Throwable? = result.exceptionOrNull()\n  // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n  while (true) {\n
with(current) {\n    val completion = resultContinuation\n    // Set result and exception fields in
the current continuation\n    if (currentException == null) {\n      this.result = currentResult\n
    } else {\n      state = exceptionState\n      exception = currentException\n    }\n  }\n  try {\n    val outcome = doResume()\n    if (outcome === COROUTINE_SUSPENDED)
return\n    currentResult = outcome\n    currentException = null\n  } catch (exception:
dynamic) {\n    // Catch all exceptions\n    currentResult = null\n    currentException =
exception.unsafeCast<Throwable>()\n  }\n  releaseIntercepted() // this state machine instance is
terminating\n\n  if (completion is CoroutineImpl) {\n    // unrolling recursion via loop\n
current = completion\n  } else {\n    // top-level completion reached -- invoke and return\n
currentException?.let {\n    completion.resumeWithException(it)\n  } ?:\n
completion.resume(currentResult)\n  return\n}\n}\n}\n}\n}\n}\n\n private fun

```



```

releaseIntercepted() {\n    val intercepted = intercepted_ \n    if (intercepted != null && intercepted !== this) {\n        context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n    }\n    this.intercepted_ = CompletedContinuation // just in case\n }\n\n protected abstract fun doResume(): Any?\n}\n\ninternal object CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n    get() = error("This continuation is already complete")\n\n    override fun resumeWith(result: Result<Any?>) {\n        error("This continuation is already complete")\n    }\n\n    override fun toString(): String = "This continuation is already complete"\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n*/\n\n@file:Suppress("UNCHECKED_CAST", "RedundantVisibilityModifier")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\n\n/**\n * A discriminated union that encapsulates successful outcome with a value of type [T]\n * or a failure with an arbitrary [Throwable] exception.\n\n*/\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@SinceKotlin("1.3")\n\npublic inline class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?\n): Serializable {\n    // discovery\n\n    /**\n     * Returns `true` if this instance represents successful outcome.\n     * In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean\n    get() = value !is Failure\n\n    /**\n     * Returns `true` if this instance represents failed outcome.\n     * In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean\n    get() = value is Failure\n\n    // value & exception retrieval\n\n    /**\n     * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or `null`\n     * if it is [failure][Result.isFailure].\n     */\n    * This function is shorthand for `getOrElse { null }` (see [getOrElse]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n     */\n    @InlineOnly\n    public inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n            else -> value as T\n        }\n\n    /**\n     * Returns the encapsulated exception if this instance represents [failure][isFailure] or `null`\n     * if it is [success][isSuccess].\n     */\n    * This function is shorthand for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n     */\n    public fun exceptionOrNull(): Throwable? =\n        when (value) {\n            is Failure -> value.exception\n            else -> null\n        }\n\n    /**\n     * Returns a string `Success(v)` if this instance represents [success][Result.isSuccess]\n     * where `v` is a string representation of the value or a string `Failure(x)` if\n     * it is [failure][isFailure] where `x` is a string representation of the exception.\n     */\n    public override fun toString(): String =\n        when (value) {\n            is Failure -> value.toString() // "Failure($exception)"
            else -> "Success($value)"\n        }\n\n    // companion with constructors\n\n    /**\n     * Companion object for [Result] class that contains its constructor functions\n     * [success] and [failure].\n     */\n    public companion object {\n        /**\n         * Returns an instance that encapsulates the given [value] as successful value.\n         */\n        @InlineOnly\n        public inline fun <T> success(value: T): Result<T> =\n            Result(value)\n\n        /**\n         * Returns an instance that encapsulates the given [exception] as failure.\n         */\n        @InlineOnly\n        public inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n    }\n\n    internal class Failure(\n        @JvmField\n        val exception: Throwable\n    ): Serializable {\n        override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode(): Int = exception.hashCode()\n        override fun toString(): String = "Failure($exception)"\n    }\n\n    /**\n     * Creates an instance of internal marker [Result.Failure] class to\n     * make sure that this class is not exposed in ABI.\n     */\n    @PublishedApi\n    @SinceKotlin("1.3")\n    internal fun createFailure(exception: Throwable): Any =\n        Result.Failure(exception)\n\n    /**\n     * Throws exception if the result is failure. This internal function minimizes\n     * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n     * add some exception-augmenting logic here (if needed).\n     */\n    @PublishedApi\n    @SinceKotlin("1.3")\n    internal fun Result<*>.throwOnFailure() {\n        if (value is Result.Failure) throw value.exception\n    }\n\n    /**\n     * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n     * catching and encapsulating any thrown exception as a failure.\n     */\n    @InlineOnly\n    @SinceKotlin("1.3")\n    public inline fun <R> runCatching(block: () -> R): Result<R> {\n        return try {\n            Result.success(block())\n        } catch (e: Throwable) {\n            Result.failure(e)\n        }\n    }\n\n    /**\n     * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result\n     * if

```

invocation was successful, catching and encapsulating any thrown exception as a failure.\n

```
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n// --\nextensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or\n * throws the encapsulated exception\n * if it is [failure][Result.isFailure].\n * This function is shorthand for\n * `getOrElse { throw it }` (see [getOrElse]).\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T>
```

```
Result<T>.getOrThrow(): T {\n    throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated\n * value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for encapsulated\n * exception if it is [failure][Result.isFailure].\n * Note, that an exception thrown by [onFailure] function is\n * rethrown by this function.\n * This function is shorthand for `fold(onSuccess = { it }, onFailure = onFailure)`\n * (see [fold]).\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R>
```

```
Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure,\n            InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null ->\n            value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance\n * represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n * This\n * function is shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R):
```

```
R {\n    if (isFailure) return defaultValue\n    return value as T\n}\n\n/**\n * Returns the the result of [onSuccess] for\n * encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for\n * encapsulated exception if it is [failure][Result.isFailure].\n * Note, that an exception thrown by [onSuccess] or\n * by [onFailure] function is rethrown by this function.\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun
```

```
<R, T> Result<T>.fold(\n    onSuccess: (value: T) -> R,\n    onFailure: (exception: Throwable) -> R)\n: R {\n    contract {\n        callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n        callsInPlace(onFailure,\n            InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null ->\n            onSuccess(value as T)\n        else -> onFailure(exception)\n    }\n}\n\n// transformation\n\n/**\n * Returns the\n * encapsulated result of the given [transform] function applied to encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated exception if it is [failure][Result.isFailure].\n * Note,\n * that an exception thrown by [transform] function is rethrown by this function.\n * See [mapCatching] for an\n * alternative that encapsulates exceptions.\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T>
```

```
Result<T>.map(transform: (value: T) -> R): Result<R> {\n    contract {\n        callsInPlace(transform,\n            InvocationKind.AT_MOST_ONCE)\n    }\n    return when {\n        isSuccess -> Result.success(transform(value as T))\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function\n * applied to encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original\n * encapsulated exception if it is [failure][Result.isFailure].\n * Any exception thrown by [transform] function is\n * caught, encapsulated as a failure and returned by this function.\n * See [map] for an alternative that rethrows\n * exceptions.\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T>
```

```
Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n    return when {\n        isSuccess ->\n            runCatching { transform(value as T) }\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated\n * result of the given [transform] function applied to encapsulated exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n * Note,\n * that an exception thrown by [transform] function is rethrown by this function.\n * See [recoverCatching] for an\n * alternative that encapsulates exceptions.\n */\n*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R>
```

```
Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception =\n        exceptionOrNull()) {\n        null -> this\n        else -> Result.success(transform(exception))\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to encapsulated exception\n * if this\n * instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is\n * [success][Result.isSuccess].\n * Any exception thrown by [transform] function is caught, encapsulated as a
```

failure and returned by this function.  
 \* See [recover] for an alternative that rethrows exceptions.

```

*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform:
(exception: Throwable) -> R): Result<R> {
    val value = value // workaround for inline classes BE bug
    return when (val exception = exceptionOrNull()) {
        null -> this
        else -> runCatching { transform(exception) }
    }
}

```

peek onto value/exception and pipe

\* Performs the given [action] on encapsulated exception if this instance represents [failure][Result.isFailure].

\* Returns the original `Result` unchanged.

```

*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action: (exception:
Throwable) -> Unit): Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    exceptionOrNull()?.let { action(it) }
    return this
}

```

\* Performs the given [action] on encapsulated value if this instance represents [success][Result.isSuccess].

\* Returns the original `Result` unchanged.

```

*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit):
Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    if (isSuccess)
        action(value as T)
    return this
}

```

-----

\* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal
actual class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n    initialResult: Any?)\n    : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n    get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun
resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n
                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n
                this.result =
RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun
getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n
return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result ===
RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED
upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either
COROUTINE_SUSPENDED or data\n        }\n    }\n}

```

-----

\* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n*\n *
Starts unintercepted coroutine without receiver and with result type [T] and executes it until its first suspension.\n *
Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if
it suspends.\n * In the later case, the [completion] continuation is invoked when coroutine completes with result or
exception.\n * The coroutine is started directly in the invoker's thread without going through the
[ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is invoker's
responsibility to ensure that the proper invocation\n * context is established.\n * This function is designed to be
used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of suspended\n * coroutine
using a reference to the suspending function.\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun
<T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n    completion: Continuation<T>)\n    : Any? =
this.asDynamic()(completion, false)\n

```

\* Starts unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.

\* Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE\_SUSPENDED] if it suspends.

\* In the later case, the [completion] continuation is invoked when coroutine completes with result or exception.

\* The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is invoker's responsibility to ensure that the proper invocation context is established.

\* This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of suspended coroutine using a reference to the suspending function.

```

*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() ->
T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n completion: Continuation<T>)\n): Any? =
this.asDynamic()(receiver, completion, false)\n\n/**\n * Creates unintercepted coroutine without receiver and with
result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is
invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation]
instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in
the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the
completion's [CoroutineContext].\n * It is invoker's responsibility to ensure that the proper invocation context is
established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on
intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the
invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function
on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or
exception.\n */\n@SinceKotlin("1.3")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n
completion: Continuation<T>)\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter
`suspended`\n if (this.asDynamic().length == 2) {\n // When `suspended` is true the continuation is created,
but not executed\n this.asDynamic()(completion, true)\n } else {\n
createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(completion)\n }\n }\n\n/**\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh
instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine,
invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when
coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n *\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n *
[ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is invoker's
responsibility to ensure that the proper invocation context is established.\n * Note that [completion] of this function
may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted
continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the
coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the
coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin("1.3")\npublic actual fun <R, T>
(suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>)\n):
Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if
(this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n
this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion)
{\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n * Intercepts this continuation with
[ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of
[createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for
[ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes
[ContinuationInterceptor.interceptContinuation], caches and returns result.\n *\n * If this function is invoked on
other [Continuation] instances it returns `this` continuation unchanged.\n */\n@SinceKotlin("1.3")\npublic actual
fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?:
this\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n
crossinline block: () -> Any?)\n): Continuation<Unit> {\n @Suppress("UNCHECKED_CAST")\n return object
: CoroutineImpl(completion as Continuation<Any?>) {\n override fun doResume(): Any? {\n
exception?.let { throw it }\n return block()\n }\n }\n }\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport

```

```

kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n\n@SinceKotlin("1.3")\n\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n\n}"/*\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.js\n\n/**\n
* Exposes the [Date
API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\n\npublic external class Date() {\n
    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public
constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n
    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public constructor(year: Int, month:
Int, day: Int, hour: Int, minute: Int, second: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n\n    public fun getDay(): Int\n\n    public
fun getFullYear(): Int\n\n    public fun getHours(): Int\n\n    public fun getMilliseconds(): Int\n\n    public fun
getMinutes(): Int\n\n    public fun getMonth(): Int\n\n    public fun getSeconds(): Int\n\n    public fun getTime():
Double\n\n    public fun getTimezoneOffset(): Int\n\n    public fun getUTCDate(): Int\n\n    public fun
getUTCDay(): Int\n\n    public fun getUTCFullYear(): Int\n\n    public fun getUTCHours(): Int\n\n    public fun
getUTCMilliseconds(): Int\n\n    public fun getUTCMinutes(): Int\n\n    public fun getUTCMonth(): Int\n\n    public
fun getUTCSeconds(): Int\n\n    public fun toString(): String\n\n    public fun toISOString(): String\n\n    public
fun toJSON(): Json\n\n    public fun toLocaleDateString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n    public fun toLocaleDateString(locales: String, options:
LocaleOptions = definedExternally): String\n\n    public fun toLocaleString(locales: Array<String> =
definedExternally, options: LocaleOptions = definedExternally): String\n\n    public fun toLocaleString(locales:
String, options: LocaleOptions = definedExternally): String\n\n    public fun toLocaleTimeString(locales:
Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n    public fun
toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n    public fun
toLocaleTimeString(): String\n\n    public fun toUTCString(): String\n\n    public companion object {\n
        public fun
now(): Double\n\n        public fun parse(dateString: String): Double\n\n        public fun UTC(year: Int, month: Int):
Double\n\n        public fun UTC(year: Int, month: Int, day: Int): Double\n\n        public fun UTC(year: Int, month:
Int, day: Int, hour: Int): Double\n\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int):
Double\n\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n
        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n
    }\n\n    public interface LocaleOptions {\n
        public var localeMatcher: String?\n\n        public var timeZone:
String?\n\n        public var hour12: Boolean?\n\n        public var formatMatcher: String?\n\n        public var weekday:
String?\n\n        public var era: String?\n\n        public var year: String?\n\n        public var month: String?\n\n
        public var day: String?\n\n        public var hour: String?\n\n        public var minute: String?\n\n        public
var second: String?\n\n        public var timeZoneName: String?\n
    }\n\n    public inline fun dateLocaleOptions(init:
Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n
        val result = js("new
Object()\n\n").unsafeCast<Date.LocaleOptions>\n\n        init(result)\n\n        return result\n\n}"/*\n
* Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the
license/LICENSE.txt file.\n
*/\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n
* Creates a new element
with the specified [name].\n
*/\n\n * The element is initialized with the specified [init] function.\n
*/\n\npublic fun
Document.createElement(name: String, init: Element.() -> Unit): Element =
createElement(name).apply(init)\n\n/**\n
* Appends a newly created element with the specified [name] to this
element.\n
*/\n\n * The element is initialized with the specified [init] function.\n
*/\n\npublic fun
Element.appendChild(name: String, init: Element.() -> Unit): Element =\n
ownerDocument!!.createElement(name, init).also { appendChild(it) }\n\n}"/*\n
* Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the
license/LICENSE.txt file.\n
*/\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n
* Returns true if the element
has the given CSS class style in its 'class' attribute\n
*/\n\nfun Element.hasClass(cssClass: String): Boolean =

```

```

className.matches("\\\\(^.*\\s+)$cssClass($\\|s+.*)"\\.toRegex())\\n\\n**\\n * Adds CSS class to element. Has no
effect if all specified classes are already in class attribute of the element\\n *\\n * @return true if at least one class has
been added\\n *\\nfun Element.addClass(vararg cssClasses: String): Boolean {\\n    val missingClasses =
cssClasses.filterNot { hasClass(it) }\\n    if (missingClasses.isNotEmpty()) {\\n        val presentClasses =
className.trim()\\n        className = buildString {\\n            append(presentClasses)\\n            if
(!presentClasses.isEmpty()) {\\n                append("\\ ")\\n            }\\n            missingClasses.joinTo(this, "\\ ")\\n
}\\n        return true\\n    }\\n    return false\\n}\\n\\n**\\n * Removes all [cssClasses] from element. Has no effect if all
specified classes are missing in class attribute of the element\\n *\\n * @return true if at least one class has been
removed\\n *\\nfun Element.removeClass(vararg cssClasses: String): Boolean {\\n    if (cssClasses.any { hasClass(it)
}) {\\n        val toBeRemoved = cssClasses.toSet()\\n        className =
className.trim().split("\\\\|s+"\\.toRegex()).filter { it !in toBeRemoved }.joinToString("\\ ")\\n        return true\\n
}\\n    return false\\n}\\n\\n", /*\\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\\n * that can be found in the license/LICENSE.txt file.\\n
*\\n@file:kotlin.jvm.JvmMultifileClass\\n@file:kotlin.jvm.JvmName("\\StringsKt")\\n\\npackage
kotlin.text\\n\\n**\\n * Converts the string into a regular expression [Regex] with the default options.\\n
*\\n@kotlin.internal.InlineOnly\\npublic inline fun String.toRegex(): Regex = Regex(this)\\n\\n**\\n * Converts the
string into a regular expression [Regex] with the specified single [option].\\n *\\n@kotlin.internal.InlineOnly\\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\\n\\n**\\n * Converts the string into a
regular expression [Regex] with the specified set of [options].\\n *\\n@kotlin.internal.InlineOnly\\npublic inline fun
String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\\n", /*\\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\\n * that can be found in the
license/LICENSE.txt file.\\n
*\\n@file:kotlin.jvm.JvmMultifileClass\\n@file:kotlin.jvm.JvmName("\\StringsKt")\\n\\npackage
kotlin.text\\n\\n**\\n * Builds new string by populating newly created [StringBuilder] using provided
[builderAction]\\n * and then converting it to [String].\\n *\\n@kotlin.internal.InlineOnly\\npublic inline fun
buildString(builderAction: StringBuilder.() -> Unit): String =\\n
StringBuilder().apply(builderAction).toString()\\n\\n**\\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\\n * using provided [builderAction] and then converting it to
[String].\\n *\\n@SinceKotlin("\\1.1")\\n@kotlin.internal.InlineOnly\\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String =\\n
StringBuilder(capacity).apply(builderAction).toString()\\n\\n**\\n * Appends all arguments to the given
[Appendable].\\n *\\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\\n    for (item in
value)\\n        append(item)\\n    return this\\n}\\n\\n**\\n * Appends all arguments to the given StringBuilder.\\n
*\\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\\n    for (item in value)\\n
append(item)\\n    return this\\n}\\n\\n**\\n * Appends all arguments to the given StringBuilder.\\n *\\npublic fun
StringBuilder.append(vararg value: Any?): StringBuilder {\\n    for (item in value)\\n        append(item)\\n    return
this\\n}\\n\\n\\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence?)) {\\n
when {\\n    transform != null -> append(transform(element))\\n        element is CharSequence? ->
append(element)\\n        element is Char -> append(element)\\n        else -> append(element.toString())\\n
}\\n}\\n", /*\\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\\n
* that can be found in the license/LICENSE.txt file.\\n *\\n\\npackage kotlin.dom\\n\\nimport org.w3c.dom.*\\n\\n**\\n
* Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\\n *\\npublic val
Node.isText: Boolean\\n    get() = nodeType == Node.TEXT_NODE || nodeType ==
Node.CDATA_SECTION_NODE\\n\\n**\\n * Gets a value indicating whether this node is an [Element].\\n *\\npublic
val Node.isElement: Boolean\\n    get() = nodeType == Node.ELEMENT_NODE\\n", /*\\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\\n * that can be found in the
license/LICENSE.txt file.\\n *\\n\\npackage org.w3c.dom.events\\n\\npublic fun EventListener(handler: (Event) ->
Unit): EventListener = EventListenerHandler(handler)\\n\\nprivate class EventListenerHandler(private val handler:

```

```

(Event) -> Unit) : EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n    }\n    public override fun toString(): String = \"EventListenerHandler($handler)\"}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n    val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n    override val size: Int get() = this@asList.length\n\n    override fun get(index: Int): T = when (index) {\n        in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n        else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n    }\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Removes all the children from this node.\n */\n\npublic fun Node.clear() {\n    while (hasChildNodes()) {\n        removeChild(firstChild!)\n    }\n}\n\n\n/**\n * Creates text node and append it to the element.\n */\n\n@return this element\n */\n\nfun Element.appendText(text: String): Element {\n    appendChild(ownerDocument!!.createTextNode(text))\n    return this\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n\n/**\n * Reinterprets this `dynamic` value as a value of the specified type [T] without any actual type checking.\n */\n\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n\n    return when {\n        this[\"iterator\"] != null -> this[\"iterator\"]()\n        js(\"Kotlin\").isArrayish(r) -> r.unsafeCast<Array<*>>().iterator()\n        else -> (r as Iterable<*>).iterator()\n    }\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\n\ninternal fun throwNPE(message: String) {\n    throw NullPointerException(message)\n}\n\n\n@JsName(\"throwCCE\")\n\ninternal fun throwCCE() {\n    throw ClassCastException(\"Illegal cast\")\n}\n\n\n@JsName(\"throwISE\")\n\ninternal fun throwISE(message: String) {\n    throw IllegalStateException(message)\n}\n\n\n@JsName(\"throwUPAE\")\n\ninternal fun throwUPAE(propertyName: String) {\n    throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n\n/*\npublic open class MyException : Exception {\n    constructor() : super()\n    constructor(message: String?) : super(message)\n    constructor(message: String?, cause: Throwable?) : super(message, cause)\n    constructor(cause: Throwable?) : super(cause)\n}\n\n*/\n\n// TODO: remove workarounds for KT-22053 from direct Throwable inheritors\n\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\n\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual constructor() : this(null, null) {\n        Error::class.js.asDynamic().call(this, null, null)\n    }\n\n    actual constructor(message: String?) : this(message, null) {\n        Error::class.js.asDynamic().call(this, message, null)\n    }\n\n    actual constructor(cause: Throwable?) : this(undefiend, cause) {\n        Error::class.js.asDynamic().call(this, undefiend, cause)\n    }\n}\n\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\n\npublic actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual

```

```

constructor() : this(null, null) {\n      Exception::class.js.asDynamic().call(this, null, null)\n  }\n\n  actual
constructor(message: String?) : this(message, null) {\n      Exception::class.js.asDynamic().call(this, message,
null)\n  }\n\n  actual constructor(cause: Throwable?) : this(undefined, cause) {\n
Exception::class.js.asDynamic().call(this, undefined, cause)\n  }\n}\n\npublic actual open class RuntimeException
actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalArgumentException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual
constructor(message: String?) : RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic
actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic
actual open class NumberFormatException actual constructor(message: String?) :
IllegalArgumentException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class AssertionError
private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n  actual constructor() :
this(null)\n  constructor(message: String?) : this(message, null)\n  actual constructor(message: Any?) :
this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual
constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open class ArithmeticException actual constructor(message:
String?) : RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("GroupingKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n
* they group elements by their keys and then fold each group with some aggregating operation.\n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin("1.1")\npublic interface
Grouping<T, out K> {\n  /** Returns an [Iterator] over the elements of the source of this grouping. */\n  fun

```





``accumulator``: the current value of the accumulator of the group;\n \* - ``element``: the element from the source being accumulated.\n \* \n \* @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n \* @sample

```

samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */\n@SinceKotlin("1.1")\npublic
inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n
initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R)\n): M =\n
@Suppress("UNCHECKED_CAST")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first)
initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and
applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the
current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same
[initialValue] for each group.\n * \n * @param operation a function that is invoked on each element with the
following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the
element from the source being accumulated.\n * \n * @return a [Map] associating the key of each group with the
result of accumulating the group elements.\n * @sample

```

```

samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */\n@SinceKotlin("1.1")\npublic
inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R)\n):
Map<K, R> =\n @Suppress("UNCHECKED_CAST")\n aggregate { _, acc, e, first -> operation(if (first)
initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies
[operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current
element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is
the same [initialValue] for each group.\n * \n * If the [destination] map already has a value corresponding to the
key of some group,\n * that value is used as an initial value of the accumulator for that group.\n * \n * @param operation
a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of
the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * \n * @return the
[destination] map associating the key of each group with the result of accumulating the group elements.\n *
@sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n
*/\n@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n
destination: M,\n initialValue: R,\n operation: (accumulator: R, element: T) -> R)\n): M =\n
@Suppress("UNCHECKED_CAST")\n aggregateTo(destination) { _, acc, e, first -> operation(if (first)
initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the
reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n
* passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new
map.\n * An initial value of accumulator is the first element of the group.\n * \n * @param operation a function that
is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group
this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the
element from the source being accumulated.\n * \n * @return a [Map] associating the key of each group with the
result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n
*/\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K,
accumulator: S, element: T) -> S)\n): Map<K, S> =\n aggregate { key, acc, e, first ->\n
@Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups
elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n *
sequentially starting from the second element of the group,\n * passing the previously accumulated value and the
current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of
accumulator is the first element of the group.\n * \n * If the [destination] map already has a value corresponding
to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first
element of that group is also\n * subjected to the [operation].\n * \n * @param operation a function that is invoked on
each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the
accumulator of the group;\n * - `element`: the element from the source being folded;\n * \n * @return the

```

```

[destination] map associating the key of each group with the result of accumulating the group elements.\n *
@sample samples.collections.Grouping.reduceByMaxVowelsTo\n */\n@SinceKotlin("1.1")\npublic inline fun <S,
T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n destination: M,\n operation: (key: K,
accumulator: S, element: T) -> S)\n: M =\n aggregateTo(destination) { key, acc, e, first ->\n
@Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups
elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n
* If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an
initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group
with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n
*/\n@SinceKotlin("1.1")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
K>.eachCountTo(destination: M): M =\n foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/**\n * Groups
elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements
in each group\n * to the given [destination] map.\n *\n * If the [destination] map already has a value
corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n
* @return the [destination] map associating the key of each group with the sum of elements in the group.\n
*/\n@SinceKotlin("1.1")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc +
valueSelector(e)}\n\n/*\n *// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M :
MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M
=\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T,
K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc +
valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T,
K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n foldTo(destination, 0.0) { acc, e
-> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) ->
Double): Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e)}\n\n*/\n\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source
by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each group with the count
of element in the group.\n */\n@SinceKotlin("1.1")\npublic actual fun <T, K> Grouping<T, K>.eachCount():
Map<K, Int> =\n fold(0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key
and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map]
associating the key of each group with the count of element in the group.\n */\n@SinceKotlin("1.1")\npublic inline
fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n fold(0) { acc, e -> acc +
valueSelector(e) }\n\n*/\n\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n *
Exposes the JavaScript [Math
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n
*/\n@Deprecated("Use top-level functions from kotlin.math package instead.", level =
DeprecationLevel.WARNING)\n\npublic external object Math {\n @Deprecated("Use kotlin.math.PI instead.",
ReplaceWith("PI", "kotlin.math.PI"), level = DeprecationLevel.ERROR)\n public val PI: Double\n
@Deprecated("Use Random.nextDouble instead", ReplaceWith("kotlin.random.Random.nextDouble()",
"kotlin.random.Random"), level = DeprecationLevel.WARNING)\n public fun random(): Double\n
@Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)", "kotlin.math.abs"), level =
DeprecationLevel.ERROR)\n public fun abs(value: Double): Double\n @Deprecated("Use kotlin.math.acos
instead.", ReplaceWith("acos(value)", "kotlin.math.acos"), level = DeprecationLevel.ERROR)\n public fun
acos(value: Double): Double\n @Deprecated("Use kotlin.math.asin instead.", ReplaceWith("asin(value)",
"kotlin.math.asin"), level = DeprecationLevel.ERROR)\n public fun asin(value: Double): Double\n
@Deprecated("Use kotlin.math.atan instead.", ReplaceWith("atan(value)", "kotlin.math.atan"), level =

```

```

DeprecationLevel.ERROR)\n public fun atan(value: Double): Double\n @Deprecated("\Use kotlin.math.atan2
instead.\", ReplaceWith("\atan2(y, x)\", "\kotlin.math.atan2\"), level = DeprecationLevel.ERROR)\n public fun
atan2(y: Double, x: Double): Double\n @Deprecated("\Use kotlin.math.cos instead.\",
ReplaceWith("\cos(value)\", "\kotlin.math.cos\"), level = DeprecationLevel.ERROR)\n public fun cos(value:
Double): Double\n @Deprecated("\Use kotlin.math.sin instead.\", ReplaceWith("\sin(value)\", "\kotlin.math.sin\"),
level = DeprecationLevel.ERROR)\n public fun sin(value: Double): Double\n @Deprecated("\Use
kotlin.math.exp instead.\", ReplaceWith("\exp(value)\", "\kotlin.math.exp\"), level = DeprecationLevel.ERROR)\n
public fun exp(value: Double): Double\n @Deprecated("\Use maxOf or kotlin.math.max instead\", level =
DeprecationLevel.ERROR)\n public fun max(vararg values: Int): Int\n @Deprecated("\Use maxOf or
kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n public fun max(vararg values: Float): Float\n
@Deprecated("\Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n public fun
max(vararg values: Double): Double\n @Deprecated("\Use minOf or kotlin.math.min instead\", level =
DeprecationLevel.ERROR)\n public fun min(vararg values: Int): Int\n @Deprecated("\Use minOf or
kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n public fun min(vararg values: Float): Float\n
@Deprecated("\Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n public fun
min(vararg values: Double): Double\n @Deprecated("\Use kotlin.math.sqrt instead.\",
ReplaceWith("\sqrt(value)\", "\kotlin.math.sqrt\"), level = DeprecationLevel.ERROR)\n public fun sqrt(value:
Double): Double\n @Deprecated("\Use kotlin.math.tan instead.\", ReplaceWith("\tan(value)\",
"\kotlin.math.tan\"), level = DeprecationLevel.ERROR)\n public fun tan(value: Double): Double\n
@Deprecated("\Use kotlin.math.ln instead.\", ReplaceWith("\ln(value)\", "\kotlin.math.ln\"), level =
DeprecationLevel.ERROR)\n public fun log(value: Double): Double\n @Deprecated("\Use kotlin.math.pow
instead.\", ReplaceWith("\pow(base, exp)\", "\kotlin.math.pow\"), level = DeprecationLevel.ERROR)\n public fun
pow(base: Double, exp: Double): Double\n @Deprecated("\Use kotlin.math.round instead.\",
ReplaceWith("\round(value)\", "\kotlin.math.round\"), level = DeprecationLevel.ERROR)\n public fun
round(value: Number): Int\n @Deprecated("\Use kotlin.math.floor instead.\", ReplaceWith("\floor(value)\",
"\kotlin.math.floor\"), level = DeprecationLevel.ERROR)\n public fun floor(value: Number): Int\n
@Deprecated("\Use kotlin.math.ceil instead.\", ReplaceWith("\ceil(value)\", "\kotlin.math.ceil\"), level =
DeprecationLevel.ERROR)\n public fun ceil(value: Number): Int\n\n @PublishedApi\n internal fun
trunc(value: Number): Double\n @PublishedApi\n internal fun sign(value: Number): Double\n\n
@PublishedApi\n internal fun sinh(value: Double): Double\n @PublishedApi\n internal fun cosh(value:
Double): Double\n @PublishedApi\n internal fun tanh(value: Double): Double\n @PublishedApi\n internal
fun asinh(value: Double): Double\n @PublishedApi\n internal fun acosh(value: Double): Double\n
@PublishedApi\n internal fun atanh(value: Double): Double\n\n @PublishedApi\n internal fun hypot(x:
Double, y: Double): Double\n\n @PublishedApi\n internal fun expm1(value: Double): Double\n\n
@PublishedApi\n internal fun log10(value: Double): Double\n @PublishedApi\n internal fun log2(value:
Double): Double\n @PublishedApi\n internal fun log1p(value: Double): Double\n}\n\n/**\n * Returns the
smaller of two values.\n */\n@Suppress("\DEPRECATION\")\n@Deprecated("\Use minOf or kotlin.math.min
instead\", ReplaceWith("\minOf(a, b)\", level = DeprecationLevel.ERROR)\npublic fun Math.min(a: Long, b:
Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*/\n@Suppress("\DEPRECATION\")\n@Deprecated("\Use maxOf or kotlin.math.max instead\",
ReplaceWith("\maxOf(a, b)\", level = DeprecationLevel.ERROR)\npublic fun Math.max(a: Long, b: Long): Long =
if (a >= b) a else b\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.js\n\n/**\n * An
interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is
[Any?][Any].\n */\npublic external interface Json {\n /*\n * Calls to the function will be translated to indexing
operation (square brackets) on the receiver with [propertyName] as the argument.\n * E.g. for next code:\n
* ``kotlin\n * fun test(j: Json, p: String) = j["prop"] + j.get(p)\n * ``\n * will be generated:\n *
* ``js\n * function test(j, p) {\n * return j["prop"] + j[p];\n * }\n * ``\n * operator fun

```



`nativeMath.atanh(x)` Computes the inverse hyperbolic tangent of the value `[x]`. Special cases: `atanh(+Inf)` is `+Inf`, `atanh(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)`

`nativeMath.atan2(y, x)` Computes the hyperbolic sine of the value `[x]`. Special cases: `sinh(+Inf)` is `+Inf`, `sinh(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)`

`nativeMath.cosh(x)` Computes the hyperbolic cosine of the value `[x]`. Special cases: `cosh(+Inf)` is `+Inf`, `cosh(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)`

`nativeMath.tanh(x)` Computes the hyperbolic tangent of the value `[x]`. Special cases: `tanh(+Inf)` is `1.0`, `tanh(-Inf)` is `-1.0`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)`

`nativeMath.asinh(x)` Computes the inverse hyperbolic sine of the value `[x]`. The returned value is `y` such that `sinh(y) == x`. Special cases: `asinh(+Inf)` is `+Inf`, `asinh(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)`

`nativeMath.acosh(x)` Computes the inverse hyperbolic cosine of the value `[x]`. The returned value is positive `y` such that `cosh(y) == x`. Special cases: `acosh(+Inf)` is `+Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)`

`nativeMath.atanh(x)` Computes the inverse hyperbolic tangent of the value `[x]`. The returned value is `y` such that `tanh(y) == x`. Special cases: `atanh(+Inf)` is `+Inf`, `atanh(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)`

`nativeMath.hypot(x, y)` Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow. Special cases: returns `+Inf` if any of arguments is infinite, returns `NaN` if any of arguments is `NaN` and the other is not infinite.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)`

`nativeMath.sqrt(x)` Computes the positive square root of the value `[x]`. Special cases: `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)`

`nativeMath.exp(x)` Computes Euler's number `e` raised to the power of the value `[x]`. Special cases: `exp(+Inf)` is `+Inf`, `exp(-Inf)` is `0.0`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun exp(x: Double): Double = nativeMath.exp(x)`

`nativeMath.expm1(x)` Computes `exp(x) - 1`. This function can be implemented to produce more precise result for `[x]` near zero. Special cases: `expm1(+Inf)` is `+Inf`, `expm1(-Inf)` is `-1.0`. @see `[exp]` function.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)`

`nativeMath.log(x, base)` Computes the logarithm of the value `[x]` to the given `[base]`. Special cases: `log(x, b)` is `NaN` if either `x` or `b` are `NaN`, `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`, `log(+Inf, +Inf)` is `NaN`, `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`, `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`. See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.
   
`@SinceKotlin("1.2")@public actual fun log(x: Double, base: Double): Double { if (base <= 0.0 || base == 1.0) return Double.NaN return nativeMath.log(x) / nativeMath.log(base) }`

`nativeMath.ln(x)` Computes the natural logarithm (base `E`) of the value `[x]`. Special cases: `ln(+Inf)` is `+Inf`, `ln(-Inf)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun ln(x: Double): Double = nativeMath.ln(x)`

`nativeMath.log10(x)` Computes the common logarithm (base 10) of the value `[x]`. @see `[ln]` function for special cases.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun log10(x: Double): Double = nativeMath.log10(x)`

`nativeMath.log2(x)` Computes the binary logarithm (base 2) of the value `[x]`. @see `[ln]` function for special cases.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun log2(x: Double): Double = nativeMath.log2(x)`

`nativeMath.ln1p(x)` Computes `ln(x + 1)`. This function can be implemented to produce more precise result for `[x]` near zero. Special cases: `ln1p(+Inf)` is `+Inf`, `ln1p(-1.0)` is `-Inf`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun ln1p(x: Double): Double = nativeMath.ln1p(x)`

`nativeMath.ceil(x)` Rounds the given value `[x]` to an integer towards positive infinity. @return the
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun ceil(x: Double): Double = nativeMath.ceil(x)`

smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.

Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Double): Double =
nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math

```

Rounds the given value [x] to an integer towards negative infinity.

@return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.

Special cases:  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Double): Double =
nativeMath.floor(x).unsafeCast<Double>()

```

Rounds the given value [x] to an integer towards zero.

@return the value [x] having its fractional part truncated.

Special cases:  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)

```

Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

Special cases:  $\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual fun round(x: Double): Double {
    if (x % 0.5 != 0.0) {
        return nativeMath.round(x).unsafeCast<Double>()
    }
    val floor = floor(x)
    return if (floor % 2 == 0.0) floor else ceil(x)
}

```

Returns the absolute value of the given value [x].

Special cases:  $\text{abs}(\text{NaN})$  is  $\text{NaN}$

@see absoluteValue extension property for [Double]

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Double): Double =
nativeMath.abs(x)

```

Returns the sign of the given value [x]:  $-1.0$  if the value is negative,  $0.0$  if the value is zero,  $1.0$  if the value is positive

Special case:  $\text{sign}(\text{NaN})$  is  $\text{NaN}$

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Double): Double =
nativeMath.sign(x)

```

Returns the smaller of two values.

If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double =
nativeMath.min(a, b)

```

Returns the greater of two values.

If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double =
nativeMath.max(a, b)

```

// extensions

Raises this value to the power [x].

Special cases:  $\text{b.pow}(0.0)$  is  $1.0$ ,  $\text{b.pow}(1.0) == b$ ,  $\text{b.pow}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{NaN.pow}(x)$  is  $\text{NaN}$  for  $x != 0.0$ ,  $\text{b.pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$ ,  $\text{b.pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is finite and not an integer

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double =
nativeMath.pow(this, x)

```

Raises this value to the integer power [n].

See the other overload of [pow] for details.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double =
nativeMath.pow(this, n.toDouble())

```

Returns the absolute value of this value.

Special cases:  $\text{NaN.absoluteValue}$  is  $\text{NaN}$

@see abs function

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)

```

Returns the sign of this value:  $-1.0$  if the value is negative,  $0.0$  if the value is zero,  $1.0$  if the value is positive

Special case:  $\text{NaN.sign}$  is  $\text{NaN}$

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)

```

Returns this value with the sign bit same as of the [sign] value.

If [sign] is  $\text{NaN}$  the sign of the result is undefined.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual fun Double.withSign(sign: Double): Double {
    val thisSignBit =
js("Kotlin").doubleSignBit(this).unsafeCast<Int>()
    val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()
    return if (thisSignBit == newSignBit) this else -
this
}

```

Returns this value with the sign bit same as of the [sign] value.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double =
this.withSign(sign.toDouble())

```

Returns the ulp (unit in the last place) of this value.

An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.

Special Cases:  $\text{NaN.ulp}$  is  $\text{NaN}$ ,  $x.ulp$  is  $+\text{Inf}$  when  $x$  is  $+\text{Inf}$  or  $-\text{Inf}$ ,  $0.0.ulp$  is  $\text{Double.MIN\_VALUE}$

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual val Double.ulp: Double get() = when {
    this < 0 -> (-this).ulp
    this.isNaN() || this == Double.POSITIVE_INFINITY -> this
    this ==

```

Double.MAX\_VALUE -> this - this.nextDown()\n else -> this.nextUp() - this\n}\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction of positive infinity.\n \*/\n\n@SinceKotlin("1.2")\npublic actual fun Double.nextUp(): Double = when {\n this.isNaN() || this == Double.POSITIVE\_INFINITY -> this\n this == 0.0 -> Double.MIN\_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction of negative infinity.\n \*/\n\n@SinceKotlin("1.2")\npublic actual fun Double.nextDown(): Double = when {\n this.isNaN() || this == Double.NEGATIVE\_INFINITY -> this\n this == 0.0 -> -Double.MIN\_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n/\*\*\n \* Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n \*/\n\n \* Special cases:\n \* - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n \* - `x.nextTowards(x) == x`\n \*/\n\n@SinceKotlin("1.2")\npublic actual fun Double.nextTowards(to: Double): Double = when {\n this.isNaN() || to.isNaN() -> Double.NaN\n to == this -> to\n to > this -> this.nextUp()\n else /\* to < this \*/ -> this.nextDown()\n}\n\n/\*\*\n \* Rounds this [Double] value to the nearest integer and converts the result to [Int].\n \*/\n\n \* Ties are rounded towards positive infinity.\n \*/\n\n \* Special cases:\n \* - `x.roundToInt() == Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`\n \* - `x.roundToInt() == Int.MIN\_VALUE` when `x < Int.MIN\_VALUE`\n \*/\n\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {\n isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")\n this > Int.MAX\_VALUE -> Int.MAX\_VALUE\n this < Int.MIN\_VALUE -> Int.MIN\_VALUE\n else -> nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n/\*\*\n \* Rounds this [Double] value to the nearest integer and converts the result to [Long].\n \*/\n\n \* Ties are rounded towards positive infinity.\n \*/\n\n \* Special cases:\n \* - `x.roundToLong() == Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`\n \* - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`\n \*/\n\n \* @throws IllegalArgumentException when this value is `NaN`\n \*/\n\n@SinceKotlin("1.2")\npublic actual fun Double.roundToLong(): Long = when {\n isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")\n this > Long.MAX\_VALUE -> Long.MAX\_VALUE\n this < Long.MIN\_VALUE -> Long.MIN\_VALUE\n else -> nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n// endregion\n\n// region =====\nFloat Math =====\n\n/\*\*\n \* Computes the sine of the angle [x] given in radians.\n \*/\n\n \* Special cases:\n \* - `sin(NaN|+Inf|-Inf)` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/\*\*\n \* Computes the cosine of the angle [x] given in radians.\n \*/\n\n \* Special cases:\n \* - `cos(NaN|+Inf|-Inf)` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/\*\*\n \* Computes the tangent of the angle [x] given in radians.\n \*/\n\n \* Special cases:\n \* - `tan(NaN|+Inf|-Inf)` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/\*\*\n \* Computes the arc sine of the value [x];\n \*/\n\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \*/\n\n \* Special cases:\n \* - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/\*\*\n \* Computes the arc cosine of the value [x];\n \*/\n\n \* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.\n \*/\n\n \* Special cases:\n \* - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/\*\*\n \* Computes the arc tangent of the value [x];\n \*/\n\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \*/\n\n \* Special cases:\n \* - `atan(NaN)` is `NaN`\n \*/\n\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/\*\*\n \* Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n \*/\n\n \* to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y / x$ ;\n \*/\n\n \* the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.\n \*/\n\n \* Special cases:\n \* - `atan2(0.0, 0.0)` is  $0.0$ \n \* - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ \n \* - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n \* - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$ \n \* - `atan2(y, -Inf)` is  $\pi$



for  $0 < y < +\text{Inf}$  and  $-\text{PI}$  for  $-\text{Inf} < y < 0$  \*  $-\text{atan2}(y, 0.0)$  is  $\text{PI}/2$  for  $y > 0$  and  $-\text{PI}/2$  for  $y < 0$  \*  $-\text{atan2}(+\text{Inf}, x)$  is  $\text{PI}/2$  for finite  $x$  \*  $-\text{atan2}(-\text{Inf}, x)$  is  $-\text{PI}/2$  for finite  $x$  \*  $-\text{atan2}(\text{NaN}, x)$  and  $-\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$  \* `@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n * Special cases:\n * -  $\sinh(\text{NaN})$  is  $\text{NaN}$ \n * -  $\sinh(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\sinh(-\text{Inf})$  is  $-\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n * Special cases:\n * -  $\cosh(\text{NaN})$  is  $\text{NaN}$ \n * -  $\cosh(+\text{Inf}-\text{Inf})$  is  $+\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n * Special cases:\n * -  $\tanh(\text{NaN})$  is  $\text{NaN}$ \n * -  $\tanh(+\text{Inf})$  is  $1.0$ \n * -  $\tanh(-\text{Inf})$  is  $-1.0$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n * The returned value is  $y$  such that  $\sinh(y) == x$ .\n * Special cases:\n * -  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n * The returned value is positive  $y$  such that  $\cosh(y) == x$ .\n * Special cases:\n * -  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$ \n * -  $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n * The returned value is  $y$  such that  $\tanh(y) == x$ .\n * Special cases:\n * -  $\text{tanh}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{tanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$ \n * -  $\text{tanh}(1.0)$  is  $+\text{Inf}$ \n * -  $\text{tanh}(-1.0)$  is  $-\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.\n * Special cases:\n * - returns  $+\text{Inf}$  if any of arguments is infinite\n * - returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite\n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n * Special cases:\n * -  $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number  $e$  raised to the power of the value [x].\n * Special cases:\n * -  $\exp(\text{NaN})$  is  $\text{NaN}$ \n * -  $\exp(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\exp(-\text{Inf})$  is  $0.0$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes  $\exp(x) - 1$ .\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * -  $\text{expm1}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\text{expm1}(-\text{Inf})$  is  $-1.0$ \n * @see [exp] function.\n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * -  $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$ \n * -  $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$ \n * -  $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$ \n * -  $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$ \n * -  $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$ \n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base  $E$ ) of the value [x].\n * Special cases:\n * -  $\ln(\text{NaN})$  is  $\text{NaN}$ \n * -  $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$ \n * -  $\ln(+\text{Inf})$  is  $+\text{Inf}$ \n * -  $\ln(0.0)$  is  $-\text{Inf}$ \n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n * @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.`

```

*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log2(x: Float): Float =
nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes  $\ln(a + 1)$ . \n * This function can be implemented
to produce more precise result for [x] near zero.\n * Special cases:\n * -  $\ln1p(\text{NaN})$  is  $\text{NaN}$ \n * -  $\ln1p(x)$ 
is  $\text{NaN}$  where  $x < -1.0$ \n * -  $\ln1p(-1.0)$  is  $-\text{Inf}$ \n * -  $\ln1p(+\text{Inf})$  is  $+\text{Inf}$ \n * @see [ln] function\n *
@see [expm1] function\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float =
nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive
infinity.\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a
mathematical integer.\n * Special cases:\n * -  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a
mathematical integer.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float =
nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards negative
infinity.\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a
mathematical integer.\n * Special cases:\n * -  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a
mathematical integer.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float =
nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *
@return the value [x] having its fractional part truncated.\n * Special cases:\n * -  $\text{truncate}(x)$  is  $x$  where  $x$ 
is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic
actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x]
towards the closest integer with ties rounded towards even integer.\n * Special cases:\n * -  $\text{round}(x)$  is  $x$ 
where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun round(x: Float): Float =
round(x.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:\n
* -  $\text{abs}(\text{NaN})$  is  $\text{NaN}$ \n * @see absoluteValue extension property for [Float]\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float =
nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n * -  $-1.0$  if the value is
negative,\n * - zero if the value is zero,\n * -  $1.0$  if the value is positive\n * Special case:\n * -  $\text{sign}(\text{NaN})$ 
is  $\text{NaN}$ \n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float =
nativeMath.sign(x.toDouble()).toFloat()\n\n/**\n * Returns the smaller of two values.\n * If either value is
 $\text{NaN}$ , then the result is  $\text{NaN}$ . \n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Float, b:
Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n * If either value is  $\text{NaN}$ ,
then the result is  $\text{NaN}$ . \n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float):
Float = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special
cases:\n * -  $b.\text{pow}(0.0)$  is  $1.0$ \n * -  $b.\text{pow}(1.0) == b$ \n * -  $b.\text{pow}(\text{NaN})$  is  $\text{NaN}$ \n * -  $\text{NaN}.\text{pow}(x)$  is
 $\text{NaN}$  for  $x != 0.0$ \n * -  $b.\text{pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$ \n * -  $b.\text{pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is
finite and not an integer\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float):
Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power
[n].\n * See the other overload of [pow] for details.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual
inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the
absolute value of this value.\n * Special cases:\n * -  $\text{NaN}.\text{absoluteValue}$  is  $\text{NaN}$ \n * @see abs function\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() =
nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n * -  $-1.0$  if the value is
negative,\n * - zero if the value is zero,\n * -  $1.0$  if the value is positive\n * Special case:\n * -  $\text{NaN}.\text{sign}$  is
 $\text{NaN}$ \n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Float.sign: Float get() =
nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign]
value.\n * If [sign] is  $\text{NaN}$  the sign of the result is undefined.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float =
this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the
[sign] value.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float =
this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Rounds this [Float] value to the nearest integer and

```

```

converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * -
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE`
when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int =
toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to
[Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() ==
Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x
< Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long =
toDouble().roundToLong()\n\n// endregion\n\n// region ===== Integer Math
=====
\n\n/**\n * Returns the absolute value of the given value
[n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see
absoluteValue extension property for [Int]\n *\n// TODO: remove manual 'or' when KT-19290 is
fixed\n@SinceKotlin("1.2")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the
smaller of two values.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int =
nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a,
b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n *
Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value
is positive\n *\n@SinceKotlin("1.2")\npublic actual val Int.sign: Int get() = when {\n    this < 0 -> -1\n    this > 0 -
> 1\n    else -> 0\n}\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * -
`abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension
property for [Long]\n *\n@SinceKotlin("1.2")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else
n\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun min(a: Long, b:
Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b:
Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() =
abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n
*\n * - `1` if the value is positive\n *\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when {\n    this
< 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n// endregion\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false`
otherwise.\n *\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified
number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n *\npublic actual fun Float.isNaN(): Boolean = this
!= this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n *\npublic actual fun
Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==
Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n *\npublic
actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise (for `NaN` and infinity arguments).\n *\npublic actual fun Double.isFinite(): Boolean =
!isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false`
otherwise (for `NaN` and infinity arguments).\n *\npublic actual fun Float.isFinite(): Boolean = !isInfinite() &&
!isNaN()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the

```

IEEE 754 floating-point "double format" bit layout.

```
*\n@SinceKotlin("1.2")\n@library("doubleToBits")\npublic actual fun Double.toBits(): Long =  
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point "double format" bit layout,\n * preserving `NaN` values exact layout.\n *\n@SinceKotlin("1.2")\n@library("doubleToRawBits")\npublic actual fun Double.toRawBits(): Long =  
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n *\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits:  
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation  
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit  
layout.\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.\n *\n@SinceKotlin("1.2")\n@library("floatToBits")\npublic actual fun Float.toBits(): Int =  
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according  
to the IEEE 754 floating-point "single format" bit layout,\n * preserving `NaN` values exact layout.\n * Note  
that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values  
may overflow, underflow or lose their accuracy after conversion to bits and back.\n *\n@SinceKotlin("1.2")\n@library("floatToRawBits")\npublic actual fun Float.toRawBits(): Int =  
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n *\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:  
Int): Float = js("Kotlin").floatFromBits(bits).unsafeCast<Float>(), "/*\n * Copyright 2010-2018 JetBrains s.r.o.  
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt  
file.\n */\n\npackage kotlin.text\n\n/**\n * Returns `true` if the contents of this string is equal to the word "true",  
ignoring case, and `false` otherwise.\n *\npublic actual fun String.toBoolean(): Boolean = toLowerCase() ==  
"true"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws  
NumberFormatException if the string is not a valid representation of a number.\n *\npublic actual fun  
String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte]  
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a  
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is  
not a valid representation of a number.\n *\npublic actual fun String.toShort(): Short = toShortOrNull() ?:  
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws  
NumberFormatException if the string is not a valid representation of a number.\n * @throws  
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\npublic actual fun  
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as  
an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid  
representation of a number.\n *\npublic actual fun String.toInt(): Int = toIntOrNull() ?:  
numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws  
NumberFormatException if the string is not a valid representation of a number.\n * @throws  
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\npublic actual fun  
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]  
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a  
number.\n *\npublic actual fun String.toLong(): Long = toLongOrNull() ?:  
numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not  
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for  
string to number conversion.\n *\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:  
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws  
NumberFormatException if the string is not a valid representation of a number.\n *\npublic actual fun
```

```

String.toDouble(): Double = (+this.asDynamic()).unsafeCast<Double>().also {
    if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())
        numberFormatException(this)
}
    * Parses the string as a [Float] number and returns the result.
    * @throws NumberFormatException if the string is not a valid representation of a number.
    * ^@kotlin.internal.InlineOnly
public actual inline fun String.toFloat(): Float =
    toDouble().unsafeCast<Float>()
    * Parses the string as a [Double] number and returns the result or `null` if the string is not a valid representation of a number.
    * ^@kotlin.internal.InlineOnly
public actual inline fun String.toDoubleOrNull(): Double? =
    (+this.asDynamic()).unsafeCast<Double>().takeIf {
        !it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank()
    }
    * Parses the string as a [Float] number and returns the result or `null` if the string is not a valid representation of a number.
    * ^@kotlin.internal.InlineOnly
public actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()
    * Returns a string representation of this [Byte] value in the specified [radix].
    * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
    * ^@SinceKotlin("1.2")
    * ^@kotlin.internal.InlineOnly
public actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)
    * Returns a string representation of this [Short] value in the specified [radix].
    * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
    * ^@SinceKotlin("1.2")
    * ^@kotlin.internal.InlineOnly
public actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)
    * Returns a string representation of this [Long] value in the specified [radix].
    * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
    * ^@SinceKotlin("1.2")
    * ^@kotlin.internal.InlineOnly
public actual inline fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))
    * Returns a string representation of this [Int] value in the specified [radix].
    * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
    * ^@SinceKotlin("1.2")
    * ^@kotlin.internal.InlineOnly
public actual inline fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))
private fun String.isNaN(): Boolean = when (this.toLowerCase()) {
    "nan", "+nan", "-nan" -> true
    else -> false
}
    * Checks whether the given [radix] is valid radix for string to number and number to string conversion.
    * ^@PublishedApi
    * ^@kotlin.internal
actual fun checkRadix(radix: Int): Int {
    if (radix !in 2..36)
        throw IllegalArgumentException("radix $radix was not in valid range 2..36")
    return radix
}
    * ^@kotlin.internal
actual fun digitOf(char: Char, radix: Int): Int = when {
    char >= '0' && char <= '9' -> char - '0'
    char >= 'A' && char <= 'Z' -> char - 'A' + 10
    char >= 'a' && char <= 'z' -> char - 'a' + 10
    else -> -1
}.let { if (it >= radix) -1 else it }
    * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
    * that can be found in the license/LICENSE.txt file.
    * ^@kotlin.package
kotlin.js
    * ^@kotlin.internal.LowPriorityInOverloadResolution
    * ^@kotlin.internal
    * Exposes the JavaScript [Promise object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.
    * ^@Suppress("NOT_DOCUMENTED")
    * ^@kotlin.internal
public open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {
    @LowPriorityInOverloadResolution
    public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>
    @LowPriorityInOverloadResolution
    public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>
    public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>
    companion object {
        public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>
        public fun <S> race(promise: Array<out Promise<S>>): Promise<S>
        public fun reject(e: Throwable): Promise<Nothing>
        public fun <S> resolve(e: S): Promise<S>
        public fun <S> resolve(e: Promise<S>): Promise<S>
    }
}
    * ^@kotlin.internal
// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.
    * ^@kotlin.internal
inline fun <T, S> Promise<Promise<T>>.then(
    noinline onFulfilled: ((T) -> S)?
): Promise<S> {
    return this.unsafeCast<Promise<T>>().then(onFulfilled)
}
    * ^@kotlin.internal
inline fun <T, S> Promise<Promise<T>>.then(
    noinline onFulfilled: ((T) -> S)?,
    noinline onRejected: ((Throwable) -> S)?
): Promise<S> {
    return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)
}
    * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
    * that can be found in the license/LICENSE.txt file.
    * ^@kotlin.package
kotlin.random
    * ^@kotlin.internal
actual fun defaultPlatformRandom(): Random =
    Random(js("Math.random() * Math.pow(2, 32) | 0").unsafeCast<Int>())
    * ^@kotlin.internal
actual fun fastLog2(value: Int): Int {
    // TODO: not so fast, make faster
    var v = value
    var log = -1
    while (v != 0)

```

```

{\n    v = v.ushr(1)\n    log++\n } \n return log\n}\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate
val INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double = \n
hi26 * INV_2_26 + low27 * INV_2_53", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n *
Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a
constructor reference.\n */\n\nexternal interface JsClass<T : Any> {\n    /**\n     * Returns the unqualified name of the
class represented by this instance.\n     */\n    val name: String\n}\n\n@Deprecated("Use class literal and extension
property `js` instead.", replaceWith = ReplaceWith("T::class.js"), level = DeprecationLevel.ERROR)\n\nexternal
fun <T : Any> jsClass(): JsClass<T>\n\n@Deprecated("Use class literal and extension property `js` instead.",
replaceWith = ReplaceWith("this::class.js"), level = DeprecationLevel.ERROR)\n\nval <T : Any> T.jsClass:
JsClass<T>\n    get() = when (jsTypeOf(this)) {\n        "string" -> js("String")\n        "number" ->
js("Number")\n        "boolean" -> js("Boolean")\n        else -> js("Object").getPrototypeOf(this).constructor\n
}\n\n/**\n * Obtains a constructor reference for the given `KClass`.\n */\n\nval <T : Any> KClass<T>.js:
JsClass<T>\n    get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given
constructor reference.\n */\n\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n    get() = getKClass(this)\n", /*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal
abstract class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>)\n) : KClass<T> {\n    override val
annotations: List<Annotation>\n        get() = TODO()\n    override val constructors: Collection<KFunction<T>>\n
        get() = TODO()\n    override val isAbstract: Boolean\n        get() = TODO()\n    override val isCompanion:
Boolean\n        get() = TODO()\n    override val isData: Boolean\n        get() = TODO()\n    override val isFinal:
Boolean\n        get() = TODO()\n    override val isInner: Boolean\n        get() = TODO()\n    override val isOpen:
Boolean\n        get() = TODO()\n    override val isSealed: Boolean\n        get() = TODO()\n    override val members:
Collection<KCallable<*>>\n        get() = TODO()\n    override val nestedClasses: Collection<KClass<*>>\n
        get() = TODO()\n    override val objectInstance: T?\n        get() = TODO()\n    override val qualifiedName: String?\n
        get() = TODO()\n    override val supertypes: List<KType>\n        get() = TODO()\n    override val
typeParameters: List<KTypeParameter>\n        get() = TODO()\n    override val sealedSubclasses: List<KClass<out
T>>\n        get() = TODO()\n    override val visibility: KVisibility?\n        get() = TODO()\n\n    override fun
equals(other: Any?): Boolean {\n        return other is KClassImpl<*> && jClass == other.jClass\n    }\n\n    //
TODO: use FQN\n    override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n    override fun toString():
String {\n        // TODO: use FQN\n        return "class $simpleName"\n    }\n}\n\ninternal class
SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n    override val simpleName: String?
= jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n    override fun isInstance(value: Any?):
Boolean {\n        return jsIsType(value, jClass)\n    }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val isInstanceFunction: (Any?) ->
Boolean\n) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean {\n        if (other !is
PrimitiveKClassImpl<*>) return false\n        return super.equals(other) && givenSimpleName ==
other.givenSimpleName\n    }\n\n    override val simpleName: String? get() = givenSimpleName\n\n    override fun
isInstance(value: Any?): Boolean {\n        return isInstanceFunction(value)\n    }\n}\n\ninternal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n    override val simpleName: String =
"Nothing"\n\n    override fun isInstance(value: Any?): Boolean = false\n\n    override val jClass:
JsClass<Nothing>\n        get() = throw UnsupportedOperationException("There's no native JS class for Nothing
type")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int =
0\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n *
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\n\ninternal object PrimitiveClasses {\n
    @JsName("anyClass")\n    val anyClass = PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(),

```

```

, { it is Any })\n\n @JsName("numberClass")\n val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n
@JsName("nothingClass")\n val nothingClass = NothingKClassImpl\n\n @JsName("booleanClass")\n val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n @JsName("byteClass")\n val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
@JsName("shortClass")\n val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
"Short", { it is Short })\n\n @JsName("intClass")\n val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
@JsName("floatClass")\n val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"Float", { it is Float })\n\n @JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length == arity })\n functionClasses.asDynamic()[arity]
= result\n result\n })\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is
omitted to get declarations directly under the module\n\nimport kotlin.reflect.KClass\nimport
kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any> getKClass(jClass: JsClass<T>):
KClass<T> = getOrCreateKClass(jClass)\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (js("e | 0") === e) PrimitiveClasses.intClass else
PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n "function" ->
PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e is BooleanArray
-> PrimitiveClasses.booleanArrayClass\n e

```

```

is ByteArray -> PrimitiveClasses.byteArrayClass\n
    e is IntArray -> PrimitiveClasses.intArrayClass\n
PrimitiveClasses.longArrayClass\n
    e is FloatArray -> PrimitiveClasses.floatArrayClass\n
    e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n
    e is KClass<*> -> KClass::class\n
    e is Array<*> -> PrimitiveClasses.arrayClass\n
    else -> {\n
        val constructor =
js("Object").getPrototypeOf(e).constructor\n
        when {\n
            constructor === js("Object") ->
PrimitiveClasses.anyClass\n
            constructor === js("Error") -> PrimitiveClasses.throwableClass\n
        } else -> {\n
            val jsClass: JsClass<T> = constructor\n
getOrCreateKClass(jsClass)\n
        }\n
    }\n
}\n
}.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n
if (jClass === js("String")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n
val metadata =
jClass.asDynamic().`$metadata$`\n\n
return if (metadata != null) {\n
    if (metadata.`$kClass$` == null) {\n
        val kClass = SimpleKClassImpl(jClass)\n
        metadata.`$kClass$` = kClass\n
        kClass\n
    } else {\n
        metadata.`$kClass$`\n
    }\n
} else {\n
    SimpleKClassImpl(jClass)\n
}\n}\n\n"/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the
license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration
values to use to set regular expression options.\n
*/\n\npublic actual enum class RegexOptions(val value: String) {\n
/** Enables case-insensitive matching. */\n
IGNORE_CASE("i"),\n
/** Enables multiline mode. */\n
MULTILINE("m"),\n
/** Represents the results from a single
capturing group within a [MatchResult] of [Regex].\n
*/\n
@param value The value of captured group.\n
*/\n
public actual data class MatchGroup(actual val value: String)\n\n/**\n * Represents a compiled regular expression.\n
*/\n
Provides functions to match strings in text with a pattern, replace the found occurrences and split text around
matches.\n
*/\n
* For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n
n * and
[http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n
n * @constructor Creates a regular expression from the specified [pattern] string and the specified set of
[options].\n
*/\n
public actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n
/**
Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n
public actual
constructor(pattern: String, option: RegexOptions) : this(pattern, setOf(option))\n\n
/** Creates a regular expression
from the specified [pattern] string and the default options. */\n
public actual constructor(pattern: String) :
this(pattern, emptySet())\n\n
/** The pattern string of this regular expression. */\n
public actual val pattern:
String = pattern\n\n
/** The set of options that were used to create this regular expression. */\n
public actual val
options: Set<RegexOption> = options.toSet()\n
private val nativePattern: RegExp = RegExp(pattern, options.map
{ it.value }.joinToString(separator = "\\") + "g")\n\n
/** Indicates whether the regular expression matches the
entire [input]. */\n
public actual infix fun matches(input: CharSequence): Boolean {\n
nativePattern.reset()\n
val match = nativePattern.exec(input.toString())\n
return match != null && match.index == 0 &&
nativePattern.lastIndex == input.length\n
}\n\n
/** Indicates whether the regular expression can find at least one
match in the specified [input]. */\n
public actual fun containsMatchIn(input: CharSequence): Boolean {\n
nativePattern.reset()\n
return nativePattern.test(input.toString())\n
}\n\n
/** Returns the first match of a
regular expression in the [input], beginning at the specified [startIndex].\n
*/\n
* @param startIndex An index to
start search with, by default 0. Must be not less than zero and not greater than `input.length`\n
* @return An
instance of [MatchResult] if match was found or `null` otherwise.\n
*/\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n
public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n\n
/**\n
* Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n
*/\n
* @sample samples.text.Regexps.findAll\n
*/\n

```



```

@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n     generateSequence({ find(input, startIndex) },
{ match -> match.next() })\n\n /**\n * Attempts to match the entire [input] CharSequence against the pattern.\n *\n * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n */\n public
actual fun matchEntire(input: CharSequence): MatchResult? {\n     if (pattern.startsWith('^') &&
pattern.endsWith('$'))\n         return find(input)\n     else\n         return
Regex("^${pattern.trimStart('^').trimEnd('$')}$", options).find(input)\n     }\n\n /**\n * Replaces all
occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n *\n
* @param replacement A replacement expression that can include substitutions. See
[String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n */\n public
actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern,
replacement)\n\n /**\n * Replaces all occurrences of this regular expression in the specified [input] string with
the result of\n * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n *
replacement for that match.\n */\n public actual inline fun replace(input: CharSequence, transform:
(MatchResult) -> CharSequence): String {\n     var match = find(input)\n     if (match == null) return
input.toString()\n\n     var lastStart = 0\n     val length = input.length\n     val sb = StringBuilder(length)\n
do {\n         val foundMatch = match!!\n         sb.append(input, lastStart, foundMatch.range.start)\n
sb.append(transform(foundMatch))\n         lastStart = foundMatch.range.endInclusive + 1\n         match =
foundMatch.next()\n     } while (lastStart < length && match != null)\n\n     if (lastStart < length) {\n
sb.append(input, lastStart, length)\n     }\n\n     return sb.toString()\n     }\n\n /**\n * Replaces the first
occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n *\n
* @param replacement A replacement expression that can include substitutions. See
[String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n */\n public
actual fun replaceFirst(input: CharSequence, replacement: String): String {\n     val nonGlobalOptions =
options.map { it.value }.joinToString(separator = "\\")\n     return input.toString().nativeReplace(RegExp(pattern,
nonGlobalOptions), replacement)\n     }\n\n /**\n * Splits the [input] CharSequence around matches of this
regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings
the string can be split to.\n * Zero by default means no limit is set.\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n     require(limit >= 0) { "Limit must be non-negative, but was
$limit" }\n     val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n     val result =
mutableListOf<String>()\n     var lastStart = 0\n     for (match in matches) {\n
result.add(input.subSequence(lastStart, match.range.start).toString())\n         lastStart = match.range.endInclusive +
1\n     }\n     result.add(input.subSequence(lastStart, input.length).toString())\n     return result\n     }\n\n\n /**\n * Returns the string representation of this regular expression, namely the [pattern] of this regular
expression.\n *\n * Note that another regular expression constructed from the same pattern string may have
different [options]\n * and may match strings differently.\n */\n public override fun toString(): String =
nativePattern.toString()\n\n actual companion object {\n     /**\n * Returns a regular expression that
matches the specified [literal] string literally.\n * No characters of that string will have special meaning when
searching for an occurrence of the regular expression.\n */\n     public actual fun fromLiteral(literal: String):
Regex = Regex(escape(literal))\n\n     /**\n * Returns a regular expression pattern string that matches the
specified [literal] string literally.\n * No characters of that string will have special meaning when searching for
an occurrence of the regular expression.\n */\n     public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, "\\|\\|\\$&\\")\n\n     /**\n * Returns a literal replacement expression for the
specified [literal] string.\n * No characters of that string will have special meaning when it is used as a
replacement string in [Regex.replace] function.\n */\n     public actual fun escapeReplacement(literal: String):

```

```

String = literal.nativeReplace(replacementEscape, "\$$$$")\n\n    private val patternEscape = RegExp("\\\\\\"[-
\\\\^$*+?.()|\\|{}|]\\\\", "g")\n\n    private val replacementEscape = RegExp("\\\\\\"\\\\$\\\\", "g")\n\n    }\n}\n\n/**
Creates a regular expression from the specified [pattern] string and the specified single [option].
*\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@JsName("Regex_sb3q2\\$")\npublic fun Regex_0(pattern: String, option:
RegexOption): Regex = Regex(pattern, setOf(option))\n\n/** Creates a regular expression from the specified
[pattern] string and the default options. *\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@JsName("Regex_61zpoe\\$")\npublic fun Regex_1(pattern: String): Regex =
Regex(pattern, emptySet())\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n
this.lastIndex = from\n    val match = exec(input)\n    if (match == null) return null\n    val range =
match.index..lastIndex - 1\n    return object : MatchResult {\n        override val range: IntRange = range\n
override val value: String\n            get() = match[0]!!\n        override val groups: MatchGroupCollection = object :
MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n            override val size: Int get() = match.length\n
            override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n
        }\n        override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n    }\n\n\n    private var
groupValues_ : List<String>? = null\n    override val groupValues: List<String>\n        get() {\n            if
(groupValues_ == null) {\n                groupValues_ = object : AbstractList<String>() {\n                    override
val size: Int get() = match.length\n                    override fun get(index: Int): String = match[index] ?:""\n
                }\n            }\n            return groupValues_!!\n        }\n        override fun next(): MatchResult? =
this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)\n    }\n}\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n    public fun test(str: String): Boolean\n\n    public fun exec(str: String): RegExpMatch?\n\n    public override fun toString(): String\n\n    /**\n     * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start the next match.\n     */\n    public var lastIndex: Int\n\n    public
val global: Boolean\n    public val ignoreCase: Boolean\n    public val multiline: Boolean\n}\n\n/**\n * Resets the
regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning
of the input string.\n */\npublic fun RegExp.reset() {\n    lastIndex = 0\n}\n\n// TODO: Inherit from array or
introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress("NOT_DOCUMENTED")\npublic external interface RegExpMatch {\n    public val index: Int\n
public val input: String\n    public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if
the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline
operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of
[RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element
is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out
String?> = unsafeCast<Array<out String?>>()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>)\n
: Sequence<T> {\n    private var sequenceRef: Sequence<T>? = sequence\n\n    actual override fun iterator():
Iterator<T> {\n        val sequence = sequenceRef ?: throw IllegalStateException("This sequence can be consumed
only once.")\n        sequenceRef = null\n        return sequence.iterator()\n    }\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport
kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char,
fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(),

```

```

fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n
*\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n
*\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun
String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, startIndex)\n    else\n        return regionMatches(startIndex, prefix, 0, prefix.length,
ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n
*\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeEndsWith(suffix)\n    else\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n\npublic fun String.matches(regex: String): Boolean {\n    val result = this.match(regex)\n    return result != null && result.size != 0}\n\n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || (if
(this is String) this else
this.toString()).matches("^[\\s\\x{0,6}]+")\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS")\n\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n    if (this ==
null)\n        other == null\n    else if (!ignoreCase)\n        this == other\n    else\n        other != null &&
this.toLowerCase() ==
other.toLowerCase()\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic
actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int,
ignoreCase: Boolean = false): Boolean =\n    regionMatchesImpl(thisOffset, other, otherOffset, length,
ignoreCase)\n}\n\n\n/**\n * Returns a copy of this string having its first letter uppercased, or the original string,\n * if
it's empty or already starts with an upper case letter.\n * @sample samples.text.Strings.capitalize\n *\n\npublic
actual fun String.capitalize(): String {\n    return if (isEmpty()) substring(0, 1).toUpperCase() + substring(1) else
this\n}\n\n\n/**\n * Returns a copy of this string having its first letter lowercased, or the original string,\n * if it's
empty or already starts with a lower case letter.\n * @sample samples.text.Strings.decitalize\n *\n\npublic
actual fun String.decitalize(): String {\n    return if (isEmpty()) substring(0, 1).toLowerCase() + substring(1)
else this\n}\n\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws
[IllegalArgumentException] when n < 0.\n *\n\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n
>= 0) {\n        "Count 'n' must be non-negative, but was $n." }\n    return when (n) {\n        0 -> ""\n        1 ->
this.toString()\n        else -> {\n            var result = ""\n            if (!isEmpty()) {\n                var s = this.toString()\n
                var count = n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n
                    }\n                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n
                    s += s\n                }\n                return result\n            }\n        }\n    }\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "gi" else "g"),
Regex.escapeReplacement(newValue))\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "gi" else "g"),
newChar.toString())\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "i" else ""),
Regex.escapeReplacement(newValue))\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "i" else ""),
newChar.toString())\n}

```

```

Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\npublic  
actual interface Appendable {\n    public actual fun append(csq: CharSequence?): Appendable\n    public actual fun  
append(csq: CharSequence?, start: Int, end: Int): Appendable\n    public actual fun append(c: Char):  
Appendable\n}\n\npublic actual class StringBuilder(content: String = "") : Appendable, CharSequence {\n    actual  
constructor(capacity: Int) : this() {} \n    actual constructor(content: CharSequence) : this(content.toString()) {} \n\n    actual constructor() : this("")\n    private var string: String = content\n\n    actual override val length: Int\n    get() = string.asDynamic().length\n\n    actual override fun get(index: Int): Char =\n        string.getOrElse(index) {\n            throw IndexOutOfBoundsException("index: $index, length: $length")\n        }\n\n    actual override fun  
subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n    actual  
override fun append(c: Char): StringBuilder {\n        string += c\n        return this\n    }\n\n    actual override fun  
append(csq: CharSequence?): StringBuilder {\n        string += csq.toString()\n        return this\n    }\n\n    actual  
override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder {\n        string +=  
csq.toString().substring(start, end)\n        return this\n    }\n\n    actual fun append(obj: Any?): StringBuilder {\n        string += obj.toString()\n        return this\n    }\n\n    actual fun reverse(): StringBuilder {\n        string =  
string.asDynamic().split("").reverse().join("")\n        return this\n    }\n}\n\n/**\n * Clears the content of this  
string builder making it empty.\n * \n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin("1.3")\npublic fun clear(): StringBuilder {\n    string = ""\n    return this\n}\n\noverride fun toString(): String = string\n}\n\n\n/**\n * Clears the content of this string builder making it empty.\n * \n * @sample samples.text.Strings.clearStringBuilder\n */\n\n@file:Suppress("EXTENSION_SHADOWED_BY_MEMBER",  
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n*/\n *  
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be  
found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n//  
See libraries/tools/idl2k for  
details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npackage  
org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport  
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport  
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport  
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport  
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic  
external interface WebGLContextAttributes {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n    set(value) = definedExternally\n    var depth: Boolean? /* = true */\n    get() = definedExternally\n    set(value) = definedExternally\n    var stencil: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var antialias: Boolean? /* = true */\n    get() = definedExternally\n    set(value) = definedExternally\n    var premultipliedAlpha: Boolean? /* = true */\n    get() = definedExternally\n    set(value) = definedExternally\n    var preserveDrawingBuffer: Boolean? /* = false */\n    get() =  
definedExternally\n    set(value) = definedExternally\n    var preferLowPowerToHighPerformance: Boolean? /* =  
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var failIfMajorPerformanceCaveat:  
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =  
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? =  
true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? =  
true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,  
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js("{}")\n\n    o["alpha"] = alpha\n    o["depth"] = depth\n    o["stencil"] = stencil\n    o["antialias"] = antialias\n    o["premultipliedAlpha"] = premultipliedAlpha\n    o["preserveDrawingBuffer"] = preserveDrawingBuffer\n    o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n    o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n\n    return o\n}\n\n\npublic external abstract  
class WebGLObject {\n}\n\n/**\n * Exposes the JavaScript

```

[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n \* public external abstract class WebGLBuffer : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n \* public external abstract class WebGLFramebuffer : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n \* public external abstract class WebGLProgram : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n \* public external abstract class WebGLRenderbuffer : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n \* public external abstract class WebGLShader : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n \* public external abstract class WebGLTexture : WebGLObject {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n \* public external abstract class WebGLUniformLocation {\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n \* public external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name: String\n}\n\n\*\*\n \* Exposes the JavaScript

[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n \* public external abstract class WebGLShaderPrecisionFormat {\n open val rangeMin: Int\n open val rangeMax: Int\n open val precision: Int\n}\n\npublic external interface WebGLRenderingContextBase {\n val canvas: HTMLCanvasElement\n val drawingBufferWidth: Int\n val drawingBufferHeight: Int\n fun getContextAttributes(): WebGLContextAttributes?\n fun isContextLost(): Boolean\n fun getSupportedExtensions(): Array<String>?\n fun getExtension(name: String): dynamic\n fun activeTexture(texture: Int): Unit\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\n fun bindBuffer(target: Int, buffer: WebGLBuffer?): Unit\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\n fun bindTexture(target: Int, texture: WebGLTexture?): Unit\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n fun blendEquation(mode: Int): Unit\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\n fun blendFunc(sfactor: Int, dfactor: Int): Unit\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int): Unit\n fun bufferData(target: Int, size: Int, usage: Int): Unit\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int): Unit\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\n fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int): Unit\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n fun clearDepth(depth: Float): Unit\n fun clearStencil(s: Int): Unit\n fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean): Unit\n fun compileShader(shader: WebGLShader?): Unit\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView): Unit\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int): Unit\n fun deleteBuffer(buffer: WebGLBuffer?): Unit\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\n fun deleteProgram(program: WebGLProgram?): Unit\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?): Unit\n fun deleteShader(shader: WebGLShader?): Unit\n fun deleteTexture(texture: WebGLTexture?): Unit\n fun depthFunc(func: Int): Unit\n fun depthMask(flag: Boolean): Unit\n fun depthRange(zNear: Float, zFar: Float): Unit\n fun detachShader(program: WebGLProgram?, shader:

```

WebGLShader?): Unit\n fun disable(cap: Int): Unit\n fun disableVertexArray(index: Int): Unit\n fun
drawArrays(mode: Int, first: Int, count: Int): Unit\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int):
Unit\n fun enable(cap: Int): Unit\n fun enableVertexArray(index: Int): Unit\n fun finish(): Unit\n fun
flush(): Unit\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer:
WebGLRenderbuffer?): Unit\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture:
WebGLTexture?, level: Int): Unit\n fun frontFace(mode: Int): Unit\n fun generateMipmap(target: Int): Unit\n
fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun
getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun
getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program:
WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun
getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int,
attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n
fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname:
Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun
getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun
getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n
fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location:
WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String):
WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun
getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int): Unit\n fun isBuffer(buffer:
WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer:
WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun
isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float): Unit\n fun
linkProgram(program: WebGLProgram?): Unit\n fun pixelStorei(pname: Int, param: Int): Unit\n fun
polygonOffset(factor: Float, units: Float): Unit\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int,
type: Int, pixels: ArrayBufferView?): Unit\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int,
height: Int): Unit\n fun sampleCoverage(value: Float, invert: Boolean): Unit\n fun scissor(x: Int, y: Int, width:
Int, height: Int): Unit\n fun shaderSource(shader: WebGLShader?, source: String): Unit\n fun stencilFunc(func:
Int, ref: Int, mask: Int): Unit\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\n fun
stencilMask(mask: Int): Unit\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\n fun stencilOp(fail: Int, zfail:
Int, zpass: Int): Unit\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int): Unit\n fun
texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:
ArrayBufferView?): Unit\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source:
TexImageSource?): Unit\n fun texParameterf(target: Int, pname: Int, param: Float): Unit\n fun
texParameteri(target: Int, pname: Int, param: Int): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int,
yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun
texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?):
Unit\n fun uniform1f(location: WebGLUniformLocation?, x: Float): Unit\n fun uniform1fv(location:
WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform1fv(location: WebGLUniformLocation?, v:
Array<Float>): Unit\n fun uniform1i(location: WebGLUniformLocation?, x: Int): Unit\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun
uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform2i(location:
WebGLUniformLocation?, x: Int, y: Int): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v:
Int32Array): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun
uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\n fun uniform3fv(location:

```

```

WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v:
Array<Float>): Unit\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\n fun
uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y:
Float, z: Float, w: Float): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n
fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\n fun uniform4iv(location:
WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform4iv(location: WebGLUniformLocation?, v:
Array<Int>): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun useProgram(program: WebGLProgram?): Unit\n fun validateProgram(program:
WebGLProgram?): Unit\n fun vertexAttrib1f(index: Int, x: Float): Unit\n fun vertexAttrib1fv(index: Int, values:
dynamic): Unit\n fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\n fun vertexAttrib2fv(index: Int, values:
dynamic): Unit\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\n fun vertexAttrib3fv(index: Int,
values: dynamic): Unit\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\n fun
vertexAttrib4fv(index: Int, values: dynamic): Unit\n fun vertexAttribPointer(index: Int, size: Int, type: Int,
normalized: Boolean, stride: Int, offset: Int): Unit\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\n\n
companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val
COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val
LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN:
Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR:
Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT:
Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val
BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val
CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA:
Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val
ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING:
Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val
STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val
BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK:
Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER:
Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val
POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val
SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n
val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val
DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val
STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS:
Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK:

```

Int\n val STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
 STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
 COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val  
 POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n val  
 TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n val FASTEST: Int\n val  
 NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n val UNSIGNED\_BYTE:  
 Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n val UNSIGNED\_INT: Int\n  
 val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val  
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val  
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val  
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val  
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val  
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val  
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val  
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val  
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE\_TEXTURE: Int\n val REPEAT: Int\n  
 val CLAMP\_TO\_EDGE: Int\n val MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2: Int\n val  
 FLOAT\_VEC3: Int\n val FLOAT\_VEC4: Int\n val INT\_VEC2: Int\n val INT\_VEC3: Int\n val



```

INT_VEC4: Int\n    val BOOL: Int\n    val BOOL_VEC2: Int\n    val BOOL_VEC3: Int\n    val
BOOL_VEC4: Int\n    val FLOAT_MAT2: Int\n    val FLOAT_MAT3: Int\n    val FLOAT_MAT4: Int\n
val SAMPLER_2D: Int\n    val SAMPLER_CUBE: Int\n    val VERTEX_ATTRIB_ARRAY_ENABLED:
Int\n    val VERTEX_ATTRIB_ARRAY_SIZE: Int\n    val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
val VERTEX_ATTRIB_ARRAY_TYPE: Int\n    val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
val VERTEX_ATTRIB_ARRAY_POINTER: Int\n    val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
Int\n    val IMPLEMENTATION_COLOR_READ_TYPE: Int\n    val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n    val COMPILE_STATUS: Int\n    val
LOW_FLOAT: Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n
val MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER:
Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16:
Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    })}\n\n**\n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*\n\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext
{\n\n    companion object {\n        val DEPTH_BUFFER_BIT: Int\n        val STENCIL_BUFFER_BIT: Int\n        val
COLOR_BUFFER_BIT: Int\n        val POINTS: Int\n        val LINES: Int\n        val LINE_LOOP: Int\n        val
LINE_STRIP: Int\n        val TRIANGLES: Int\n        val TRIANGLE_STRIP: Int\n        val TRIANGLE_FAN:
Int\n        val ZERO: Int\n        val ONE: Int\n        val SRC_COLOR: Int\n        val ONE_MINUS_SRC_COLOR:
Int\n        val SRC_ALPHA: Int\n        val ONE_MINUS_SRC_ALPHA: Int\n        val DST_ALPHA: Int\n        val
ONE_MINUS_DST_ALPHA: Int\n        val DST_COLOR: Int\n        val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n        val FUNC_ADD: Int\n        val BLEND_EQUATION: Int\n        val
BLEND_EQUATION_RGB: Int\n        val BLEND_EQUATION_ALPHA: Int\n        val FUNC_SUBTRACT:
Int\n        val FUNC_REVERSE_SUBTRACT: Int\n        val BLEND_DST_RGB: Int\n        val
BLEND_SRC_RGB: Int\n        val BLEND_DST_ALPHA: Int\n        val BLEND_SRC_ALPHA: Int\n        val
CONSTANT_COLOR: Int\n        val ONE_MINUS_CONSTANT_COLOR: Int\n        val CONSTANT_ALPHA:
Int\n        val ONE_MINUS_CONSTANT_ALPHA: Int\n        val BLEND_COLOR: Int\n        val
ARRAY_BUFFER: Int\n        val ELEMENT_ARRAY_BUFFER: Int\n        val ARRAY_BUFFER_BINDING:
Int\n        val ELEMENT_ARRAY_BUFFER_BINDING: Int\n        val STREAM_DRAW: Int\n        val
STATIC_DRAW: Int\n        val DYNAMIC_DRAW: Int\n        val BUFFER_SIZE: Int\n        val
BUFFER_USAGE: Int\n        val CURRENT_VERTEX_ATTRIB: Int\n        val FRONT: Int\n        val BACK:

```

Int\n val FRONT\_AND\_BACK: Int\n val CULL\_FACE: Int\n val BLEND: Int\n val DITHER:  
 Int\n val STENCIL\_TEST: Int\n val DEPTH\_TEST: Int\n val SCISSOR\_TEST: Int\n val  
 POLYGON\_OFFSET\_FILL: Int\n val SAMPLE\_ALPHA\_TO\_COVERAGE: Int\n val  
 SAMPLE\_COVERAGE: Int\n val NO\_ERROR: Int\n val INVALID\_ENUM: Int\n val  
 INVALID\_VALUE: Int\n val INVALID\_OPERATION: Int\n val OUT\_OF\_MEMORY: Int\n val CW:  
 Int\n val CCW: Int\n val LINE\_WIDTH: Int\n val ALIASED\_POINT\_SIZE\_RANGE: Int\n val  
 ALIASED\_LINE\_WIDTH\_RANGE: Int\n val CULL\_FACE\_MODE: Int\n val FRONT\_FACE: Int\n  
 val DEPTH\_RANGE: Int\n val DEPTH\_WRITEMASK: Int\n val DEPTH\_CLEAR\_VALUE: Int\n val  
 DEPTH\_FUNC: Int\n val STENCIL\_CLEAR\_VALUE: Int\n val STENCIL\_FUNC: Int\n val  
 STENCIL\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS:  
 Int\n val STENCIL\_REF: Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK:  
 Int\n val STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
 STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
 COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val  
 POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n val  
 TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n val FASTEST: Int\n val  
 NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n val UNSIGNED\_BYTE:  
 Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n val UNSIGNED\_INT: Int\n  
 val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val  
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val

```

MAX_CUBE_MAP_TEXTURE_SIZE: Int\n    val TEXTURE0: Int\n    val TEXTURE1: Int\n    val
TEXTURE2: Int\n    val TEXTURE3: Int\n    val TEXTURE4: Int\n    val TEXTURE5: Int\n    val
TEXTURE6: Int\n    val TEXTURE7: Int\n    val TEXTURE8: Int\n    val TEXTURE9: Int\n    val
TEXTURE10: Int\n    val TEXTURE11: Int\n    val TEXTURE12: Int\n    val TEXTURE13: Int\n    val
TEXTURE14: Int\n    val TEXTURE15: Int\n    val TEXTURE16: Int\n    val TEXTURE17: Int\n    val
TEXTURE18: Int\n    val TEXTURE19: Int\n    val TEXTURE20: Int\n    val TEXTURE21: Int\n    val
TEXTURE22: Int\n    val TEXTURE23: Int\n    val TEXTURE24: Int\n    val TEXTURE25: Int\n    val
TEXTURE26: Int\n    val TEXTURE27: Int\n    val TEXTURE28: Int\n    val TEXTURE29: Int\n    val
TEXTURE30: Int\n    val TEXTURE31: Int\n    val ACTIVE_TEXTURE: Int\n    val REPEAT: Int\n
val CLAMP_TO_EDGE: Int\n    val MIRRORED_REPEAT: Int\n    val FLOAT_VEC2: Int\n    val
FLOAT_VEC3: Int\n    val FLOAT_VEC4: Int\n    val INT_VEC2: Int\n    val INT_VEC3: Int\n    val
INT_VEC4: Int\n    val BOOL: Int\n    val BOOL_VEC2: Int\n    val BOOL_VEC3: Int\n    val
BOOL_VEC4: Int\n    val FLOAT_MAT2: Int\n    val FLOAT_MAT3: Int\n    val FLOAT_MAT4: Int\n
val SAMPLER_2D: Int\n    val SAMPLER_CUBE: Int\n    val VERTEX_ATTRIB_ARRAY_ENABLED:
Int\n    val VERTEX_ATTRIB_ARRAY_SIZE: Int\n    val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
val VERTEX_ATTRIB_ARRAY_TYPE: Int\n    val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
val VERTEX_ATTRIB_ARRAY_POINTER: Int\n    val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
Int\n    val IMPLEMENTATION_COLOR_READ_TYPE: Int\n    val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n    val COMPILE_STATUS: Int\n    val
LOW_FLOAT: Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n
val MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER:
Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16:
Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n}\n\npublic external interface
WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n    o[\"statusMessage\"] =

```

```

statusMessage\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n\nreturn o\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n  open val byteLength: Int\n  fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n  companion object {\n    fun isView(value: Any?): Boolean\n
}\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic
external interface ArrayBufferView : BufferDataSource {\n  val buffer: ArrayBuffer\n  val byteOffset: Int\n  val
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class
Int8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int8Array)\n  constructor(array:
Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int8Array, offset: Int = definedExternally): Unit\n  fun set(array:
Array<Byte>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Int8Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly inline operator fun
Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
Int8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class
Uint8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint8Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Byte>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Uint8Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly inline operator
fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
Uint8Array.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:
Uint8ClampedArray)\n  constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n
override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Uint8ClampedArray, offset: Int =
definedExternally): Unit\n  fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n  fun
subarray(start: Int, end: Int): Uint8ClampedArray\n\n  companion object {\n    val BYTES_PER_ELEMENT:
Int\n  }\n}\n\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.set(index: Int, value:
Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class
Int16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Int16Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Short>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Int16Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly inline operator
fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open
class Uint16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint16Array)\n

```

```

constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint16Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Short>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Uint16Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Uint16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally): Unit\n  fun set(array:
Array<Int>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Int32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator fun
Int32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Int32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open
class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint32Array)\n\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Uint32Array, offset: Int = definedExternally): Unit\n  fun set(array:
Array<Int>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Uint32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Uint32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open
class Float32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float32Array)\n\n
constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Float>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Float32Array.get(index: Int): Float = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Float32Array.set(index: Int, value: Float): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open
class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float64Array)\n\n
constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float64Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Double>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int):
Float64Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator fun
Float64Array.get(index: Int): Double =
asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Float64Array.set(index: Int, value: Double):
Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val
byteLength: Int\n  fun getInt8(byteOffset: Int): Byte\n  fun getUint8(byteOffset: Int): Byte\n  fun

```

```

getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n fun getUint16(byteOffset: Int,
littleEndian: Boolean = definedExternally): Short\n fun getInt32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n fun
getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n fun getFloat64(byteOffset: Int,
littleEndian: Boolean = definedExternally): Double\n fun setInt8(byteOffset: Int, value: Byte): Unit\n fun
setUint8(byteOffset: Int, value: Byte): Unit\n fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally): Unit\n fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally):
Unit\n fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n fun
setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n fun setFloat32(byteOffset:
Int, value: Float, littleEndian: Boolean = definedExternally): Unit\n fun setFloat64(byteOffset: Int, value: Double,
littleEndian: Boolean = definedExternally): Unit\n}\n\npublic external @marker interface BufferDataSource
{\n}\n\npublic external @marker interface TexImageSource {\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n *\n*/\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress("\n\npackage
org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic
external interface ClipboardEventInit : EventInit {\n var clipboardData: DataTransfer? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): ClipboardEventInit {\n val o = js("\n\n o["clipboardData"] =
clipboardData\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n
return o\n}\n\n/*\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n *\n\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n open
val clipboardData: DataTransfer?\n}\n\n/*\n * Exposes the JavaScript
[Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n *\n\npublic external abstract class
Clipboard : EventTarget {\n fun read(): Promise<DataTransfer>\n fun readText(): Promise<String>\n fun
write(data: DataTransfer): Promise<Unit>\n fun writeText(data: String): Promise<Unit>\n}\n\n\npublic external
interface ClipboardPermissionDescriptor {\n var allowWithoutGesture: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n val
o = js("\n\n o["allowWithoutGesture"] = allowWithoutGesture\n\n return o\n}\n\n"/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in
the license/LICENSE.txt file.\n *\n*/\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
libraries/tools/idl2k for details\n\n@file:Suppress("\n\npackage
org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/*\n * Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n *\n\npublic
external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n open var cssText: String\n override val
length: Int\n open val parentRule: CSSRule?\n open var cssFloat: String\n open var _dashed_attribute: String\n

```

open var \_camel\_cased\_attribute: String\n open var \_webkit\_cased\_attribute: String\n open var alignContent: String\n open var alignItems: String\n open var alignSelf: String\n open var animation: String\n open var animationDelay: String\n open var animationDirection: String\n open var animationDuration: String\n open var animationFillMode: String\n open var animationIterationCount: String\n open var animationName: String\n open var animationPlayState: String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String

```

open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n
open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var
overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding:
String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n
open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open
var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var
phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var
rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var
tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n
open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:
String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n
override fun item(index: Int): String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally): Unit\n fun setPropertyValue(property: String, value: String): Unit\n fun
setPropertyPriority(property: String, priority: String): Unit\n fun removeProperty(property: String):
String\n}\n@kotlin.internal.InlineOnly inline operator fun CSSStyleDeclaration.get(index: Int): String? =
asDynamic()[index]\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n open var mediaText:
String\n override val length: Int\n override fun item(index: Int): String?\n fun appendMedium(medium:
String): Unit\n fun deleteMedium(medium: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun
MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract
class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode:
UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n
open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external
abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules:
CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n *
Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n
*/\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override val length: Int\n
override fun item(index: Int): StyleSheet?\n}\n@kotlin.internal.InlineOnly inline operator fun
StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface
LinkStyle {\n val sheet: StyleSheet?\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n override val length: Int\n override fun item(index: Int):
CSSRule?\n}\n@kotlin.internal.InlineOnly inline operator fun CSSRuleList.get(index: Int): CSSRule? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class

```



```
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val\n  parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val\n    CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val\n    FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val\n    NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript\n [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\n\n@public external\n abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open val style:\n  CSSStyleDeclaration\n}\n\n@public external abstract class CSSImportRule : CSSRule {\n  open val href: String\n  open val media: MediaList\n  open val styleSheet: CSSStyleSheet\n}\n\n/**\n * Exposes the JavaScript\n [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\n\n@public\n external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n  fun insertRule(rule:\n  String, index: Int): Int\n  fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript\n [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\n\n@public external\n abstract class CSSMediaRule : CSSGroupingRule {\n  open val media: MediaList\n}\n\n/**\n * Exposes the\n JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\n\n@public\n external abstract class CSSPageRule : CSSGroupingRule {\n  open var selectorText: String\n  open val style:\n  CSSStyleDeclaration\n}\n\n@public external abstract class CSSMarginRule : CSSRule {\n  open val name: String\n  open val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript\n [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\n\n@public\n external abstract class CSSNamespaceRule : CSSRule {\n  open val namespaceURI: String\n  open val prefix:\n  String\n}\n\n@public external interface ElementCSSInlineStyle {\n  val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\n\n@public external\n abstract class CSS {\n  companion object {\n    fun escape(ident: String): String\n  }\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n */\n * that can be\n found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for\n details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npackage\n org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport\n org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport\n org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport\n org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport\n org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xr.*\n\n/**\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\n\n@public\n external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n  open val\n  view: Window?\n  open val detail: Int\n}\n\n@public external interface UIEventInit : EventInit {\n  var view:\n  Window? /* = null */\n  var detail: Int? /* = 0\n  */\n  var bubbles: Boolean? /* = definedExternally */\n  var cancelable: Boolean? /* = definedExternally */\n  var composed: Boolean? /* = definedExternally */\n}\n\n@kotlin.internal.InlineOnly\n@public\n inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =\n false, composed: Boolean? = false): UIEventInit {\n  val o = js("{}")\n  o["view"] = view\n  o["detail"] =\n  detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return\n  o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent)\n to Kotlin\n */\n\n@public external open class FocusEvent(type: String, eventInitDict: FocusEventInit =\n definedExternally) : UIEvent {\n  open val relatedTarget: EventTarget?\n}\n\n@public external interface\n FocusEventInit : UIEventInit {\n  var relatedTarget: EventTarget? /* = null */\n  var view: Window? /* = definedExternally */\n  var detail: Int? /* = definedExternally */\n}\n\n@kotlin.internal.InlineOnly\n@public\n inline fun FocusEventInit(relatedTarget:\n EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =\n false, composed: Boolean? = false): FocusEventInit {\n  val o = js("{}")\n  o["relatedTarget"] =\n  relatedTarget\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] =\n  cancelable\n}
```

```

cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\n\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n  open val region: String?\n  open val screenX: Int\n  open val screenY: Int\n
open val pageX: Double\n  open val pageY: Double\n  open val clientX: Int\n  open val clientY: Int\n  open val
offsetX: Double\n  open val offsetY: Double\n  open val ctrlKey: Boolean\n  open val shiftKey: Boolean\n
open val altKey: Boolean\n  open val metaKey: Boolean\n  open val button: Short\n  open val buttons: Short\n
open val relatedTarget: EventTarget?\n  fun getModifierState(keyArg: String): Boolean\n}\n\n\npublic external
interface MouseEventInit : EventModifierInit {\n  var screenX: Int? /* = 0 */\n    get() = definedExternally\n
set(value) = definedExternally\n  var screenY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var clientX: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var clientY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var button: Short? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var buttons: Short? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n  val o = js("{}")\n\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n
o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] =
ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n
o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] =
modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] =
modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n\npublic external interface EventModifierInit : UIEventInit {\n  var ctrlKey: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var shiftKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var altKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var metaKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var modifierAltGraph: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n  var modifierCapsLock: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n  var modifierFn: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var modifierFnLock: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var modifierHyper: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var modifierNumLock: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var modifierScrollLock: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n  var modifierSuper: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n  var modifierSymbol: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n  var modifierSymbolLock: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventModifierInit(ctrlKey: Boolean? =

```

```

false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n  val o = js("{}")\n\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n
o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n  open val
deltaX: Double\n  open val deltaY: Double\n  open val deltaZ: Double\n  open val deltaMode: Int\n\n  companion object {\n    val DOM_DELTA_PIXEL: Int\n    val DOM_DELTA_LINE: Int\n    val
DOM_DELTA_PAGE: Int\n  }\n\n  public external interface WheelEventInit : MouseEventInit {\n    var deltaX:
Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var deltaY: Double? /*
= 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var deltaZ: Double? /* = 0.0 */\n
    get() = definedExternally\n    set(value) = definedExternally\n    var deltaMode: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  }\n\n  @kotlin.internal.InlineOnly\n  public inline fun
WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX:
Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n  val o = js("{}")\n\n  o["deltaX"] = deltaX\n  o["deltaY"] = deltaY\n  o["deltaZ"] = deltaZ\n  o["deltaMode"] = deltaMode\n
o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n
o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] =
ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n
o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] =
modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] =
modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to
Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
UIEvent {\n  open val data: String\n  open val isComposing: Boolean\n}\n\n  public external interface
InputEventInit : UIEventInit {\n    var data: String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var isComposing: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n  }\n\n  @kotlin.internal.InlineOnly\n  public inline fun InputEventInit(data: String? = "",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {\n  val o = js("{}")\n\n  o["data"] = data\n

```

```

o["isComposing"] = isComposing\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n *\n\npublic external
open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n
open val key: String\n open val code: String\n open val location: Int\n open val ctrlKey: Boolean\n open val
shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val repeat: Boolean\n
open val isComposing: Boolean\n open val charCode: Int\n open val keyCode: Int\n open val which: Int\n
fun getModifierState(keyArg: String): Boolean\n\n companion object {\n val
DOM_KEY_LOCATION_STANDARD: Int\n val DOM_KEY_LOCATION_LEFT: Int\n val
DOM_KEY_LOCATION_RIGHT: Int\n val DOM_KEY_LOCATION_NUMPAD: Int\n }\n}\n\n\npublic
external interface KeyboardEventInit : EventModifierInit {\n var key: String? /* = "" */\n get() =
definedExternally\n set(value) = definedExternally\n var code: String? /* = "" */\n get() =
definedExternally\n set(value) = definedExternally\n var location: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n var repeat: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n }\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
KeyboardEventInit(key: String? = "", code: String? = "", location: Int? = 0, repeat: Boolean? = false,
isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false,
metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn:
Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock:
Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol:
Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n val o =
js("{}")\n\n o["key"] = key\n o["code"] = code\n o["location"] = location\n o["repeat"] = repeat\n
o["isComposing"] = isComposing\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] =
altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] =
modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n\n return o\n}\n\n\n/**\n * Exposes the JavaScript
[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n *\n\npublic
external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {\n open val data: String\n}\n\n\npublic external interface CompositionEventInit : UIEventInit {\n var
data: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CompositionEventInit(data: String? = "",
view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CompositionEventInit {\n val o = js("{}")\n\n o["data"] = data\n o["view"] = view\n
o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n\n return o\n}\n\n\n\n/**\n * Exposes the JavaScript
[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n *\n\npublic external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type: String\n open val target:
EventTarget?\n open val currentTarget: EventTarget?\n open val eventPhase: Short\n open val bubbles:
Boolean\n open val cancelable: Boolean\n open val defaultPrevented: Boolean\n open val composed:
Boolean\n open val isTrusted: Boolean\n open val timeStamp: Number\n fun composedPath():
Array<EventTarget>\n fun stopPropagation(): Unit\n fun stopImmediatePropagation(): Unit\n fun
preventDefault(): Unit\n fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean): Unit\n\n companion

```

```

object { \n    val NONE: Short \n    val CAPTURING_PHASE: Short \n    val AT_TARGET: Short \n    val
BUBBLING_PHASE: Short \n    } \n \n /** \n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin \n */ \n public external abstract
class EventTarget { \n    fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally): Unit \n    fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally): Unit \n    fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally): Unit \n    fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally): Unit \n    fun dispatchEvent(event: Event): Boolean \n \n \n /** \n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin \n */ \n public external
interface EventListener { \n    fun handleEvent(event: Event): Unit \n \n \n " / * \n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file. \n * \n \n // NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT! \n // See
libraries/tools/idl2k for details \n \n @file: Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE") \n package
org.w3c.dom \n \n import kotlin.js. * \n import org.khronos.webgl. * \n import org.w3c.css.masking. * \n import
org.w3c.dom.clipboard. * \n import org.w3c.dom.css. * \n import org.w3c.dom.events. * \n import
org.w3c.dom.mediacapture. * \n import org.w3c.dom.parsing. * \n import org.w3c.dom.pointerevents. * \n import
org.w3c.dom.svg. * \n import org.w3c.dom.url. * \n import org.w3c.fetch. * \n import org.w3c.files. * \n import
org.w3c.notifications. * \n import org.w3c.performance. * \n import org.w3c.workers. * \n import org.w3c.xhr. * \n \n /** \n
* Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin \n
*/ \n public external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware { \n    open val
serviceWorker: ServiceWorkerContainer \n    open val maxTouchPoints: Int \n    open val mediaDevices:
MediaDevices \n    open val clipboard: Clipboard \n    fun vibrate(pattern: dynamic): Boolean \n    fun
getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback:
(dynamic) -> Unit): Unit \n \n \n /** \n * Exposes the JavaScript
[Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin \n */ \n public external open class
Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode,
DocumentOrShadowRoot, ParentNode, GeometryUtils { \n    open val fullscreenEnabled: Boolean \n    open val
fullscreen: Boolean \n    var onfullscreenchange: ((Event) -> dynamic)? \n    var onfullscreenerror: ((Event) ->
dynamic)? \n    open val rootElement: SVGSVGElement? \n    var title: String \n    open val referrer: String \n    var
domain: String \n    open val activeElement: Element? \n    open val location: Location? \n    var cookie: String \n
open val lastModified: String \n    open val readyState: DocumentReadyState \n    var dir: String \n    var body:
HTMLElement? \n    open val head: HTMLHeadElement? \n    open val images: HTMLCollection \n    open val
embeds: HTMLCollection \n    open val plugins: HTMLCollection \n    open val links: HTMLCollection \n    open val
forms: HTMLCollection \n    open val scripts: HTMLCollection \n    open val currentScript:
HTMLScriptElement? \n    open val defaultView: Window? \n    var designMode: String \n    var
onreadystatechange: ((Event) -> dynamic)? \n    var fgColor: String \n    var linkColor: String \n    var vlinkColor:
String \n    var alinkColor: String \n    var bgColor: String \n    open val anchors: HTMLCollection \n    open val
applets: HTMLCollection \n    open val all: HTMLAllCollection \n    open val implementation:
DOMImplementation \n    open val URL: String \n    open val documentURI: String \n    open val origin: String \n
open val compatMode: String \n    open val characterSet: String \n    open val charset: String \n    open val
inputEncoding: String \n    open val contentType: String \n    open val doctype: DocumentType? \n    open val
documentElement: Element? \n    open val scrollingElement: Element? \n    open val styleSheets: StyleSheetList \n
override var ongotpointercapture: ((PointerEvent) -> dynamic)? \n    override var onlostpointercapture:
((PointerEvent) -> dynamic)? \n    override var onpointerdown: ((PointerEvent) -> dynamic)? \n    override var
onpointermove: ((PointerEvent) -> dynamic)? \n    override var onpointerup: ((PointerEvent) -> dynamic)? \n
override var onpointercancel: ((PointerEvent) -> dynamic)? \n    override var onpointerover: ((PointerEvent) ->
dynamic)? \n    override var onpointerout: ((PointerEvent) -> dynamic)? \n    override var onpointerenter:

```

```

((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var
onabort: ((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel:
((Event) -> dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough:
((Event) -> dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->
dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -
> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override val fullscreenElement: Element?\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  fun exitFullscreen(): Promise<Unit>\n  fun
getElementsByName(elementName: String): NodeList\n  fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n  fun open(url: String, name: String, features: String): Window\n  fun
close(): Unit\n  fun write(vararg text: String): Unit\n  fun writeln(vararg text: String): Unit\n  fun hasFocus():
Boolean\n  fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String =
definedExternally): Boolean\n  fun queryCommandEnabled(commandId: String): Boolean\n  fun
queryCommandIndeterm(commandId: String): Boolean\n  fun queryCommandState(commandId: String):
Boolean\n  fun queryCommandSupported(commandId: String): Boolean\n  fun
queryCommandValue(commandId: String): String\n  fun clear(): Unit\n  fun captureEvents(): Unit\n  fun
releaseEvents(): Unit\n  fun getElementsByTagName(qualifiedName: String): HTMLCollection\n  fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByClassName(classNames: String): HTMLCollection\n  fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n  fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun

```

```

createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun
createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun
createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n fun createEvent(interface_: String): Event\n fun createRange(): Range\n fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun elementFromPoint(x:
Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double): Array<Element>\n fun
caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n override fun getElementById(elementId: String):
Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic):
Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors:
String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n@kotlin.internal.InlineOnly inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class
Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope,
WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindow {\n override
val performance: Performance\n open val window: Window\n open val self: Window\n open val document:
Document\n open var name: String\n open val location: Location\n open val history: History\n open val
customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar: BarProp\n
open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n open val
toolbar: BarProp\n open var status: String\n open val closed: Boolean\n open val frames: Window\n open val
length: Int\n open val top: Window\n open var opener: Any?\n open val parent: Window\n open val
frameElement: Element?\n open val navigator: Navigator\n open val applicationCache: ApplicationCache\n
open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n
open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val
pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val
outerHeight: Int\n open val devicePixelRatio: Double\n fun close(): Unit\n fun stop(): Unit\n fun focus():
Unit\n fun blur(): Unit\n fun open(url: String = definedExternally, target: String = definedExternally, features:
String = definedExternally): Window?\n fun alert(): Unit\n fun alert(message: String): Unit\n fun
confirm(message: String = definedExternally): Boolean\n fun prompt(message: String = definedExternally,
default: String = definedExternally): String?\n fun print(): Unit\n fun requestAnimationFrame(callback:
(Double) -> Unit): Int\n fun cancelAnimationFrame(handle: Int): Unit\n fun postMessage(message: Any?,
targetOrigin: String, transfer: Array<dynamic> = definedExternally): Unit\n fun captureEvents(): Unit\n fun
releaseEvents(): Unit\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int): Unit\n
fun moveBy(x: Int, y: Int): Unit\n fun resizeTo(x: Int, y: Int): Unit\n fun resizeBy(x: Int, y: Int): Unit\n fun
scroll(options: ScrollToOptions = definedExternally): Unit\n fun scroll(x: Double, y: Double): Unit\n fun
scrollTo(options: ScrollToOptions = definedExternally): Unit\n fun scrollTo(x: Double, y: Double): Unit\n fun
scrollBy(options: ScrollToOptions = definedExternally): Unit\n fun scrollBy(x: Double, y: Double): Unit\n fun
getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):

```

CSSStyleDeclaration\n}\n@kotlin.internal.InlineOnly inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n// fun namedItem(name: String): UnionElementOrHTMLCollection?\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n}\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/\*\*\n \* Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n \*/\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\n// override fun namedItem(name: String): UnionElementOrRadioNodeList?\n}\n//@kotlin.internal.InlineOnly override inline operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/\*\*\n \* Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n \*/\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n \*/\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n/\*\*\n \* Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n \*/\npublic external abstract class HTMLInputElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click(): Unit\n fun focus(): Unit\n fun blur(): Unit\n fun forceSpellCheck(): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n \*/\npublic external abstract class HTMLUnknownElement : HTMLInputElement {\n}\n\n/\*\*\n \* Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n \*/\npublic external abstract class DOMStringMap {\n}\n\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.set(name: String, value: String): Unit { asDynamic()[name] = value; }\n\n/\*\*\n \* Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n \*/\npublic external abstract class HTMLHtmlElement : HTMLInputElement {\n open var version: String\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n \*/\npublic external abstract class HTMLHeadElement : HTMLInputElement {\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n \*/\npublic external abstract class HTMLTitleElement : HTMLInputElement {\n open var text: String\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n \*/\npublic external abstract class HTMLBaseElement : HTMLInputElement {\n open var href: String\n open var target: String\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n \*/\npublic external abstract class HTMLLinkElement : HTMLInputElement, LinkStyle {\n open var scope: String\n open var



workerType: WorkerType\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n @JsName("as") open var as\_: RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy: String\n open var charset: String\n open var rev: String\n open var target: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n \*\npublic external abstract class HTMLMetaElement : HTMLInputElement {\n open var name: String\n open var httpEquiv: String\n open var content: String\n open var scheme: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n \*\npublic external abstract class HTMLStyleElement : HTMLInputElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n \*\npublic external abstract class HTMLBodyElement : HTMLInputElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n \*\npublic external abstract class HTMLHeadingElement : HTMLInputElement {\n open var align: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n \*\npublic external abstract class HTMLParagraphElement : HTMLInputElement {\n open var align: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n \*\npublic external abstract class HTMLHRElement : HTMLInputElement {\n open var align: String\n open var color: String\n open var noShade: Boolean\n open var size: String\n open var width: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n \*\npublic external abstract class HTMLPreElement : HTMLInputElement {\n open var width: Int\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n \*\npublic external abstract class HTMLQuoteElement : HTMLInputElement {\n open var cite: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n \*\npublic external abstract class HTMLLOListElement : HTMLInputElement {\n open var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLULListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLULListElement) to Kotlin\n \*\npublic external abstract class HTMLULListElement : HTMLInputElement {\n open var compact: Boolean\n open var type: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n \*\npublic external abstract class HTMLLIElement : HTMLInputElement {\n open var value: Int\n open var type: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n \*\npublic external abstract class HTMLDListElement : HTMLInputElement {\n open var compact: Boolean\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n \*\npublic external abstract class HTMLDivElement : HTMLInputElement {\n open var align: String\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n \*\npublic external abstract class HTMLAnchorElement : HTMLInputElement, HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n

open var rev: String\n open var shape: String\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n \*\n\npublic  
 external abstract class HTMLDataElement : HTMLElement {\n open var value: String\n}\n\n/\*\*\n \* Exposes the  
 JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n  
 \*\n\npublic external abstract class HTMLTimeElement : HTMLElement {\n open var dateTime: String\n}\n\n/\*\*\n  
 \* Exposes the JavaScript  
 [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n \*\n\npublic  
 external abstract class HTMLSpanElement : HTMLElement {\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n \*\n\npublic  
 external abstract class HTMLBRElement : HTMLElement {\n open var clear: String\n}\n\n/\*\*\n \* Exposes the  
 JavaScript  
 [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to  
 Kotlin\n \*\n\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n  
 var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname:  
 String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/\*\*\n \* Exposes  
 the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to  
 Kotlin\n \*\n\npublic external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open  
 var dateTime: String\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n  
 \*\n\npublic external abstract class HTMLPictureElement : HTMLElement {\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n  
 \*\n\npublic external abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var  
 type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n}\n\n/\*\*\n \* Exposes  
 the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to  
 Kotlin\n \*\n\npublic external abstract class HTMLImageElement : HTMLElement, TexImageSource,  
 HTMLOrSVGImageElement {\n open var alt: String\n open var src: String\n open var srcset: String\n open  
 var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n  
 open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open  
 val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name:  
 String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n  
 open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n}\n\n/\*\*\n \* Exposes  
 the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n \*\n\npublic external open  
 class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n override  
 val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild:  
 Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override  
 val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override val style:  
 CSSStyleDeclaration\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var  
 onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n  
 override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) ->  
 dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover:  
 ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var  
 onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n  
 override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var  
 oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var  
 oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var  
 onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var  
 oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var  
 ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var

```

ondragend: ((DragEvent) -> dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var
ondragexit: ((DragEvent) -> dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var
ondragover: ((DragEvent) -> dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var
ondrop: ((DragEvent) -> dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var
onemptied: ((Event) -> dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror:
((dynamic, String, Int, Int, Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override
var oninput: ((InputEvent) -> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var
onkeydown: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n
override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override
var onloadeddata: ((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var
onloadend: ((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var
onmousedown: ((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n
override var onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) ->
dynamic)?\n  override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover:
((MouseEvent) -> dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel:
((WheelEvent) -> dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) ->
dynamic)?\n  override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) ->
dynamic)?\n  override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n
override var onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var
onseeked: ((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect:
((Event) -> dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) ->
dynamic)?\n  override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n
override var ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic):
Unit\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n  override fun before(vararg nodes: dynamic): Unit\n  override fun after(vararg nodes:
dynamic): Unit\n  override fun replaceWith(vararg nodes: dynamic): Unit\n  override fun remove(): Unit\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n
*/\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n  open var src: String\n  open var
srcdoc: String\n  open var name: String\n  open val sandbox: DOMTokenList\n  open var allowFullscreen:
Boolean\n  open var allowUserMedia: Boolean\n  open var width: String\n  open var height: String\n  open var
referrerPolicy: String\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open
var align: String\n  open var scrolling: String\n  open var frameBorder: String\n  open var longDesc: String\n
open var marginHeight: String\n  open var marginWidth: String\n  fun getSVGDocument():
Document?\n}\n\n/**\n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n
*/\npublic external abstract class HTMLEmbedElement : HTMLInputElement {\n  open var src: String\n  open var
type: String\n  open var width: String\n  open var height: String\n  open var align: String\n  open var name:
String\n  fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin  
`*\npublic external abstract class HTMLObjectElement : HTMLElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap: String\n open val form: HTMLFormElement?\n open var width: String\n open var height: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open var align: String\n open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript`

[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin  
`*\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n}\n\n/**\n * Exposes the JavaScript`

[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin  
`*\npublic external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n}\n\n/**\n * Exposes the JavaScript`

[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin  
`*\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n}\n\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override val style: CSSStyleDeclaration\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var onCancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onChange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n`

```

override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic):
Unit\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n  override fun before(vararg nodes: dynamic): Unit\n  override fun after(vararg nodes:
dynamic): Unit\n  override fun replaceWith(vararg nodes: dynamic): Unit\n  override fun remove(): Unit\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic
external abstract class HTMLTrackElement : HTMLElement {\n  open var kind: String\n  open var src: String\n
open var srclang: String\n  open var label: String\n  open var default: Boolean\n  open val readyState: Short\n
open val track: TextTrack\n\n  companion object {\n    val NONE: Short\n    val LOADING: Short\n    val
LOADED: Short\n    val ERROR: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic
external abstract class HTMLMediaElement : HTMLElement {\n  open val error: MediaError?\n  open
var src: String\n  open var srcObject: dynamic\n  open val currentSrc: String\n  open var crossOrigin: String?\n
open val networkState: Short\n  open var preload: String\n  open val buffered: TimeRanges\n  open val
readyState: Short\n  open val seeking: Boolean\n  open var currentTime: Double\n  open val duration: Double\n
open val paused: Boolean\n  open var defaultPlaybackRate: Double\n  open var playbackRate: Double\n  open
val played: TimeRanges\n  open val seekable: TimeRanges\n  open val ended: Boolean\n  open var autoplay:
Boolean\n  open var loop: Boolean\n  open var controls: Boolean\n  open var volume: Double\n  open var
muted: Boolean\n  open var defaultMuted: Boolean\n  open val audioTracks: AudioTrackList\n  open val
videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  fun load(): Unit\n  fun canPlayType(type:
String): CanPlayTypeResult\n  fun fastSeek(time: Double): Unit\n  fun getStartDate(): dynamic\n  fun play():
Promise<Unit>\n  fun pause(): Unit\n  fun addTextTrack(kind: TextTrackKind, label: String = definedExternally,
language: String = definedExternally): TextTrack\n\n  companion object {\n    val NETWORK_EMPTY:
Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val
NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val
HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val
HAVE_ENOUGH_DATA: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract
class MediaError {\n  open val code: Short\n\n  companion object {\n    val MEDIA_ERR_ABORTED: Short\n
val MEDIA_ERR_NETWORK: Short\n    val MEDIA_ERR_DECODE: Short\n    val

```

MEDIA\_ERR\_SRC\_NOT\_SUPPORTED: Short\n } \n\n \*\*\n \* Exposes the JavaScript  
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n \*\n\npublic external  
abstract class AudioTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) ->  
dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) ->  
dynamic)?\n fun getTrackById(id: String): AudioTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun  
AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n \*\*\n \* Exposes the JavaScript  
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n \*\n\npublic external abstract  
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind:  
String\n open val label: String\n open val language: String\n open var enabled: Boolean\n}\n\n \*\*\n \* Exposes  
the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n  
\*\n\npublic external abstract class VideoTrackList : EventTarget {\n open val length: Int\n open val  
selectedIndex: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) ->  
dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String):  
VideoTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? =  
asDynamic()[index]\n\n \*\*\n \* Exposes the JavaScript  
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n \*\n\npublic external abstract  
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind:  
String\n open val label: String\n open val language: String\n open var selected: Boolean\n}\n\n\npublic external  
abstract class TextTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) ->  
dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) ->  
dynamic)?\n fun getTrackById(id: String): TextTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun  
TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n \*\*\n \* Exposes the JavaScript  
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n \*\n\npublic external abstract  
class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n open val kind: TextTrackKind\n  
open val label: String\n open val language: String\n open val id: String\n open val  
inBandMetadataTrackDispatchType: String\n open var mode: TextTrackMode\n open val cues:  
TextTrackCueList?\n open val activeCues: TextTrackCueList?\n open var oncuechange: ((Event) ->  
dynamic)?\n fun addCue(cue: TextTrackCue): Unit\n fun removeCue(cue: TextTrackCue): Unit\n}\n\n\npublic  
external abstract class TextTrackCueList {\n open val length: Int\n fun getCueById(id: String):  
TextTrackCue?\n}\n\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int):  
TextTrackCue? = asDynamic()[index]\n\n \*\*\n \* Exposes the JavaScript  
[TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n \*\n\npublic external  
abstract class TextTrackCue : EventTarget {\n open val track: TextTrack?\n open var id: String\n open var  
startTime: Double\n open var endTime: Double\n open var pauseOnExit: Boolean\n open var onenter: ((Event)  
-> dynamic)?\n open var onexit: ((Event) -> dynamic)?\n}\n\n\n \*\*\n \* Exposes the JavaScript  
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n \*\n\npublic external abstract  
class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int):  
Double\n}\n\n \*\*\n \* Exposes the JavaScript  
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n \*\n\npublic external open class  
TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n open val track:  
UnionAudioTrackOrTextTrackOrVideoTrack?\n}\n\n\npublic external interface TrackEventInit : EventInit {\n var  
track: UnionAudioTrackOrTextTrackOrVideoTrack? /\* = null \*/\n get() = definedExternally\n set(value) =  
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun TrackEventInit(track:  
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,  
composed: Boolean? = false): TrackEventInit {\n val o = js("{}")\n o["track"] = track\n o["bubbles"] =  
bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n\n \*\*\n \* Exposes the  
JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n  
\*\n\npublic external abstract class HTMLMapElement : HTMLElement {\n open var name: String\n open val

areas: HTMLCollection\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n \*\n\npublic external abstract class HTMLAreaElement : HTMLInputElement, HTMLHyperlinkElementUtils {\n open var alt: String\n open var coords: String\n open var shape: String\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var referrerPolicy: String\n open var noHref: Boolean\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableElement : HTMLInputElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption(): Unit\n fun createTHead(): HTMLTableSectionElement\n fun deleteTHead(): Unit\n fun createTFoot(): HTMLTableSectionElement\n fun deleteTFoot(): Unit\n fun createTBody(): HTMLTableSectionElement\n fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n fun deleteRow(index: Int): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableCaptionElement : HTMLInputElement {\n open var align: String\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableColElement : HTMLInputElement {\n open var span: Int\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width: String\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableSectionElement : HTMLInputElement {\n open val rows: HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n fun insertRow(index: Int = definedExternally): HTMLInputElement\n fun deleteRow(index: Int): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableRowElement : HTMLInputElement {\n open val rowIndex: Int\n open val sectionRowIndex: Int\n open val cells: HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int = definedExternally): HTMLInputElement\n fun deleteCell(index: Int): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n \*\n\npublic external abstract class HTMLTableCellElement : HTMLInputElement {\n open var colSpan: Int\n open var rowSpan: Int\n open var headers: String\n open val cellIndex: Int\n open var scope: String\n open var abbr: String\n open var align: String\n open var axis: String\n open var height: String\n open var width: String\n open var ch: String\n open var chOff: String\n open var noWrap: Boolean\n open var vAlign: String\n open var bgColor: String\n}\n\n/\*\*\n \* Exposes the JavaScript

[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n \*\n\npublic external abstract class HTMLFormElement : HTMLInputElement {\n open var acceptCharset: String\n open var action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit(): Unit\n fun reset(): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n}\n\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n}\n\n/\*\*\n \* Exposes the JavaScript

Exposes the JavaScript

[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n \*\\npublic external abstract class HTMLLabelElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open var htmlFor: String\n open val control: HTMLInputElement?\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n \*\\npublic external abstract class HTMLInputElement : HTMLInputElement {\n open var accept: String\n open var alt: String\n open var autocomplete: String\n open var autofocus: Boolean\n open var defaultChecked: Boolean\n open var checked: Boolean\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open val files: FileList?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var height: Int\n open var indeterminate: Boolean\n open var inputMode: String\n open val list: HTMLInputElement?\n open var max: String\n open var maxLength: Int\n open var min: String\n open var minLength: Int\n open var multiple: Boolean\n open var name: String\n open var pattern: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var size: Int\n open var src: String\n open var step: String\n open var type: String\n open var defaultValue: String\n open var value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n open var align: String\n open var useMap: String\n fun stepUp(n: Int = definedExternally): Unit\n fun stepDown(n: Int = definedExternally): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n \*\\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n\*\*\n \* Exposes the JavaScript

[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n \*\\npublic external abstract class HTMLSelectElement : HTMLInputElement, ItemArrayLike<Element> {\n open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n override fun item(index: Int): Element?\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n\*\*\n \* Exposes the JavaScript

[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n \*\\npublic external abstract class HTMLDataListElement : HTMLInputElement {\n open val options:



```

HTMLCollection\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n  open var disabled: Boolean\n  open var label:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n  open var disabled: Boolean\n  open val form:
HTMLFormElement?\n  open var label: String\n  open var defaultSelected: Boolean\n  open var selected:
Boolean\n  open var value: String\n  open var text: String\n  open val index: Int\n}\n\n/**\n * Exposes the
JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n
*\npublic external open
class Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean =
definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override val style:
CSSStyleDeclaration\n  override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown: ((PointerEvent) ->
dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var onpointerup:
((PointerEvent) ->
dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover:
((PointerEvent) ->
dynamic)?\n  override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var
onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) ->
dynamic)?\n
override var onabort: ((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n
override var
oncancel: ((Event) -> dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var
oncanplaythrough: ((Event) -> dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override
var
onclick: ((MouseEvent) -> dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var
oncontextmenu: ((MouseEvent) -> dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n
override var
ondblclick: ((MouseEvent) -> dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override
var
ondragend: ((DragEvent) -> dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n
override var
ondragexit: ((DragEvent) -> dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n
override var
ondragover: ((DragEvent) -> dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n
override var
ondrop: ((DragEvent) -> dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n
override var
onemptied: ((Event) -> dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var
onerror:
((dynamic, String, Int, Int, Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) ->
dynamic)?\n  override
var oninput: ((InputEvent) -> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n
override var
onkeydown: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress: ((KeyboardEvent) ->
dynamic)?\n
override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) ->
dynamic)?\n  override
var onloadeddata: ((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) ->
dynamic)?\n  override
var onloadend: ((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) ->
dynamic)?\n  override
var onmousedown: ((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) ->
dynamic)?\n
override var onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) ->
dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover:
((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel:
((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) ->
dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) ->
dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) ->
dynamic)?\n
override var onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) ->
dynamic)?\n  override
var onseeked: ((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n
override var onselect:

```

```

((Event) -> dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) ->
dynamic)?\n  override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n
override var ontimeoutupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic):
Unit\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n  override fun before(vararg nodes: dynamic): Unit\n  override fun after(vararg nodes:
dynamic): Unit\n  override fun replaceWith(vararg nodes: dynamic): Unit\n  override fun remove(): Unit\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*/\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n  open var autocomplete: String\n
open var autofocus: Boolean\n  open var cols: Int\n  open var dirName: String\n  open var disabled: Boolean\n
open val form: HTMLFormElement?\n  open var inputMode: String\n  open var maxLength: Int\n  open var
minLength: Int\n  open var name: String\n  open var placeholder: String\n  open var readOnly: Boolean\n  open
var required: Boolean\n  open var rows: Int\n  open var wrap: String\n  open val type: String\n  open var
defaultValue: String\n  open var value: String\n  open val textLength: Int\n  open val willValidate: Boolean\n
open val validity: ValidityState\n  open val validationMessage: String\n  open val labels: NodeList\n  open var
selectionStart: Int?\n  open var selectionEnd: Int?\n  open var selectionDirection: String?\n  fun checkValidity():
Boolean\n  fun reportValidity(): Boolean\n  fun setCustomValidity(error: String): Unit\n  fun select(): Unit\n
fun setRangeText(replacement: String): Unit\n  fun setRangeText(replacement: String, start: Int, end: Int,
selectionMode: SelectionMode = definedExternally): Unit\n  fun setSelectionRange(start: Int, end: Int, direction:
String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*/\npublic external abstract class HTMLKeygenElement : HTMLElement {\n  open var autofocus: Boolean\n
open var challenge: String\n  open var disabled: Boolean\n  open val form: HTMLFormElement?\n  open var
keytype: String\n  open var name: String\n  open val type: String\n  open val willValidate: Boolean\n  open val
validity: ValidityState\n  open val validationMessage: String\n  open val labels: NodeList\n  fun checkValidity():
Boolean\n  fun reportValidity(): Boolean\n  fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the
JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to
Kotlin\n*/\npublic external abstract class HTMLOutputElement : HTMLElement {\n  open val htmlFor:
DOMTokenList\n  open val form: HTMLFormElement?\n  open var name: String\n  open val type: String\n
open var defaultValue: String\n  open var value: String\n  open val willValidate: Boolean\n  open val validity:
ValidityState\n  open val validationMessage: String\n  open val labels: NodeList\n  fun checkValidity():
Boolean\n  fun reportValidity(): Boolean\n  fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the
JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to
Kotlin\n*/\npublic external abstract class HTMLProgressElement : HTMLElement {\n  open var value: Double\n
open var max: Double\n  open val position: Double\n  open val labels: NodeList\n}\n\n/**\n * Exposes the
JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n
*/\npublic external abstract class HTMLMeterElement : HTMLElement {\n  open var value: Double\n  open var
min: Double\n  open var max: Double\n  open var low: Double\n  open var high: Double\n  open var optimum:
Double\n  open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin  
`*\npublic external abstract class HTMLFieldSetElement : HTMLInputElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n**\n * Exposes the JavaScript`

[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin  
`*\npublic external abstract class HTMLLegendElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open var align: String\n}\n\n**\n * Exposes the JavaScript`

[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin  
`*\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n**\n * Exposes the JavaScript`

[HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin  
`*\npublic external abstract class HTMLDetailsElement : HTMLInputElement {\n open var open: Boolean\n}\n\npublic external abstract class HTMLMenuElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val relatedTarget: EventTarget?\n}\n\npublic external interface RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n val o = js("{}")\n o["relatedTarget"] = relatedTarget\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript`

[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin  
`*\npublic external abstract class HTMLDialogElement : HTMLInputElement {\n open var open: Boolean\n open var returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun close(returnValue: String = definedExternally): Unit\n}\n\n**\n * Exposes the JavaScript`

[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin  
`*\npublic external abstract class HTMLScriptElement : HTMLInputElement, HTMLScriptElement, HTMLScriptElement {\n open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open var event: String\n open var htmlFor: String\n}\n\n**\n * Exposes the JavaScript`

[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin  
`*\npublic external abstract class HTMLTemplateElement : HTMLInputElement {\n open val content: DocumentFragment\n}\n\n**\n * Exposes the JavaScript`

[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin  
`*\npublic external abstract class HTMLSlotElement : HTMLInputElement {\n open var name: String\n fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n}\n\npublic external interface AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n val o = js("{}")\n o["flatten"] = flatten\n return o\n}\n\n**\n * Exposes the JavaScript`

[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin

```

*\npublic external abstract class HTMLCanvasElement : HTMLElement, TexImageSource {\n  open var width:
Int\n  open var height: Int\n  fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n
fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n  fun
toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally):
Unit\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n  var alpha: Boolean? /* = true *\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n  val o =
js("{}")\n  o["alpha"] = alpha\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n  fun save(): Unit\n  fun
restore(): Unit\n}\n\npublic external interface CanvasTransform {\n  fun scale(x: Double, y: Double): Unit\n  fun
rotate(angle: Double): Unit\n  fun translate(x: Double, y: Double): Unit\n  fun transform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double): Unit\n  fun getTransform(): DOMMatrix\n  fun setTransform(a:
Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n  fun setTransform(transform: dynamic =
definedExternally): Unit\n  fun resetTransform(): Unit\n}\n\npublic external interface CanvasCompositing {\n
var globalAlpha: Double\n  var globalCompositeOperation: String\n}\n\npublic external interface
CanvasImageSmoothing {\n  var imageSmoothingEnabled: Boolean\n  var imageSmoothingQuality:
ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n  var strokeStyle: dynamic\n
var fillStyle: dynamic\n  fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double):
CanvasGradient\n  fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1:
Double): CanvasGradient\n  fun createPattern(image: dynamic, repetition: String): CanvasPattern?\n}\n\npublic
external interface CanvasShadowStyles {\n  var shadowOffsetX: Double\n  var shadowOffsetY: Double\n  var
shadowBlur: Double\n  var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n  var filter:
String\n}\n\npublic external interface CanvasRect {\n  fun clearRect(x: Double, y: Double, w: Double, h: Double):
Unit\n  fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\n  fun strokeRect(x: Double, y: Double, w:
Double, h: Double): Unit\n}\n\npublic external interface CanvasDrawPath {\n  fun beginPath(): Unit\n  fun
fill(fillRule: CanvasFillRule = definedExternally): Unit\n  fun fill(path: Path2D, fillRule: CanvasFillRule =
definedExternally): Unit\n  fun stroke(): Unit\n  fun stroke(path: Path2D): Unit\n  fun clip(fillRule:
CanvasFillRule = definedExternally): Unit\n  fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally):
Unit\n  fun resetClip(): Unit\n  fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule =
definedExternally): Boolean\n  fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule =
definedExternally): Boolean\n  fun isPointInStroke(x: Double, y: Double): Boolean\n  fun isPointInStroke(path:
Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n  fun
drawFocusIfNeeded(element: Element): Unit\n  fun drawFocusIfNeeded(path: Path2D, element: Element): Unit\n
fun scrollPathIntoView(): Unit\n  fun scrollPathIntoView(path: Path2D): Unit\n}\n\npublic external interface
CanvasText {\n  fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n
fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n  fun
measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n  fun
drawImage(image: dynamic, dx: Double, dy: Double): Unit\n  fun drawImage(image: dynamic, dx: Double, dy:
Double, dw: Double, dh: Double): Unit\n  fun drawImage(image: dynamic, sx: Double, sy: Double, sw: Double,
sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n}\n\npublic external interface
CanvasHitRegion {\n  fun addHitRegion(options: HitRegionOptions = definedExternally): Unit\n  fun
removeHitRegion(id: String): Unit\n  fun clearHitRegions(): Unit\n}\n\npublic external interface
CanvasImageData {\n  fun createImageData(sw: Double, sh: Double): ImageData\n  fun

```

```

createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh:
Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double,
dirtyHeight: Double): Unit\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n
var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset:
Double\n fun setLineDash(segments: Array<Double>): Unit\n fun getLineDash(): Array<Double>\n\npublic
external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var
textBaseline: CanvasTextBaseline\n var direction: CanvasDirection\n\npublic external interface CanvasPath
{\n fun closePath(): Unit\n fun moveTo(x: Double, y: Double): Unit\n fun lineTo(x: Double, y: Double):
Unit\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n fun bezierCurveTo(cp1x:
Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n fun arcTo(x1: Double, y1:
Double, x2: Double, y2: Double, radius: Double): Unit\n fun arcTo(x1: Double, y1: Double, x2: Double, y2:
Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n fun rect(x: Double, y: Double, w: Double, h:
Double): Unit\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean = definedExternally): Unit\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY:
Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally):
Unit\n\n\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n *\npublic external
abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String): Unit\n\n\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n *\npublic
external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally):
Unit\n\n\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n *\npublic external abstract
class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft: Double\n open val
actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO *\n get() = definedExternally\n set(value) = definedExternally\n var id:
String? /* = \"\" *\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /*
= null *\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
*\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null *\n
get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n var role: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n val o = js(\"{\}\")\n\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] =
id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n\n return o\n\n\n * Exposes the JavaScript
[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n *\npublic external open class
ImageData : TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int,
sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data:
Uint8ClampedArray\n\n\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n *\npublic external open class
Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule:

```

```

CanvasFillRule = definedExternally)\n  constructor(d: String)\n  fun addPath(path: Path2D, transform: dynamic =
definedExternally): Unit\n  override fun closePath(): Unit\n  override fun moveTo(x: Double, y: Double): Unit\n
override fun lineTo(x: Double, y: Double): Unit\n  override fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double): Unit\n  override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double,
x: Double, y: Double): Unit\n  override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius:
Double): Unit\n  override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY:
Double, rotation: Double): Unit\n  override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n  override
fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* =
definedExternally */): Unit\n  override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double,
rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */):
Unit\n}\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to
Kotlin\n */\npublic external abstract class Touch {\n  open val region: String?\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n  open val canvas:
HTMLCanvasElement\n  fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\n}\n\npublic external
interface ImageBitmapRenderingContextSettings {\n  var alpha: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n  val o
= js("{}")\n  o["alpha"] = alpha\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\npublic external abstract class CustomElementRegistry {\n  fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally): Unit\n  fun get(name: String): Any?\n  fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n  var
extends: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String?
= undefined): ElementDefinitionOptions {\n  val o = js("{}")\n  o["extends"] = extends\n  return
o\n}\n\npublic external interface ElementContentEditable {\n  var contentEditable: String\n  val
isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\npublic external
abstract class DataTransfer {\n  open var dropEffect: String\n  open var effectAllowed: String\n  open val items:
DataTransferItemList\n  open val types: Array<out String>\n  open val files: FileList\n  fun
setDragImage(image: Element, x: Int, y: Int): Unit\n  fun getData(format: String): String\n  fun setData(format:
String, data: String): Unit\n  fun clearData(format: String = definedExternally): Unit\n}\n\n/**\n * Exposes the
JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to
Kotlin\n */\npublic external abstract class DataTransferItemList {\n  open val length: Int\n  fun add(data: String,
type: String): DataTransferItem?\n  fun add(data: File): DataTransferItem?\n  fun remove(index: Int): Unit\n  fun
clear(): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int):
DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic
external abstract class DataTransferItem {\n  open val kind: String\n  open val type: String\n  fun
getAsString(_callback: ((String) -> Unit)?): Unit\n  fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n */\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n  open val
dataTransfer: DataTransfer?\n}\n\npublic external interface DragEventInit : MouseEventInit {\n  var dataTransfer:
DataTransfer? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer?
= null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? =
0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? =

```

```

false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n  val o =
js(\("{ }\)")\n\n  o["dataTransfer"] = dataTransfer\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n
o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] = buttons\n
o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] =
altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\npublic external abstract class BarProp {\n  open val visible: Boolean\n}\n\n**\n *
Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n *\n\npublic
external abstract class History {\n  open val length: Int\n  open var scrollRestoration: ScrollRestoration\n  open
val state: Any?\n  fun go(delta: Int = definedExternally): Unit\n  fun back(): Unit\n  fun forward(): Unit\n  fun
pushState(data: Any?, title: String, url: String? = definedExternally): Unit\n  fun replaceState(data: Any?, title:
String, url: String? = definedExternally): Unit\n}\n\n**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n *\n\npublic external abstract class
Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host:
String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search:
String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url: String): Unit\n
fun replace(url: String): Unit\n  fun reload(): Unit\n}\n\n**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\n\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
state: Any?\n}\n\npublic external interface PopStateEventInit : EventInit {\n  var state: Any? /* = null */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean?
= false): PopStateEventInit {\n  val o = js(\("{ }\)")\n\n  o["state"] = state\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\n\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n  open val oldURL: String\n  open val newURL: String\n}\n\npublic external interface
HashChangeEventInit : EventInit {\n  var oldURL: String? /* = "" */\n  get() = definedExternally\n
set(value) = definedExternally\n  var newURL: String? /* = "" */\n  get() = definedExternally\n  set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun HashChangeEventInit(oldURL: String? =
"", newURL: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
HashChangeEventInit {\n  val o = js(\("{ }\)")\n\n  o["oldURL"] = oldURL\n  o["newURL"] = newURL\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\n\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n  open val persisted: Boolean\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n  var
persisted: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun PageTransitionEventInit(persisted: Boolean?
= false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):

```

```

PageTransitionEventInit {
    val o = js("{}")
    o["persisted"] = persisted
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin */
public external open class BeforeUnloadEvent : Event {
    var returnValue: String

    public external abstract class ApplicationCache : EventTarget {
        open val status: Short
        open var onchecking: ((Event) -> dynamic)?
        open var onerror: ((Event) -> dynamic)?
        open var onnoupdate: ((Event) -> dynamic)?
        open var ondownloading: ((Event) -> dynamic)?
        open var onprogress: ((ProgressEvent) -> dynamic)?
        open var onunupdateready: ((Event) -> dynamic)?
        open var oncached: ((Event) -> dynamic)?
        open var onobsolete: ((Event) -> dynamic)?
        fun update(): Unit
        fun abort(): Unit
        fun swapCache(): Unit
    }

    companion object {
        val UNCACHED: Short
        val IDLE: Short
        val CHECKING: Short
        val DOWNLOADING: Short
        val UPDATEREADY: Short
        val OBSOLETE: Short
    }
}

/** Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin */
public external interface NavigatorOnLine {
    val onLine: Boolean
}

/** Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin */
public external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {
    open val message: String
    open val filename: String
    open val lineno: Int
    open val colno: Int
    open val error: Any?

    public external interface ErrorEventInit : EventInit {
        var message: String? /* = "" */
        get() = definedExternally
        set(value) = definedExternally
        var filename: String? /* = "" */
        get() = definedExternally
        set(value) = definedExternally
        var lineno: Int? /* = 0 */
        get() = definedExternally
        set(value) = definedExternally
        var colno: Int? /* = 0 */
        get() = definedExternally
        set(value) = definedExternally
        var error: Any? /* = null */
        get() = definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {
        val o = js("{}")
        o["message"] = message
        o["filename"] = filename
        o["lineno"] = lineno
        o["colno"] = colno
        o["error"] = error
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return o
    }
}

/** Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin */
public external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {
    open val promise: Promise<Any?>
    open val reason: Any?

    public external interface PromiseRejectionEventInit : EventInit {
        var promise: Promise<Any?>
        get() = definedExternally
        set(value) = definedExternally
        var reason: Any?
        get() = definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {
        val o = js("{}")
        o["promise"] = promise
        o["reason"] = reason
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return o
    }
}

/** Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin */
public external interface GlobalEventHandlers {
    var ongotpointercapture: ((PointerEvent) -> dynamic)?
    var onlostpointercapture: ((PointerEvent) -> dynamic)?
    var onpointerdown: ((PointerEvent) -> dynamic)?
    var onpointermove: ((PointerEvent) -> dynamic)?
    var onpointerup: ((PointerEvent) -> dynamic)?
    var onpointercancel: ((PointerEvent) -> dynamic)?
    var onpointerover: ((PointerEvent) -> dynamic)?
    var onpointerout: ((PointerEvent) -> dynamic)?
    var onpointerenter: ((PointerEvent) -> dynamic)?
    var onpointerleave: ((PointerEvent) -> dynamic)?
    var onabort: ((Event) -> dynamic)?
    var onblur: ((FocusEvent) -> dynamic)?
    var oncancel: ((Event) -> dynamic)?
    var oncanplay: ((Event) -> dynamic)?
    var oncanplaythrough: ((Event) -> dynamic)?
    var onchange: ((Event) -> dynamic)?
    var onclick: ((MouseEvent) -> dynamic)?
    var onclose: ((Event) -> dynamic)?
    var oncontextmenu: ((MouseEvent) -> dynamic)?
    var oncuechange: ((Event) -> dynamic)?
    var ondblclick: ((MouseEvent) -> dynamic)?
    var ondrag: ((DragEvent)

```



```

-> dynamic)?\n var ondragend: ((DragEvent) -> dynamic)?\n var ondragenter: ((DragEvent) -> dynamic)?\n
var ondragexit: ((DragEvent) -> dynamic)?\n var ondragleave: ((DragEvent) -> dynamic)?\n var ondragover:
((DragEvent) -> dynamic)?\n var ondragstart: ((DragEvent) -> dynamic)?\n var ondrop: ((DragEvent) ->
dynamic)?\n var ondurationchange: ((Event) -> dynamic)?\n var onemptied: ((Event) -> dynamic)?\n var
onended: ((Event) -> dynamic)?\n var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n var onfocus:
((FocusEvent) -> dynamic)?\n var oninput: ((InputEvent) -> dynamic)?\n var oninvalid: ((Event) -> dynamic)?\n
var onkeydown: ((KeyboardEvent) -> dynamic)?\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n var
onkeyup: ((KeyboardEvent) -> dynamic)?\n var onload: ((Event) -> dynamic)?\n var onloadeddata: ((Event) ->
dynamic)?\n var onloadedmetadata: ((Event) -> dynamic)?\n var onloadend: ((Event) -> dynamic)?\n var
onloadstart: ((ProgressEvent) -> dynamic)?\n var onmousedown: ((MouseEvent) -> dynamic)?\n var
onmouseenter: ((MouseEvent) -> dynamic)?\n var onmouseleave: ((MouseEvent) -> dynamic)?\n var
onmousemove: ((MouseEvent) -> dynamic)?\n var onmouseout: ((MouseEvent) -> dynamic)?\n var
onmouseover: ((MouseEvent) -> dynamic)?\n var onmouseup: ((MouseEvent) -> dynamic)?\n var onwheel:
((WheelEvent) -> dynamic)?\n var onpause: ((Event) -> dynamic)?\n var onplay: ((Event) -> dynamic)?\n var
onplaying: ((Event) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onratechange: ((Event)
-> dynamic)?\n var onreset: ((Event) -> dynamic)?\n var onresize: ((Event) -> dynamic)?\n var onscroll:
((Event) -> dynamic)?\n var onseeked: ((Event) -> dynamic)?\n var onseeking: ((Event) -> dynamic)?\n var
onselect: ((Event) -> dynamic)?\n var onshow: ((Event) -> dynamic)?\n var onstalled: ((Event) -> dynamic)?\n
var onsubmit: ((Event) -> dynamic)?\n var onsuspend: ((Event) -> dynamic)?\n var ontimeupdate: ((Event) ->
dynamic)?\n var ontoggle: ((Event) -> dynamic)?\n var onvolumechange: ((Event) -> dynamic)?\n var
onwaiting: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n var
onbeforeprint: ((Event) -> dynamic)?\n var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\n var
onhashchange: ((HashChangeEvent) -> dynamic)?\n var onlanguagechange: ((Event) -> dynamic)?\n var
onmessage: ((MessageEvent) -> dynamic)?\n var onoffline: ((Event) -> dynamic)?\n var online: ((Event) ->
dynamic)?\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n var onpageshow: ((PageTransitionEvent) -
> dynamic)?\n var onpopstate: ((PopStateEvent) -> dynamic)?\n var onrejectionhandled: ((Event) ->
dynamic)?\n var onstorage: ((StorageEvent) -> dynamic)?\n var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n var onunload: ((Event) -> dynamic)?\n}\n\npublic external interface
DocumentAndElementEventHandlers {\n var oncopy: ((ClipboardEvent) -> dynamic)?\n var oncut:
((ClipboardEvent) -> dynamic)?\n var onpaste: ((ClipboardEvent) -> dynamic)?\n}\n\n/**\n * Exposes the
JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*\npublic external interface WindowOrWorkerGlobalScope {\n val caches: CacheStorage\n val
origin: String\n fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n fun
toa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler: dynamic, timeout: Int =
definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int = definedExternally): Unit\n fun
setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun
clearInterval(handle: Int = definedExternally): Unit\n fun createImageBitmap(image: dynamic, options:
ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image: dynamic,
sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n
*\npublic external interface NavigatorID {\n val appCodeName: String\n val appName: String\n val appVersion: String\n val platform:
String\n val product: String\n val productSub: String\n val userAgent: String\n val vendor: String\n val
vendorSub: String\n val oscpu: String\n fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n
*\npublic

```

```

external interface NavigatorLanguage {\n  val language: String\n  val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n  fun registerProtocolHandler(scheme: String, url: String, title: String):
Unit\n  fun registerContentHandler(mimeType: String, url: String, title: String): Unit\n  fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n  fun isContentHandlerRegistered(mimeType:
String, url: String): String\n  fun unregisterProtocolHandler(scheme: String, url: String): Unit\n  fun
unregisterContentHandler(mimeType: String, url: String): Unit}\n\n\npublic external interface NavigatorCookies
{\n  val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\n\npublic
external interface NavigatorPlugins {\n  val plugins: PluginArray\n  val mimeTypes: MimeTypeArray\n  fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\n\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n  override val length: Int\n  fun refresh(reload: Boolean =
definedExternally): Unit\n  override fun item(index: Int): Plugin?\n  fun namedItem(name: String):
Plugin?\n}\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? =
asDynamic()[name]\n\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\n\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n  override val length: Int\n  override fun
item(index: Int): MimeType?\n  fun namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly inline
operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly
inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n\n/**\n * Exposes the
JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\n\npublic external abstract
class Plugin : ItemArrayLike<MimeType> {\n  open val name: String\n  open val description: String\n  open val
filename: String\n  override val length: Int\n  override fun item(index: Int): MimeType?\n  fun namedItem(name:
String): MimeType?\n}\n\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int): MimeType? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String): MimeType? =
asDynamic()[name]\n\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\n\npublic external abstract
class MimeType {\n  open val type: String\n  open val description: String\n  open val suffixes: String\n  open
val enabledPlugin: Plugin\n}\n\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\n\npublic external
abstract class ImageBitmap : TexImageSource {\n  open val width: Int\n  open val height: Int\n  fun close():
Unit\n}\n\n\npublic external interface ImageBitmapOptions {\n  var imageOrientation: ImageOrientation? /* =
ImageOrientation.NONE */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n  get() = definedExternally\n
set(value) = definedExternally\n  var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
resizeWidth: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var resizeHeight: Int?\n
get() = definedExternally\n  set(value) = definedExternally\n  var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n  val o = js("{}")\n\n  o["imageOrientation"] = imageOrientation\n  o["premultiplyAlpha"] = premultiplyAlpha\n
o["colorSpaceConversion"] = colorSpaceConversion\n  o["resizeWidth"] = resizeWidth\n  o["resizeHeight"]
= resizeHeight\n  o["resizeQuality"] = resizeQuality\n\n  return o\n}\n\n\n/**\n * Exposes the JavaScript

```

[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n \*/\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin: String\n open val lastEventId: String\n open val source: UnionMessagePortOrWindow?\n open val ports: Array<out MessagePort>\n fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindow?, ports: Array<MessagePort>): Unit\n}\n\npublic external interface MessageEventInit : EventInit {\n var data: Any? /\* = null \*/\n get() = definedExternally\n set(value) = definedExternally\n var origin: String? /\* = \"\" \*/\n get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String? /\* = \"\" \*/\n get() = definedExternally\n set(value) = definedExternally\n var source: UnionMessagePortOrWindow? /\* = null \*/\n get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>? /\* = arrayOf() \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/\*\*\n \* Exposes the JavaScript

[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n \*/\npublic external open class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n open val url: String\n open val withCredentials: Boolean\n open val readyState: Short\n var onopen: ((Event) -> dynamic)?\n var onmessage: ((MessageEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n fun close(): Unit\n\n companion object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSED: Short\n }\n}\n\npublic external interface EventSourceInit {\n var withCredentials: Boolean? /\* = false \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n val o = js(\"({})\")\n o[\"withCredentials\"] = withCredentials\n return o\n}\n\n/\*\*\n \* Exposes the JavaScript

[WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n \*/\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n open val url: String\n open val readyState: Short\n open val bufferedAmount: Int\n var onopen: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onclose: ((Event) -> dynamic)?\n open val extensions: String\n open val protocol: String\n var onmessage: ((MessageEvent) -> dynamic)?\n var binaryType: BinaryType\n fun close(code: Short = definedExternally, reason: String = definedExternally): Unit\n fun send(data: String): Unit\n fun send(data: Blob): Unit\n fun send(data: ArrayBuffer): Unit\n fun send(data: ArrayBufferView): Unit\n\n companion object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSING: Short\n val CLOSED: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n \*/\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n open val wasClean: Boolean\n open val code: Short\n open val reason: String\n}\n\npublic external interface CloseEventInit : EventInit {\n var wasClean: Boolean? /\* = false \*/\n get() = definedExternally\n set(value) = definedExternally\n var code: Short? /\* = 0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var reason: String? /\* = \"\" \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n val o = js(\"({})\")\n o[\"wasClean\"] = wasClean\n o[\"code\"] = code\n o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/\*\*\n \* Exposes the JavaScript

[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n \*/\npublic external

```

open class MessageChannel {\n  open val port1: MessagePort\n  open val port2: MessagePort}\n\n/**\n * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n */\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow,\nUnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open var onmessage:\n((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =\ndefinedExternally): Unit\n  fun start(): Unit\n  fun close(): Unit}\n\n/**\n * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic external open class BroadcastChannel(name: String) : EventTarget {\n  open val name: String\n  var onmessage:\n((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?): Unit\n  fun close(): Unit}\n\n/**\n * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n */\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,\nGlobalPerformance {\n  open val self: WorkerGlobalScope\n  open val location: WorkerLocation\n  open val navigator: WorkerNavigator\n  open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  open var onlanguagechange: ((Event) -> dynamic)?\n  open var onoffline: ((Event) -> dynamic)?\n  open var ononline: ((Event) -> dynamic)?\n  open var onrejectionhandled: ((Event) -> dynamic)?\n  open var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n  fun importScripts(vararg urls: String): Unit}\n\n/**\n * Exposes the JavaScript [DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n  fun close(): Unit}\n\n/**\n * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n  open val name: String\n  open val applicationCache: ApplicationCache\n  open var onconnect: ((Event) -> dynamic)?\n  fun close(): Unit}\n\n/**\n * Exposes the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external interface AbstractWorker {\n  var onerror: ((Event) -> dynamic)?}\n\n/**\n * Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n  var onmessage: ((MessageEvent) -> dynamic)?\n  override var onerror: ((Event) -> dynamic)?\n  fun terminate(): Unit\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit}\n\npublic external interface WorkerOptions {\n  var type: WorkerType? /* = WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) = definedExternally\n  var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n  val o = js("{}")\n  o["type"] = type\n  o["credentials"] = credentials\n  return o\n}\n\n/**\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n  open val port: MessagePort\n  override var onerror: ((Event) -> dynamic)?}\n\n/**\n * Exposes the JavaScript [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n  val hardwareConcurrency: Int}\n\n/**\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n  open val serviceWorker: ServiceWorkerContainer}\n\n/**\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */

```

```

*\npublic external abstract class WorkerLocation {\n  open var href: String\n  open val origin: String\n  open val protocol: String\n  open val host: String\n  open val hostname: String\n  open val port: String\n  open val pathname: String\n  open val search: String\n  open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\n\npublic external abstract class Storage {\n  open val length: Int\n  fun key(index: Int): String?\n  fun getItem(key: String): String?\n  fun setItem(key: String, value: String): Unit\n  fun removeItem(key: String): Unit\n  fun clear(): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit { asDynamic()[key] = value; }\n\n/**\n * Exposes the JavaScript [WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\n\npublic external interface WindowSessionStorage {\n  val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\n\npublic external interface WindowLocalStorage {\n  val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\n\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n  open val key: String?\n  open val oldValue: String?\n  open val newValue: String?\n  open val url: String\n  open val storageArea: Storage?\n}\n\npublic external interface StorageEventInit : EventInit {\n  var key: String? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n  var oldValue: String? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n  var newValue: String? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n  var url: String? /* = \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var storageArea: Storage? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n  val o = js("{}")\n  o["key"] = key\n  o["oldValue"] = oldValue\n  o["newValue"] = newValue\n  o["url"] = url\n  o["storageArea"] = storageArea\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\npublic external abstract class HTMLAppletElement : HTMLElement {\n  open var align: String\n  open var alt: String\n  open var archive: String\n  open var code: String\n  open var codeBase: String\n  open var height: String\n  open var hspace: Int\n  open var name: String\n  open var _object: String\n  open var vspace: Int\n  open var width: String\n}\n\n/**\n * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n */\n\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n  open var behavior: String\n  open var bgColor: String\n  open var direction: String\n  open var height: String\n  open var hspace: Int\n  open var loop: Int\n  open var scrollAmount: Int\n  open var scrollDelay: Int\n  open var trueSpeed: Boolean\n  open var vspace: Int\n  open var width: String\n  open var onbounce: ((Event) -> dynamic)?\n  open var onfinish: ((Event) -> dynamic)?\n  open var onstart: ((Event) -> dynamic)?\n  fun start(): Unit\n  fun stop(): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n */\n\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n  open var cols: String\n  open var rows: String\n}\n\npublic external abstract class HTMLFrameElement : HTMLElement {\n  open var name: String\n  open var scrolling: String\n  open var src: String\n  open var frameBorder: String\n  open var longDesc: String\n  open var noResize: Boolean\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open var marginHeight: String\n  open var marginWidth: String\n}\n\npublic external abstract class HTMLDirectoryElement : HTMLElement {\n  open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\n\npublic external abstract class HTMLFontElement : HTMLElement {\n  open var color: String\n  open var face: String\n  open var size: String\n}\n\npublic external interface External {\n  fun

```

```

AddSearchProvider(): Unit\n fun IsSearchProviderInstalled(): Unit\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n var
cancelable: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n var
composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js("{}")\n    o["bubbles"] =
bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?):
Unit\n}\n\npublic external interface CustomEventInit : EventInit {\n    var detail: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean?
= false): CustomEventInit {\n    val o = js("{}")\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\npublic external interface
EventListenerOptions {\n    var capture: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? =
false): EventListenerOptions {\n    val o = js("{}")\n    o["capture"] = capture\n    return o\n}\n\npublic
external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n var once: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false):
AddEventListenerOptions {\n    val o = js("{}")\n    o["passive"] = passive\n    o["once"] = once\n
o["capture"] = capture\n    return o\n}\n\npublic external interface NonElementParentNode {\n    fun
getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n */\n
public external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n}\n\n/**\n * Exposes
the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic
external interface ParentNode {\n    val children: HTMLCollection\n    val firstElementChild: Element?\n    val
lastElementChild: Element?\n    val childElementCount: Int\n    fun prepend(vararg nodes: dynamic): Unit\n    fun
append(vararg nodes: dynamic): Unit\n    fun querySelector(selectors: String): Element?\n    fun
querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n
val nextElementSibling: Element?\n}\n\n/**\n * Exposes the JavaScript
[ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n */\npublic external interface
ChildNode {\n    fun before(vararg nodes: dynamic): Unit\n    fun after(vararg nodes: dynamic): Unit\n    fun
replaceWith(vararg nodes: dynamic): Unit\n    fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable
{\n    val assignedSlot: HTMLSlotElement?\n}\n\n/**\n * Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class
NodeList : ItemArrayLike<Node> {\n    override val length: Int\n    override fun item(index: Int):
Node?\n}\n\n@kotlin.internal.InlineOnly inline operator fun NodeList.get(index: Int): Node? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic
external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {\n
override val length: Int\n    override fun item(index: Int): Element?\n    fun namedItem(name: String):
Element?\n}\n\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(index: Int): Element? =

```

```

asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(name: String): Element?
= asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n *\npublic
external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n fun
observe(target: Node, options: MutationObserverInit = definedExternally): Unit\n fun disconnect(): Unit\n fun
takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*\npublic external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var attributes: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var characterData: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var subtree: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var attributeOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var characterDataOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var attributeFilter: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? =
undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? =
undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n val o = js("{}")\n\n
o["childList"] = childList\n o["attributes"] = attributes\n o["characterData"] = characterData\n
o["subtree"] = subtree\n o["attributeOldValue"] = attributeOldValue\n o["characterDataOldValue"] =
characterDataOldValue\n o["attributeFilter"] = attributeFilter\n return o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n *\npublic external
abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes:
NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling:
Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n *\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val
nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument:
Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes:
NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n
open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun
normalize(): Unit\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode:
Node?): Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other:
Node): Short\n fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun
lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun
insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node:
Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean?
= false): GetRootNodeOptions {\n  val o = js("{}")\n  o["composed"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external
open class XMLDocument : Document {\n  override fun getElementById(elementId: String): Element?\n
override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic): Unit\n
override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String):
NodeList\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n
  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\npublic external interface ElementCreationOptions {\n  @JsName("is")
var is_: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(is_: String? =
undefined): ElementCreationOptions {\n  val o = js("{}")\n  o["is"] = is_\n  return o\n}\n\n/**\n *
Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n
*/\npublic external abstract class DOMImplementation {\n  fun createDocumentType(qualifiedName: String,
publicId: String, systemId: String): DocumentType\n  fun createDocument(namespace: String?, qualifiedName:
String, doctype: DocumentType? = definedExternally): XMLDocument\n  fun createHTMLDocument(title: String
= definedExternally): Document\n  fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external
abstract class DocumentType : Node, ChildNode {\n  open val name: String\n  open val publicId: String\n  open
val systemId: String\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override fun getElementById(elementId: String): Element?\n  override fun
prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic): Unit\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String):
NodeList\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n  open val mode: ShadowRootMode\n  open val
host: Element\n  override val fullscreenElement: Element?\n  override fun getElementById(elementId:
String): Element?\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes:
dynamic): Unit\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList,
UnionElementOrMouseEvent {\n  open var innerHTML: String\n  open var outerHTML: String\n  open val
namespaceURI: String?\n  open val prefix: String?\n  open val localName: String\n  open val tagName: String\n
open var id: String\n  open var className: String\n  open val classList: DOMTokenList\n  open var slot:
String\n  open val attributes: NamedNodeMap\n  open val shadowRoot: ShadowRoot?\n  open var scrollTop:
Double\n  open var scrollLeft: Double\n  open val scrollWidth: Int\n  open val scrollHeight: Int\n  open val
clientTop: Int\n  open val clientLeft: Int\n  open val clientWidth: Int\n  open val clientHeight: Int\n  fun
requestFullscreen(): Promise<Unit>\n  fun setPointerCapture(pointerId: Int): Unit\n  fun

```



```

releasePointerCapture(pointerId: Int): Unit\n fun hasPointerCapture(pointerId: Int): Boolean\n fun
insertAdjacentHTML(position: String, text: String): Unit\n fun hasAttributes(): Boolean\n fun
getAttributeNames(): Array<String>\n fun getAttribute(qualifiedName: String): String?\n fun
getAttributeNS(namespace: String?, localName: String): String?\n fun setAttribute(qualifiedName: String, value:
String): Unit\n fun setAttributeNS(namespace: String?, qualifiedName: String, value: String): Unit\n fun
removeAttribute(qualifiedName: String): Unit\n fun removeAttributeNS(namespace: String?, localName: String):
Unit\n fun hasAttribute(qualifiedName: String): Boolean\n fun hasAttributeNS(namespace: String?, localName:
String): Boolean\n fun getAttributeNode(qualifiedName: String): Attr?\n fun getAttributeNodeNS(namespace:
String?, localName: String): Attr?\n fun setAttributeNode(attr: Attr): Attr?\n fun setAttributeNodeNS(attr: Attr):
Attr?\n fun removeAttributeNode(attr: Attr): Attr?\n fun attachShadow(init: ShadowRootInit): ShadowRoot\n
fun closest(selectors: String): Element?\n fun matches(selectors: String): Boolean\n fun
webkitMatchesSelector(selectors: String): Boolean\n fun getElementsByTagName(qualifiedName: String):
HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n
fun getElementsByClassName(classNames: String): HTMLCollection\n fun insertAdjacentElement(when: String,
element: Element): Element?\n fun insertAdjacentText(when: String, data: String): Unit\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun scrollIntoView(): Unit\n fun
scrollIntoView(arg: dynamic): Unit\n fun scroll(options: ScrollToOptions = definedExternally): Unit\n fun
scroll(x: Double, y: Double): Unit\n fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n fun
scrollTo(x: Double, y: Double): Unit\n fun scrollBy(options: ScrollToOptions = definedExternally): Unit\n fun
scrollBy(x: Double, y: Double): Unit\n}\n\npublic external interface ShadowRootInit {\n var mode:
ShadowRootMode?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n val o = js("{}")\n o["mode"] = mode\n return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n override val length: Int\n
override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun
setNamedItemNS(attr: Attr): Attr?\n fun removeNamedItem(qualifiedName: String): Attr?\n fun
removeNamedItemNS(namespace: String?, localName: String): Attr?\n}\n\n@kotlin.internal.InlineOnly inline operator
fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class
Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n
open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open
val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String): Unit\n fun
insertData(offset: Int, data: String): Unit\n fun deleteData(offset: Int, count: Int): Unit\n fun replaceData(offset:
Int, count: Int, data: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override
val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot:
HTMLSlotElement?\n fun splitText(offset: Int): Text\n override fun before(vararg nodes: dynamic): Unit\n
override fun after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n
override fun remove(): Unit\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect:

```

DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /\* = definedExternally \*/): DOMQuad\n  
 override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /\* =  
 definedExternally \*/): DOMPoint\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n \*/\npublic external  
 open class CDATASection : Text {\n override fun before(vararg nodes: dynamic): Unit\n override fun  
 after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n override fun  
 remove(): Unit\n override fun getBoxQuads(options: BoxQuadOptions /\* = definedExternally \*/):  
 Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:  
 ConvertCoordinateOptions /\* = definedExternally \*/): DOMQuad\n override fun convertRectFromNode(rect:  
 DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /\* = definedExternally \*/): DOMQuad\n  
 override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /\* =  
 definedExternally \*/): DOMPoint\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n  
 \*/\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,  
 UnionElementOrProcessingInstruction {\n open val target: String\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n \*/\npublic external open class  
 Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling: Element?\n  
 override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic): Unit\n override fun  
 after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n override fun  
 remove(): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n \*/\npublic external open class Range {\n  
 open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val  
 endOffset: Int\n open val collapsed: Boolean\n open val commonAncestorContainer: Node\n fun  
 createContextualFragment(fragment: String): DocumentFragment\n fun setStart(node: Node, offset: Int): Unit\n  
 fun setEnd(node: Node, offset: Int): Unit\n fun setStartBefore(node: Node): Unit\n fun setStartAfter(node:  
 Node): Unit\n fun setEndBefore(node: Node): Unit\n fun setEndAfter(node: Node): Unit\n fun  
 collapse(toStart: Boolean = definedExternally): Unit\n fun selectNode(node: Node): Unit\n fun  
 selectNodeContents(node: Node): Unit\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n  
 fun deleteContents(): Unit\n fun extractContents(): DocumentFragment\n fun cloneContents():  
 DocumentFragment\n fun insertNode(node: Node): Unit\n fun surroundContents(newParent: Node): Unit\n  
 fun cloneRange(): Range\n fun detach(): Unit\n fun isPointInRange(node: Node, offset: Int): Boolean\n fun  
 comparePoint(node: Node, offset: Int): Short\n fun intersectsNode(node: Node): Boolean\n fun getClientRects():  
 Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n\n companion object {\n val  
 START\_TO\_START: Short\n val START\_TO\_END: Short\n val END\_TO\_END: Short\n val  
 END\_TO\_START: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n \*/\npublic external abstract  
 class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val  
 pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun  
 nextNode(): Node?\n fun previousNode(): Node?\n fun detach(): Unit\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n \*/\npublic external abstract  
 class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open  
 var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun  
 previousSibling(): Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode():  
 Node?\n}\n\n/\*\*\n \* Exposes the JavaScript  
 [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n \*/\npublic external interface  
 NodeFilter {\n fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER\_ACCEPT:  
 Short\n val FILTER\_REJECT: Short\n val FILTER\_SKIP: Short\n val SHOW\_ALL: Int\n val  
 SHOW\_ELEMENT: Int\n val SHOW\_ATTRIBUTE: Int\n val SHOW\_TEXT: Int\n val

```

SHOW_CDATA_SECTION: Int\n    val SHOW_ENTITY_REFERENCE: Int\n    val SHOW_ENTITY: Int\n    val SHOW_PROCESSING_INSTRUCTION: Int\n    val SHOW_COMMENT: Int\n    val
SHOW_DOCUMENT: Int\n    val SHOW_DOCUMENT_TYPE: Int\n    val
SHOW_DOCUMENT_FRAGMENT: Int\n    val SHOW_NOTATION: Int\n } \n} \n \n /** \n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin \n * \n public
external abstract class DOMTokenList : ItemArrayLike<String> { \n    override val length: Int\n    open var value:
String\n    override fun item(index: Int): String? \n    fun contains(token: String): Boolean\n    fun add(vararg tokens:
String): Unit\n    fun remove(vararg tokens: String): Unit\n    fun toggle(token: String, force: Boolean =
definedExternally): Boolean\n    fun replace(token: String, newToken: String): Unit\n    fun supports(token: String):
Boolean\n } \n @kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? =
asDynamic()[index] \n \n /** \n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin \n * \n public
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) { \n    open val x: Double\n
open val y: Double\n    open val z: Double\n    open val w: Double\n    fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n } \n \n /** \n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin \n * \n public external open class
DOMPoint : DOMPointReadOnly { \n    constructor(point: DOMPointInit)\n    constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
    override var x: Double\n    override var y: Double\n    override var z: Double\n    override var w:
Double\n } \n \n /** \n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin \n * \n public external
interface DOMPointInit { \n    var x: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var y: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var z: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var w: Double? /* = 1.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n } \n \n @kotlin.internal.InlineOnly\n public inline fun DOMPointInit(x: Double? = 0.0, y: Double?
= 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit { \n    val o = js("{}") \n \n    o["x"] = x\n    o["y"] =
y\n    o["z"] = z\n    o["w"] = w\n \n    return o\n } \n \n /** \n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin \n * \n public external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly { \n    override var x: Double\n    override var y: Double\n
    override var width: Double\n    override var height: Double\n } \n \n /** \n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin \n * \n public
external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) { \n    open val x:
Double\n    open val y: Double\n    open val width: Double\n    open val height: Double\n    open val top: Double\n
open val right: Double\n    open val bottom: Double\n    open val left: Double\n } \n \n public external interface
DOMRectInit { \n    var x: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var y: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var width: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: Double? /* = 0.0 */ \n        get() = definedExternally\n        set(value) =
definedExternally\n } \n \n @kotlin.internal.InlineOnly\n public inline fun DOMRectInit(x: Double? = 0.0, y: Double?
= 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit { \n    val o = js("{}") \n \n    o["x"] = x\n
o["y"] = y\n    o["width"] = width\n    o["height"] = height\n \n    return o\n } \n \n public external interface
DOMRectList : ItemArrayLike<DOMRect> { \n    override fun item(index: Int):
DOMRect? \n } \n \n @kotlin.internal.InlineOnly inline operator fun DOMRectList.get(index: Int): DOMRect? =
asDynamic()[index] \n \n /** \n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin \n * \n public external open class
DOMQuad { \n    constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:

```

```

DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n  constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n  open val p2: DOMPoint\n  open val p3: DOMPoint\n  open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n
*/\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n  open val a: Double\n
open val b: Double\n  open val c: Double\n  open val d: Double\n  open val e: Double\n  open val f: Double\n
open val m11: Double\n  open val m12: Double\n  open val m13: Double\n  open val m14: Double\n  open val
m21: Double\n  open val m22: Double\n  open val m23: Double\n  open val m24: Double\n  open val m31:
Double\n  open val m32: Double\n  open val m33: Double\n  open val m34: Double\n  open val m41: Double\n
open val m42: Double\n  open val m43: Double\n  open val m44: Double\n  open val is2D: Boolean\n  open
val isIdentity: Boolean\n  fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n
fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
  fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n  fun scaleNonUniform(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n  fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n  fun skewX(sx: Double): DOMMatrix\n  fun skewY(sy: Double): DOMMatrix\n  fun
multiply(other: DOMMatrix): DOMMatrix\n  fun flipX(): DOMMatrix\n  fun flipY(): DOMMatrix\n  fun
inverse(): DOMMatrix\n  fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n  fun
toFloat32Array(): Float32Array\n  fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n
*/\npublic external open
class DOMMatrix() : DOMMatrixReadOnly {\n  constructor(transformList: String)\n  constructor(other:
DOMMatrixReadOnly)\n  constructor(array32: Float32Array)\n  constructor(array64: Float64Array)\n
constructor(numberSequence: Array<Double>)\n  override var a: Double\n  override var b: Double\n  override
var c: Double\n  override var d: Double\n  override var e: Double\n  override var f: Double\n  override var m11:
Double\n  override var m12: Double\n  override var m13: Double\n  override var m14: Double\n  override var
m21: Double\n  override var m22: Double\n  override var m23: Double\n  override var m24: Double\n  override
var m31: Double\n  override var m32: Double\n  override var m33: Double\n  override var m34: Double\n
override var m41: Double\n  override var m42: Double\n  override var m43: Double\n  override var m44:
Double\n  fun multiplySelf(other: DOMMatrix): DOMMatrix\n  fun preMultiplySelf(other: DOMMatrix):
DOMMatrix\n  fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n  fun
scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
  fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally,
originZ: Double = definedExternally): DOMMatrix\n  fun scaleNonUniformSelf(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n  fun rotateSelf(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n  fun rotateFromVectorSelf(x:
Double, y: Double): DOMMatrix\n  fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n  fun skewXSelf(sx: Double): DOMMatrix\n  fun skewYSelf(sy: Double): DOMMatrix\n  fun
invertSelf(): DOMMatrix\n  fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n  var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n  val o = js("{}")\n  o["behavior"] = behavior\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n
*/\npublic external
interface ScrollToOptions : ScrollOptions {\n  var left: Double?\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n    var top: Double?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = undefined,
top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n    val o =
js("{}")\n\n    o["left"] = left\n    o["top"] = top\n    o["behavior"] = behavior\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to
Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n    open val media: String\n    open val
matches: Boolean\n    open var onchange: ((Event) -> dynamic)?\n    fun addListener(listener: EventListener?):
Unit\n    fun addListener(listener: ((Event) -> Unit)?): Unit\n    fun removeListener(listener: EventListener?): Unit\n
fun removeListener(listener: ((Event) -> Unit)?): Unit\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic
external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit =
definedExternally) : Event {\n    open val media: String\n    open val matches: Boolean\n}\n\npublic external
interface MediaQueryListEventInit : EventInit {\n    var media: String? /* = "" */\n        get() = definedExternally\n
set(value) = definedExternally\n    var matches: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n    val o = js("{}")\n\n
o["media"] = media\n    o["matches"] = matches\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class
Screen {\n    open val availWidth: Int\n    open val availHeight: Int\n    open val width: Int\n    open val height: Int\n
open val colorDepth: Int\n    open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external
abstract class CaretPosition {\n    open val offsetNode: Node\n    open val offset: Int\n    fun getClientRect():
DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n    var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollIntoViewOptions {\n    val o = js("{}")\n\n    o["block"] = block\n    o["inline"] = inline\n
o["behavior"] = behavior\n\n    return o\n}\n\npublic external interface BoxQuadOptions {\n    var box:
CSSBoxType? /* = CSSBoxType.BORDER */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var relativeTo: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? =
CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n    val o = js("{}")\n\n
o["box"] = box\n    o["relativeTo"] = relativeTo\n\n    return o\n}\n\npublic external interface
ConvertCoordinateOptions {\n    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER
*/\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? =
CSSBoxType.BORDER): ConvertCoordinateOptions {\n    val o = js("{}")\n\n    o["fromBox"] = fromBox\n
o["toBox"] = toBox\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external
interface GeometryUtils {\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun

```

```

convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint\n}\n\npublic external @marker interface UnionElementOrProcessingInstruction
{\n}\n\npublic external @marker interface UnionElementOrHTMLCollection {\n}\n\npublic external @marker
interface UnionElementOrRadioNodeList {\n}\n\npublic external @marker interface
UnionHTMLOptGroupElementOrHTMLOptionElement {\n}\n\npublic external @marker interface
UnionAudioTrackOrTextTrackOrVideoTrack {\n}\n\npublic external @marker interface
UnionElementOrMouseEvent {\n}\n\npublic external @marker interface UnionMessagePortOrWindow
{\n}\n\npublic external @marker interface UnionMessagePortOrServiceWorker {\n}\n\npublic external @marker
interface HTMLOrSVGScriptElement {\n}\n\npublic external @marker interface RenderingContext {\n}\n\npublic
external @marker interface HTMLOrSVGImageElement {\n}\n\n/* please, don't implement this interface!
*/\n\npublic external interface DocumentReadyState {\n  companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
\"loading\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
\"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
\"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface CanPlayTypeResult {\n  companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
\"\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE:
CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
\"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface TextTrackMode {\n  companion object\n}\n\npublic inline val
TextTrackMode.Companion.DISABLED: TextTrackMode get() =
\"disabled\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.HIDDEN:
TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
\"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! */\n\npublic
external interface TextTrackKind {\n  companion object\n}\n\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CAPTIONS:
TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\n\npublic
external interface SelectionMode {\n  companion object\n}\n\npublic inline val
SelectionMode.Companion.SELECT: SelectionMode get() =
\"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! */\n\npublic external interface CanvasFillRule {\n  companion object\n}\n\npublic inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =

```

```

\nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\npublic inline val CanvasFillRule.Companion.EVENODD:
CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this
interface! */\npublic external interface ImageSmoothingQuality {\n  companion object\n}\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*/\npublic external interface CanvasLineCap {\n  companion object\n}\npublic inline val
CanvasLineCap.Companion.BUTT: CanvasLineCap get() =
\"butt\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.ROUND:
CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val
CanvasLineCap.Companion.SQUARE: CanvasLineCap get() =
\"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasLineJoin {\n  companion object\n}\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasTextAlign {\n  companion object\n}\npublic inline val
CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasTextBaseline {\n  companion object\n}\npublic inline val
CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() =
\"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
\"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
\"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasDirection {\n  companion object\n}\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\"rtl\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this

```

```

interface! *\npublic external interface ScrollRestoration {\n  companion object\n}\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\"auto\".asDynamic().unsafeCast<ScrollRestoration>()\npublic inline val ScrollRestoration.Companion.MANUAL:
ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement
this interface! *\npublic external interface ImageOrientation {\n  companion object\n}\npublic inline val
ImageOrientation.Companion.NONE: ImageOrientation get() =
\"none\".asDynamic().unsafeCast<ImageOrientation>()\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! *\npublic external interface PremultiplyAlpha {\n  companion object\n}\npublic inline val
PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() =
\"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! *\npublic
external interface ColorSpaceConversion {\n  companion object\n}\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
\"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\npublic external interface ResizeQuality {\n  companion object\n}\npublic inline val
ResizeQuality.Companion.PIXELATED: ResizeQuality get() =
\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this
interface! *\npublic external interface BinaryType {\n  companion object\n}\npublic inline val
BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\npublic inline
val BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface! *\npublic
external interface WorkerType {\n  companion object\n}\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! *\npublic
external interface ShadowRootMode {\n  companion object\n}\npublic inline val
ShadowRootMode.Companion.OPEN: ShadowRootMode get() =
\"open\".asDynamic().unsafeCast<ShadowRootMode>()\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! *\npublic
external interface ScrollBehavior {\n  companion object\n}\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! *\npublic external interface ScrollLogicalPosition {\n  companion object\n}\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val

```



```

ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
    \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
    \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
    \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\npublic external interface CSSBoxType {\n    companion object\n}\npublic inline val
CSSBoxType.Companion.MARGIN: CSSBoxType get() =
    \"margin\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val
CSSBoxType.Companion.PADDING: CSSBoxType get() =
    \"padding\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\n\n\",/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
libraries/tools/IDL2K for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers)
to Kotlin\n *\npublic external open class Headers(init: dynamic = definedExternally) {\n    fun append(name:
String, value: String): Unit\n    fun delete(name: String): Unit\n    fun get(name: String): String?\n    fun has(name:
String): Boolean\n    fun set(name: String, value: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n *\npublic external interface Body {\n
val bodyUsed: Boolean\n    fun arrayBuffer(): Promise<ArrayBuffer>\n    fun blob(): Promise<Blob>\n    fun
formData(): Promise<FormData>\n    fun json(): Promise<Any?>\n    fun text(): Promise<String>\n}\n\n/**\n *
Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *\npublic
external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n    open val method:
String\n    open val url: String\n    open val headers: Headers\n    open val type: RequestType\n    open val
destination: RequestDestination\n    open val referrer: String\n    open val referrerPolicy: dynamic\n    open val
mode: RequestMode\n    open val credentials: RequestCredentials\n    open val cache: RequestCache\n    open val
redirect: RequestRedirect\n    open val integrity: String\n    open val keepalive: Boolean\n    override val bodyUsed:
Boolean\n    fun clone(): Request\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n
    override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n    var method: String?\n
get() = definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n    var referrer: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var referrerPolicy: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var mode: RequestMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var credentials: RequestCredentials?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cache: RequestCache?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var redirect: RequestRedirect?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var integrity: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var keepalive: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var window:
Any?\n    get() = definedExternally\n    set(value) =

```

```

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined,
headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic =
undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache?
= undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? =
undefined, window: Any? = undefined): RequestInit {\n    val o = js("{}")\n    o["method"] = method\n    o["headers"] = headers\n    o["body"] = body\n    o["referrer"] = referrer\n    o["referrerPolicy"] =
referrerPolicy\n    o["mode"] = mode\n    o["credentials"] = credentials\n    o["cache"] = cache\n    o["redirect"]
= redirect\n    o["integrity"] = integrity\n    o["keepalive"] = keepalive\n    o["window"] = window\n\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to
Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =
definedExternally) : Body {\n    open val type: ResponseType\n    open val url: String\n    open val redirected:
Boolean\n    open val status: Short\n    open val ok: Boolean\n    open val statusText: String\n    open val headers:
Headers\n    open val body: dynamic\n    open val trailer: Promise<Headers>\n    override val bodyUsed: Boolean\n
fun clone(): Response\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n    companion object {\n        fun error(): Response\n        fun redirect(url:
String, status: Short = definedExternally): Response\n    }\n}\n\npublic external interface ResponseInit {\n    var
status: Short? /* = 200 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var statusText:
String? /* = "OK" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var headers:
dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = "OK", headers: dynamic = undefined): ResponseInit {\n    val o = js("{}")\n    o["status"] = status\n    o["statusText"] = statusText\n    o["headers"] = headers\n\n    return o\n}\n\n/* please,
don't implement this interface! */\npublic external interface RequestType {\n    companion object\n}\n\npublic inline
val RequestType.Companion.EMPTY: RequestType get() = ""\n\npublic inline val RequestType.Companion.AUDIO: RequestType get() =
"audio"\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = "font"\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
"image"\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = "script"\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() = "style"\n\npublic
inline val RequestType.Companion.TRACK: RequestType get() =
"track"\n\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = "video"\n\n/* please, don't implement this
interface! */\npublic external interface RequestDestination {\n    companion object\n}\n\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
""\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
"document"\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
"embed"\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
"font"\n\npublic inline val RequestDestination.Companion.IMAGE:
RequestDestination get() = "image"\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
"manifest"\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =

```

```

\"media\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestMode {\n  companion object\n}\npublic inline val
RequestMode.Companion.NAVIGATE: RequestMode get() =
\"navigate\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface! */\npublic external interface RequestCredentials {\n  companion
object\n}\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() =
\"omit\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestCache {\n  companion object\n}\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
\"default\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
\"reload\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\npublic external
interface RequestRedirect {\n  companion object\n}\npublic inline val RequestRedirect.Companion.FOLLOW:
RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val
RequestRedirect.Companion.ERROR: RequestRedirect get() =
\"error\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.MANUAL:
RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this
interface! */\npublic external interface ResponseType {\n  companion object\n}\npublic inline val

```

```

ResponseType.Companion.BASIC: ResponseType get() =
    \"basic\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.CORS:
ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.DEFAULT: ResponseType get() =
    \"default\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.ERROR:
ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUE: ResponseType get() =
    \"opaque\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
    \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.dom.mediacapture\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n *\npublic external open
class MediaStream() : EventTarget {\n    constructor(stream: MediaStream)\n    constructor(tracks:
Array<MediaStreamTrack>)\n    open val id: String\n    open val active: Boolean\n    var onaddtrack:
((MediaStreamTrackEvent) -> dynamic)?\n    var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n    fun
getAudioTracks(): Array<MediaStreamTrack>\n    fun getVideoTracks(): Array<MediaStreamTrack>\n    fun
getTracks(): Array<MediaStreamTrack>\n    fun getTrackById(trackId: String): MediaStreamTrack?\n    fun
addTrack(track: MediaStreamTrack): Unit\n    fun removeTrack(track: MediaStreamTrack): Unit\n    fun clone():
MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n *\npublic
external abstract class MediaStreamTrack : EventTarget {\n    open val kind: String\n    open val id: String\n    open
val label: String\n    open var enabled: Boolean\n    open val muted: Boolean\n    open var onmute: ((Event) ->
dynamic)?\n    open var onunmute: ((Event) -> dynamic)?\n    open val readyState: MediaStreamTrackState\n
open var onended: ((Event) -> dynamic)?\n    open var onoverconstrained: ((Event) -> dynamic)?\n    fun clone():
MediaStreamTrack\n    fun stop(): Unit\n    fun getCapabilities(): MediaTrackCapabilities\n    fun getConstraints():
MediaTrackConstraints\n    fun getSettings(): MediaTrackSettings\n    fun applyConstraints(constraints:
MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n *\npublic external interface MediaTrackSupportedConstraints {\n    var width: Boolean? /* = true
*\n    get() = definedExternally\n    set(value) = definedExternally\n    var height: Boolean? /* = true *\n
get() = definedExternally\n    set(value) = definedExternally\n    var aspectRatio: Boolean? /* = true *\n    get()
= definedExternally\n    set(value) = definedExternally\n    var frameRate: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var facingMode: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var resizeMode: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var volume: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var sampleRate: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var sampleSize: Boolean? /* = true *\n    get() =
definedExternally\n    set(value) = definedExternally\n    var echoCancellation: Boolean? /* = true *\n    get()
= definedExternally\n    set(value) = definedExternally\n    var autoGainControl: Boolean? /* = true *\n    get()
= definedExternally\n    set(value) = definedExternally\n    var noiseSuppression: Boolean? /* = true *\n

```

```

get() = definedExternally\n    set(value) = definedExternally\n    var latency: Boolean? /* = true */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var channelCount: Boolean? /* = true */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var deviceId: Boolean? /* = true */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var groupId: Boolean? /* = true */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl:
Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true,
deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n    val o =
js("{}")\n\n    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] = aspectRatio\n
o["frameRate"] = frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] = resizeMode\n
o["volume"] = volume\n    o["sampleRate"] = sampleRate\n    o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n    o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n    o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n    o["groupId"] = groupId\n\n    return o\n}\n\npublic external interface
MediaTrackCapabilities {\n    var width: ULongRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var height: ULongRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var aspectRatio: DoubleRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var frameRate: DoubleRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var facingMode: Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var resizeMode: Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var volume: DoubleRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var sampleRate: ULongRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var sampleSize: ULongRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var echoCancellation: Array<Boolean>?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var autoGainControl: Array<Boolean>?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var noiseSuppression: Array<Boolean>?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var latency: DoubleRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var channelCount: ULongRange?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var deviceId: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var groupId: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:
ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n    val o = js("{}")\n\n    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] = aspectRatio\n
o["frameRate"] = frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] = resizeMode\n
o["volume"] = volume\n    o["sampleRate"] = sampleRate\n    o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n    o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n    o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n    o["groupId"] = groupId\n\n    return o\n}\n\n/*\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n    var advanced:
Array<MediaTrackConstraintSet>?\n    get() = definedExternally\n    set(value) =

```

```

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\n  val o =
js("\({})")\n\n  o["advanced"] = advanced\n  o["width"] = width\n  o["height"] = height\n
o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n
o["resizeMode"] = resizeMode\n  o["volume"] = volume\n  o["sampleRate"] = sampleRate\n
o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] =
autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n
o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n\n  return
o\n}\n\npublic external interface MediaTrackConstraintSet {\n  var width: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var height: dynamic\n  get() = definedExternally\n
set(value) = definedExternally\n  var aspectRatio: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n  var frameRate: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n  var facingMode: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n  var resizeMode: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n  var volume: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n
var sampleRate: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n  var sampleSize:
dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n  var echoCancellation: dynamic\n
get() = definedExternally\n  set(value) = definedExternally\n  var autoGainControl: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var noiseSuppression: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var latency: dynamic\n  get() = definedExternally\n
set(value) = definedExternally\n  var channelCount: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n  var deviceId: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n
var groupId: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic =
undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined,
facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate:
dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl:
dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount:
dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet
{\n  val o = js("\({})")\n\n  o["width"] = width\n  o["height"] = height\n  o["aspectRatio"] = aspectRatio\n
o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n  o["resizeMode"] = resizeMode\n
o["volume"] = volume\n  o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n  o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n  o["groupId"] = groupId\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n *\npublic
external interface MediaTrackSettings {\n  var width: Int?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var height: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
aspectRatio: Double?\n  get() = definedExternally\n  set(value) = definedExternally\n  var frameRate:
Double?\n  get() = definedExternally\n  set(value) = definedExternally\n  var facingMode: String?\n
get() = definedExternally\n  set(value) = definedExternally\n  var resizeMode: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var volume: Double?\n  get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: Int?\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n    var sampleSize: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n
var echoCancellation: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
autoGainControl: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
noiseSuppression: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var latency:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n    var channelCount: Int?\n
get() = definedExternally\n    set(value) = definedExternally\n    var deviceId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var groupId: String?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width:
Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? =
undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n    val o = js("{}")\n    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] = aspectRatio\n    o["frameRate"] =
frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] = resizeMode\n    o["volume"] = volume\n    o["sampleRate"] = sampleRate\n    o["sampleSize"] = sampleSize\n    o["echoCancellation"] =
echoCancellation\n    o["autoGainControl"] = autoGainControl\n    o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n    o["channelCount"] = channelCount\n    o["deviceId"] = deviceId\n    o["groupId"] =
groupId\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*/\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n    open val track: MediaStreamTrack\n}\n\npublic external interface MediaStreamTrackEventInit :
EventInit {\n    var track: MediaStreamTrack?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit {\n    val o = js("{}")\n    o["track"] = track\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n\n    return o\n}\n\npublic external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n    open val error:
dynamic\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n    var error: dynamic /* = null
*/\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n    val o = js("{}")\n    o["error"] =
error\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n
*/\npublic external
abstract class MediaDevices : EventTarget {\n    open var ondevicechange: ((Event) -> dynamic)?\n    fun
enumerateDevices(): Promise<dynamic>\n    fun getSupportedConstraints(): MediaTrackSupportedConstraints\n    fun
getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to
Kotlin\n
*/\npublic external abstract class MediaDeviceInfo {\n    open val deviceId: String\n    open val kind:
MediaDeviceKind\n    open val label: String\n    open val groupId: String\n    fun toJSON(): dynamic\n}\n\npublic
external abstract class InputDeviceInfo : MediaDeviceInfo {\n    fun getCapabilities():
MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n
*/\npublic external interface MediaStreamConstraints {\n    var video: dynamic /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var audio: dynamic /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n    val o =

```

```

js("{}")\n\n o["video"] = video\n o["audio"] = audio\n\n return o\n}\n\npublic external interface
ConstrainablePattern {\n var onoverconstrained: ((Event) -> dynamic)?\n fun getCapabilities(): Capabilities\n
fun getConstraints(): Constraints\n fun getSettings(): Settings\n fun applyConstraints(constraints: Constraints =
definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic external
interface DoubleRange {\n var max: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var min: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? = undefined,
min: Double? = undefined): DoubleRange {\n val o = js("{}")\n\n o["max"] = max\n o["min"] = min\n\n
return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n var exact: Double?\n get()
= definedExternally\n set(value) = definedExternally\n var ideal: Double?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact:
Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange {\n val o = js("{}")\n\n o["exact"] = exact\n o["ideal"] = ideal\n o["max"] =
max\n o["min"] = min\n\n return o\n}\n\npublic external interface ULongRange {\n var max: Int?\n get()
= definedExternally\n set(value) = definedExternally\n var min: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? =
undefined, min: Int? = undefined): ULongRange {\n val o = js("{}")\n\n o["max"] = max\n o["min"] =
min\n\n return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n var exact: Int?\n
get() = definedExternally\n set(value) = definedExternally\n var ideal: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact:
Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n
val o = js("{}")\n\n o["exact"] = exact\n o["ideal"] = ideal\n o["max"] = max\n o["min"] = min\n\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n var exact: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: Boolean?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined):
ConstrainBooleanParameters {\n val o = js("{}")\n\n o["exact"] = exact\n o["ideal"] = ideal\n\n return
o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n var exact: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n val o = js("{}")\n\n o["exact"] = exact\n o["ideal"] = ideal\n\n
return o\n}\n\npublic external interface Capabilities {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
Capabilities(): Capabilities {\n val o = js("{}")\n\n\n return o\n}\n\npublic external interface Settings
{\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n val o = js("{}")\n\n\n
return o\n}\n\npublic external interface ConstraintSet {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConstraintSet(): ConstraintSet {\n val o = js("{}")\n\n\n return o\n}\n\npublic external interface Constraints :
ConstraintSet {\n var advanced: Array<ConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n val o = js("{}")\n\n o["advanced"] = advanced\n\n
return o\n}\n\n/* please, don't implement this interface! */\npublic external interface MediaStreamTrackState {\n
companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() =
"live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val

```



```

MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
\"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*\npublic external interface VideoFacingModeEnum {\n  companion object\n}\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
\"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
\"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
\"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
\"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*\npublic external interface VideoResizeModeEnum {\n  companion object\n}\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
\"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface! *\npublic
external interface MediaDeviceKind {\n  companion object\n}\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
\"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
\"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
\"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use
of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport
org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external interface PointerEventInit : MouseEventInit {\n  var pointerId: Int? /* = 0 */\n
get() = definedExternally\n  set(value) = definedExternally\n  var width: Double? /* = 1.0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var height: Double? /* = 1.0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var pressure: Float? /* = 0f */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var tangentialPressure: Float? /* = 0f */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var tiltX: Int? /* = 0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var tiltY: Int? /* = 0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var twist: Int? /* = 0 */\n  get() = definedExternally\n  set(value) = definedExternally\n
var pointerType: String? /* = \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
isPrimary: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width:
Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY:
Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? =
0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null,
ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false,
modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,

```

```

modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n  val o = js("{}")\n\n
o["pointerId"] = pointerId\n  o["width"] = width\n  o["height"] = height\n  o["pressure"] = pressure\n
o["tangentialPressure"] = tangentialPressure\n  o["tiltX"] = tiltX\n  o["tiltY"] = tiltY\n  o["twist"] = twist\n
o["pointerType"] = pointerType\n  o["isPrimary"] = isPrimary\n  o["screenX"] = screenX\n  o["screenY"]
= screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] =
buttons\n  o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n
o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n  open val
pointerId: Int\n  open val width: Double\n  open val height: Double\n  open val pressure: Float\n  open val
tangentialPressure: Float\n  open val tiltX: Int\n  open val tiltY: Int\n  open val twist: Int\n  open val
pointerType: String\n  open val isPrimary: Boolean\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n
* Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n
*/\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers,
SVGElementInstance {\n  open val dataset: DOMStringMap\n  open val ownerSVGElement:
SVGSVGElement?\n  open val viewportElement: SVGElement?\n  open var tabIndex: Int\n  fun focus(): Unit\n
fun blur(): Unit\n}\n\npublic external interface SVGBoundingBoxOptions {\n  var fill: Boolean? /* = true */\n
get() = definedExternally\n  set(value) = definedExternally\n  var stroke: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var markers: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var clipped: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped:
Boolean? = false): SVGBoundingBoxOptions {\n  val o = js("{}")\n  o["fill"] = fill\n  o["stroke"] =
stroke\n  o["markers"] = markers\n  o["clipped"] = clipped\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*/\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n  open val transform:
SVGAnimatedTransformList\n  fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n  fun getCTM(): DOMMatrix?\n  fun getScreenCTM(): DOMMatrix?\n}\n\n/**\n * Exposes the
JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to
Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n  open val
pathLength: SVGAnimatedNumber\n  fun isPointInFill(point: DOMPoint): Boolean\n  fun isPointInStroke(point:
DOMPoint): Boolean\n  fun getTotalLength(): Float\n  fun getPointAtLength(distance: Float):

```

DOMPoint\n}\n\n/\*\*\n \* Exposes the JavaScript

[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n \*/\npublic external abstract class SVGNumber {\n open var value: Float\n}\n\n/\*\*\n \* Exposes the JavaScript

[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n \*/\npublic external abstract class SVGLength {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG\_LENGTHTYPE\_UNKNOWN: Short\n val SVG\_LENGTHTYPE\_NUMBER: Short\n val SVG\_LENGTHTYPE\_PERCENTAGE: Short\n val SVG\_LENGTHTYPE\_EMS: Short\n val SVG\_LENGTHTYPE\_EXS: Short\n val SVG\_LENGTHTYPE\_PX: Short\n val SVG\_LENGTHTYPE\_CM: Short\n val SVG\_LENGTHTYPE\_MM: Short\n val SVG\_LENGTHTYPE\_IN: Short\n val SVG\_LENGTHTYPE\_PT: Short\n val SVG\_LENGTHTYPE\_PC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript

[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n \*/\npublic external abstract class SVGAngle {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG\_ANGLETYPE\_UNKNOWN: Short\n val SVG\_ANGLETYPE\_UNSPECIFIED: Short\n val SVG\_ANGLETYPE\_DEG: Short\n val SVG\_ANGLETYPE\_RAD: Short\n val SVG\_ANGLETYPE\_GRAD: Short\n }\n}\n\npublic external abstract class SVGNameList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: dynamic): dynamic\n fun getItem(index: Int): dynamic\n fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n fun replaceItem(newItem: dynamic, index: Int): dynamic\n fun removeItem(index: Int): dynamic\n fun appendItem(newItem: dynamic): dynamic\n}\n\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.set(index: Int, newItem: dynamic): Unit { asDynamic()[index] = newItem; }\n\n/\*\*\n \* Exposes the JavaScript

[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n \*/\npublic external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGNumber): SVGNumber\n fun getItem(index: Int): SVGNumber\n fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem: SVGNumber): SVGNumber\n}\n\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index: Int, newItem: SVGNumber): Unit { asDynamic()[index] = newItem; }\n\n/\*\*\n \* Exposes the JavaScript

[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n \*/\npublic external abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n}\n\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength): Unit { asDynamic()[index] = newItem; }\n\n/\*\*\n \* Exposes the JavaScript

[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n \*/\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/\*\*\n \* Exposes the JavaScript

[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n \*/\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/\*\*\n \* Exposes the JavaScript

[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedInteger {\\n open var baseVal: Int\\n open val animVal: Int\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedNumber {\\n open var baseVal: Float\\n open val animVal: Float\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedLength {\\n open val baseVal: SVGLength\\n open val animVal: SVGLength\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedAngle {\\n open val baseVal: SVGAngle\\n open val animVal: SVGAngle\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedString {\\n open var baseVal: String\\n open val animVal: String\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedRect {\\n open val baseVal: DOMRect\\n open val animVal: DOMRectReadOnly\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedNumberList {\\n open val baseVal: SVGNumberList\\n open val animVal: SVGNumberList\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n
 \*\\npublic external abstract class SVGAnimatedLengthList {\\n open val baseVal: SVGLengthList\\n open val animVal: SVGLengthList\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n
 \*\\npublic external abstract class SVGStringList {\\n open val length: Int\\n open val numberOfItems: Int\\n fun clear(): Unit\\n fun initialize(newItem: String): String\\n fun getItem(index: Int): String\\n fun insertItemBefore(newItem: String, index: Int): String\\n fun replaceItem(newItem: String, index: Int): String\\n fun removeItem(index: Int): String\\n fun appendItem(newItem: String): String\\n}\\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n
 \*\\npublic external interface SVGUnitTypes {\\n\\n companion object {\\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\\n val SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\\n }\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n
 \*\\npublic external interface SVGTTests {\\n val requiredExtensions: SVGStringList\\n val systemLanguage: SVGStringList\\n}\\n\\npublic external interface SVGFitToViewBox {\\n val viewBox: SVGAnimatedRect\\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n
 \*\\npublic external interface SVGZoomAndPan {\\n var zoomAndPan: Short\\n\\n companion object {\\n val SVG\_ZOOMANDPAN\_UNKNOWN: Short\\n val SVG\_ZOOMANDPAN\_DISABLE: Short\\n val SVG\_ZOOMANDPAN\_MAGNIFY: Short\\n }\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n
 \*\\npublic external interface SVGURIReference {\\n val href: SVGAnimatedString\\n}\\n\\n\*\*\\n \* Exposes the JavaScript

[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n
 \*\\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\\n open val x: SVGAnimatedLength\\n open val y: SVGAnimatedLength\\n open val width: SVGAnimatedLength\\n open val height: SVGAnimatedLength\\n open var currentScale: Float\\n open

```

val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement:
SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?):
NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun
checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll(): Unit\n fun
createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle():
SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun
createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun
createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun
getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun
unsuspendRedraw(suspendHandleID: Int): Unit\n fun unsuspendRedrawAll(): Unit\n fun forceRedraw():
Unit\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val
SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n\n\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n
*\n\n public external abstract class SVGGElement : SVGGraphicsElement {\n }\n\n\n public external abstract class
SVGUnknownElement : SVGGraphicsElement {\n }\n\n\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n
*\n\n public external abstract class SVGDefsElement : SVGGraphicsElement {\n }\n\n\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n
*\n\n public external abstract class SVGDescElement : SVGElement {\n }\n\n\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n
*\n\n public external abstract class SVGMetadataElement : SVGElement {\n }\n\n\n * Exposes the JavaScript
[SVGTITLEElement](https://developer.mozilla.org/en/docs/Web/API/SVGTITLEElement) to Kotlin\n
*\n\n public external abstract class SVGTITLEElement : SVGElement {\n }\n\n\n * Exposes the JavaScript
[SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n
*\n\n public external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n }\n\n\n * Exposes
the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*\n\n public external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val
height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot:
SVGElement?\n }\n\n\n public external open class SVGUseElementShadowRoot : ShadowRoot {\n override fun
getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override
fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override
fun querySelectorAll(selectors: String): NodeList\n }\n\n\n public external interface SVGELEMENTInstance {\n val
correspondingElement: SVGElement?\n val correspondingUseElement: SVGUseElement?\n }\n\n\n public external
open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n open val sourceAnimation:
dynamic\n }\n\n\n * Exposes the JavaScript
[SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n
*\n\n public external abstract class SVGSwitchElement : SVGGraphicsElement {\n }\n\n\n public external interface
GetSVGDocument {\n fun getSVGDocument(): Document\n }\n\n\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n
*\n\n public external abstract class SVGStyleElement : SVGELEMENT, LinkStyle {\n open var type: String\n open var media:
String\n open var title: String\n }\n\n\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n
*\n\n public external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle:
Float\n fun setMatrix(matrix: DOMMatrixReadOnly): Unit\n fun setTranslate(tx: Float, ty: Float): Unit\n fun
setScale(sx: Float, sy: Float): Unit\n fun setRotate(angle: Float, cx: Float, cy: Float): Unit\n fun setSkewX(angle:
Float): Unit\n fun setSkewY(angle: Float): Unit\n\n companion object {\n val
SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val

```

```

SVG_TRANSFORM_TRANSLATE: Short\n    val SVG_TRANSFORM_SCALE: Short\n    val
SVG_TRANSFORM_ROTATE: Short\n    val SVG_TRANSFORM_SKEWX: Short\n    val
SVG_TRANSFORM_SKEWY: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n *\npublic
external abstract class SVGTransformList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear():
Unit\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun getItem(index: Int): SVGTransform\n
fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem:
SVGTransform, index: Int): SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun
appendItem(newItem: SVGTransform): SVGTransform\n    fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform\n    fun consolidate(): SVGTransform?\n}\n\n@kotlin.internal.InlineOnly
inline operator fun SVGTransformList.get(index: Int): SVGTransform? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.set(index: Int, newItem:
SVGTransform): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n *\npublic external abstract class SVGAnimatedTransformList {\n    open val baseVal:
SVGTransformList\n    open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*\npublic external abstract class SVGPreserveAspectRatio {\n    open var align: Short\n    open var meetOrSlice:
Short\n\n    companion object {\n        val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n        val
SVG_PRESERVEASPECTRATIO_NONE: Short\n        val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n        val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n        val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n        val SVG_MEETORSLICE_UNKNOWN: Short\n
        val SVG_MEETORSLICE_MEET: Short\n        val SVG_MEETORSLICE_SLICE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n *\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n    open val baseVal:
SVGPreserveAspectRatio\n    open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n *\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n *\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n    open val x: SVGAnimatedLength\n    open
val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n
open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n *\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n *\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n *\npublic
external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1: SVGAnimatedLength\n    open

```

```

val y1: SVGAnimatedLength\n  open val x2: SVGAnimatedLength\n  open val y2:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n *\npublic
external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n}\n\n/**\n * Exposes the
JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*\npublic external interface SVGAnimatedPoints {\n  val points: SVGPointList\n  val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n  open val length: Int\n  open val
numberOfItems: Int\n  fun clear(): Unit\n  fun initialize(newItem: DOMPoint): DOMPoint\n  fun getItem(index:
Int): DOMPoint\n  fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n  fun
replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n  fun removeItem(index: Int): DOMPoint\n  fun
appendItem(newItem: DOMPoint): DOMPoint\n}\n\n@kotlin.internal.InlineOnly inline operator fun
SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
SVGPointList.set(index: Int, newItem: DOMPoint): Unit { asDynamic()[index] = newItem; }\n}\n\n/**\n * Exposes
the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to
Kotlin\n *\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints
{\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n  open val textLength:
SVGAnimatedLength\n  open val lengthAdjust: SVGAnimatedEnumeration\n  fun getNumberOfChars(): Int\n  fun
getComputedTextLength(): Float\n  fun getSubStringLength(charnum: Int, nchars: Int): Float\n  fun
getStartPositionOfChar(charnum: Int): DOMPoint\n  fun getEndPositionOfChar(charnum: Int): DOMPoint\n  fun
getExtentOfChar(charnum: Int): DOMRect\n  fun getRotationOfChar(charnum: Int): Float\n  fun
getCharNumAtPosition(point: DOMPoint): Int\n  fun selectSubString(charnum: Int, nchars: Int): Unit\n}\n\n
companion object {\n  val LENGTHADJUST_UNKNOWN: Short\n  val LENGTHADJUST_SPACING:
Short\n  val LENGTHADJUST_SPACINGANDGLYPHS: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to
Kotlin\n *\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n  open val x:
SVGAnimatedLengthList\n  open val y: SVGAnimatedLengthList\n  open val dx: SVGAnimatedLengthList\n
open val dy: SVGAnimatedLengthList\n  open val rotate: SVGAnimatedNumberList\n}\n}\n\n/**\n * Exposes the
JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n
*\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n}\n}\n\n/**\n * Exposes the
JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n
*\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n}\n}\n\n/**\n * Exposes the
JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to
Kotlin\n *\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n
  open val startOffset: SVGAnimatedLength\n  open val method: SVGAnimatedEnumeration\n  open val spacing:
SVGAnimatedEnumeration\n}\n\ncompanion object {\n  val TEXTPATH_METHODTYPE_UNKNOWN:
Short\n  val TEXTPATH_METHODTYPE_ALIGN: Short\n  val
TEXTPATH_METHODTYPE_STRETCH: Short\n  val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n
  val TEXTPATH_SPACINGTYPE_AUTO: Short\n  val TEXTPATH_SPACINGTYPE_EXACT: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n *\npublic
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLOrSVGImageElement {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open
val width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open val preserveAspectRatio:

```

SVGAnimatedPreserveAspectRatio\n open var crossOrigin: String?\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n \*/\n\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth: SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType: SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun setOrientToAuto(): Unit\n fun setOrientToAngle(angle: SVGAngle): Unit\n\n companion object {\n val SVG\_MARKERUNITS\_UNKNOWN: Short\n val SVG\_MARKERUNITS\_USERSPACEONUSE: Short\n val SVG\_MARKERUNITS\_STROKEWIDTH: Short\n val SVG\_MARKER\_ORIENT\_UNKNOWN: Short\n val SVG\_MARKER\_ORIENT\_AUTO: Short\n val SVG\_MARKER\_ORIENT\_ANGLE: Short\n}\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n \*/\n\npublic external abstract class SVGSolidcolorElement : SVGElement {\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n \*/\n\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform: SVGAnimatedTransformList\n open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n val SVG\_SPREADMETHOD\_UNKNOWN: Short\n val SVG\_SPREADMETHOD\_PAD: Short\n val SVG\_SPREADMETHOD\_REFLECT: Short\n val SVG\_SPREADMETHOD\_REPEAT: Short\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\n}\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n \*/\n\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to Kotlin\n \*/\n\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx: SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n}\n\npublic external abstract class SVGMeshGradientElement : SVGGradientElement {\n}\n\npublic external abstract class SVGMeshrowElement : SVGElement {\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement {\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n \*/\n\npublic external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n \*/\n\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\n}\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n \*/\n\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x:



```

SVGAnimatedLength\n  open val y: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n *\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n
open var type: String\n  open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript
[SVGAEElement](https://developer.mozilla.org/en/docs/Web/API/SVGAEElement) to Kotlin\n *\npublic external
abstract class SVGAEElement : SVGGraphicsElement, SVGURIReference {\n  open val target:
SVGAnimatedString\n  open val download: SVGAnimatedString\n  open val rel: SVGAnimatedString\n  open
val relList: SVGAnimatedString\n  open val hreflang: SVGAnimatedString\n  open val type:
SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n *\npublic
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n\n
companion object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val
SVG_ZOOMANDPAN_DISABLE: Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    }\n}\n\n"/**\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can
be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\n    "NESTED_CLASS_IN_EXTERNAL_INTERFACE"\n)\npackage
org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to
Kotlin\n *\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options:
BlobPropertyBag = definedExternally) {\n  open val size: Int\n  open val type: String\n  open val isClosed:
Boolean\n  fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String =
definedExternally): Blob\n  fun close(): Unit\n}\n\npublic external interface BlobPropertyBag {\n  var type:
String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n  val o = js(\n    \"({})\n    \"\n    o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the
JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n *\npublic external open class
File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n  open
val name: String\n  open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag
{\n  var lastModified: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n  val o = js(\n    \"({})\n    \"\n    o[\"lastModified\"] = lastModified\n    o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n *\npublic external abstract class
FileList : ItemArrayLike<File> {\n  override val length: Int\n  override fun item(index: Int):
File?\n}\n\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n *\npublic external open class
FileReader : EventTarget {\n  open val readyState: Short\n  open val result: dynamic\n  open val error:
dynamic\n  var onloadstart: ((ProgressEvent) -> dynamic)?\n  var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n  var onabort: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n
var onloadend: ((Event) -> dynamic)?\n  fun readAsArrayBuffer(blob: Blob): Unit\n  fun
readAsBinaryString(blob: Blob): Unit\n  fun readAsText(blob: Blob, label: String = definedExternally): Unit\n
fun readAsDataURL(blob: Blob): Unit\n  fun abort(): Unit\n\n  companion object {\n    val EMPTY: Short\n

```

```

val LOADING: Short\n    val DONE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n    fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n    fun readAsBinaryString(blob:
Blob): String\n    fun readAsText(blob: Blob, label: String = definedExternally): String\n    fun
readAsDataURL(blob: Blob): String\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n    var onclick:
((MouseEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    open val title: String\n    open val dir:
NotificationDirection\n    open val lang: String\n    open val body: String\n    open val tag: String\n    open val
image: String\n    open val icon: String\n    open val badge: String\n    open val sound: String\n    open val vibrate:
Array<out Int>\n    open val timestamp: Number\n    open val renotify: Boolean\n    open val silent: Boolean\n
open val noscreen: Boolean\n    open val requireInteraction: Boolean\n    open val sticky: Boolean\n    open val data:
Any?\n    open val actions: Array<out NotificationAction>\n    fun close(): Unit\n\n    companion object {\n        var
permission: NotificationPermission\n        var maxActions: Int\n        fun requestPermission(deprecatedCallback:
(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n    }\n}\n\npublic
external interface NotificationOptions {\n    var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n
get() = definedExternally\n    set(value) = definedExternally\n    var lang: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var tag: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var image: String?\n    get() = definedExternally\n
set(value) = definedExternally\n    var icon: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var badge: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var sound: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var vibrate: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n    var timestamp: Number?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var renotify: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var silent: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var noscreen: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var requireInteraction: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var sticky: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var data: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var actions: Array<NotificationAction>? /* = arrayOf()
*/\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body:
String? = "", tag: String? = "", image: String? = undefined, icon: String? = undefined, badge: String? = undefined,
sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? =
false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? =
false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n    val o =
js("{}")\n    o["dir"] = dir\n    o["lang"] = lang\n    o["body"] = body\n    o["tag"] = tag\n    o["image"] =
image\n    o["icon"] = icon\n    o["badge"] = badge\n    o["sound"] = sound\n    o["vibrate"] = vibrate\n

```

```

o["timestamp"] = timestamp\n  o["renotify"] = renotify\n  o["silent"] = silent\n  o["noscreen"] = noscreen\n
o["requireInteraction"] = requireInteraction\n  o["sticky"] = sticky\n  o["data"] = data\n  o["actions"] =
actions\n\n  return o\n}\n\npublic external interface NotificationAction {\n  var action: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var title: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var icon: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title:
String?, icon: String? = undefined): NotificationAction {\n  val o = js("{}")\n  o["action"] = action\n
o["title"] = title\n  o["icon"] = icon\n\n  return o\n}\n\npublic external interface GetNotificationOptions {\n
var tag: String? /* = "" *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = ""):
GetNotificationOptions {\n  val o = js("{}")\n  o["tag"] = tag\n\n  return o\n}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n  open val notification: Notification\n  open val action: String\n}\n\npublic external interface
NotificationEventInit : ExtendableEventInit {\n  var notification: Notification?\n  get() = definedExternally\n
set(value) = definedExternally\n  var action: String? /* = "" *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n  val o = js("{}")\n  o["notification"] = notification\n  o["action"] =
action\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n/* please, don't implement this interface! */\n\npublic external interface NotificationPermission {\n
companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission
get() = "default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface NotificationDirection {\n  companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
"auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
"ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL:
NotificationDirection get() = "rtl".asDynamic().unsafeCast<NotificationDirection>()\n\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
libraries/tools/idl2k for details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npackage
org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n */\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n  open val installing:
ServiceWorker?\n  open val waiting: ServiceWorker?\n  open val active: ServiceWorker?\n  open val scope:
String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update():
Promise<Unit>\n  fun unregister(): Promise<Boolean>\n  fun methodName(): Promise<dynamic>\n  fun
showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n  fun

```

```

getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\n}\n\n/**\n * Exposes the
JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n  open val clients:
Clients\n  open val registration: ServiceWorkerRegistration\n  open var oninstall: ((Event) -> dynamic)?\n  open
var onactivate: ((Event) -> dynamic)?\n  open var onfetch: ((FetchEvent) -> dynamic)?\n  open var
onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  open var
onfunctionalevent: ((Event) -> dynamic)?\n  open var onnotificationclick: ((NotificationEvent) -> dynamic)?\n
open var onnotificationclose: ((NotificationEvent) -> dynamic)?\n  fun skipWaiting(): Promise<Unit>\n}\n\n/**\n
* Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to
Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL:
String\n  open val state: ServiceWorkerState\n  open var onstatechange: ((Event) -> dynamic)?\n  fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the
JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to
Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n  open val controller:
ServiceWorker?\n  open val ready: Promise<ServiceWorkerRegistration>\n  open var oncontrollerchange:
((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n  fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n  fun getRegistrations():
Promise<dynamic>\n  fun startMessages(): Unit\n}\n\npublic external interface RegistrationOptions {\n  var
scope: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var type: WorkerType? /* =
WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n  val o = js("{}")\n  o["scope"] = scope\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n  open val data: Any?\n  open val origin:
String\n  open val lastEventId: String\n  open val source: UnionMessagePortOrServiceWorker?\n  open val
ports: Array<out MessagePort>?\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n
var data: Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n
get() = definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var source: UnionMessagePortOrServiceWorker?\n
get() = definedExternally\n  set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? =
undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ServiceWorkerMessageEventInit {\n  val o = js("{}")\n  o["data"] = data\n  o["origin"] = origin\n
o["lastEventId"] = lastEventId\n  o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n
open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally):
Unit\n}\n\n/**\n * Exposes the JavaScript
[WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n */\npublic external
abstract class WindowClient : Client {\n  open val visibilityState: dynamic\n  open val focused: Boolean\n  fun

```



```

ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined):
ForeignFetchResponse {\n  val o = js("{}")\n  o["response"] = response\n  o["origin"] = origin\n  o["headers"] = headers\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId:
String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports: Array<out
MessagePort>?\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n  var data:
Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var source:
UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data: Any? =
undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
val o = js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n
o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*\npublic external abstract class Cache
{\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n  fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<dynamic>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests: Array<dynamic>):
Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun delete(request: dynamic,
options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun keys(request: dynamic =
definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n}\n\npublic external
interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var ignoreMethod: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var ignoreVary: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var cacheName: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):
CacheQueryOptions {\n  val o = js("{}")\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] =
ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n  return o\n}\n\npublic
external interface CacheBatchOperation {\n  var type: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n
var response: Response?\n  get() = definedExternally\n  set(value) = definedExternally\n  var options:
CacheQueryOptions?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n  val o = js("{}")\n  o["type"] = type\n  o["request"] = request\n
o["response"] = response\n  o["options"] = options\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n
*\npublic external
abstract class CacheStorage {\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n  fun has(cacheName: String): Promise<Boolean>\n  fun open(cacheName: String):
Promise<Cache>\n  fun delete(cacheName: String): Promise<Boolean>\n  fun keys():
Promise<dynamic>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n}\n\npublic external

```

```

@marker interface UnionClientOrMessagePortOrServiceWorker {\n}\n\n/* please, don't implement this interface!
*\npublic external interface ServiceWorkerState {\n  companion object\n}\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
"installing".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"installed".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
"activating".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
"activated".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
"redundant".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*\npublic external interface FrameType {\n  companion object\n}\npublic inline val
FrameType.Companion.AUXILIARY: FrameType get() =
"auxiliary".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.TOP_LEVEL:
FrameType get() = "top-level".asDynamic().unsafeCast<FrameType>()\npublic inline val
FrameType.Companion.NESTED: FrameType get() = "nested".asDynamic().unsafeCast<FrameType>()\npublic
inline val FrameType.Companion.NONE: FrameType get() =
"none".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface! *\npublic external
interface ClientType {\n  companion object\n}\npublic inline val ClientType.Companion.WINDOW: ClientType
get() = "window".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.WORKER:
ClientType get() = "worker".asDynamic().unsafeCast<ClientType>()\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
"sharedworker".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.ALL:
ClientType get() = "all".asDynamic().unsafeCast<ClientType>()\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt
file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/IDL2K for
details\n\n@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npackage org.w3c.xhr\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\n\n\n/*\n * Exposes the
JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
Kotlin\n\n *\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n  open var onloadstart:
((ProgressEvent) -> dynamic)?\n  open var onprogress: ((ProgressEvent) -> dynamic)?\n  open var onabort:
((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onload: ((Event) -> dynamic)?\n
open var ontimeout: ((Event) -> dynamic)?\n  open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external
abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\n}\n\n\n\n/*\n * Exposes the JavaScript
[XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n\n *\npublic
external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n  var onreadystatechange: ((Event) ->
dynamic)?\n  open val readyState: Short\n  var timeout: Int\n  var withCredentials: Boolean\n  open val upload:
XMLHttpRequestUpload\n  open val responseURL: String\n  open val status: Short\n  open val statusText:
String\n  var responseType: XMLHttpRequestResponseType\n  open val response: Any?\n  open val
responseText: String\n  open val responseXML: Document?\n  fun open(method: String, url: String): Unit\n  fun
open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
definedExternally): Unit\n  fun setRequestHeader(name: String, value: String): Unit\n  fun send(body: dynamic =

```

```

definedExternally): Unit\n fun abort(): Unit\n fun getResponseHeader(name: String): String?\n fun
getAllResponseHeaders(): String\n fun overrideMimeType(mime: String): Unit\n\n companion object {\n
val UNSENT: Short\n val OPENED: Short\n val HEADERS_RECEIVED: Short\n val LOADING:
Short\n val DONE: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n *\npublic external open class
FormData(form: HTMLFormElement = definedExternally) {\n fun append(name: String, value: String): Unit\n
fun append(name: String, value: Blob, filename: String = definedExternally): Unit\n fun delete(name: String):
Unit\n fun get(name: String): dynamic\n fun getAll(name: String): Array<dynamic>\n fun has(name: String):
Boolean\n fun set(name: String, value: String): Unit\n fun set(name: String, value: Blob, filename: String =
definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n *\npublic external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n open val
lengthComputable: Boolean\n open val loaded: Int\n open val total: Int\n}\n\npublic external interface
ProgressEventInit : EventInit {\n var lengthComputable: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n var loaded: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n var total: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Int? = 0, total: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): ProgressEventInit {\n val o = js("{}")\n o["lengthComputable"] =
lengthComputable\n o["loaded"] = loaded\n o["total"] = total\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n/* please, don't implement this
interface! *\npublic external interface XMLHttpRequestResponseType {\n companion object\n}\n\npublic inline
val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
"\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
"arraybuffer\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
"blob\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
"document\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
"json\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
"text\n\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\n", /*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect.\n *\n * This class is experimental itself and can only be used with the
compiler argument ` -Xuse-experimental=kotlin.Experimental `.\n
*\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50
\n", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Suppress("ANNOTATION_CLASS_MEMBER")\npublic
annotation class Experimental(val level: Level = Level.ERROR) {\n /**\n * Severity of the diagnostic that

```



should be reported on usages of experimental API which did not explicitly accept the experimental aspect of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.

```

public enum class Level {
    /** Specifies that a warning should be reported on incorrect usages of this
    experimental API. */
    WARNING,
    /** Specifies that an error should be reported on incorrect usages of
    this experimental API. */
    ERROR,
}

```

Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression. If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API. This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.

```

@Target(
    CLASS,
    PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
    PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
    TYPEALIAS
)
@Retention(SOURCE)
@SinceKotlin("1.2")
@RequireKotlin("1.2.50", versionKind =
    RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class UseExperimental(
    vararg val
    markerClass: KClass<out Annotation>
)

```

internal annotation class WasExperimental( vararg val markerClass: KClass<out Annotation> )

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin
import
kotlin.annotation.AnnotationTarget
import kotlin.experimental.ExperimentalTypeInference

```

Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function. When this annotation is placed on a generic function parameter of a function, it enables to infer the type arguments of that generic function from the lambda body passed to that parameter. The calls that affect inference are either members of the receiver type of an annotated function parameter or extensions for that type. The extensions must be themselves annotated with `@BuilderInference`. Example: we declare `sequence<T> sequence(@BuilderInference block: suspend SequenceScope<T>().->Unit): Sequence<T>` and use it like `val result = sequence { yield("result") }`. Here the type argument of the resulting sequence is inferred to `String` from the argument of the `[SequenceScope.yield]` function, that is called inside the lambda passed to `[sequence]`. Note: this annotation is experimental, see `[ExperimentalTypeInference]` on how to opt-in for it.

```

@Target(VALUE_PARAMETER, FUNCTION,
    PROPERTY)
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.3")
@ExperimentalTypeInference
public annotation class BuilderInference

```

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin
import kotlin.annotation.AnnotationTarget
import kotlin.internal.RequireKotlin
import
kotlin.internal.RequireKotlinVersionKind

```

The experimental multiplatform support API marker. Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by annotating that usage with the `[UseExperimental]` annotation, e.g. `@UseExperimental(ExperimentalMultiplatform::class)` or by using the compiler argument `-Xuse-experimental=kotlin.ExperimentalMultiplatform`.

```

@Experimental
@Target(
    CLASS, ANNOTATION_CLASS, PROPERTY, FIELD,
    LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
    PROPERTY_GETTER, PROPERTY_SETTER,
    TYPEALIAS
)
@Retention(AnnotationRetention.BINARY)
@RequireKotlin("1.2.50", versionKind =
    RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class ExperimentalMultiplatform

```

Marks an expected annotation class that it isn't required to have actual counterparts in all platforms. This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as `optional`. Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform, the annotation entries where it's used are simply erased when compiling code on that platform. Note: this annotation is experimental, see `[ExperimentalMultiplatform]` on how to opt-in for it.

```

@Target(ANNOTATION_CLASS)
@Retention(AnnotationRetention.BINARY)
@ExperimentalMultiplatform

```

```

m\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic
annotation class OptionalExpectation\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage
kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n */\n *
@param E the type of elements contained in the collection. The collection is covariant on its element type.\n
*/\n@SinceKotlin("1.1")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E>
{\n  abstract override val size: Int\n  abstract override fun iterator(): Iterator<E>\n\n  override fun
contains(element: @UnsafeVariance E): Boolean = any { it == element }\n\n  override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean =\n    elements.all { contains(it) } // use when js will support bound
refs: elements.all(this::contains)\n\n  override fun isEmpty(): Boolean = size == 0\n\n  override fun toString():
String = joinToString(", ", "[", "]") {\n    if (it === this) \"(this Collection)\" else it.toString()\n  }\n\n  /**\n   * Returns new array of type `Array<Any?>` with the elements of this collection.\n   */\n  protected open fun
toArray(): Array<Any?> = copyToArrayImpl(this)\n\n  /**\n   * Fills the provided [array] or creates new array of
the same type\n   * and fills it with the elements of this collection.\n   */\n  protected open fun <T>
toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n", /*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nprivate enum class State {\n  Ready,\n  NotReady,\n  Done,\n  Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that
implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the
iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n  private var state =
State.NotReady\n  private var nextValue: T? = null\n\n  override fun hasNext(): Boolean {\n    require(state !=
State.Failed)\n    return when (state) {\n      State.Done -> false\n      State.Ready -> true\n      else ->
tryToComputeNext()\n    }\n  }\n\n  override fun next(): T {\n    if (!hasNext()) throw
NoSuchElementException()\n    state = State.NotReady\n    @Suppress(\"UNCHECKED_CAST\")\n    return nextValue as T\n  }\n\n  private fun tryToComputeNext(): Boolean {\n    state = State.Failed\n    computeNext()\n    return state == State.Ready\n  }\n\n  /**\n   * Computes the next item in the iterator.\n
*/\n   * This callback method should call one of these two methods:\n   * * [setNext] with the next value of
the iteration\n   * * [done] to indicate there are no more elements\n   * * Failure to call either method will
result in the iteration terminating with a failed state\n   */\n  abstract protected fun computeNext(): Unit\n\n
/**\n   * Sets the next value in the iteration, called from the [computeNext] function\n   */\n  protected fun
setNext(value: T): Unit {\n    nextValue = value\n    state = State.Ready\n  }\n\n  /**\n   * Sets the state to
done so that the iteration terminates.\n   */\n  protected fun done() {\n    state = State.Done\n  }\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\n/**\n * Based on GWT AbstractList\n * Copyright 2007 Google
Inc.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List]
interface.\n */\n * This class is intended to help implementing read-only lists so it doesn't support concurrent
modification tracking.\n */\n * @param E the type of elements contained in the list. The list is covariant on its
element type.\n */\n@SinceKotlin("1.1")\npublic abstract class AbstractList<out E> protected constructor() :
AbstractCollection<E>(), List<E> {\n  abstract override val size: Int\n  abstract override fun get(index: Int): E\n\n
override fun iterator(): Iterator<E> = IteratorImpl()\n\n  override fun indexOf(element: @UnsafeVariance E): Int =
indexOfFirst { it == element }\n\n  override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast {
it == element }\n\n  override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n  override fun
listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n  override fun subList(fromIndex: Int, toIndex:
Int): List<E> = SubList(this, fromIndex, toIndex)\n\n  private class SubList<out E>(private val list:
AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n    private var
_size: Int = 0\n\n    init {\n      checkRangeIndexes(fromIndex, toIndex, list.size)\n      this._size = toIndex
- fromIndex\n    }\n\n    override fun get(index: Int): E {\n      checkElementIndex(index, _size)\n\n      return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n  }\n\n  /**\n   * Compares

```

```
this list with other list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n *^\n override fun equals(other: Any?): Boolean {\n     if (other === this) return true\n     if (other !is List<*>) return false\n     return\n     orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n *^\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl : Iterator<E> {\n     /** the index of the item that will be returned on the next call to [next]`() *^\n     protected var index = 0\n     override fun hasNext(): Boolean = index < size\n     override fun next(): E {\n         if (!hasNext()) throw\n         NoSuchElementException()\n         return get(index++)\n     }\n }\n\n /**\n * Implementation of [ListIterator] for abstract lists.\n *^\n private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n     init {\n         checkPositionIndex(index, this@AbstractList.size)\n         this.index = index\n     }\n     override fun hasPrevious(): Boolean = index > 0\n     override fun nextIndex(): Int = index\n     override fun previous(): E {\n         if (!hasPrevious()) throw NoSuchElementException()\n         return get(--index)\n     }\n     override fun previousIndex(): Int = index - 1\n }\n\n internal companion object {\n     internal fun checkElementIndex(index: Int, size: Int) {\n         if (index < 0 || index >= size) {\n             throw IndexOutOfBoundsException("index: $index, size: $size")\n         }\n     }\n     internal fun checkPositionIndex(index: Int, size: Int) {\n         if (index < 0 || index > size) {\n             throw\n             IndexOutOfBoundsException("index: $index, size: $size")\n         }\n     }\n     internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n         if (fromIndex < 0 || toIndex > size) {\n             throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n         }\n         if (fromIndex > toIndex) {\n             throw IllegalArgumentException("fromIndex: $fromIndex > toIndex: $toIndex")\n         }\n     }\n     internal fun orderedHashCode(c: Collection<*>): Int {\n         var\n         hashCode = 1\n         for (e in c) {\n             hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n         }\n         return hashCode\n     }\n     internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n         if (c.size != other.size) return false\n         val otherIterator = other.iterator()\n         for (elem in c) {\n             val elemOther = otherIterator.next()\n             if (elem != elemOther) {\n                 return false\n             }\n         }\n         return true\n     }\n }\n\n", "*/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n package kotlin.collections\n\n /**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *^\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *^\n * @param K the type of map keys. The map is invariant on its key type.\n *^\n * @param V the type of map values. The map is covariant on its value type.\n *^\n @SinceKotlin("1.1")\n public abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n     override fun containsKey(key: K): Boolean {\n         return implFindEntry(key) != null\n     }\n     override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n     internal fun containsEntry(entry: Map.Entry<*, *>): Boolean {\n         // since entry comes from @UnsafeVariance parameters it can be virtually anything\n         if (entry !is Map.Entry<*, *>) return false\n         val key = entry.key\n         val value = entry.value\n         val ourValue = get(key)\n         if (value != ourValue) {\n             return false\n         }\n         // Perhaps it was null and we don't contain the key?\n         if (ourValue == null && !containsKey(key)) {\n             return false\n         }\n         return true\n     }\n }\n\n /**\n * Compares this map with other instance with the ordered structural equality.\n *^\n * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n *^\n override fun equals(other: Any?): Boolean {\n     if (other === this) return true\n     if (other !is Map<*, *>) return false\n     if (size != other.size) return false\n     return other.entries.all { containsEntry(it) }\n }\n\n override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n /**\n * Returns the hash code value for this map.\n *^\n * It is the same as the hashCode of [entries] set.\n *^\n override fun hashCode(): Int = entries.hashCode()\n\n override fun isEmpty(): Boolean = size == 0\n\n override val size: Int get() = entries.size\n\n /**\n * Returns a read-only [Set] of all keys in this map.\n *^\n * Accessing this property first time creates a keys view from [entries].\n *^\n * All subsequent accesses just return the created instance.\n *^\n override val keys: Set<K> get() {\n
```

```

if (_keys == null) {\n
    _keys = object : AbstractSet<K>() {\n
        override operator fun
contains(element: K): Boolean = containsKey(element)\n
        override operator fun iterator(): Iterator<K>
{\n
            val entryIterator = entries.iterator()\n
            return object : Iterator<K> {\n
                override fun hasNext(): Boolean = entryIterator.hasNext()\n
                override fun next(): K =
entryIterator.next().key\n
            }\n
        }\n
        override val size: Int get() =
this@AbstractMap.size\n
    }\n
}\n
return _keys!!\n
}\n
}\n
@kotlin.jvm.Volatile\n
private var _keys: Set<K>? = null\n
override fun toString(): String = entries.joinToString(", ", "\n", "\n") {\n
    toString(it) }\n
private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +
toString(entry.value)\n
private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()\n
/**\n
 * Returns a read-only [Collection] of all values in this map.\n
 * \n
 * Accessing this property first time
creates a values view from [entries].\n
 * All subsequent accesses just return the created instance.\n
 * \n
override val values: Collection<V>\n
    get() {\n
        if (_values == null) {\n
            _values = object :
AbstractCollection<V>() {\n
                override operator fun contains(element: @UnsafeVariance V): Boolean =
containsValue(element)\n
                override operator fun iterator(): Iterator<V> {\n
                    val
entryIterator = entries.iterator()\n
                    return object : Iterator<V> {\n
                        override fun
hasNext(): Boolean = entryIterator.hasNext()\n
                        override fun next(): V = entryIterator.next().value\n
                    }\n
                }\n
            }\n
            override val size: Int get() = this@AbstractMap.size\n
        }\n
        return _values!!\n
    }\n
}\n
}\n
@kotlin.jvm.Volatile\n
private var _values: Collection<V>? = null\n
private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n
internal
companion object {\n
    internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?:
0) xor (value?.hashCode() ?: 0) }\n
    internal fun entryToString(e: Map.Entry<*, *>): String = with(e) {
"\$key=\$value" }\n
    internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n
        if (other !is
Map.Entry<*, *>) return false\n
        return e.key == other.key && e.value == other.value\n
    }\n
}\n
}\n
"/*\n
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
 * that can be found in the license/LICENSE.txt file.\n
 */\n
package kotlin.collections\n
/**\n
 * Provides a skeletal
implementation of the read-only [Set] interface.\n
 * \n
 * This class is intended to help implementing read-only sets so
it doesn't support concurrent modification tracking.\n
 * \n
 * @param E the type of elements contained in the set. The
set is covariant on its element type.\n
 */\n
@SinceKotlin("1.1")\n
public abstract class AbstractSet<out E> protected
constructor() : AbstractCollection<E>(), Set<E> {\n
    /**\n
     * Compares this set with other set instance with the
unordered structural equality.\n
     * \n
     * @return true, if [other] instance is a [Set] of the same size, all elements of
which are contained in this set.\n
     * \n
     * override fun equals(other: Any?): Boolean {\n
     *     if (other === this)
return true\n
     *     if (other !is Set<*>) return false\n
     *     return setEquals(this, other)\n
     * }\n
     * \n
     * Returns
the hash code value for this set.\n
     * \n
     * override fun hashCode(): Int = unorderedHashCode(this)\n
     * \n
     * internal
companion object {\n
     *     internal fun unorderedHashCode(c: Collection<*>): Int {\n
     *         var hashCode = 0\n
     *         for (element in c) {\n
     *             hashCode += (element?.hashCode() ?: 0)\n
     *         }\n
     *         return hashCode\n
     *     }\n
     *     internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n
     *         if (c.size != other.size) return false\n
     *         return c.containsAll(other)\n
     *     }\n
     * }\n
     * }\n
"/*\n
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n
 * that can be found in the license/LICENSE.txt file.\n
 */\n
@file:kotlin.jvm.JvmMultifileClass\n
@file:kotlin.jvm.JvmName("ArraysKt")\n
package
kotlin.collections\n
nimport kotlin.contracts.*\n
/**\n
 * Returns a single list of all elements from all arrays in the
given array.\n
 * \n
 * @sample samples.collections.Arrays.Transformations.flattenArray\n
 */\n
public fun <T> Array<out
Array<out T>>.flatten(): List<T> {\n
    val result = ArrayList<T>(sumBy { it.size })\n
    for (element in this) {\n
        result.addAll(element)\n
    }\n
    return result\n
}\n
/**\n
 * Returns a pair of lists, where\n
 * \n
 * *first* list is built from
the first values of each pair from this array,\n
 * \n
 * *second* list is built from the second values of each pair from this
array.\n
 * \n
 * @sample samples.collections.Arrays.Transformations.unzipArray\n
 */\n
public fun <T, R> Array<out
Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n
    val listT = ArrayList<T>(size)\n
    val listR =
ArrayList<R>(size)\n
    for (pair in this) {\n
        listT.add(pair.first)\n
        listR.add(pair.second)\n
    }\n
    return
listT to listR\n
}\n
/**\n
 * Returns `true` if this nullable array is either null or empty.\n
 * \n
 * @sample

```

```

samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isEmpty(): Boolean
{\n contract {\n returns(false) implies (this@isEmpty != null)\n }\n\n return this == null ||
this.isEmpty()\n}\n\n**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if
the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\n
public inline fun <C, R> C.isEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n if (isEmpty())
defaultValue() else
this\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T>
Array<out T>.contentDeepEqualsImpl(other: Array<out T>): Boolean {\n if (this === other) return true\n if
(this.size != other.size) return false\n\n for (i in indices) {\n val v1 = this[i]\n val v2 = other[i]\n\n if
(v1 === v2) {\n continue\n } else if (v1 == null || v2 == null) {\n return false\n }\n\n when {\n v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n v1
is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is ShortArray && v2 is
ShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is IntArray && v2 is IntArray -> if
(!v1.contentEquals(v2)) return false\n v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2))
return false\n v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n v1 is
DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n v1 is CharArray && v2
is CharArray -> if (!v1.contentEquals(v2)) return false\n v1 is BooleanArray && v2 is BooleanArray -> if
(!v1.contentEquals(v2)) return false\n\n v1 is UByteArray && v2 is UByteArray -> if
(!v1.contentEquals(v2)) return false\n v1 is UShortArray && v2 is UShortArray -> if
(!v1.contentEquals(v2)) return false\n v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2))
return false\n v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n\n
else -> if (v1 != v2) return false\n }\n\n }\n\n return
true\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.JsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>.contentDeepToStringImpl(): String {\n
val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not to overflow Int.MAX_VALUE\n
return buildString(length) {\n contentDeepToStringInternal(this, mutableListOf())\n
}\n}\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out
T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n if (this in
processed) {\n result.append("[...]")\n return\n }\n processed.add(this)\n result.append('[')\n\n for (i
in indices) {\n if (i != 0) {\n result.append(", ")\n }\n val element = this[i]\n\n when
(element) {\n null -> result.append("null")\n is Array<*> ->
element.contentDeepToStringInternal(result, processed)\n is ByteArray ->
result.append(element.contentToString())\n is ShortArray -> result.append(element.contentToString())\n
is IntArray -> result.append(element.contentToString())\n is LongArray ->
result.append(element.contentToString())\n is FloatArray -> result.append(element.contentToString())\n
is DoubleArray -> result.append(element.contentToString())\n is CharArray ->
result.append(element.contentToString())\n is BooleanArray -> result.append(element.contentToString())\n
is UByteArray -> result.append(element.contentToString())\n is UShortArray ->
result.append(element.contentToString())\n is UIntArray -> result.append(element.contentToString())\n
is ULongArray -> result.append(element.contentToString())\n\n else ->
result.append(element.toString())\n }\n }\n\n result.append(',')\n
processed.removeAt(processed.lastIndex)\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code
is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.collections\n\n**\n * Data class representing a value from a collection or sequence, along with its index in
that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the

```

```

value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val
value: T)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage kotlin.collections\n\nimport
kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given
object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n *
@param property the metadata for the property, used to get the name of property and lookup the value
corresponding to this name in the map.\n * @return the property value.\n * \n * @throws NoSuchElementException
when the map doesn't contain value for the property name and doesn't provide an implicit default (see
[withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact
V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST")
(getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from
this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property
the metadata for the property, used to get the name of property and lookup the value corresponding to this name in
the map.\n * @return the property value.\n * \n * @throws NoSuchElementException when the map doesn't contain
value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("getVar")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V>
MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated("Use
getValue() with two type parameters instead", level =
DeprecationLevel.ERROR)\n\n@kotlin.jvm.JvmName("getVarContravariant")\n\n@kotlin.internal.LowPriorityInOver
loadResolution\n\n@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in
V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n    @Suppress("UNCHECKED_CAST")
(getOrImplicitDefault(property.name) as V)\n\n\n/**\n * Stores the value of the property for the given object in this
mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the
metadata for the property, used to get the name of property and store the value associated with that name in the
map.\n * @param value the value to set.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n
this.put(property.name, value)\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n * \n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n */\n\n@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n\n@PublishedApi\ninternal fun <K, V> Map<K,
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return
this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value
provided with the specified function [defaultValue].\n * \n * This implicit default value is used when the original
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for
example when properties are delegated to the map.\n * \n * When this map already has an implicit default value
provided with a former call to [withDefault], it is being replaced by this call.\n */\n\npublic fun <K, V> Map<K,
V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->
this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns
a wrapper of this mutable map, having the implicit default value provided with the specified function
[defaultValue].\n * \n * This implicit default value is used when the original map doesn't contain a value for the key
specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the

```

```

map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is
being replaced by this call.\n *\n@kotlin.jvm.JvmName("withDefaultMutable")\npublic fun <K, V>
MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is
MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else -> MutableMapWithDefaultImpl(this,
defaultValue)\n }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K,
V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun
hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get()
= map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean =
map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean =
map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: Set<K> get() =
map.keys\n override val values: Collection<V> get() = map.values\n override val entries: Set<Map.Entry<K,
V>> get() = map.entries\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K,
V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?):
Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String
= map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n
override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value:
@UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n
override val keys: MutableSet<K> get() = map.keys\n override val values: MutableCollection<V> get() =
map.values\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n
override fun put(key: K, value: V): V? = map.put(key, value)\n override fun remove(key: K): V? =
map.remove(key)\n override fun putAll(from: Map<out K, V>) = map.putAll(from)\n override fun clear() =
map.clear()\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key)
})\n}\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n

```

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element
from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires
to pass an element of type `E`.\n *\n * @return `true` if the element has been successfully removed; `false` if it was
not present in the collection.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes
T> MutableCollection<out T>.remove(element: T): Boolean =\n @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed
from the collection, `false` if the collection was not modified.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean
=\n @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * Allows to
overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n *\n *
@return `true` if any element was removed from the collection, `false` if the collection was not modified.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.retainAll(elements: Collection<T>): Boolean =\n @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).retainAll(elements)\n\n/**\n * Removes the element at the specified [index] from this list.\n
*\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n *\n@Deprecated("Use removeAt(index)
instead.", ReplaceWith("removeAt(index)"), level =

```

```

DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index:
Int): T = removeAt(index)\n\n/**\n * Adds the specified [element] to this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\n  this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable
collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given
[elements] array to this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n
this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable
collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\n  this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given
[elements] collection from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n  this.removeAll(elements)\n}\n\n/**\n *
Removes all elements contained in the given [elements] array from this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Adds
all elements of the given [elements] collection to this [MutableCollection].\n *\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n  when (elements) {\n    is Collection ->
return addAll(elements)\n    else -> {\n      var result: Boolean = false\n      for (item in elements)\n
if (add(item)) result = true\n      return result\n    }\n  }\n}\n\n/**\n * Adds all elements of the given
[elements] sequence to this [MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n  var result: Boolean = false\n  for (item in elements) {\n    if (add(item)) result =
true\n  }\n  return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this
[MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the
given [predicate].\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given
[predicate].\n *\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n  var result = false\n  with(iterator()) {\n    while
(hasNext())\n      if (predicate(next()) == predicateResultToRemove) {\n        remove()\n        result =
true\n      }\n  }\n  return result\n}\n\n/**\n * Removes all elements from this [MutableList] that match the
given [predicate].\n *\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given
[predicate].\n *\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n  if (this !is RandomAccess)\n    return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n  var writeIndex: Int = 0\n  for
(readIndex in 0..lastIndex) {\n    val element = this[readIndex]\n    if (predicate(element) ==
predicateResultToRemove)\n      continue\n\n    if (writeIndex != readIndex)\n      this[writeIndex] =
element\n\n    writeIndex++\n  }\n  if (writeIndex < size) {\n    for (removeIndex in lastIndex downTo
writeIndex)\n      removeAt(removeIndex)\n\n    return true\n  } else {\n    return false\n  }\n}\n\n/**\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] collection.\n
*\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n  return

```



```

removeAll(elements.convertToSetForSetOperationWith(this))\n\n/**\n * Removes all elements from this
[MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n    val set = elements.toHashSet()\n
return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that
are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in
T>.removeAll(elements: Array<out T>): Boolean {\n    return elements.isNotEmpty() &&
removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained
in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>):
Boolean {\n    return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only
elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return
retainAll(elements.toHashSet())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set = elements.toHashSet()\n    if
(set.isNotEmpty())\n        return retainAll(set)\n    else\n        return retainNothing()\n}\n\nprivate fun
MutableCollection<*>.retainNothing(): Boolean {\n    val result = isEmpty()\n    clear()\n    return
result\n}\n\n/**\n * Randomly shuffles elements in this mutable list using the specified [random] instance as the
source of randomness.\n */\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*/\n@SinceKotlin("1.3")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n * using the specified [random]
instance as the source of randomness.\n */\n@SinceKotlin("1.3")\npublic fun <T> Iterable<T>.shuffled(random:
Random): List<T> = toMutableList().apply { shuffle(random) }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n    override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n    override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index
$index must be in range [0..lastIndex].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n    if (index
in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range
[0..size].")\n}\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*/\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n@kotlin.jvm.JvmName("asReversedMutable")\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:UseExperimental(
ExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a

```

```

[Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n *\n@SinceKotlin("1.3")\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildSequence(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().-> Unit): Sequence<T> = Sequence { iterator(builderAction)
}\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample
samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n
*\n@SinceKotlin("1.3")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>().->
Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep =
block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return
iterator}\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'iterator { }' function instead.",
ReplaceWith("iterator(builderAction)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>().-> Unit):
Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*\n@RestrictsSuspension\n@SinceKotlin("1.3")\npublic abstract class SequenceScope<in T> internal
constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is
requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n     *\n     public abstract suspend fun yield(value:
T)\n     *\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these
values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given iterator
can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
*\n     public abstract suspend fun yieldAll(iterator: Iterator<T>)\n     *\n     * Yields a collections of values to
the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n
     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     *\n     public suspend fun
yieldAll(elements: Iterable<T>) {\n         if (elements is Collection && elements.isEmpty()) return\n         return
yieldAll(elements.iterator())\n     }\n     *\n     * Yields potentially infinite sequence of values to the [Iterator]
being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The
sequence can be potentially infinite.\n     *\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n     *\n     public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n\n\n@Deprecated("Use SequenceScope class instead.",
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\n\nprivate const
val State_ManyNotReady: State = 1\n\nprivate const val State_ManyReady: State = 2\n\nprivate const val State_Ready:
State = 3\n\nprivate const val State_Done: State = 4\n\nprivate const val State_Failed: State = 5\n\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state =
State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var
nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when
(state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->{\n                    if
(nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    }
else {\n                        nextIterator = null\n                    }\n                } State_Done -> return false\n
                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n            state
= State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n}

```

```

override fun next(): T {
    when (state) {
        State_NotReady, State_ManyNotReady -> return
        nextNotReady()
        State_ManyReady -> {
            state = State_ManyNotReady
            return
            nextIterator!!.next()
        }
        State_Ready -> {
            state = State_NotReady
            @Suppress("UNCHECKED_CAST")
            val result = nextValue as T
            nextValue = null
            return result
        }
        else -> throw exceptionalState()
    }
}

private fun nextNotReady(): T {
    if (!hasNext()) throw NoSuchElementException() else return next()
}

private fun exceptionalState(): Throwable = when (state) {
    State_Done -> NoSuchElementException()
    State_Failed -> IllegalStateException("Iterator has failed.")
    else -> IllegalStateException("Unexpected state of the iterator: $state")
}

override suspend fun yield(value: T) {
    nextValue = value
    state = State_Ready
    return suspendCoroutineUninterceptedOrReturn { c ->
        nextStep = c
        COROUTINE_SUSPENDED
    }
}

override suspend fun yieldAll(iterator: Iterator<T>) {
    if (!iterator.hasNext()) return
    nextIterator = iterator
    state = State_ManyReady
    return suspendCoroutineUninterceptedOrReturn { c ->
        nextStep = c
        COROUTINE_SUSPENDED
    }
}

// Completion continuation implementation
override fun resumeWith(result: Result<Unit>) {
    result.getOrThrow() // just rethrow exception if it is there
    state = State_Done
}

override val context: CoroutineContext {
    get() = EmptyCoroutineContext
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of
 * this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
internal fun checkWindowSizeStep(size: Int, step: Int) {
    require(size > 0 &&
        step > 0) {
        if (size != step)
            "Both size $size and step $step must be greater than zero."
        else
            "size $size must be greater than zero."
    }
}

internal fun <T> Sequence<T>.windowedSequence(size:
Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {
    checkWindowSizeStep(size, step)
    return Sequence { windowedIterator(iterator(), size, step, partialWindows,
reuseBuffer) }
}

internal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows:
Boolean, reuseBuffer: Boolean): Iterator<List<T>> {
    if (!iterator.hasNext()) return EmptyIterator
    return iterator<List<T>> {
        val gap = step - size
        if (gap >= 0) {
            var buffer = ArrayList<T>(size)
            var skip = 0
            for (e in iterator) {
                if (skip > 0) { skip -= 1; continue }
                buffer.add(e)
                if (buffer.size == size) {
                    yield(buffer)
                    if (reuseBuffer) buffer.clear() else buffer =
ArrayList(size)
                    skip = gap
                }
            }
            if (buffer.isNotEmpty()) {
                if (partialWindows || buffer.size == size) yield(buffer)
            } else {
                val buffer =
RingBuffer<T>(size)
                for (e in iterator) {
                    buffer.add(e)
                    if (buffer.isFull()) {
                        yield(if (reuseBuffer) buffer else ArrayList(buffer))
                        buffer.removeFirst(step)
                    }
                }
                if (partialWindows) {
                    while (buffer.size > step) {
                        yield(if (reuseBuffer) buffer
else ArrayList(buffer))
                        buffer.removeFirst(step)
                    }
                    if (buffer.isNotEmpty())
yield(buffer)
                }
            }
        }
    }
}

internal class MovingSubList<out E>(private val list: List<E>) :
AbstractList<E>(), RandomAccess {
    private var fromIndex: Int = 0
    private var _size: Int = 0
    fun
move(fromIndex: Int, toIndex: Int) {
        checkRangeIndexes(fromIndex, toIndex, list.size)
        this.fromIndex
= fromIndex
        this._size = toIndex - fromIndex
    }

    override fun get(index: Int): E {
        checkElementIndex(index, _size)
        return list[fromIndex + index]
    }

    override val size: Int get() =
_size
}

/*
 * Provides ring buffer implementation.
 * Buffer overflow is not allowed so [add] doesn't
 * overwrite tail but raises an exception.
 */
private class RingBuffer<T>(val capacity: Int) : AbstractList<T>(),
RandomAccess {
    init {
        require(capacity >= 0) { "ring buffer capacity should not be negative but it is
$capacity" }
    }

    private val buffer = arrayOfNulls<Any?>(capacity)
    private var startIndex: Int = 0

    override var size: Int = 0
    private set

    override fun get(index: Int): T {
        checkElementIndex(index,
size)
        @Suppress("UNCHECKED_CAST")
        return buffer[startIndex.forward(index)] as T
    }

    fun isFull() = size == capacity

    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {
        private var count = size
        private var index = startIndex

        override fun computeNext() {
            if (count
== 0) {
                done()
            } else {
                @Suppress("UNCHECKED_CAST")
                setNext(buffer[index] as T)
                index = index.forward(1)
                count--
            }
        }
    }
}

```

```

@Suppress("UNCHECKED_CAST")\n override fun <T> toArray(array: Array<T>): Array<T> {\n val
result: Array<T?> =\n if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n val
size = this.size\n\n var widx = 0\n var idx = startIndex\n\n while (widx < size && idx < capacity) {\n
result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n\n idx = 0\n while (widx <
size) {\n result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n if (result.size >
this.size) result[this.size] = null\n\n return result as Array<T>\n }\n\n override fun toArray(): Array<Any?>
{\n return toArray(arrayOfNulls(size))\n }\n\n /**\n * Add [element] to the buffer or fail with
[IllegalStateException] if no free space available in the buffer\n */\n fun add(element: T) {\n if (isFull()) {\n
throw IllegalStateException("ring buffer is full")\n }\n\n buffer[startIndex.forward(size)] =
element\n size++\n }\n\n /**\n * Removes [n] first elements from the buffer or fails with
[IllegalArgumentException] if not enough elements in the buffer to remove\n */\n fun removeFirst(n: Int) {\n
require(n >= 0) { "n shouldn't be negative but it is $n" }\n require(n <= size) { "n shouldn't be greater than
the buffer size: n = $n, size = $size" }\n\n if (n > 0) {\n val start = startIndex\n val end =
start.forward(n)\n\n if (start > end) {\n buffer.fill(null, start, capacity)\n buffer.fill(null, 0,
end)\n } else {\n buffer.fill(null, start, end)\n }\n\n startIndex = end\n size -=
n\n }\n }\n\n @Suppress("NOTHING_TO_INLINE")\n private inline fun Int.forward(n: Int): Int =
(this + n) % capacity\n\n // TODO: replace with Array.fill from stdlib when available in common\n private fun
<T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n for (idx in fromIndex until
toIndex) {\n this[idx] = element\n }\n }\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n// UByteArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UByteArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index
- 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
UShortArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UShortArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left <
index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
UIntArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index
- 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
ULongArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n

```

```

    while (array[j] > pivot)\n        j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: ULongArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n//

```

Interfaces

```

=====
* Sorts the given array using qsort algorithm.\n *
@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray) = quickSort(array, 0, array.size - 1)", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n *\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xuse-experimental=kotlin.contracts.ExperimentalContracts`.\n *\n * @Retention(AnnotationRetention.BINARY)\n * @SinceKotlin("1.3")\n * @Experimental\n * public annotation class ExperimentalContracts\n *\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n *\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n *\n * @see contract\n *\n * @ContractsDsl\n * @ExperimentalContracts\n * @SinceKotlin("1.3")\n * public interface ContractBuilder {\n *     /**\n *      * Describes a situation when a function returns normally, without any exceptions thrown.\n *      *\n *      * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *      *\n *      * // @sample samples.contracts.returnsContract\n *      * @ContractsDsl public fun returns(): Returns\n *      *     /**\n *      *      * Describes a situation when a function returns normally with the specified return [value].\n *      *\n *      * The possible values of [value] are limited to `true`, `false` or `null`.\n *      *\n *      * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *      *\n *      * // @sample samples.contracts.returnsTrueContract\n *      * // @sample samples.contracts.returnsFalseContract\n *      * // @sample samples.contracts.returnsNullContract\n *      * @ContractsDsl public fun returns(value: Any?): Returns\n *      *     /**\n *      *      * Describes a situation when a function returns normally with any value that is not `null`.\n *      *\n *      * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *      *\n *      * // @sample samples.contracts.returnsNotNullContract\n *      * @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n *      *     /**\n *      *      * Specifies that the function parameter [lambda] is invoked in place.\n *      *\n *      * This contract specifies that:\n *      * 1. the function [lambda] can only be invoked during the call of the owner function,\n *      * and it won't be invoked after that owner function call is completed;\n *      * 2. (optionally) the function [lambda] is invoked the amount of times specified by the [kind] parameter.\n *      * see the [InvocationKind] enum for possible values.\n *      *\n *      * A function declaring the `callsInPlace` effect must be _inline_.\n *      *\n *      * // @sample samples.contracts.callsInPlaceAtMostOnceContract\n *      * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n *      * @sample samples.contracts.callsInPlaceExactlyOnceContract\n *      * @sample samples.contracts.callsInPlaceUnknownContract\n *      *\n *      * @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n *      *     /**\n *      *      * Specifies how many times a function invokes its function parameter in place.\n *      *\n *      * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n *      *\n *      * @ContractsDsl\n *      * @ExperimentalContracts\n *      * @SinceKotlin("1.3")\n *      * public enum class InvocationKind {\n *      *     /**\n *      *      * A function parameter will be invoked one time or not invoked at all.\n *      *\n *      * // @sample

```

```

samples.contracts.callsInPlaceAtMostOnceContract\n  @ContractsDsl AT_MOST_ONCE,\n\n  /**\n   * A
function parameter will be invoked one or more times.\n   *\n   */\n  // @sample
samples.contracts.callsInPlaceAtLeastOnceContract\n  @ContractsDsl AT_LEAST_ONCE,\n\n  /**\n   * A
function parameter will be invoked exactly one time.\n   *\n   */\n  // @sample
samples.contracts.callsInPlaceExactlyOnceContract\n  @ContractsDsl EXACTLY_ONCE,\n\n  /**\n   * A
function parameter is called in place, but it's unknown how many times it can be called.\n   *\n   */\n  // @sample
samples.contracts.callsInPlaceUnknownContract\n  @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the
contract of a function.\n * The contract description must be at the beginning of a function and have at least one
effect.\n * Only the top-level functions can have a contract for now.\n * @param builder the lambda where
the contract of a function is described with the help of the [ContractBuilder] members.\n * @sample
samples.contracts.returnsContract\n * @sample samples.contracts.returnsTrueContract\n * @sample
samples.contracts.returnsFalseContract\n * @sample samples.contracts.returnsNullContract\n * @sample
samples.contracts.returnsNotNullContract\n * @sample samples.contracts.callsInPlaceAtMostOnceContract\n *
@sample samples.contracts.callsInPlaceAtLeastOnceContract\n * @sample
samples.contracts.callsInPlaceExactlyOnceContract\n * @sample
samples.contracts.callsInPlaceUnknownContract\n */\n\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
ContractBuilder.() -> Unit) { }\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The
coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine
continuations with [interceptContinuation] invocations.\n */\n\n@SinceKotlin("1.3")\npublic interface
ContinuationInterceptor : CoroutineContext.Element {\n  /**\n   * The key that defines *the* context
interceptor.\n   */\n  companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n  /**\n   *
Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n   * This function is
invoked by coroutines framework when needed and the resulting continuations are\n   * cached internally per each
instance of the original [continuation].\n   *\n   * This function may simply return original [continuation] if it does
not want to intercept this particular continuation.\n   *\n   * When the original [continuation] completes, coroutine
framework invokes [releaseInterceptedContinuation]\n   * with the resulting continuation if it was intercepted, that
is if `interceptContinuation` had previously\n   * returned a different continuation instance.\n   */\n\n  public fun
<T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n  /**\n   * Invoked for the
continuation instance returned by [interceptContinuation] when the original\n   * continuation completes and will
not be used anymore. This function is invoked only if [interceptContinuation]\n   * had returned a different
continuation instance from the one it was invoked with.\n   *\n   * Default implementation does nothing.\n   */\n\n  * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n
*/\n  public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n    /* do nothing by default
*/\n  }\n\n  // Performance optimization for a singleton Key\n  public override operator fun <E :
CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? =\n
@Suppress("UNCHECKED_CAST")\n    if (key === Key) this as E else null\n\n  // Performance optimization
to a singleton Key\n  public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext =\n    if
(key === Key) EmptyCoroutineContext else this\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element]
instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].
Keys are compared _by reference_.\n */\n\n@SinceKotlin("1.3")\npublic interface CoroutineContext {\n  /**\n   *
Returns the element with the given [key] from this context or `null`.\n   * Keys are compared _by reference_, that
is to get an element from the context the reference to its actual key\n   * object must be presented to this function.\n
*/\n\n  public operator fun <E : Element> get(key: Key<E>): E?\n\n  /**\n   * Accumulates entries of this

```

```

context starting with [initial] value and applying [operation]n * from left to right to current accumulator value
and each element of this context.\n *^n public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n
/**\n * Returns a context containing elements from this context and elements from other [context].\n * The
elements from this context with the same key as in the other one are dropped.\n *^n public operator fun
plus(context: CoroutineContext): CoroutineContext =\n    if (context === EmptyCoroutineContext) this else // fast
path -- avoid lambda creation\n        context.fold(this) { acc, element ->\n            val removed =
acc.minusKey(element.key)\n            if (removed === EmptyCoroutineContext) element else {\n                //
make sure interceptor is always last in the context (and thus is fast to get when present)\n                val interceptor
= removed[ContinuationInterceptor]\n                if (interceptor == null) CombinedContext(removed, element) else
{\n                    val left = removed.minusKey(ContinuationInterceptor)\n                    if (left ===
EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                CombinedContext(CombinedContext(left, element), interceptor)\n            }\n        }\n    }\n    /**\n    * Returns a context containing elements from this context, but without an element with\n    * the specified [key].
Keys are compared _by reference_, that is to remove an element from the context\n    * the reference to its actual
key object must be presented to this function.\n    *^n public fun minusKey(key: Key<*>): CoroutineContext\n
/**\n    * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n    * Keys in the
context are compared _by reference_.\n    *^n public interface Key<E : Element>\n    /**\n    * An element of
the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n    *^n public
interface Element : CoroutineContext {\n    /**\n    * A key of this coroutine context element.\n    *^n
public val key: Key<*>\n    public override operator fun <E : Element> get(key: Key<E>): E? =\n
@Suppress("UNCHECKED_CAST")\n        if (this.key == key) this as E else null\n    public override fun
<R> fold(initial: R, operation: (R, Element) -> R): R =\n        operation(initial, this)\n    public override fun
minusKey(key: Key<*>): CoroutineContext =\n        if (this.key == key) EmptyCoroutineContext else this\n
}\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.CoroutineContext.*\nimport kotlin.io.Serializable\n\n/**\n * Base class for
[CoroutineContext.Element] implementations.\n */\n@SinceKotlin("1.3")\npublic abstract class
AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * An empty coroutine
context.\n */\n@SinceKotlin("1.3")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n
private const val serialVersionUID: Long = 0\n    private fun readResolve(): Any = EmptyCoroutineContext\n
public override fun <E : Element> get(key: Key<E>): E? = null\n    public override fun <R> fold(initial: R,
operation: (R, Element) -> R): R = initial\n    public override fun plus(context: CoroutineContext):
CoroutineContext = context\n    public override fun minusKey(key: Key<*>): CoroutineContext = this\n    public
override fun hashCode(): Int = 0\n    public override fun toString(): String = "EmptyCoroutineContext"\n\n/-----
----- internal impl -----\n\n// this class is not exposed, but is hidden inside
implementations\n// this is a left-biased list, so that `plus` works naturally\n@SinceKotlin("1.3")\ninternal class
CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext,
Serializable {\n    override fun <E : Element> get(key: Key<E>): E? {\n        var cur = this\n        while (true) {\n
            cur.element[key]??.let { return it }\n            val next = cur.left\n            if (next is CombinedContext) {\n
                cur = next\n            } else {\n                return next[key]\n            }\n        }\n    }\n    public override fun <R>
fold(initial: R, operation: (R, Element) -> R): R =\n        operation(left.fold(initial, operation), element)\n    public
override fun minusKey(key: Key<*>): CoroutineContext {\n        element[key]??.let { return left }\n        val newLeft
= left.minusKey(key)\n        return when {\n            newLeft === left -> this\n            newLeft ===
EmptyCoroutineContext -> element\n            else -> CombinedContext(newLeft, element)\n        }\n    }\n    private fun size(): Int {\n        var cur = this\n        var size = 2\n        while (true) {\n            cur = cur.left as?
CombinedContext ?: return size\n            size++\n        }\n    }\n    private fun contains(element: Element): Boolean
= \n        get(element.key) == element\n    private fun containsAll(context: CombinedContext): Boolean {\n        var
cur = context\n        while (true) {\n            if (!contains(cur.element)) return false\n            val next = cur.left\n

```

```

if (next is CombinedContext) {
    cur = next
} else {
    return contains(next as Element)
}

override fun equals(other: Any?): Boolean {
    this == other || other is
    CombinedContext && other.size() == size() && other.containsAll(this)
}

override fun hashCode(): Int =
    left.hashCode() + element.hashCode()

override fun toString(): String =
    "[" + fold("") { acc, element ->
        if (acc.isEmpty()) element.toString() else "$acc, $element"
    } + "]"

private fun writeReplace(): Any {
    val n = size()
    val elements = arrayOfNulls<CoroutineContext>(n)
    var index = 0
    fold(Unit) { _, element -> elements[index++] = element }
    check(index == n)
    @SuppressWarnings("UNCHECKED_CAST")
    return Serialized(elements as Array<CoroutineContext>)
}

private class Serialized(val elements: Array<CoroutineContext>) : Serializable {
    companion object {
        private const val serialVersionUID: Long = 0L
    }

    private fun readResolve(): Any =
        elements.fold(EmptyCoroutineContext, CoroutineContext::plus)
}
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:JvmName("IntrinsicsKt")
@file:kotlin.jvm.JvmMultifileClass
package kotlin.coroutines.intrinsics
import kotlin.coroutines.*
import kotlin.internal.InlineOnly

/**
 * Obtains the current continuation instance inside suspend functions and either suspends
 * currently running coroutine or returns result immediately without suspension.
 *
 * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that
 * suspend function did suspend the execution and will not return any result immediately.
 * In this case, the [Continuation] provided to the [block] shall be resumed by
 * invoking [Continuation.resumeWith] at some moment in the future when the result
 * becomes available to resume the computation. Otherwise, the return value of the
 * [block] must have a type assignable to [T] and represents the result of this
 * suspend function. It means that the execution was not suspended and the
 * [Continuation] provided to the [block] shall not be invoked.
 *
 * As the result type of the [block] is declared as `Any?` and cannot be correctly
 * type-checked, its proper return type remains on the conscience of the suspend
 * function's author.
 *
 * Invocation of [Continuation.resumeWith] resumes coroutine directly in the
 * invoker's thread without going through the [ContinuationInterceptor] that might
 * be present in the coroutine's [CoroutineContext].
 *
 * It is invoker's responsibility to ensure that the proper invocation context
 * is established.
 *
 * [Continuation.intercepted] can be used to acquire the intercepted continuation.
 *
 * Note that it is not recommended to call either [Continuation.resume] nor
 * [Continuation.resumeWithException] functions synchronously in the same
 * stackframe where suspension function is run. Use [suspendCoroutine] as a
 * safer way to obtain current continuation instance.
 */
@SinceKotlin("1.3")
@InlineOnly
@Suppress("UNUSED_PARAMETER", "RedundantSuspendModifier")
public suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {
    throw NotImplementedError("Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic")
}

/**
 * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block`
 * argument to state that the execution was suspended and will not return any
 * result immediately.
 *
 * Note: this value should not be used in general code.
 *
 * Using it outside of the context of `suspendCoroutineUninterceptedOrReturn`
 * function return value (including, but not limited to, storing this value in
 * other properties, returning it from other functions, etc) can lead to
 * unspecified behavior of the code.
 *
 * It is implemented as property with getter to avoid ProGuard <clint>
 * problem with multifile IntrinsicsKt class.
 */
@SinceKotlin("1.3")
public val COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED

// Using enum here ensures two important properties:
// 1. It makes SafeContinuation serializable with all kinds of serialization
// frameworks (since all of them natively support enums)
// 2. It improves debugging experience, since you clearly see toString()
// value of those objects and what package they come from
@SinceKotlin("1.3")
@PublishedApi
// This class is Published API via serialized representation of SafeContinuation,
// don't rename/move internal enum class
class CoroutineSingletons {
    COROUTINE_SUSPENDED, UNDECIDED, RESUMED
}
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.experimental

/**
 * Performs a bitwise AND operation between
 */

```



the two values. `*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n/** Performs a bitwise AND operation between the two values.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value.`

`*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.experimental\n\n/**\n * The experimental type inference augmenting annotations marker.\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-Xuse-experimental=kotlin.experimental.ExperimentalTypeInference`.\n *\n * @Experimental(level = Experimental.Level.ERROR)\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class ExperimentalTypeInference\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n *\n * @Target(AnnotationTarget.TYPE)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n *\n * @Target(AnnotationTarget.TYPE)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n *\n * @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n *\n * @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n *\n * @Target(AnnotationTarget.TYPE_PARAMETER)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n *\n * @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n *\n * @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n */\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`),`

referencing a `lateinit` property, the backing field of which is accessible at the point where the corresponding argument is passed.

```

@Target(AnnotationTarget.VALUE_PARAMETER)
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.2")
internal annotation class AccessibleLateinitPropertyLiteral

/**
 * Specifies that this declaration is only completely supported since the specified version.
 * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.
 * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear to the user).
 * The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error is going to be reported,
 * HIDDEN means that the declaration is going to be removed from resolution completely.
 * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.
 * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to treat any [RequireKotlin] as if it requires the language version.
 * Since 1.2, the Kotlin compiler supports [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].
 * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin), Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, whereas Kotlin before 1.2 is going to treat this as a requirement on the language version.
 * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.
 */
@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)
@Retention(AnnotationRetention.SOURCE)
@Repeatable
@SinceKotlin("1.2")
internal annotation class RequireKotlin(
    val version: String,
    val message: String = "",
    val level: DeprecationLevel = DeprecationLevel.ERROR,
    val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,
    val errorCode: Int = -1
)

/**
 * The kind of the version that is required by [RequireKotlin].
 */
@SinceKotlin("1.2")
internal enum class RequireKotlinVersionKind {
    LANGUAGE_VERSION,
    COMPILER_VERSION,
    API_VERSION
}

/**
 * Specifies that this declaration is a part of special DSL, used for constructing function's contract.
 */
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.2")
internal annotation class ContractsDsl

/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.properties

import kotlin.reflect.KProperty

/**
 * Standard property delegates.
 */
public object Delegates {
    /**
     * Returns a property delegate for a read/write property with a non-null value that is initialized not during object construction time but at a later time. Trying to read the property before the initial value has been assigned results in an exception.
     *
     * @sample
     * samples.properties.Delegates.notNullDelegate
     */
    public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()

    /**
     * Returns a property delegate for a read/write property that calls a specified callback function when changed.
     * @param initialValue the initial value of the property.
     * @param onChange the callback which is called after the change of the property is made. The value of the property has already been changed when this callback is invoked.
     *
     * @sample
     * samples.properties.Delegates.observableDelegate
     */
    public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit): ReadWriteProperty<Any?, T> =
        object : ObservableProperty<T>(initialValue) {
            override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)
        }

    /**
     * Returns a property delegate for a read/write property that calls a specified callback function when changed, allowing the callback to veto the modification.
     * @param initialValue the initial value of the property.
     * @param onChange the callback which is called before a change to the property value is attempted.
     * The value of the property hasn't been changed yet, when this callback is invoked.
     * If the callback returns true the value of the property is being set to the new value, and if the callback returns false the new value is discarded and the property remains its old value.
     *
     * @sample
     */
}

```

```

samples.properties.Delegates.vetoableDelegate\n    * @sample
samples.properties.Delegates.throwVetoableDelegate\n    */\n    public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n    object : ObservableProperty<T>(initialValue) {\n        override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n    }\n\nprivate class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n    private var
value: T? = null\n    public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n    }\n    public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        this.value = value\n
    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that
calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic
abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n    private var value =
initialValue\n\n    /**\n     * The callback which is called before a change to the property value is attempted.\n     *
The value of the property hasn't been changed yet, when this callback is invoked.\n     * If the callback returns `true`
the value of the property is being set to the new value,\n     * and if the callback returns `false` the new value is
discarded and the property remains its old value.\n     */\n    protected open fun beforeChange(property:
KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n    /**\n     * The callback which is called after the
change of the property is made. The value of the property\n     * has already been changed when this callback is
invoked.\n     */\n    protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit
{\n    }\n\n    public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value\n
    }\n\n    public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        val oldValue = this.value\n
        if (!beforeChange(property, oldValue, value)) {\n            return\n        }\n        this.value = value\n
        afterChange(property, oldValue, value)\n    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number
generator algorithms.\n */\n * The companion object [Random.Default] is the default instance of [Random].\n */\n *
To get a seeded instance of random generator use [Random] function.\n */\n * @sample
samples.random.Randoms.defaultRandom\n */\n\n@SinceKotlin("1.3")\npublic abstract class Random {\n\n    /**\n     *
Gets the next random [bitCount] number of bits.\n     */\n     * Generates an `Int` whose lower [bitCount] bits are
filled with random values and the remaining upper bits are zero.\n     */\n     * @param bitCount number of bits to
generate, must be in range 0..32, otherwise the behavior is unspecified.\n     */\n    public abstract fun
nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     */\n
     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE`
(inclusive).\n     */\n    public open fun nextInt(): Int = nextBits(32)\n\n    /**\n     * Gets the next random non-
negative `Int` from the random number generator less than the specified [until] bound.\n     */\n     * Generates an
`Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     */\n
     * @param until must be positive.\n     */\n     * @throws IllegalArgumentException if [until] is negative or zero.\n
     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n    /**\n     * Gets the next random `Int`
from the random number generator in the specified range.\n     */\n     * Generates an `Int` random value uniformly distributed
between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     */\n     * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextInt(from: Int,
until: Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n ==
Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n
                nextBits(bitCount)\n            } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n
                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n
        } else {\n            while (true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n
            }\n        }\n    }\n}

```

```

    }\n    }\n    }\n\n    /**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     */\n    public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextLong(until: Long): Long = nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified range.\n     *\n     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow = n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n                        val bitCount = fastLog2(nLow)\n                        // toUInt().toLong()\n                        nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                    }\n                    nHigh == 1 -> {\n                        // toUInt().toLong()\n                        nextInt().toLong() and 0xFFFF_FFFF\n                    } else -> {\n                        val bitCount = fastLog2(nHigh)\n                        nextBits(bitCount).toLong().shl(32) + nextInt()\n                    }\n                }\n            } else {\n                var v: Long\n                do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random [Boolean] value.\n     */\n    public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n    /**\n     * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n    /**\n     * Gets the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n    /**\n     * Gets the next random `Double` from the random number generator in the specified range.\n     *\n     * Generates a `Double` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * [from] and [until] must be finite otherwise the behavior is unspecified.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextDouble(from: Double, until: Double): Double {\n        checkRangeBounds(from, until)\n        val size = until - from\n        val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n            val r1 = nextDouble() * (until / 2 - from / 2)\n            from + r1 + r1\n        } else {\n            from + nextDouble() * size\n        }\n        return if (r >= until) until.nextDown() else r\n    }\n\n    /**\n     * Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n    /**\n     * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n     * with random bytes.\n     *\n     * @return [array] with the subrange filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n        require(fromIndex in 0..array.size && toIndex in 0..array.size) {\n            "\"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}.\" }\n        }\n        require(fromIndex <= toIndex) {\n            "\"fromIndex ($fromIndex) must be not greater than toIndex ($toIndex).\" }\n        }\n        val steps = (toIndex - fromIndex) / 4\n        var position = fromIndex\n        repeat(steps) {\n            val v = nextInt()\n            array[position] = v.toByte()\n            array[position + 1] = v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position + 3] = v.ushr(24).toByte()\n            position += 4\n        }\n        val remainder = toIndex - position\n        val vr = nextBits(remainder * 8)\n        for (i in 0 until remainder) {\n            array[position + i] = vr.ushr(i * 8).toByte()\n        }\n        return array\n    }\n\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n     * @return [array] filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray): ByteArray =

```

```

nextBytes(array, 0, array.size)\n\n /**\n * Creates a byte array of the specified [size], filled with random
bytes.\n */\n public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n /**\n *
The default random number generator.\n */\n * On JVM this generator is thread-safe, its methods can be
invoked from multiple threads.\n */\n * @sample samples.random.Randoms.defaultRandom\n */\n
companion object Default : Random() {\n\n private val defaultRandom: Random =
defaultPlatformRandom()\n\n override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n
override fun nextInt(): Int = defaultRandom.nextInt()\n override fun nextInt(until: Int): Int =
defaultRandom.nextInt(until)\n override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from,
until)\n\n override fun nextLong(): Long = defaultRandom.nextLong()\n override fun nextLong(until:
Long): Long = defaultRandom.nextLong(until)\n override fun nextLong(from: Long, until: Long): Long =
defaultRandom.nextLong(from, until)\n\n override fun nextBoolean(): Boolean =
defaultRandom.nextBoolean()\n\n override fun nextDouble(): Double = defaultRandom.nextDouble()\n
override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n override fun
nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n override fun
nextFloat(): Float = defaultRandom.nextFloat()\n\n override fun nextBytes(array: ByteArray): ByteArray =
defaultRandom.nextBytes(array)\n override fun nextBytes(size: Int): ByteArray =
defaultRandom.nextBytes(size)\n override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int):
ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n @Deprecated("Use Default companion
object instead", level = DeprecationLevel.HIDDEN)\n @Suppress("DEPRECATION_ERROR")\n
@kotlin.jvm.JvmField\n public val Companion: Random.Companion = Random.Companion\n }\n\n
@Deprecated("Use Default companion object instead", level = DeprecationLevel.HIDDEN)\n public object
Companion : Random() {\n\n override fun nextBits(bitCount: Int): Int = Default.nextBits(bitCount)\n
}\n}\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n */\n * Two
generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n */\n
* *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will
return\n * a sequence of values different from the current one for a given seed.\n */\n * @sample
samples.random.Randoms.seededRandom\n */\n\n@SinceKotlin("1.3")\npublic fun Random(seed: Int): Random =
XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the
given [seed] `Long` value.\n */\n * Two generators with the same seed produce the same sequence of values within
the same version of Kotlin runtime.\n */\n * *Note:* Future versions of Kotlin may change the algorithm of this
seeded number generator so that it will return\n * a sequence of values different from the current one for a given
seed.\n */\n * @sample samples.random.Randoms.seededRandom\n */\n\n@SinceKotlin("1.3")\npublic fun
Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n/**\n * Gets the next
random `Int` from the random number generator in the specified [range].\n */\n * Generates an `Int` random value
uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*/\n * @throws IllegalArgumentException if [range] is empty.\n */\n\n@SinceKotlin("1.3")\npublic fun
Random.nextInt(range: IntRange): Int = when {\n\n range.isEmpty() -> throw IllegalArgumentException("Cannot
get random in empty range: $range")\n\n range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n
range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n\n else -> nextInt()\n}\n\n\n/**\n * Gets the
next random `Long` from the random number generator in the specified [range].\n */\n * Generates a `Long` random
value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n */\n * @throws IllegalArgumentException if [range] is empty.\n */\n\n@SinceKotlin("1.3")\npublic fun
Random.nextLong(range: LongRange): Long = when {\n\n range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n\n range.last < Long.MAX_VALUE ->
nextLong(range.start, range.endInclusive + 1)\n\n range.start > Long.MIN_VALUE -> nextLong(range.start - 1,
range.endInclusive) + 1\n\n else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom():
Random\n\ninternal expect fun fastLog2(value: Int): Int // 31 - Integer.numberOfLeadingZeros(value)\n\ninternal
expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\n\n/** Takes upper [bitCount] bits (0..32) from this

```

```

number. */\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n    this.ushr(32 - bitCount) and (-
bitCount).shr(31)\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) {
boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until >
from) { boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Double, until: Double) =
require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until:
Any) = \"Random range is empty: [$from, $until].\"*\n\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *
*\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE]
(inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(): UInt =
nextInt().toUInt()\n\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified
[until] bound.\n *
*\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the
specified [until] bound (exclusive).\n *
*\n * @throws IllegalArgumentException if [until] is zero.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt =
nextUInt(0u, until)\n\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified
range.\n *
*\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and
[until] (exclusive) bounds.\n *
*\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(from: UInt, until: UInt):
UInt {\n    checkUIntRangeBounds(from, until)\n\n    val signedFrom = from.toInt() xor Int.MIN_VALUE\n    val
signedUntil = until.toInt() xor Int.MIN_VALUE\n\n    val signedResult = nextInt(signedFrom, signedUntil) xor
Int.MIN_VALUE\n    return signedResult.toUInt()\n}\n\n\n/**\n * Gets the next random [UInt] from the random
number generator in the specified [range].\n *
*\n * Generates a [UInt] random value uniformly distributed in the
specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *
*\n * @throws
IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextUInt(range: UIntRange): UInt = when {\n    range.isEmpty() -> throw
IllegalArgumentException(\"Cannot get random in empty range: $range\")\n    range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)\n    range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u\n    else -> nextUInt()\n}\n\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *
*\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *
*\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *
*\n * @throws
IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n\n/**\n * Gets the next random [ULong]
from the random number generator in the specified range.\n *
*\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *
*\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(from: ULong, until:
ULong): ULong {\n    checkULongRangeBounds(from, until)\n\n    val signedFrom = from.toLong() xor
Long.MIN_VALUE\n    val signedUntil = until.toLong() xor Long.MIN_VALUE\n\n    val signedResult =
nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n    return signedResult.toULong()\n}\n\n\n/**\n * Gets
the next random [ULong] from the random number generator in the specified [range].\n *
*\n * Generates a [ULong]
random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n *
*\n * @throws
IllegalArgumentException if [range] is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(range: ULongRange):
ULong = when {\n    range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range:
$range\")\n    range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n    range.first >

```

```

ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n else -> nextULong()\n}\n\n/**\n * Fills
the specified unsigned byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random
bytes.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array:
UByteArray): UByteArray {\n nextBytes(array.asByteArray())\n return array\n}\n\n/**\n * Creates an unsigned
byte array of the specified [size], filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray
= nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from
[fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the
subrange filled with random bytes.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n
nextBytes(array.asByteArray(), fromIndex, toIndex)\n return
array\n}\n\n@ExperimentalUnsignedTypes\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) =
require(until > from) { boundsErrorMessage(from, until) }\n@ExperimentalUnsignedTypes\ninternal fun
checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until)
}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n *
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Random number
generator, algorithm "xorwow" from p. 5 of Marsaglia, "Xorshift RNGs".\n *\n * Cycles after 2^160 * (2^32-1)
repetitions.\n *\n * See http://www.jstatsoft.org/v08/i14/paper for details.\n */\n\ninternal class
XorWowRandom\n\ninternal constructor(\n private var x: Int,\n private var y: Int,\n private var z: Int,\n private
var w: Int,\n private var v: Int,\n private var addend: Int\n) : Random() {\n\n internal constructor(seed1: Int,
seed2: Int) :\n this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n init {\n
require((x or y or z or w or v) != 0) { "Initial state must have at least one non-zero element." }\n\n // some
trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n repeat(64) { nextInt()
}\n }\n\n override fun nextInt(): Int {\n var t = x\n t = t xor (t ushr 2)\n x = y\n y = z\n z =
w\n val v0 = v\n w = v0\n t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n v = t\n addend +=
362437\n return t + addend\n }\n\n override fun nextBits(bitCount: Int): Int =\n
nextInt().takeUpperBits(bitCount)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface
providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface
is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve
IEEE-754 comparison order instead of total order of floating point numbers.\n */\n\n@SinceKotlin("1.1")\npublic
interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n override fun contains(value: T):
Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n override fun isEmpty():
Boolean = !lessThanOrEquals(start, endInclusive)\n\n /**\n * Compares two values of range domain type and
returns true if first is less than or equal to second.\n */\n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n
* Represents a range of [Comparable] values.\n */\n\nprivate open class ComparableRange<T : Comparable<T>>(\n
override val start: T,\n override val endInclusive: T\n) : ClosedRange<T> {\n\n override fun equals(other:
Any?): Boolean {\n return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n start
== other.start && endInclusive == other.endInclusive)\n }\n\n override fun hashCode(): Int {\n return if
(isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String =
"$start..$endInclusive"\n}\n\n/**\n * A closed range of values of type `Double`. \n *\n * Numbers are compared
with the ends of this range according to IEEE-754.\n */\n\nprivate class ClosedDoubleRange(\n start: Double,\n
endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n private val _start = start\n private val
_endInclusive = endInclusive\n override val start: Double get() = _start\n override val endInclusive: Double get()
= _endInclusive\n\n override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n override fun
contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n\n override fun isEmpty():

```





```

    }\n  })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and
 * also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n * Note that
 * blank lines do not affect the detected indent level.\n * In case if there are non-blank lines with no leading
 * whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change
 * the indentation.\n * Doesn't preserve the original line endings.\n * @sample
 * samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun
String.trimIndent(): String = replaceIndent("\\")\n\n/**\n * Detects a common minimal indent like it does
 * [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String
 = "\\"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n
        .map(String::indentWidth)\n        .min() ?: 0\n    return lines.reindent(length + newIndent.length * lines.size,
        getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every
 * line of the original string.\n * Doesn't preserve the original line endings.\n */\npublic fun
String.prependIndent(indent: String = "  "): String =\n    lineSequence()\n        .map {\n            when {\n
                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n
                            else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString("\\n")\n\nprivate fun
String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun
getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -
> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction:
(String) -> String,\n    indentCutFunction: (String) -> String?): String {\n    val lastIndex = lastIndex\n    return
mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n}\n
.joinTo(StringBuilder(resultSizeEstimate), "\\n")\n    .toString()\n}\n\n", "\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
 * license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper
 * Typography.\n */\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public
const val quote: Char = "\u0022"\n    /** The character &#x24; \u2013 dollar sign */\n    public const val dollar:
Char = "\u0024"\n    /** The character &#x26; \u2013 ampersand */\n    public const val amp: Char = "\u0026"\n
    /** The character &#x3C; \u2013 less-than sign */\n    public const val less: Char = "\u003C"\n    /** The character
 * &#x3E; \u2013 greater-than sign */\n    public const val greater: Char = "\u003E"\n    /** The non-breaking space
 * character */\n    public const val nbsp: Char = "\u00A0"\n    /** The character &#xD7; */\n    public const val times:
Char = "\u00D7"\n    /** The character &#xA2; */\n    public const val cent: Char = "\u00A2"\n    /** The character
 * &#xA3; */\n    public const val pound: Char = "\u00A3"\n    /** The character &#xA7; */\n    public const val
section: Char = "\u00A7"\n    /** The character &#xA9; */\n    public const val copyright: Char = "\u00A9"\n    /**
 * The character &#xAB; */\n    public const val leftGuillemete: Char = "\u00AB"\n    /** The character &#xBB; */\n
    public const val rightGuillemete: Char = "\u00BB"\n    /** The character &#xAE; */\n    public const val registered:
Char = "\u00AE"\n    /** The character &#xB0; */\n    public const val degree: Char = "\u00B0"\n    /** The
 * character &#xB1; */\n    public const val plusMinus: Char = "\u00B1"\n    /** The character &#xB6; */\n    public
const val paragraph: Char = "\u00B6"\n    /** The character &#xB7; */\n    public const val middleDot: Char =
"\u00B7"\n    /** The character &#xBD; */\n    public const val half: Char = "\u00BD"\n    /** The character
 * &#x2013; */\n    public const val ndash: Char = "\u2013"\n    /** The character &#x2014; */\n    public const val
mdash: Char = "\u2014"\n    /** The character &#x2018; */\n    public const val leftSingleQuote: Char = "\u2018"\n
    /** The character &#x2019; */\n    public const val rightSingleQuote: Char = "\u2019"\n    /** The character
 * &#x201A; */\n    public const val lowSingleQuote: Char = "\u201A"\n    /** The character &#x201C; */\n    public
const val leftDoubleQuote: Char = "\u201C"\n    /** The character &#x201D; */\n    public const val
rightDoubleQuote: Char = "\u201D"\n    /** The character &#x201E; */\n    public const val lowDoubleQuote: Char
 = "\u201E"\n    /** The character &#x2020; */\n    public const val dagger: Char = "\u2020"\n    /** The character
 * &#x2021; */\n    public const val doubleDagger: Char = "\u2021"\n    /** The character &#x2022; */\n    public
const val bullet: Char = "\u2022"\n    /** The character &#x2026; */\n    public const val ellipsis: Char = "\u2026"

```

```

/** The character &#x2032; */\n public const val prime: Char = "\u2032"\n /** The character &#x2033; */\n
public const val doublePrime: Char = "\u2033"\n /** The character &#x20AC; */\n public const val euro: Char =
"\u20AC"\n /** The character &#x2122; */\n public const val tm: Char = "\u2122"\n /** The character
&#x2248; */\n public const val almostEqual: Char = "\u2248"\n /** The character &#x2260; */\n public const
val notEqual: Char = "\u2260"\n /** The character &#x2264; */\n public const val lessOrEqual: Char =
"\u2264"\n /** The character &#x2265; */\n public const val greaterOrEqual: Char = "\u2265"\n}"/\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured
groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where
`groupCount` is the count of groups in the regular expression.\n *\n * Groups are indexed from 1 to `groupCount` and
group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index
can be `null`,\n *\n * if the corresponding group in the regular expression is optional and\n *\n * there was no match
captured by that group.\n */\n\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n /**
Returns a group with the specified [index].\n *\n * @return An instance of [MatchGroup] if the group with the
specified [index] was matched or `null` otherwise.\n *\n * Groups are indexed from 1 to the count of groups in
the regular expression. A group with the index 0\n *\n * corresponds to the entire match.\n */\n\n public operator
fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get
matched groups by name, when regex supports it.\n */\n\n@SinceKotlin("1.1")\n\npublic interface
MatchNamedGroupCollection : MatchGroupCollection {\n\n /**\n * Returns a named group with the specified
[name].\n *\n * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null`
otherwise.\n *\n * @throws IllegalArgumentException if there is no group with the specified [name] defined in the
regex pattern.\n *\n * @throws UnsupportedOperationException if getting named groups isn't supported on the
current platform.\n */\n\n public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the
results from a single regular expression match.\n */\n\npublic interface MatchResult {\n\n /** The range of indices in
the original string where match was captured. */\n\n public val range: IntRange\n\n /** The substring from the input
string captured by this match. */\n\n public val value: String\n\n /**\n * A collection of groups matched by the
regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of
groups in the regular expression.\n *\n * Groups are indexed from 1 to `groupCount` and group with the index 0
corresponds to the entire match.\n */\n\n public val groups: MatchGroupCollection\n\n /**\n * A list of
matched indexed group values.\n *\n * This list has size of `groupCount + 1` where `groupCount` is the count
of groups in the regular expression.\n *\n * Groups are indexed from 1 to `groupCount` and group with the index 0
corresponds to the entire match.\n *\n * If the group in the regular expression is optional and there were no
match captured by that group,\n *\n * corresponding item in [groupValues] is an empty string.\n */\n\n * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n public val groupValues: List<String>\n\n /**\n * An
instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment
of group values.\n *\n * component1 corresponds to the value of the first group, component2 \u2014 of the
second, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n public val
destructured: Destructured get() = Destructured(this)\n\n /** Returns a new [MatchResult] with the
results for the next match, starting at the position\n *\n * at which the last match ended (at the character after the last
matched character).\n */\n\n public fun next(): MatchResult?\n}\n\n /**\n * Provides components for
destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group,
[component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and
there were no match captured by that group,\n *\n * corresponding component value is an empty string.\n */\n\n *
@sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n public class Destructured internal
constructor(public val match: MatchResult) {\n\n @kotlin.internal.InlineOnly\n\n public operator inline fun
component1(): String = match.groupValues[1]\n\n @kotlin.internal.InlineOnly\n\n public operator inline fun
component2(): String = match.groupValues[2]\n\n @kotlin.internal.InlineOnly\n\n public operator inline fun
component3(): String = match.groupValues[3]\n\n @kotlin.internal.InlineOnly\n\n public operator inline fun

```

```

component4(): String = match.groupValues[4]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component5(): String = match.groupValues[5]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component6(): String = match.groupValues[6]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component7(): String = match.groupValues[7]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component8(): String = match.groupValues[8]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component9(): String = match.groupValues[9]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component10(): String = match.groupValues[10]\n\n    /**\n     * Returns destructured group values as a list of
strings.\n     * First value in the returned list corresponds to the value of the first group, and so on.\n     */\n    * @sample samples.text.Regexps.matchDestructuringToGroupValues\n     */\n    public fun toList():
List<String> = match.groupValues.subList(1, match.groupValues.size)\n    } } }"/\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Returns a hash
code value for the object or zero if the object is `null`.\n */\n * @see Any.hashCode\n
*/\n\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0"/\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard
library.\n */\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and
not greater than 255 ([MAX_COMPONENT_VALUE]).\n */\n * @constructor Creates a version from all three
components.\n */\n\n@SinceKotlin("1.1")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :
Comparable<KotlinVersion> {\n    /**\n     * Creates a version from [major] and [minor] components, leaving
[patch] component zero.\n     */\n     public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n     private val
version = versionOf(major, minor, patch)\n\n     private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n
require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\n         "Version components are out of range: $major.$minor.$patch"\n
}\n     return major.shl(16) + minor.shl(8) + patch\n    } }\n\n    /**\n     * Returns the string representation of this
version\n     */\n     override fun toString(): String = "$major.$minor.$patch"\n\n     override fun equals(other:
Any?): Boolean {\n         if (this === other) return true\n         val otherVersion = (other as? KotlinVersion) ?: return
false\n         return this.version == otherVersion.version\n     }\n\n     override fun hashCode(): Int = version\n\n
override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n     /**\n     * Returns `true` if this
version is not less than the version specified\n     * with the provided [major] and [minor] components.\n     */\n     public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n
this.major > major || (this.major == major &&\n         this.minor >= minor)\n\n     /**\n     * Returns `true` if this
version is not less than the version specified\n     * with the provided [major], [minor] and [patch] components.\n     */\n     public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor,
patch)\n     this.major > major || (this.major == major &&\n         (this.minor > minor || this.minor == minor
&&\n         this.patch >= patch))\n\n     companion object {\n         /**\n          * Maximum value a version
component can have, a constant value 255.\n          */\n         // NOTE: Must be placed before CURRENT because its
initialization requires this field being initialized in JS\n         public const val MAX_COMPONENT_VALUE =
255\n\n         /**\n          * Returns the current version of the Kotlin standard library.\n          */\n         @kotlin.jvm.JvmField\n         public val CURRENT: KotlinVersion = KotlinVersion(1, 3, 31) // value is written here
automatically during build\n     } }\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n */\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*/\n\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n    get() = throw NotImplementedError("Implementation is

```

```

intrinsic\)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("LazyKt")\n\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n *\n * To create an instance of
[Lazy] use the [lazy] function.\n *\n\npublic interface Lazy<out T> {\n    /**\n     * Gets the lazily initialized value of
the current Lazy instance.\n     * Once the value was initialized it must not change during the rest of lifetime of this
Lazy instance.\n     *\n     public val value: T\n     /**\n     * Returns `true` if a value for this Lazy instance has been
already initialized, and `false` otherwise.\n     * Once this function has returned `true` it stays `true` for the rest of
lifetime of this Lazy instance.\n     *\n     public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of
the [Lazy] that is already initialized with the specified [value].\n *\n\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n *\n`val property: String by
lazy { initializer }`\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n *\n\npublic enum class LazyThreadSafetyMode {\n    /**\n     * Locks are used to ensure
that only a single thread can initialize the [Lazy] instance.\n     *\n     SYNCHRONIZED,\n     /**\n     * Initializer
function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n     * but only the
first returned value will be used as the value of [Lazy] instance.\n     *\n     PUBLICATION,\n     /**\n     * No
locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple
threads, its behavior is undefined.\n     *\n     * This mode should not be used unless the [Lazy] instance is
guaranteed never to be initialized from more than one thread.\n     *\n     NONE,\n}\n\n\n\ninternal object
UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\n\ninternal class UnsafeLazyImpl<out
T>(initializer: () -> T) : Lazy<T>, Serializable {\n    private var initializer: () -> T? = initializer\n    private var
_value: Any? = UNINITIALIZED_VALUE\n\n    override val value: T\n        get() {\n            if (_value ===
UNINITIALIZED_VALUE) {\n                _value = initializer!!()\n                initializer = null\n            }\n
@Suppress("UNCHECKED_CAST")\n            return _value as T\n        }\n\n    override fun isInitialized():
Boolean = _value !== UNINITIALIZED_VALUE\n\n    override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet."\n\n    private fun writeReplace(): Any =
InitializedLazyImpl(value)\n}\n\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>,
Serializable {\n    override fun isInitialized(): Boolean = true\n\n    override fun toString(): String =
value.toString()\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin\n\nimport
kotlin.internal.RequireKotlin\n\nimport
kotlin.internal.RequireKotlinVersionKind\n\n\n@kotlin.internal.InlineOnly\n\n@SinceKotlin("1.2")\n\n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n\n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\n\npublic inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\n\n@file:kotlin.jvm.JvmName("TuplesKt")\n\n\npackage kotlin\n\n\n/**\n *
Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used
for any purpose.\n *\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An
example of decomposing it into values:\n *\n`@sample samples.misc.Tuples.pairDeconstructing`\n *\n * `@param A
type of the first value.\n * `@param B type of the second value.\n * `@property first First value.\n * `@property
second Second value.\n * `@constructor Creates a new instance of Pair.\n *\n\npublic data class Pair<out A, out B>(\n
    public val first: A,\n    public val second: B\n) : Serializable {\n    /**\n     * Returns string representation of the
[Pair] including its [first] and [second] values.\n     *\n     public override fun toString(): String = "$first,
$second"\n}\n\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating
[Map] literals with less noise, for example:\n *\n`@sample samples.collections.Maps.instantiation.mapFromPairs`\n

```

```

* \npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n */\n\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n */\n\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDeconstructing\n */\n\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\n\npublic data class Triple<out A, out B, out C>(\n    public val first: A,\n    public val second: B,\n    public val third: C\n) : Serializable {\n\n    /**\n     * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n     */\n    public override fun toString(): String = \"($first, $second, $third)\"\n\n    /**\n     * Converts this triple into a list.\n     * @sample samples.misc.Tuples.tripleToList\n     */\n    public fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n    override val start: UInt get() = first\n    override val endInclusive: UInt get() = last\n\n    override fun contains(value: UInt): Boolean = first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type UInt. */\n        public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n    }\n}\n\n/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open class UIntProgression\ninternal constructor(\n    start: UInt,\n    endInclusive: UInt,\n    step: Int\n) : Iterable<UInt> {\n    init {\n        if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: UInt = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last && step == other.step\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n    override fun toString(): String =\n        if (step > 0) \"$first..$last step $step\"\n        else \"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         * Creates UIntProgression within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression =\n            UIntProgression(rangeStart, rangeEnd, step)\n    }\n\n    /**\n     * An iterator over a progression of values of type `UInt`.\n     * @property step the number by which the value is incremented on each step.\n     */\n    private class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n        private val finalElement = last\n        private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n        private val step = step.toUInt() // use 2-complement math for negative steps\n        private var next = if (hasNext) first else finalElement\n\n        override fun hasNext(): Boolean = hasNext\n\n        override fun nextUInt(): UInt {\n            val value = next\n            if (value == finalElement) {\n                if (!hasNext) throw kotlin.NoSuchElementException()\n                hasNext = false\n            } else {\n                next += step\n            }\n        }\n    }\n}

```

```

return value\n    }\n}\n\n"/**\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UByteIterator : Iterator<UByte>
{\n    override final fun next() = nextUByte()\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UShortIterator : Iterator<UShort>
{\n    override final fun next() = nextUShort()\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UIntIterator : Iterator<UInt> {\n    override final fun next() = nextUInt()\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUInt(): UInt\n}\n\n/** An iterator over a sequence of values of type `ULong`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class ULongIterator : Iterator<ULong>
{\n    override final fun next() = nextULong()\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextULong(): ULong\n}\n\n"/**\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\nimport kotlin.internal.*\n\n/** A range of
values of type `ULong`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class
ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1),
ClosedRange<ULong> {\n    override val start: ULong get() = first\n    override val endInclusive: ULong get() =
last\n    override fun contains(value: ULong): Boolean = first <= value && value <= last\n    override fun
isEmpty(): Boolean = first > last\n    override fun equals(other: Any?): Boolean =\n        other is ULongRange &&
(isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last\n    override fun
hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
32)).toInt())\n    override fun toString(): String = "$first..$last"\n    companion object {\n        /** An empty
range of values of type ULong.
*/\n        public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE,
ULong.MIN_VALUE)\n    }\n}\n\n/** A progression of values of type `ULong`.
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open class ULongProgression\ninternal
constructor(\n    start: ULong,\n    endInclusive: ULong,\n    step: Long\n) : Iterable<ULong> {\n    init {\n        if
(step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step ==
Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Long.MIN_VALUE to
avoid overflow on negation.")\n    }\n    /**\n     * The first element in the progression.\n     */\n    public val first:
ULong = start\n    /**\n     * The last element in the progression.\n     */\n    public val last: ULong =
getProgressionLastElement(start, endInclusive, step)\n    /**\n     * The step of the progression.\n     */\n    public
val step: Long = step\n    override fun iterator(): ULongIterator = ULongProgressionIterator(first, last, step)\n    /**
Checks if the progression is empty.
*/\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first
< last\n    override fun equals(other: Any?): Boolean =\n        other is ULongProgression && (isEmpty() &&
other.isEmpty()) ||\n            first == other.first && last == other.last && step == other.step\n    override fun
hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
32)).toInt()) + (step xor (step ushr 32)).toInt())\n    override fun toString(): String = if (step > 0) "$first..$last step
$step" else "$first downTo $last step ${-step}"\n    companion object {\n        /**\n         * Creates
ULongProgression within the specified bounds of a closed range.\n         * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order
to go backwards the [step] must be negative.\n         * [step] must be greater than `Long.MIN_VALUE` and
not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long):
ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/** An iterator over a
progression of values of type `ULong`.
*/\n * @property step the number by which the value is incremented on each
step.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\nprivate class ULongProgressionIterator(first:

```

```

ULong, last: ULong, step: Long) : ULongIterator() {
    private val finalElement = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private val step = step.toULong() // use 2-complement math for negative steps
    private var next = if (hasNext) first else finalElement
    override fun hasNext(): Boolean = hasNext
    override fun nextULong(): ULong {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}
}

/*
 * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.math

/**
 * Returns the smaller of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun min(a: UInt, b: UInt): UInt {
    return minOf(a, b)
}

/**
 * Returns the smaller of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun min(a: ULong, b: ULong): ULong {
    return minOf(a, b)
}

/**
 * Returns the greater of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun max(a: UInt, b: UInt): UInt {
    return maxOf(a, b)
}

/**
 * Returns the greater of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun max(a: ULong, b: ULong): ULong {
    return maxOf(a, b)
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:UseExperimental(ExperimentalUnsignedTypes::class)
package kotlin.internal

// (a - b) mod c
private fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {
    val ac = a % c
    val bc = b % c
    return if (ac >= bc) ac - bc else ac - bc + c
}

private fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {
    val ac = a % c
    val bc = b % c
    return if (ac >= bc) ac - bc else ac - bc + c
}

/**
 * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range
 * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative
 * [step].
 * No validation on passed parameters is performed. The given parameters should satisfy the condition:
 * - either `step > 0` and `start <= end`,
 * - or `step < 0` and `start >= end`.
 * @param start first element of the progression
 * @param end ending bound for the progression
 * @param step increment, or difference of successive elements in the progression
 * @return the final element of the progression
 * @suppress
 */
@PublishedApi
@SinceKotlin("1.3")
internal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())
    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())
    else -> throw kotlin.IllegalArgumentException("Step is zero.")
}

/**
 * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range
 * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative
 * [step].
 * No validation on passed parameters is performed. The given parameters should satisfy the condition:
 * - either `step > 0` and `start <= end`,
 * - or `step < 0` and `start >= end`.
 * @param start first element of the progression
 * @param end ending bound for the progression
 * @param step increment, or difference of successive elements in the progression
 * @return the final element of the progression
 * @suppress
 */
@PublishedApi
@SinceKotlin("1.3")
internal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())
    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())
    else -> throw kotlin.IllegalArgumentException("Step is zero.")
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("UStringsKt") // string representation of unsigned numbers
package kotlin.text

/**
 * Returns a string representation of this [Byte] value in the specified [radix].
 * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
public /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)

/**
 * Returns a string representation of this [Short] value in the specified [radix].
 * @throws IllegalArgumentException when [radix] is not a valid radix
 */

```

for number to string conversion.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun  
UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this  
 [Int] value in the specified [radix].\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for  
 number to string conversion.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun  
ULong.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string representation of this  
 [Long] value in the specified [radix].\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix  
 for number to string conversion.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n/**\n * Parses the string  
 as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid  
 representation of a number.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed  
 [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid  
 representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to  
 number conversion.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(radix:  
Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort]  
 number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a  
 number.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(): UShort =  
toUShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort] number and returns the  
 result.\n * @throws NumberFormatException if the string is not a valid representation of a  
 number.\n * @throws  
 IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(radix: Int): UShort =  
toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the  
 result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(): UInt = toUIntOrNull() ?:  
numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws  
 NumberFormatException if the string is not a valid representation of a number.\n * @throws  
 IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(radix: Int): UInt =  
toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the  
 result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(): ULong =  
toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the  
 result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws  
 IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(radix: Int): ULong =  
toULongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UByte] number and  
 returns the result\n * or `null` if the string is not a valid representation of a number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(): UByte? =  
toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if  
 the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a  
 valid radix for string to number conversion.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(radix: Int): UByte? {  
    val int = this.toUIntOrNull(radix) ?: return null  
    if (int >  
        UByte.MAX_VALUE) return null  
    return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number  
 and returns the result\n * or `null` if the string is not a valid representation of a number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(): UShort? =  
toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if
```



```

the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public
fun String.toUShortOrNull(radix: Int): UShort? {\n     val int = this.toUIntOrNull(radix) ?: return null\n     if (int >
UShort.MAX_VALUE) return null\n     return int.toUShort()\n }\n\n /**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun String.toUIntOrNull(): UInt? =
toUIntOrNull(radix = 10)\n\n /**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public
fun String.toUIntOrNull(radix: Int): UInt? {\n     checkRadix(radix)\n     val length = this.length\n     if (length == 0)
return null\n     val limit: UInt = UInt.MAX_VALUE\n     val start: Int\n     val firstChar = this[0]\n     if (firstChar
< '0') {\n         if (length == 1 || firstChar != '+') return null\n         start = 1\n     } else {\n         start = 0\n     }\n     val
uradix = radix.toUInt()\n     val limitBeforeMul = limit / uradix\n     var result = 0u\n     for (i in start until length) {\n
        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result > limitBeforeMul) return null\n
        result *= uradix\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result <
beforeAdding) return null // overflow has happened\n     }\n     return result\n }\n\n /**\n * Parses the string as an
[ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun String.toULongOrNull(): ULong? =
toULongOrNull(radix = 10)\n\n /**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public
fun String.toULongOrNull(radix: Int): ULong? {\n     checkRadix(radix)\n     val length = this.length\n     if (length
== 0) return null\n     val limit: ULong = ULong.MAX_VALUE\n     val start: Int\n     val firstChar = this[0]\n     if
(firstChar < '0') {\n         if (length == 1 || firstChar != '+') return null\n         start = 1\n     } else {\n         start = 0\n     }\n     val
uradix = radix.toUInt()\n     val limitBeforeMul = limit / uradix\n     var result = 0uL\n     for (i in start
until length) {\n         val digit = digitOf(this[i], radix)\n         if (digit < 0) return null\n         if (result >
limitBeforeMul) return null\n         result *= uradix\n         val beforeAdding = result\n         result +=
digit.toUInt()\n         if (result < beforeAdding) return null // overflow has happened\n     }\n     return
result\n }\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n
*\n @file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n package kotlin\n import
kotlin.annotation.AnnotationTarget.\n import kotlin.internal.RequireKotlin\n import
kotlin.internal.RequireKotlinVersionKind\n\n /**\n * Marks the API that is dependent on the experimental unsigned
types, including those types themselves.\n * \n * Usages of such API will be reported as warnings unless an explicit
opt-in with\n * the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalUnsignedTypes::class)`,\n
* or with the `-Xuse-experimental=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n * \n * It's
recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with
this annotation.\n * \n @Experimental(level = Experimental.Level.WARNING)\n @Target(CLASS,
ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER,
CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,
TYPEALIAS)\n @Retention(AnnotationRetention.BINARY)\n @RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n public annotation class ExperimentalUnsignedTypes\n", "/*\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("MathKt")\n package
kotlin.math\n\n // constants, can't use them from nativeMath as they are not constants there\n\n /**\n * Ratio of the
circumference of a circle to its diameter, approximately 3.14159. *\n @SinceKotlin("1.2")\n public const val PI:
Double = 3.141592653589793\n\n /**\n * Base of the natural logarithms, approximately 2.71828.

```

```

*^@SinceKotlin("1.2")\npublic const val E: Double = 2.718281828459045\n\n// region =====
Double Math =====\n\n** Computes the sine of the angle [x]
given in radians.\n *n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n *^@SinceKotlin("1.2")\npublic
expect fun sin(x: Double): Double\n\n** Computes the cosine of the angle [x] given in radians.\n *n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *^@SinceKotlin("1.2")\npublic expect fun cos(x: Double):
Double\n\n** Computes the tangent of the angle [x] given in radians.\n *n * Special cases:\n * - `tan(NaN|+Inf|-
Inf)` is `NaN`\n *^@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n\n**\n * Computes the arc
sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *n * Special
cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n *^@SinceKotlin("1.2")\npublic expect fun
asin(x: Double): Double\n\n**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in
the range from `0.0` to `PI` radians.\n *n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is
`NaN`\n *^@SinceKotlin("1.2")\npublic expect fun acos(x: Double): Double\n\n**\n * Computes the arc tangent
of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *n * Special cases:\n
* - `atan(NaN)` is `NaN`\n *^@SinceKotlin("1.2")\npublic expect fun atan(x: Double): Double\n\n**\n *
Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x,
y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to
`PI` radians.\n *n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI`
for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y <
+Inf` and `-0.0` for `-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * -
`atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`\n * -
`atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n
*^@SinceKotlin("1.2")\npublic expect fun atan2(y: Double, x: Double): Double\n\n**\n * Computes the
hyperbolic sine of the value [x].\n *n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n *
- `sinh(-Inf)` is `-Inf`\n *^@SinceKotlin("1.2")\npublic expect fun sinh(x: Double): Double\n\n**\n * Computes
the hyperbolic cosine of the value [x].\n *n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is
`+Inf`\n *^@SinceKotlin("1.2")\npublic expect fun cosh(x: Double): Double\n\n**\n * Computes the hyperbolic
tangent of the value [x].\n *n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-
Inf)` is `-1.0`\n *^@SinceKotlin("1.2")\npublic expect fun tanh(x: Double): Double\n\n**\n * Computes the
inverse hyperbolic sine of the value [x].\n *n * The returned value is `y` such that `sinh(y) == x`.\n *n * Special
cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n
*^@SinceKotlin("1.2")\npublic expect fun asinh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic
cosine of the value [x].\n *n * The returned value is positive `y` such that `cosh(y) == x`.\n *n * Special cases:\n
* - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n
*^@SinceKotlin("1.2")\npublic expect fun acosh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic
tangent of the value [x].\n *n * The returned value is `y` such that `tanh(y) == x`.\n *n * Special cases:\n * -
`tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-
1.0)` is `-Inf`\n *^@SinceKotlin("1.2")\npublic expect fun atanh(x: Double): Double\n\n**\n * Computes
`sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *n * Special cases:\n * - returns `+Inf` if any of
arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n
*^@SinceKotlin("1.2")\npublic expect fun hypot(x: Double, y: Double): Double\n\n**\n * Computes the
positive square root of the value [x].\n *n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n
*^@SinceKotlin("1.2")\npublic expect fun sqrt(x: Double): Double\n\n**\n * Computes Euler's number `e`
raised to the power of the value [x].\n *n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n
* - `exp(-Inf)` is `0.0`\n *^@SinceKotlin("1.2")\npublic expect fun exp(x: Double): Double\n\n**\n *
Computes `exp(x) - 1`.\n *n * This function can be implemented to produce more precise result for [x] near zero.\n
*n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *n
* @see [exp] function.\n *^@SinceKotlin("1.2")\npublic expect fun expm1(x: Double): Double\n\n**\n *
Computes the logarithm of the value [x] to the given [base].\n *n * Special cases:\n * - `log(x, b)` is `NaN` if

```

either `x` or `b` are `NaN` `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` `log(+Inf, +Inf)` is `NaN` `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b < 1` `See also logarithm functions for common fixed bases: [ln], [log10] and [log2].`

`SinceKotlin("1.2")` public expect fun `log(x: Double, base: Double): Double` `Computes the natural logarithm (base 'E') of the value [x].` `Special cases:` `ln(NaN)` is `NaN` `ln(x)` is `NaN` when `x < 0.0` `ln(+Inf)` is `+Inf` `ln(0.0)` is `-Inf`

`SinceKotlin("1.2")` public expect fun `ln(x: Double): Double` `Computes the common logarithm (base 10) of the value [x].` `@see [ln] function for special cases.`

`SinceKotlin("1.2")` public expect fun `log10(x: Double): Double` `Computes the binary logarithm (base 2) of the value [x].` `@see [ln] function for special cases.`

`SinceKotlin("1.2")` public expect fun `log2(x: Double): Double` `Computes ln(x + 1).` `This function can be implemented to produce more precise result for [x] near zero.` `Special cases:` `ln1p(NaN)` is `NaN` `ln1p(x)` is `NaN` where `x < -1.0` `ln1p(-1.0)` is `-Inf` `ln1p(+Inf)` is `+Inf` `@see [ln] function` `@see [expm1] function`

`SinceKotlin("1.2")` public expect fun `ln1p(x: Double): Double` `Rounds the given value [x] to an integer towards positive infinity.` `@return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.` `Special cases:` `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")` public expect fun `ceil(x: Double): Double` `Rounds the given value [x] to an integer towards negative infinity.` `@return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.` `Special cases:` `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")` public expect fun `floor(x: Double): Double` `Rounds the given value [x] to an integer towards zero.` `@return the value [x] having its fractional part truncated.` `Special cases:` `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")` public expect fun `truncate(x: Double): Double` `Rounds the given value [x] towards the closest integer with ties rounded towards even integer.` `Special cases:` `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")` public expect fun `round(x: Double): Double` `Returns the absolute value of the given value [x].` `Special cases:` `abs(NaN)` is `NaN` `@see absoluteValue extension property for [Double]`

`SinceKotlin("1.2")` public expect fun `abs(x: Double): Double` `Returns the sign of the given value [x]:` `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive

`SinceKotlin("1.2")` public expect fun `sign(x: Double): Double` `Returns the smaller of two values.` `If either value is NaN, then the result is NaN.`

`SinceKotlin("1.2")` public expect fun `min(a: Double, b: Double): Double` `Returns the greater of two values.` `If either value is NaN, then the result is NaN.`

`SinceKotlin("1.2")` public expect fun `max(a: Double, b: Double): Double` `Raises this value to the power [x].` `Special cases:` `b.pow(0.0)` is `1.0` `b.pow(1.0) == b` `b.pow(NaN)` is `NaN` `NaN.pow(x)` is `NaN` for `x != 0.0` `b.pow(Inf)` is `NaN` for `abs(b) == 1.0` `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

`SinceKotlin("1.2")` public expect fun `Double.pow(x: Double): Double` `Raises this value to the integer power [n].` `See the other overload of [pow] for details.`

`SinceKotlin("1.2")` public expect fun `Double.pow(n: Int): Double` `Returns the absolute value of this value.` `Special cases:` `NaN.absoluteValue` is `NaN` `@see abs function`

`SinceKotlin("1.2")` public expect val `Double.absoluteValue: Double`

`SinceKotlin("1.2")` public expect fun `Double.sign: Double` `Returns the sign of this value:` `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive

`SinceKotlin("1.2")` public expect val `Double.sign: Double` `Returns this value with the sign bit same as of the [sign] value.` `If [sign] is NaN the sign of the result is undefined.`

`SinceKotlin("1.2")` public expect fun `Double.withSign(sign: Double): Double` `Returns this value with the sign bit same as of the [sign] value.`

`SinceKotlin("1.2")` public expect fun `Double.withSign(sign: Int): Double` `Returns the ulp (unit in the last place) of this value.` `An ulp is a positive distance`

between this value and the next nearest [Double] value larger in magnitude.

`* @SinceKotlin("1.2")\npublic expect val Double.ulp: Double`

`* Returns the [Double] value nearest to this value in direction of positive infinity.`

`* @SinceKotlin("1.2")\npublic expect fun Double.nextUp(): Double`

`* Returns the [Double] value nearest to this value in direction of negative infinity.`

`* @SinceKotlin("1.2")\npublic expect fun Double.nextDown(): Double`

`* Returns the [Double] value nearest to this value in direction from this value towards the value [to].`

`* Special cases:`

- `-`x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN``
- `-`x.nextTowards(x) == x``

`* @SinceKotlin("1.2")\npublic expect fun Double.nextTowards(to: Double): Double`

`* Rounds this [Double] value to the nearest integer and converts the result to [Int].`

`* Ties are rounded towards positive infinity.`

`* Special cases:`

- `-`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE``
- `-`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE``

`* @throws IllegalArgumentException when this value is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun Double.roundToInt(): Int`

`* Rounds this [Double] value to the nearest integer and converts the result to [Long].`

`* Ties are rounded towards positive infinity.`

`* Special cases:`

- `-`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE``
- `-`x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE``

`* @throws IllegalArgumentException when this value is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun Double.roundToLong(): Long`

`// endregion`

`==== Float Math`

`====\n\n** Computes the sine of the angle [x] given in radians.`

`* Special cases:`

- `-`sin(NaN|+Inf|-Inf)` is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun sin(x: Float): Float`

`** Computes the cosine of the angle [x] given in radians.`

`* Special cases:`

- `-`cos(NaN|+Inf|-Inf)` is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun cos(x: Float): Float`

`** Computes the tangent of the angle [x] given in radians.`

`* Special cases:`

- `-`tan(NaN|+Inf|-Inf)` is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun tan(x: Float): Float`

`** Computes the arc sine of the value [x];`

`* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.`

`* Special cases:`

- `-`asin(x)` is `NaN`, when  $abs(x) > 1$  or  $x$  is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun asin(x: Float): Float`

`** Computes the arc cosine of the value [x];`

`* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.`

`* Special cases:`

- `-`acos(x)` is `NaN`, when  $abs(x) > 1$  or  $x$  is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun acos(x: Float): Float`

`** Computes the arc tangent of the value [x];`

`* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.`

`* Special cases:`

- `-`atan(NaN)` is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun atan(x: Float): Float`

`** Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond`

`* to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $[y] / [x]$ ;`

`* the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.`

`* Special cases:`

- `-`atan2(0.0, 0.0)` is  $0.0$`
- `-`atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$`
- `-`atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$`
- `-`atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$`
- `-`atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$`
- `-`atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$`
- `-`atan2(+Inf, x)` is  $\pi/2$  for finite  $x$`
- `-`atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$`
- `-`atan2(NaN, x)` and  $atan2(y, NaN)$  is `NaN``

`* @SinceKotlin("1.2")\npublic expect fun atan2(y: Float, x: Float): Float`

`** Computes the hyperbolic sine of the value [x].`

`* Special cases:`

- `-`sinh(NaN)` is `NaN``
- `-`sinh(+Inf)` is  $+Inf$`
- `-`sinh(-Inf)` is  $-Inf$`

`* @SinceKotlin("1.2")\npublic expect fun sinh(x: Float): Float`

`** Computes the hyperbolic cosine of the value [x].`

`* Special cases:`

- `-`cosh(NaN)` is `NaN``
- `-`cosh(+Inf|-Inf)` is  $+Inf$`

`* @SinceKotlin("1.2")\npublic expect fun cosh(x: Float): Float`

`** Computes the hyperbolic tangent of the value [x].`

`* Special cases:`

- `-`tanh(NaN)` is `NaN``
- `-`tanh(+Inf)` is  $1.0$`
- `-`tanh(-Inf)` is  $-1.0$`

`* @SinceKotlin("1.2")\npublic expect fun tanh(x: Float): Float`

`** Computes the inverse hyperbolic sine of the value [x].`

`* The returned value is  $y$  such that  $sinh(y) == x$ .`

`* Special cases:`

- `-`asinh(NaN)` is `NaN``
- `-`asinh(+Inf)` is  $+Inf$`
- `-`asinh(-Inf)` is  $-Inf$`

`* @SinceKotlin("1.2")\npublic expect fun asinh(x: Float): Float`

`** Computes the inverse hyperbolic`

cosine of the value [x].  
`acosh(x: Float): Float` \* Computes the inverse hyperbolic cosine of the value [x].  
 The returned value is positive `y` such that `cosh(y) == x`.  
 Special cases:  
`acosh(NaN)` is `NaN`  
`acosh(x)` is `NaN` when `x < 1`  
`acosh(+Inf)` is `+Inf`

`atanh(x: Float): Float` \* Computes the inverse hyperbolic tangent of the value [x].  
 The returned value is `y` such that `tanh(y) == x`.  
 Special cases:  
`atanh(NaN)` is `NaN`  
`atanh(x)` is `NaN` when `x > 1` or `x < -1`  
`atanh(1.0)` is `+Inf`  
`atanh(-1.0)` is `-Inf`

`sqrt(x: Float): Float` \* Computes the positive square root of the value [x].  
 Special cases:  
`sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`

`exp(x: Float): Float` \* Computes Euler's number `e` raised to the power of the value [x].  
 Special cases:  
`exp(NaN)` is `NaN`  
`exp(+Inf)` is `+Inf`  
`exp(-Inf)` is `0.0`

`expm1(x: Float): Float` \* Computes `exp(x) - 1`.  
 This function can be implemented to produce more precise result for [x] near zero.  
 Special cases:  
`expm1(NaN)` is `NaN`  
`expm1(+Inf)` is `+Inf`  
`expm1(-Inf)` is `-1.0`  
 @see [exp] function.

`log(x: Float, base: Float): Float` \* Computes the logarithm of the value [x] to the given [base].  
 Special cases:  
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`  
`log(+Inf, +Inf)` is `NaN`  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`  
 \* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

`ln(x: Float): Float` \* Computes the natural logarithm (base 'E') of the value [x].  
 Special cases:  
`ln(NaN)` is `NaN`  
`ln(x)` is `NaN` when `x < 0.0`  
`ln(+Inf)` is `+Inf`  
`ln(0.0)` is `-Inf`

`log10(x: Float): Float` \* Computes the common logarithm (base 10) of the value [x].  
 @see [ln] function for special cases.

`log2(x: Float): Float` \* Computes the binary logarithm (base 2) of the value [x].  
 @see [ln] function for special cases.

`ln1p(x: Float): Float` \* Computes `ln(a + 1)`.  
 This function can be implemented to produce more precise result for [x] near zero.  
 Special cases:  
`ln1p(NaN)` is `NaN`  
`ln1p(x)` is `NaN` where `x < -1.0`  
`ln1p(-1.0)` is `-Inf`  
`ln1p(+Inf)` is `+Inf`  
 @see [ln] function  
 @see [expm1] function

`ceil(x: Float): Float` \* Rounds the given value [x] to an integer towards positive infinity.  
 @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.  
 Special cases:  
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`floor(x: Float): Float` \* Rounds the given value [x] to an integer towards negative infinity.  
 @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
 Special cases:  
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`trunc(x: Float): Float` \* Rounds the given value [x] to an integer towards zero.  
 @return the value [x] having its fractional part truncated.  
 Special cases:  
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`round(x: Float): Float` \* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
 Special cases:  
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`abs(x: Float): Float` \* Returns the absolute value of the given value [x].  
 Special cases:  
`abs(NaN)` is `NaN`  
 @see absoluteValue extension property for [Float]

`sign(x: Float): Float` \* Returns the sign of the given value [x].  
`-1.0` if the value is negative,  
`0.0` if the value is zero,  
`1.0` if the value is positive.  
 Special case:  
`sign(NaN)` is `NaN`

`min(x: Float, y: Float): Float` \* Returns the smaller of two values.  
 If either value is `NaN`, then the result is `NaN`.

```

*^@SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n\npublic expect fun Float.pow(n: Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n\npublic expect fun Float.withSign(sign: Int): Float\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n\npublic expect fun Float.roundToLong(): Long\n\n// endregion\n\n// region\n\n==== Integer Math =====\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n\npublic expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n\npublic expect val Int.sign: Int\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n\npublic expect val Long.sign: Int\n\n// endregion\n\nendregion\n",null,null,null,null,null,null,null,null,null], "names": [], "mappings": "AAWC,0B;EAVG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAwB,OAAxB,C;;QAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;AAEf,CAAC,CAAC,IAAD,oB;EACG,IAAI,IAAI,M;ECPZ,MAAM,eAAGB,gB;IACIB,OAAoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,K

```

AAG,CAAC,OAAQ,KAAI,c;EACxE,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,CAAE,YAAW,SAAU,IAAG,CAA  
C,OAAQ,KAAI,c;EACID,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,CAAE,YAAW,U;EACxB,C;EAEA,MAAM,  
YAAa,gB;IACf,OAAO,CAAE,YAAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;EACpD,C;EAEA,MAAM,WAAY,  
gB;IACd,OAAO,CAAE,YAAW,U;EACxB,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,CAAE,YAAW,Y;EACxB,  
C;EAEA,MAAM,cAAe,gB;IACjB,OAAO,CAAE,YAAW,Y;EACxB,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,KA  
AK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,W;EAC5C,C;EAEA,MAAM,QAAS,gB;IACX,OAA  
O,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,CAAC,O;EACjC,C;EAEA,MAAM,WAAY,gB;IACd,OAAO  
,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,WAAW,OAAO,CAAC,CAAD,C;EACjD,C;EAEA,MAAM,cAAe,gB;I  
ACjB,IAAI,WAAW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,OAA  
O,GAAI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,e;MAAkB,OAAO,QAAQ,CAAC,CAAD,C;IAAK,CA  
AtC,CAAwC,KAAK,CAAC,IAAD,CAAQ,GAAE,G;EAC/F,C;EAEA,MAAM,kBAAmB,kB;IACrB,OAAO,MAA  
M,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;EAC5D,C;EAEA,MAAM,YAAa,mB;IACf,IAAI,CAAE,KAAI,CA  
AV,C;MACI,OAAO,I;IAEX,IAAI,CAAC,MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CA  
AC,OAA3C,C;MACI,OAAO,K;IAGX,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,CAAC,OAArB,EAA8B,CAAE,G  
AAE,CAAIC,EAAqC,CAAC,EAAtC,C;MACI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,  
EAAO,CAAC,CAAC,CAAD,CAAR,CAAI,B,C;QACI,OAAO,K;IAGf,OAAO,I;EACX,C;EAEA,MAAM,gBAAi  
B,mB;IACnB,OAAO,MAAM,OAAO,YAAY,sBAAsB,CAAC,CAAD,EAAI,CAAJ,C;EACID,C;EAEA,MAAM,c  
AAe,kB;IACjB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,GAAG,OAAvB,EAAGC,CAAE,GA  
AE,CAApC,EAAuC,CAAC,EAAX,C;MACI,MAAO,GAAqB,CAAJB,EAAG,GAAE,MAAO,GAAE,CAAG,IAA  
E,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;IAE7D,OAAO,M;EACX,C;EAEA,MAA  
M,kBAAmB,kB;IACrB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;EAC5D,C;EAEA,MAAM,mB  
AAoB,oB;IACtB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;EACd,C;ECnFA,MAAM,eAAgB,sB;IACIB,CAAC,aA  
Ac,GAAE,I;IACjB,OAAO,C;EACX,C;EAEA,MAAM,uBAAwB,+C;IACIB,MAAM,IAAK,GAAE,M;IACb,MAA  
M,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,EAAiB,  
6BAA6B,CAAC,UAAD,CAA9C,C;EAC9B,C;IAGI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAA  
I,UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OAAO,G;EAC  
X,C;EAEA,IAAI,gCAAgC,CAChC,UACa,QAAS,IAAT,oC;IACL,OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CA  
D1C,CADb,aAIe,QAAS,IAAT,oC;IACP,OAAO,MAAM,OAAO,QAAQ,W;EAAy,CADjC,CAJf,CADgC,EAShC,  
UACa,QAAS,IAAT,oC;IACL,OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CAD1C,CADb,aAIe,QAAS,IAAT,oC;I  
ACP,OAAO,MAAM,OAAO,QAAQ,W;EAAy,CADjC,CAJf,CATgC,C;IAoBhC,IAAI,KAAK,MAAO,KAAI,IAA  
pB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,IAFD,aAGC,EAHD,cAI  
E,EAJF,SAKH,EALG,iBAMK,EANL,C;IASIB,OAAO,KAAK,M;EACbB,C;ECjDA,MAAM,QAAS,gB;IACX,O  
AAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;EACjC,C;EAEA,MAAM,OAAQ,gB;IACV,OAAkB,  
CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;EAC/B,C;EAEA,MAAM,OAAQ,gB;IACV,OAAO,CAAE,  
GAAE,K;EACf,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,CAAF,GAAM,  
MAAM,KAAK,WAAW,CAAC,CAAD,C;EACbE,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,CAAE,YAAW,MAA  
M,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;EACpE,C;EAEA,MAAM,cAAe,  
gB;IACjB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;EACzB,C;EAEA,MAAM,aA  
Ac,gB;IACbB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;EACxB,C;EAEA,MAAM,  
eAAgB,gB;IACIB,OAAO,CAAC,C;EACZ,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,MAAM,OAAO,CAAC,MA  
AM,YAAY,CAAC,CAAD,CAAnB,C;EACxB,C;EAEA,MAAM,YAAa,gB;IACf,IAAI,CAAE,GAAE,UAAR,C;M  
AAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;EACf,  
C;EAEA,MAAM,YAAa,gB;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,MAA  
M,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;EACX,C;EAEA,MAA  
M,UAAW,gB;IACb,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,C  
;EACxB,C;ECnDA,MAAM,OAAQ,yB;IACV,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;IAGnB,I  
AAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;IAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAAI,I;IAG  
pB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,OAAO,C

AAC,IAAD,C;;IAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAd,C;MACI,OAAO,IAAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;;IAGzB,OAAO,IAAK,KAAI,I;EACpB,C;EAEA,MAAM,SAAU,kB;IACZ,IAAI,GAAI,IAAG,IAAX,C;MACI,OAAO,C;;IAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAAG,SAAU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;;IAEIF,IAAI,UAAW,KAAI,OAAAnB,C;MACI,OAAO,iBAAiB,CAAC,GAAD,C;;IAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAAC,GAAD,C;;IAEhC,IAAI,SAAU,KAAI,OAAiB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;;IAGjB,IAAI,MAAM,MAAM,CAAC,GAAD,C;IACbB,OAAO,iBAAiB,CAAC,GAAD,C;EAC5B,C;EAGA,MAAM,SAAU,gB;IACZ,IAAI,CAAE,IAAG,IAAT,C;MACI,OAAO,M;;UAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O;;MAGP,OAAO,CAAC,SAAS,E;;EAEzB,C;EAGA,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;;IAGjC,IAAI,EAAE,8BAA+B,IAAG,GAAPc,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MAAM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;;IAEzB,OAAO,GAA G,CAAC,8BAAD,C;EACd,C;;IAGI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,GAA G,OAAvB,EAAGc,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,GAA G,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;EACX,C;EAEA,MAAM,iBAakB,GAAE,iB;EC9 C1B,MAAM,KAAM,wB;IAKV,IAAI,KAAM,GAAE,GAAI,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GAAE,C;EACtB,C;EAEA,MAAM,KAAK,WAA Y,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EA gBzB,MAAM,KAAK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,oB;IACIB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GA AE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,OAA O,S;;IAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAM,GAAE,CAAxB,EA2B,KAAM,GAAE,CAAE,G AAE,EA AF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAAM ,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;;IAEjC,OAAO,G;EACT,C;EASA,MAAM,KAAK,WAA Y,oB;IA CrB,IAAI,KAAK,CAAC,KAAD,CAAQ,IAAG,CAAC,QAAQ,CAAC,KAAD,CAA7B,C;MACE,OAAO,MAAM,K AAK,K;;UACb,IAAI,KAAM,IAAG,CAAC,MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;;UACb, IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;;UACb,IAAI,K AAM,GAAE,CAAZ,C;MACL,OAAO,MAAM,KAAK,WAAW,CAAC,CAAC,KA AF,CAAQ,OAAO,E;;MAE5C, OAAO,IAAI,MAAM,KAAV,CACF,KAAM,GAAE,MAAM,KAAK,gBAAkB,GAAE,CADrC,EA EF,KAAM,GAA E,MAAM,KAAK,gBAAkB,GAAE,CAFrC,C;;EAI X,C;EAUA,MAAM,KAAK,SAAU,gC;IACnB,OAAO,IAAI,M AAM,KAAV,CAAgB,OAAhB,EAAYB,QAazB,C;EACT,C;EAUA,MAAM,KAAK,WAA Y,6B;IACrB,IAAI,GAA G,OAAQ,IAAG,CAAI B,C;MACE,MAAM,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB, IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA 1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC,CAAD,CAAI,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW, CAAC,GAAG,UAAU,CAAC,CAAD,CAAd,EAAMb,KAAAnB,CAAYB,OAAO,E;;UACxD,IAAI,GAAG,QAAQ,C AAC,GAAD,CAAM,IAAG,CAAxB,C;MACL,MAAM,KAAK,CAAC,+CAAGd,GAAE,GAAnD,C;;IAKb,IAAI,e AAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAA M,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,GAAG,OAAvB,EAAGc,CAAE,IAAG,CAA rC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC,CAAD,EA AI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD,EA AI,CAAE,GAAE,IAAR,CAAd,EA6B,KAA7B,C;MACpB,IAA I,IAAK,GAAE,CAAX,C;QACE,IAAI,QAAQ,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,I AAR,CAAT,C;QACIC,MAAO,GAAE,MAAM,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW ,CAAC,KAAD,CAAvB,C;;QAE nC,MAAO,GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MA AM,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;IAGvB,OAAO,M;EACT,C;EAaA,MAAM, KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAA M,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB ,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,G AA E,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KA AK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAA M,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAI tC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,C



AAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KA  
AK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aAAW,GAAE,CAAd,EAaIB,UAAW,GAAE,CAA9B,C;EAIxB  
,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,CAAC,CAAD,EAaI,aAAW,GAAE,CAAjB,C;EAO5C,M  
AAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU  
,MAAO,e;IAC1B,OAAO,IAAI,K;EACb,C;EAIA,MAAM,KAAK,UAAU,SAAU,e;IAC7B,OAAO,IAAI,MAAO,G  
AAE,MAAM,KAAK,gBAaIB,GACzC,IAAI,mBAaMB,E;EACb,C;EAGA,MAAM,KAAK,UAAU,SAAU,e;IAC  
7B,OAAO,IAAI,MAAO,GAAE,IAAI,K;EAC1B,C;EAOA,MAAM,KAAK,UAAU,SAAU,wB;IAC7B,IAAI,QAAQ  
,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAA  
C,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EA  
AnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAy,MAAM,KAAK,  
WAAW,CAAC,KAAD,C;QACtC,IAAI,MAAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,  
CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG  
,MAAM,EAAE,SAAS,CAAC,KAAD,C;;;QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,  
C;;;IAMvC,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC  
,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;M  
ACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI  
,SAAS,MAAM,SAAS,CAAC,KAAD,C;MAE5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,O  
AAO,MAAO,GAAE,M;;;QAEhB,OAAO,MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAI,GAAE,  
M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MAAO,GAAE,M;;;EAG7B,C;EAIA,MAAM,KAAK,UAAU,YAAa,e;IA  
ChC,OAAO,IAAI,M;EACb,C;EAIA,MAAM,KAAK,UAAU,WAAy,e;IAC/B,OAAO,IAAI,K;EACb,C;EAIA,MA  
AM,KAAK,UAAU,mBAaOB,e;IACvC,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM  
,KAAK,gBAaIB,GAAE,IAAI,K;EACpD,C;EAOA,MAAM,KAAK,UAAU,cAAe,e;IACIC,IAAI,IAAI,WAAW,EA  
AnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;;QAEp,OAAO,IA  
AI,OAAO,EAAE,cAAc,E;;;MAGpC,IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,  
K;MAC7C,KAAK,IAAI,MAAM,EAaf,EAaMB,GAAI,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,  
CAAIB,GAAI,GAAG,CAAE,IAAG,GAAM,KAAG,CAA1B,C;UACE,K;;;MAGJ,OAAO,IAAI,MAAO,IAAG,CA  
AE,GAAE,GAAI,GAAE,EAAR,GAAa,GAAI,GAAE,C;;EAE9C,C;EAIA,MAAM,KAAK,UAAU,OAAQ,e;IAC3B  
,OAAO,IAAI,MAAO,IAAG,CAAE,IAAG,IAAI,KAAM,IAAG,C;EACzC,C;EAIA,MAAM,KAAK,UAAU,WAAy  
,e;IAC/B,OAAO,IAAI,MAAO,GAAE,C;EACtB,C;EAIA,MAAM,KAAK,UAAU,MAAO,e;IAC1B,OAAuB,CAaf,  
IAAI,KAAM,GAAE,CAAG,KAAG,C;EAC5B,C;EAOA,MAAM,KAAK,UAAU,WAAy,oB;IAC/B,OAAQ,IAAI,  
MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;EAC3D,C;EAOA,MAAM,KAAK,UAAU,cAA  
e,oB;IACIC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;EAC3D,C;EAOA,M  
AAM,KAAK,UAAU,SAAU,oB;IAC7B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;EAC/B,C;EAOA,M  
AAM,KAAK,UAAU,gBAaIB,oB;IACpC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;EACb,C;EAOA,  
MAAM,KAAK,UAAU,YAAa,oB;IACb,C;OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;EAC/B,C;EAOA,  
MAAM,KAAK,UAAU,mBAaOB,oB;IACvC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;EACb,C;EAS  
A,MAAM,KAAK,UAAU,QAAS,oB;IAC5B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;;IAG  
T,IAAI,UAAU,IAAI,WAAW,E;IAC7B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAah  
B,C;MACE,OAAO,E;;IAET,IAAI,CAAC,OAAQ,IAAG,QAahB,C;MACE,OAAO,C;;IAIT,IAAI,IAAI,SAAS,CA  
AC,KAAD,CAAO,WAAW,EAAnC,C;MACE,OAAO,E;;;MAEP,OAAO,C;;EAEX,C;EAIA,MAAM,KAAK,UAA  
U,OAAQ,e;IAC3B,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,  
U;;;MAEIB,OAAO,IAAI,IAAI,EAAE,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;EAEzB,C;EAQA,MAAM,KAAK,U  
AAU,IAAK,oB;IAGxB,IAAI,MAAM,IAAI,MAAO,KAaI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,  
IAAI,MAAM,IAAI,KAAM,KAaI,E;IACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,M  
AAO,KAaI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAaI,E;IACz  
B,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAASB,MAAM,C  
AA5B,EAA+B,MAAM,C;IACrC,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAaI,E;IACf,GAAI,IA  
AG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAaI,E;IACf,GAAI,IAAG,K;IACP,GAAI,I

AAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,  
G;IACb,GAAL,IAAG,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAL,EAALqB,G  
AAL,IAAG,EAAL,GAAE,GAAIC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,OAAO,IAAL,IAA  
I,CAAC,KAAK,OAAO,EAAb,C;EACjB,C;EAQA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,IAAL,IAAL,OAAO,E  
AAL,C;MACE,OAAO,MAAM,KAAK,K;;UACb,IAAL,KAAL,OAAO,EAALhB,C;MACL,OAAO,MAAM,KAAK,K  
;;IAGpB,IAAL,IAAL,WAAW,CAAC,MAAM,KAAK,UAAZ,CAALnB,C;MACE,OAAO,KAAL,MAAM,EAAG,GA  
AE,MAAM,KAAK,UAAb,GAAoB,MAAM,KAAK,K;;UACrD,IAAL,KAAL,WAAW,CAAC,MAAM,KAAK,UA  
AZ,CAALpB,C;MACL,OAAO,IAAL,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAAoB,MAAM,KAAK,K;;IA  
G3D,IAAL,IAAL,WAAW,EAALnB,C;MACE,IAAL,KAAL,WAAW,EAALpB,C;QACE,OAAO,IAAL,OAAO,EAAL,E  
AAL,CAAC,KAAK,OAAO,EAAb,C;;;QAE7B,OAAO,IAAL,OAAO,EAAL,SAAS,CAAC,KAAL,CAAL,OAAO,E  
;;UAExC,IAAL,KAAL,WAAW,EAALpB,C;MACL,OAAO,IAAL,SAAS,CAAC,KAAK,OAAO,EAAb,CAALgB,OA  
AL,E;;IAI7C,IAAL,IAAL,SAAS,CAAC,MAAM,KAAK,YAAZ,CAALoB,IACvC,KAAK,SAAS,CAAC,MAAM,KA  
AK,YAAZ,CADIB,C;MAEE,OAAO,MAAM,KAAK,WAAW,CAAC,IAAL,SAAS,EAAG,GAAE,KAAK,SAAS,E  
AALjC,C;;IAM/B,IAAL,MAAM,IAAL,MAAL,KAAL,E;IACzB,IAAL,MAAM,IAAL,MAAL,GAAE,K;IACvB,IAAL,  
MAAM,IAAL,KAAL,KAAL,E;IACxB,IAAL,MAAM,IAAL,KAAL,GAAE,K;IAEtB,IAAL,MAAM,KAAK,MAAL,  
KAAL,E;IAClB,IAAL,MAAM,KAAK,MAAL,GAAE,K;IACxB,IAAL,MAAM,KAAK,KAAL,KAAL,E;IACzB,IA  
AL,MAAM,KAAK,KAAL,GAAE,K;IAEvB,IAAL,MAAM,CAALV,EAALa,MAAM,CAALnB,EAALsB,MAAM,CAAL  
B,EAAL+B,MAAM,C;IACrC,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,  
K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG  
,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IAC  
b,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL  
,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL  
,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,  
GAAL,GAAE,G;IACjD,GAAL,IAAG,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,G  
AAL,EAALqB,GAAL,IAAG,EAAL,GAAE,GAAIC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAL,oB;IACxB,IA  
AL,KAAL,OAAO,EAALhB,C;MACE,MAAM,KAAK,CAAC,kBAAD,C;;UACN,IAAL,IAAL,OAAO,EAAL,C;MAC  
L,OAAO,MAAM,KAAK,K;;IAGpB,IAAL,IAAL,WAAW,CAAC,MAAM,KAAK,UAAZ,CAALnB,C;MACE,IAAL,K  
AAK,WAAW,CAAC,MAAM,KAAK,IAAZ,CAALkB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADp  
B,C;QAE,E,OAAO,MAAM,KAAK,U;;YACb,IAAL,KAAL,WAAW,CAAC,MAAM,KAAK,UAAZ,CAALpB,C;QA  
CL,OAAO,MAAM,KAAK,I;;;QAGIB,IAAL,WAAW,IAAL,WAAW,CAAC,CAALD,C;QAC9B,IAAL,SAAS,QAAQ,  
IAAL,CAAC,KAAL,CAAL,UAAU,CAAC,CAALD,C;QACIC,IAAL,MAAM,WAAW,CAAC,MAAM,KAAK,KAA  
Z,CAALrB,C;UACE,OAAO,KAAL,WAAW,EAAG,GAAE,MAAM,KAAK,IAALb,GAAoB,MAAM,KAAK,Q;;UA  
EzD,IAAL,MAAM,IAAL,SAAS,CAAC,KAAK,SAAS,CAAC,MAALD,CAALf,C;UACvB,IAAL,SAAS,MAAM,IAAL,  
CAAC,GAAL,IAAL,CAAC,KAAL,CAALr,C;UACvB,OAAO,M;;;UAGN,IAAL,KAAL,WAAW,CAAC,MAAM,K  
AAK,UAAZ,CAALpB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAL,IAAL,WAAW,EAALnB,C;MACE,IAAL,K  
AAK,WAAW,EAALpB,C;QACE,OAAO,IAAL,OAAO,EAAL,IAAL,CAAC,KAAK,OAAO,EAALb,C;;;QAExB,OA  
AL,IAAL,OAAO,EAAL,IAAL,CAAC,KAAL,CAAL,OAAO,E;;UAEhC,IAAL,KAAL,WAAW,EAALpB,C;MACL,O  
AAL,IAAL,IAAL,CAAC,KAAK,OAAO,EAAL,CAALgB,OAAO,E;;IAQxC,IAAL,MAAM,MAAM,KAAK,K;IACrB,  
IAAL,MAAM,I;IACV,OAAO,GAAL,mBAALnB,CAAC,KAAL,CAAL7B,C;MAGE,IAAL,SAAS,IAAL,IAAL,CAAC,  
CAALD,EAAL,IAAL,MAAM,CAAC,GAAL,SAAS,EAAG,GAAE,KAAK,SAAS,EAALhC,CAALd,C;MAIhB,IAAL,OA  
AL,IAAL,KAAL,CAAC,IAAL,IAAL,CAAC,MAALD,CAALs,GAAE,IAAL,IAALxB,C;MACpB,IAAL,QAAL,IAAL,IA  
AG,EAAL,GAAE,CAALf,GAAL,IAAL,IAAL,CAAC,CAALD,EAAL,IAAL,GAAE,EAALx,C;MAIvC,IAAL,YAALY,M  
AAM,KAAK,WAAW,CAAC,MAALD,C;MACiC,IAAL,YAALY,SAAS,SAAS,CAAC,KAALD,C;MACIC,OAAO,SA  
AS,WAAW,EAAG,IAAG,SAAS,YAALY,CAAC,GAALD,CAALtD,C;QACE,MAAL,IAAG,K;QACV,SAALU,GAAE,  
MAAM,KAAK,WAAW,CAAC,MAALD,C;QACIC,SAALU,GAAE,SAAS,SAAS,CAAC,KAALD,C;;MAKhC,IAAL,S  
AAS,OAAO,EAALpB,C;QACE,SAALU,GAAE,MAAM,KAAK,I;;MAGzB,GAAL,GAAE,GAAL,IAAL,CAAC,SAAL  
D,C;MACb,GAAL,GAAE,GAAL,SAAS,CAAC,SAALD,C;;IAEpB,OAAO,G;EACT,C;EAQA,MAAM,KAAK,UAA  
U,OAAQ,oB;IAC3B,OAAO,IAAL,SAAS,CAAC,IAAL,IAAL,CAAC,KAALD,CAALo,SAAS,CAAC,KAALD,CAALzB,

C;EACtB,C;EAIA,MAAM,KAAK,UAAU,IAAK,e;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAA  
AN,EAAa,CAAC,IAAI,MAAIB,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,OAAO,MAAM,K  
AAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;  
EAQA,MAAM,KAAK,UAAU,GAAI,oB;IACvB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAA  
K,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACx  
B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,  
MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,UAAW,sB;IAC9B,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAA  
G,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OA  
AO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAI,IAAG,OADgB,EAETB,IAAK,IAAG,OAAS,GAA  
G,GAAI,KAAK,EAAG,GAAE,OFZ,C;;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAI,IAAI  
,OAAQ,GAAE,EAAtB,C;;;EAGjC,C;EAQA,MAAM,KAAK,UAAU,WAAy,sB;IAC/B,OAAQ,IAAG,E;IACX,IA  
AI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;Q  
ACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAI,KAAl,OAAS,GAAG,IAAK,IAAI  
,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OFe,C;;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,  
OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;EAKjC,C;EAUA,MAAM,KA  
AK,UAAU,mBAaO,sB;IACvC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IA  
AI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KA  
AK,SAAS,CACtB,GAAI,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAl,OFc,C;  
YAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;;QAE3  
B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAAtB,EAA0B,CAA1B,C;;;EAGjC,C;EAG  
A,MAAM,KAAK,UAAU,OAAQ,oB;IACzB,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,  
KAAD,C;EAC1D,C;EAEA,MAAM,KAAK,UAAU,gBAaIB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,K  
AAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;EACnB,C;EAEA,MAAM,KAAK  
,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAZ,C;EACnB,C;EAEA,MAAM,KAAK,UA  
AU,QAAS,e;IAC1B,OAAO,IAAI,SAAS,E;EACxB,C;EAEA,MAAM,KAAK,UAAU,UAAW,e;IAC5B,OAAO,I;E  
ACX,C;EAEA,MAAM,KAAK,UAAU,WAAy,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,I  
AAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,oB;IAC1B,OAAO,IAAI,MAAM,OA  
AO,OAAO,UAAxB,CAAmC,IAAnC,EAAY,C,KAAzC,C;EACX,C;ECzzBA,MAAM,aAAc,8B;EACpB,C;EAEA,M  
AAM,qBAAsB,uB;IACxB,OAAO,G;EACX,C;EAEA,MAAM,aAAc,kB;IACbB,IAAI,gB;MACA,CAAE,GAAE,G  
AAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;IACA,mB;MACI,OAAO,CAAC,M  
AAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;EACJ,C;EAEA,MAAM,SAAU,mB;IACZ,yB;MACI,OAAO,OAAO  
,MAAO,KAAl,I;IAC7B,C;EACJ,C;EAEA,MAAM,aAAc,oB;IACbB,yB;MACI,OAAO,MAAM,OAAO,CAAC,M  
AAD,EAAS,KAAT,C;IACxB,C;EACJ,C;EAEA,MAAM,OAAQ,iB;IACV,yB;MACI,OAAO,MAAO,IAAG,IAAK,  
IAAG,EAAE,CAAC,MAAD,C;IAC/B,C;EACJ,C;EAEA,MAAM,aAAc,mB;IACbB,yB;MACI,OAAO,CAAC,CA  
AC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;IACzB,C;EACJ,C;EAEA,MAAM,qBAAsB,2C;EAC5B,C;EAE  
A,MAAM,YAAa,oB;IACf,OAAO,K;EACX,C;EAEA,MAAM,gBAaIB,wB;IACnB,gBAAGB,E;EACpB,C;EAEA,  
MAAM,oBAaQB,wB;IACvB,gBAAGB,E;EACpB,C;EAEA,MAAM,kBAAmB,wB;IACrB,gBAAGB,E;EACpB,C;  
EAEA,MAAM,mBAaOB,+B;IACtB,gBAAGB,E;EACpB,C;IAGI,MAAM,IAAI,KAAl,CACf,iDAaKD,GACID,q  
DAAsD,GACtD,uDAHE,C;EAIv,C;EAEA,MAAM,gBAaIB,+B;IACnB,mB;MACI,OAAO,Y;IACX,C;EACJ,C;E  
C/EA,MAAM,UAAW,mB;IACb,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAl,QAAc,C;MACI,IAAI,OAAO  
,CAAE,KAAl,QAAjB,C;QACI,OAAO,MAAM,gBAAGB,CAAC,CAAD,EAAl,CAAJ,C;;;MAEjC,OAAO,MAAM,  
mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;;;IAEpC,IAAI,KAAM,KAAl,QAAS,IAAG,KAAM,KAAl,SAAP,C;MA  
CI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;;;IAEpC,OAAO,CAAC,gBAAGB,CAAC,CAAD,C;E  
AC5B,C;EAEA,MAAM,mBAaOB,mB;IACtB,OAAO,CAAE,GAAE,CAAE,GAAE,EAaf,GAAO,CAAE,GAAE,  
CAAE,GAAE,CAAF,GAAM,C;EACpC,C;EAEA,MAAM,gBAaIB,mB;IACnB,IAAI,CAAE,GAAE,CAAR,C;MA  
AW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAl,CAAV,C;MACI,  
IAAI,CAAE,KAAl,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;MACb,OAAO,EAAG,KAA  
I,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAaf,GAAO,C;;;IAG7C,OAAO,CAA

E, KAAI, CAAE, GAAG, CAAE, KAAI, CAAE, GAAE, CAAF, GAAM, CAAjB, GAAsB, E; EACzC, C; EAEA, MAAM, Q  
AAS, oB; IACX, OAAO, MAAM, OAAO, CAAC, KAAK, GAAC, CAAP, C; EACxB, C; EAEA, MAAM, QAAS, oB; IAC  
X, OAAO, MAAM, OAAO, CAAC, KAAK, GAAC, CAAP, C; EACxB, C; EAEA, MAAM, KAAM, GAAE, IAAI, KAAM,  
IAAG, I; EAE3B, MAAM, aAAc, GAAE, I; IAGIB, OAAyB, CAAhB, CAAE, GAAE, YAAy, KAAG, CAAE, GAAE, KA  
AP, CAAe, GAAe, CAAZ, CAAE, GAAE, KAAQ, KAAG, CAAE, GAAE, CAAP, CAAW, GAAE, C; EACxE, C; EA4DE, a  
; IAzDE, IAAI, MAAM, IAAI, WAAJ, CAAgB, CAAhB, C; IACV, IAAI, aAAa, IAAI, YAAJ, CAAiB, GAAjB, C; IACjB, I  
AAI, aAAa, IAAI, YAAJ, CAAiB, GAAjB, C; IACjB, IAAI, WAAW, IAAI, UAAJ, CAAe, GAAf, C; IACf, IAAI, WAAW,  
C; IACf, IAAI, YAAy, C; IAEhB, UAAU, CAAC, CAAD, CAAI, GAAE, E; IACHb, IAAI, QAAQ, CAAC, QAAD, CAAW,  
KAAI, CAA3B, C; MACI, QAAS, GAAE, C; MACX, SAAU, GAAE, C; IAGhB, MAAM, aAAc, oB; MACHb, OAAO, MA  
AM, gBAAgB, CAAC, KAAK, CAAC, KAAD, CAAQ, GAAE, GAAF, GAAQ, KAAtB, C; IACjC, C; IAEA, MAAM, gBA  
AiB, oB; MACnB, UAAU, CAAC, CAAD, CAAI, GAAE, K; MACHb, OAAO, MAAM, KAAK, SAAS, CAAC, QAAQ, C  
AAC, QAAD, CAAT, EAAqB, QAAQ, CAAC, SAAD, CAA7B, C; IAC/B, C; IAEA, MAAM, eAAgB, oB; MACIB, QAAQ  
, CAAC, QAAD, CAAW, GAAE, KAAK, K; MAC1B, QAAQ, CAAC, SAAD, CAAY, GAAE, KAAK, M; MAC3B, OAAO  
, UAAU, CAAC, CAAD, C; IACrB, C; IAEA, MAAM, YAAa, oB; MACf, OAAO, MAAM, eAAe, CAAC, KAAK, CAAC, K  
AAD, CAAQ, GAAE, GAAF, GAAQ, KAAtB, C; IACHc, C; IAEA, MAAM, eAAgB, oB; MACIB, UAAU, CAAC, CAAD,  
CAAI, GAAE, K; MACHb, OAAO, QAAQ, CAAC, CAAD, C; IACnB, C; IAEA, MAAM, cAAe, oB; MACjB, QAAQ, CAA  
C, CAAD, CAAI, GAAE, K; MACd, OAAO, UAAU, CAAC, CAAD, C; IACrB, C; IAGA, MAAM, cAAe, oB; MACjB, UA  
AU, CAAC, CAAD, CAAI, GAAE, K; MACHb, OAAO, QAAQ, CAAC, SAAD, CAAY, GAAE, a; IACjC, C; IAEA, MAA  
M, eAAgB, kB; MACIB, IAAC, CAAT, GAAI, GAAE, CAAG, MAAI, GAAIB, C; QACI, OAAO, GAAI, GAAE, C; QAGb  
, UAAU, CAAC, CAAD, CAAI, GAAE, G; QACHb, OAAc, CAA9B, QAAQ, CAAC, SAAD, CAAY, GAAE, EAAG, GA  
AE, CAAG, IAAE, QAAQ, CAAC, QAAD, CAAW, GAAE, C; IAErE, C; EACJ, CAAE, G; EAEF, MAAM, cAAe, gB; IAC  
jB, OAAO, CAAE, IAAG, IAAK, GAAE, CAAF, GAAM, MAAM, SAAS, E; EAC1C, C; EC9GA, IAAI, OAAO, MAAM, U  
AAU, WAAy, KAAI, WAA3C, C; IACI, MAAM, UAAU, WAAy, qC; MACxB, QAAS, GAAE, QAAS, IAAG, C; MACv  
B, OAAO, IAAI, YAAy, CAAC, YAAD, EAAe, QAAf, CAAyB, KAAI, Q; IACxD, C; EAEJ, IAAI, OAAO, MAAM, UAA  
U, SAAU, KAAI, WAAzC, C; IACI, MAAM, UAAU, SAAU, qC; MACtB, IAAI, gBAAgB, IAAI, SAAS, E; MACjC, IAAI,  
QAAS, KAAI, SAAU, IAAG, QAAS, GAAE, aAAa, OAAtD, C; QACI, QAAS, GAAE, aAAa, O; MAE5B, QAAS, IAAG,  
YAAy, O; MACxB, IAAI, YAAy, aAAa, QAAQ, CAAC, YAAD, EAAe, QAAf, C; MACrC, OAAO, SAAU, KAAI, EAA  
G, IAAG, SAAU, KAAI, Q; IAC7C, C; EAGJ, IAAI, OAAO, IAAI, KAAM, KAAI, WAAzB, C; IACI, IAAI, KAAM, gB; M  
ACN, CAAE, GAAE, CAAC, C; MACL, IAAI, CAAE, KAAI, CAAE, IAAG, KAAK, CAAC, CAAD, CAApB, C; QACI, O  
AAO, MAAM, CAAC, CAAD, C; MAEjB, OAAO, CAAE, GAAE, CAAE, GAAE, CAAF, GAAM, E; IACvB, C; EAEJ, I  
AAI, OAAO, IAAI, MAAO, KAAI, WAA1B, C; IACI, IAAI, MAAO, gB; MACP, IAAI, KAAK, CAAC, CAAD, CAAT, C;  
QACI, OAAO, G; MAEX, IAAI, CAAE, GAAE, CAAR, C; QACI, OAAO, IAAI, MAAM, CAAC, CAAD, C; MAErB, OA  
AO, IAAI, KAAK, CAAC, CAAD, C; IACpB, C; EAsKF, a; IAIKE, IAAI, UAAU, qB; IACd, IAAI, iBAAiB, IAAI, KAAK,  
CAAC, OAAD, C; IAC9B, IAAI, iBAAiB, IAAI, KAAK, CAAC, cAAD, C; IAC9B, IAAI, uBAAuB, CAAC, GAAC, c; IAC  
7B, IAAI, uBAAuB, CAAC, GAAC, c; IAE7B, IAAI, OAAO, IAAI, KAAM, KAAI, WAAzB, C; MACI, IAAI, KAAM, gB;  
QACN, IAAI, IAAI, IAAI, CAAC, CAAD, CAAI, GAAE, cAAIB, C; UACI, IAAI, SAAS, C; UACb, IAAI, IAAI, IAAI, CA  
AC, CAAD, CAAI, GAAE, cAAIB, C; YACI, MAAO, IAAI, CAAE, GAAE, CAAE, GAAE, CAAG, GAAE, C; UAE5B, O  
AAO, M; UAEP, IAAI, IAAI, IAAI, IAAI, CAAC, CAAD, C; UACHb, IAAI, KAAK, CAAE, GAAE, C; UACb, IAAI, CAA  
C, QAAQ, CAAC, CAAD, CAAb, C; YAAkB, OAAO, IAAI, IAAI, CAAC, CAAE, GAAE, IAAI, IAAT, C; UACjC, IAAI, C  
AAC, QAAQ, CAAC, EAAD, CAAb, C; YAAmB, OAAO, CAAC, IAAI, IAAI, CAAC, CAAC, CAAE, GAAE, IAAI, IAA  
V, C; UACnC, OAAgB, CAAR, CAAE, GAAE, EAAI, IAAE, C; MAE1B, C; IAEJ, IAAI, OAAO, IAAI, KAAM, KAAI, W  
AAzB, C; MACI, IAAI, KAAM, gB; QACN, IAAI, IAAI, IAAI, IAAI, CAAC, CAAD, C; QACHb, IAAI, KAAK, CAAE, GA  
AE, C; QACb, IAAI, CAAC, QAAQ, CAAC, CAAD, CAAI, IAAG, CAAC, QAAQ, CAAC, EAAD, CAA7B, C; UAAmC, O  
AAO, IAAI, IAAI, CAAC, IAAI, IAAI, CAAC, CAAD, CAAI, GAAE, IAAI, IAAiB, C; QACID, OAAgB, CAAR, CAAE,  
GAAE, EAAI, IAAE, C; MACtB, C; IAGJ, IAAI, OAAO, IAAI, KAAM, KAAI, WAAzB, C; MACI, IAAI, KAAM, gB; QA  
CN, IAAI, IAAI, IAAI, CAAC, CAAD, CAAI, GAAE, cAAIB, C; UACI, IAAI, SAAS, C; UACb, IAAI, IAAI, IAAI, CAAC,  
CAAD, CAAI, GAAE, cAAIB, C; YACI, MAAO, IAAI, CAAE, GAAE, CAAE, GAAE, CAAG, GAAE, C; UAE5B, OAA  
O, M; UAGP, IAAI, IAAI, IAAI, IAAI, CAAC, CAAC, CAAF, CAAhB, EAAsB, IAAI, IAAI, IAAI, CAAC, CAAC, CAAF

,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAAF,GAAe,CAAP,C  
AAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;MAEIE,C;;IAMJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,  
C;MACI,IAAI,qB;QACA,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,GAAE,oBAAR,C;YAEI,IAAI,C  
AAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;cAKzB,OAAO,IAAI,IAAI,  
CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;YAKnB,OAAO,IAAI,IAAI,C  
AAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;cAGIB,IAAI,CAAE,IAA  
G,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAAI,SAAS,C;UACb,IAAI,IAA  
I,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,I  
AAG,EAAG,GAAE,C;;UAEnB,OAAO,M;;MAEf,C;MACA,IAAI,MAAO,GAAE,K;;IAEjB,IAAI,OAAO,IAAI,M  
AAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,CAAE,GAAE,CAAR,C;UAEI,OAAO,G;;cAEN,IAA  
I,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IAAI,CAAC,CA  
AD,CAAI,GAAE,IAAI,I;;YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,C  
AAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAL,C;UAEjB,IAAI,SA  
AS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAA  
G,EAAG,GAAE,E;;UAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;MAE9B,C;;IAEJ,IAAI,OAAO,I  
AAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAI  
B,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CA  
AE,GAAE,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;QAEX,OAAO,IAAI,IAAI,CAAS,CAAP,CAAE,G  
AAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;MACzC,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,  
KAAI,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,I  
AAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,O  
AAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAExC,  
OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;MACnB,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;  
MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAK,CAAE  
,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,EAAG,GAAE  
,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,C  
AAD,CAAI,GAAE,C;MACzB,C;;EAER,CAAE,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI  
,MAAO,e;MACP,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,G  
AAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CA  
AC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GA  
AE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;IACpB,C;;EAEJ,IAAI,OAAO,IAAI,M  
AAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,gB;MACP,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;IA  
C7B,C;;EAEJ,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,OAAO,IAAI,IAAI,CA  
AC,CAAD,CAAI,GAAE,IAAI,M;IAC7B,C;;EAIJ,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI,WAAW,O  
AAQ,gB;MACf,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU,UAAW,KA  
AI,SAAS,UAAU,U;IAC5F,C;;EA8EF,a;;MAzEM,IAAI,MAAO,GAAE,CAAb,C;QAAgB,OAAO,IAAI,IAAI,CAA  
C,CAAD,EAAL,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;IACnB,C;;  
MAEI,IAAI,OAAO,GAAL,KAAI,WAAAnB,C;QACI,GAAL,GAAE,IAAI,O;;MAEd,KAAM,GAAE,eAAe,CAAC,K  
AAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAL,GAAE,IAAI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC  
,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EA  
AQ,GAAR,CAAIC,C;IACX,C;IAEA,IAAI,SAAS,CAAC,SAAD,EAAY,UAAZ,EAAwB,WAAxB,EAAqC,UAArC  
,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAA  
mC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,MAAO,K  
AAI,WAA1C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAAX,EAAuB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;  
;;MAQJ,CAAN,Y;MAAF,CAAE,MAAM,CAAC,IAAD,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAA  
I,QAAQ,QAAQ,UAAU,M;MAC9B,MAAM,eAAe,CAAC,QAAQ,UAAAT,EAAqB,OAArB,EAA8B,+B;QAE3C,O  
AAO,KAAK,KAAK,CAAC,IAAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;MACrB,  
CAH+C,CAA9B,C;;IASzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CA

ArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAL,WAAxC,C;  
;QACI,MAAM,eAAe,CAAC,UAAU,UAAU,EAAuB,KAAvB,EAA8B,kC;UAE3C,OAAO,EAAE,MAAM,KAAK,  
CAAC,IAAD,CAAM,IAAI,CAAC,QAAD,EAAW,IAAX,C;QACIC,CAH+C,CAA9B,C;;IAU7B,IAAI,uC;MACA,  
IAAI,CAAe,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAI,CAAe,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,I  
AAI,CAAe,KAAL,CAAV,C;QACI,IAAI,CAAe,KAAL,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAe,G  
AAE,C;QACb,OAAO,EAAg,KAAL,CAAe,GAAE,CAAe,GAAE,CAAF,GAAO,EAAg,GAAE,CAAe,GAAE,EA  
AF,GAAO,C;;MAG7C,OAAO,CAAe,KAAL,CAAe,GAAG,CAAe,KAAL,CAAe,GAAE,CAAF,GAAM,CAAjB,G  
AAsB,E;IACzC,C;IAEA,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAe,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAAr  
C,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAL,WAAzC,C;  
QACI,MAAM,eAAe,CAAC,UAAU,UAAU,EAAuB,MAAvB,EAA+B,mC;UAE5C,OAAO,KAAK,UAAU,KAAK,  
KAAK,CAAC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;QACpC,CAHgD,CAA/B,C;;EAOjC,CAAe,G;ECtTF,MA  
AM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WAAy,8C;IACd,IAAI,qBAAq  
B,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,  
IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IAGtC,kBAAmB,GAAE,MAAM,yBAAy  
B,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,O  
AAO,UAAU,CAAC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAA  
D,CAAIC,EAA2C,YAA3C,C;EAC5B,C;EAEA,MAAM,WAAy,qD;IACd,IAAI,qBAAqB,MAAM,yBAAyB,CAA  
C,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,k  
BAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAA  
C,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,C  
AAC,YAAD,CAAe,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAA  
AD,CAAIC,EAA2C,YAA3C,EAAyD,KAAzD,C;EACrB,C;;IAGI,IAAI,IAAK,KAAL,KAAb,C;MAAoB,OAAO,I;I  
AE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,  
IAAI,IAAI,CAAb,EAAgB,CAAe,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC  
,UAAU,CAAC,CAAD,CAAX,EAAgB,KAAhB,CAA9B,C;UACI,OAAO,I;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,I  
AAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UAAU,CAA/B,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IA  
AK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAA  
mB,KAAmB,C;EACjE,C;EAQA,MAAM,OAAQ,4B;IACV,IAAI,KAAM,KAAL,MAAd,C;MACI,QAAQ,OAAO,M  
AAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;IAIrC,IAAI,MA  
AO,IAAG,IAAK,IAAG,KAAM,IAAG,IAAK,KAAL,OAAO,MAAO,KAAL,QAAS,IAAG,OAAO,MAAO,KAAL,U  
AApD,CAApC,C;MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAL,UAAW,IAAG,MAAO,YAAW,KAArD,C;  
MACI,OAAO,I;;IAGX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GA  
AE,KAAK,YAAP,GAAsB,I;IACtD,IAAI,WAAy,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAA  
W,WAAW,W;MAC1B,IAAI,QAAQ,KAAM,KAAL,MAAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAAL,K;;IA  
I1B,IAAI,gBAAgB,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;;IAG7B,IAAI,  
aAAa,KAAM,KAAL,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAA  
C,MAAM,YAAP,EAAqB,KAArB,C;;IAGrC,OAAO,K;EACX,C;EAEA,MAAM,SAAU,gB;IACZ,OAAO,OAAO,  
CAAe,IAAG,QAAS,IAAG,CAAe,YAAW,MAAM,K;EACtD,C;EAEA,MAAM,OAAQ,oB;IACV,OAAO,KAAM,  
YAAW,MAAM,U;EACIC,C;EAEA,MAAM,aAAc,oB;IACHB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAL,  
QAAS,IACIB,IAAK,KAAL,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,K  
AAD,EAAQ,MAAM,OAAO,WAArB,C;EACxB,C;EAEA,MAAM,eAAgB,oB;IACIB,OAAO,OAAO,KAAM,KA  
AL,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;EACrD,C;;;aCpD2C,gB;;;  
MCnDvC,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;IAFpD,C;;MAKgB,iB;IAAA,C;;MAGA,oB;IAAA,C;;MAE6  
B,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QAAhB,C;IAAR,C;;MAEN,gBAAS,K;IAAT,C;;MAEJ,OAAnc,MAAm  
C,kBAA8B,IAA9B,C;IAAA,C;;MAEL,gB;IAAA,C;;MAE1B,8B;IAAA,C;;MAAA,qC;QAAA,oB;;MAAA,8B;IA  
AA,C;;MDdwC,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAAT7B,C;IAAA,C;gEAE5C,yB;MAAA,mB;MAAA,6B;Q  
AC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;U  
ACI,MAAM,CAAN,IAlgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;MAPgD,C;KAD3D,C;;MAKiB,Q;MAA

A,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;;  
MAEf,OAAO,K;IACX,C;;MAMiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MAcTb,gBAaKB,c;MAEd,IADS,IACt,  
mBADS,IACt,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,  
U;QAAA,SAaQB,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAaKc,MAZ9B,CAAM,CAAN,IAYsC,I  
AZ3B,CAAK,CAAL,C;;QAYH,OAAsB,M;;MAHIC,W;IAKJ,C;2EAEA,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,  
aAAa,IAAb,EAAMb,KAAAnB,C;QAlBhF,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,i  
B;UACI,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAiBiE,OafzE,K;MAeyE,C;KADpF,C;;MAQiB,IAA  
N,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAaKB,W;MAEd,IADS,IACt,mBADS,IACt,EAAM,IA  
AN,YADS,IACt,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,a  
AAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAMb,M;;M  
AF/B,W;IAIJ,C;qEAEA,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAA,YAAU,IAAV,EAAgB,IA  
AhB,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UAC  
pB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;MACX,C;KATA,C;mFAWA,yB;MAAA,mB;MAA  
A,gC;MAAA,6B;QAGiB,Q;QADb,YAA,YAAU,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,a  
AAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;  
MACX,C;KATA,C;;MAeiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MAcTb,gBAaKB,W;MAEd,IADS,IACt,mB  
ADS,IACt,EAAM,IAAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB  
,MA5DZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,  
CAAK,CAAL,C;;QA2DH,OAAMb,M;;MAH/B,W;IAKJ,C;qEAEA,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UA  
AU,IAAV,EAAgB,KAAhB,C;QAjEvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;  
UACI,MAAM,CAAN,IAgEwG,IAhE7F,CAAK,CAAL,C;;QAqEwD,OA9DhE,K;MA8DgE,C;KAD3E,C;;MAiB,  
Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,  
OAAO,K;IACX,C;;MEEnFA,qC;MAEI,iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAAoC,kB  
;MAEhC,yBACJ,MAAoC,kB;MAEhC,WACJ,MAAsB,I;IAftB,C;;;MAAA,4C;QAAA,2B;;MAAA,qC;IAAA,C;;M  
AkBA,oC;MAEI,iBACJ,MAA2B,U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;MAE/B,yBACJ,MA  
AmC,kB;MAE/B,WACJ,MAAqB,I;IAfrB,C;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;MAkBA,kC;MAEI,iB  
ACqB,W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;IAZ1B,C;;;MAAA,yC;QAAA,wB;;MAAA  
,kC;IAAA,C;;MAeA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C  
;MAEvB,iBACsB,E;IAZ1B,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAeA,oC;MAEI,iBACuB,U;MAEv  
B,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;IAZ1B,C;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;M  
AeA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;IAZ1B,C;;;MAAA,0C;Q  
AAA,yB;;MAAA,mC;IAAA,C;;MAeA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,  
0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;MAEvC,kBAC  
uB,C;MAEvB,iBACsB,E;IA9B1B,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAiCA,qC;IAAA,C;;;MAA  
A,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAEA,sC;IAAA,C;;;MAAA,6C;QAAA,4B;;MAAA,sC;IAAA,C;;  
;aC61boB,gB;;cCv9a0C,mB;;gBAyEvC,yB;eAAYB,wB;;uBAgBzB,gC;sBAAwB,+B;mCA4JjC,qB  
;mCA5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;eCxZgB,wB;sBCQA,sB;iBCPA,0B;;aC1K8B,e;;gCC1ChD,y  
C;+BCTA,uC;+BCDA,sC;;gCC+I/B,+B;gBCIEqE,yB;;  
;MC1EE,wC;IANvF,C;IAAA,wD;MAO  
2C,8B;IAAA,C;IAP3C,8E;;MCSuF,wC;IARvF,C;IAAA,wD;MAS2C,8B;IAAA,C;IAT3C,8E;;MC0DsC,wB;QAA  
W,OAAA,aAAK,KAAL,CXqGV,K;MWRGD,C;IAAA,C;;MCAF,wB;QAAW,OAAA,aAAK,KAAL,CXiV,K;MWj  
ID,C;IAAA,C;;MCAE,wB;QAAW,OAAA,aAAK,KAAL,CC4IV,K;MD5ID,C;IAAA,C;;MEAE,wB;QAAW,OAA  
A,aAAK,KAAL,CbgHV,K;MahHD,C;IAAA,C;;MCvD8D,4C;IAAtG,C;IAAA,6D;MAC4C,+BAAW,CAAX,EAAC  
,CAAd,C;IAAA,C;IAD5C,kF;;MCMdI,sC;MAAA,4C;IATJ,C;IAAA,yF;MAWoB,2B;IAAA,CAXpB,E;IAAA,4E;  
MAcY,wBAAW,MAAX,C;IAAA,C;IAdZ,sF;;MAf0C,oB;QACIC,WAAW,sBAAMb,YAAF,CAAE,CAAnB,C;Q  
ACX,cAAM,IAAN,C;QADA,OAEA,IAAK,a;MAH6B,C;IAAA,C;;MnBvHtC,OAAO,UAAI,CAAJ,C;IACX,C;;M  
AOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IAC  
X,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,





AAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAYXS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAA  
U,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAYXS,  
Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;  
;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;gFAEA,yB;MA0XA,oC;MAAA,gC;MA1XA,uC;QAKW,sB;;UAYXS,Q;  
UAAhB,iD;YAAgB,cAAhB,0B;YAAsB,IAzXH,SAyXO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;;  
UAC9C,qBAAO,I;;;QA1XP,yB;MACJ,C;KANA,C;sFAQA,yB;MAssCA,0D;MAAA,oD;MAtsCA,uC;QAKW,qB;;  
UAqsCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL  
,C;YACd,IAvsCc,SAusCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAZsCP,w  
B;MACJ,C;KANA,C;wFAQA,yB;MAysCA,0D;MAAA,oD;MAzsCA,uC;QAKW,qB;;UAwsCO,Q;UAAA,OAAa,  
SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1sCc,SA0sCV  
,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5sCP,wB;MACJ,C;KANA,C;wFA  
QA,yB;MA4sCA,0D;MAAA,oD;MA5sCA,uC;QAKW,qB;;UA2sCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;U  
AAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA7sCc,SA6sCV,CAAU,OAAV,CAAJ,C;cA  
AwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/sCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+sCA,0D;MAA  
A,oD;MA/sCA,uC;QAKW,qB;;UA8sCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,  
uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhtCc,SAgtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;  
UAE5B,oBAAO,I;;;QAltCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAktCA,0D;MAAA,oD;MAltCA,uC;QAKW,qB  
;;UAitCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL  
,C;YACd,IAntCc,SAmtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArtCP,  
wB;MACJ,C;KANA,C;wFAQA,yB;MAqtCA,0D;MAAA,oD;MArtCA,uC;QAKW,qB;;UAotCO,Q;UAAA,OAAa,  
SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAttCc,SAstCV,  
CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAXtCP,wB;MACJ,C;KANA,C;wFA  
QA,yB;MAwtCA,0D;MAAA,oD;MAxtCA,uC;QAKW,qB;;UAutCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;U  
AAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAztCc,SAytCV,CAAU,OAAV,CAAJ,C;cA  
AwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA2tCA,0D;MAAA  
,oD;MA3tCA,uC;QAKW,qB;;UA0tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,u  
B;YACV,cAAc,UAAK,KAAL,C;YACd,IA5tCc,SA4tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;  
UAE5B,oBAAO,I;;;QA9tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8tCA,0D;MAAA,oD;MAAA,oC;MA9tCA,u  
C;QAKW,qB;;UA6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,  
UAAK,KAAL,C;YACd,IA/tCc,SA+tCV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO  
,I;;;QajuCP,wB;MACJ,C;KANA,C;;MAaI,IA67KO,qBAAQ,CA77Kf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA  
CV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA27KO,qBAAQ,CA37Kf,C;QACI,MAAM,2BAAuB,iBAAvB,C;M  
ACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAy7KO,qBAAQ,CAz7Kf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAu7KO,qBAAQ,CAv7Kf,C;QACI,MAAM,2BAAuB,iBAAvB,  
C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAq7KO,qBAAQ,CAr7Kf,C;QACI,MAAM,2BAAuB,iBAAvB  
,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAm7KO,qBAAQ,CAn7Kf,C;QACI,MAAM,2BAAuB,iBAA  
vB,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAi7KO,qBAAQ,CAj7Kf,C;QACI,MAAM,2BAAuB,iBAA  
vB,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA+6KO,qBAAQ,CA/6Kf,C;QACI,MAAM,2BAAuB,iBA  
AvB,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA66KO,qBAAQ,CA76Kf,C;QACI,MAAM,2BAAuB,iB  
AAvB,C;MACV,OAAO,UAAK,CAAL,C;IACX,C;kFAEA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAG  
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAA  
M,gCAAuB,mDAAvB,C;MACV,C;KAPA,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SA  
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu  
B,mDAAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAAhB,  
gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu  
B,mDAAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAAhB,gB;U  
AAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mD  
AAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB

,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB ,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAA A,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;M ACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA AhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV ,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB, M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;K APA,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA gB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAA uB,mDAAvB,C;MACV,C;KAPA,C;;MAaI,OAmxKO,qBAAQ,CAnxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IA CpC,C;;MAMI,OAoxKO,qBAAQ,CAPxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAqxKO,qB AAQ,CARxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAsxKO,qBAAQ,CATxKR,GAAe,IAAf, GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAuxKO,qBAAQ,CAvxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IA CpC,C;;MAMI,OAwxKO,qBAAQ,CAXxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAYxKO,q BAAQ,CAZxKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OA0xKO,qBAAQ,CA1xKR,GAAe,IAA f,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OA2xKO,qBAAQ,CA3xKR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;I ACpC,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA AJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S AAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAA hB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;M ACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UA AU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q AAkB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;M AMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAw B,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAg B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA O,I;IACX,C;+FAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIOB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAA hB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KA NA,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OA AW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OA AW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OA AW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KAN A,C;;MAYI,OA AW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MA MI,OA AW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OA AW ,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OA AW,SAAS,CA AT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OA AW,SAAS,CAAT,IAAc,S AAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OA AW,SAAS,CAAT,IAAc,SAAS,0BA A3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OA AW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAs



O,UAAK,0BAAL,C;IACX,C;gFAEA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa, SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;gFAY A,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb, W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB, OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA, iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB; UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAu B,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,O AAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UAC d,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IF AYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CA Ab,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAA wB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MA AA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc, uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCA AuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA ,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;U ACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA, C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAA Q,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C; YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,o D;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QA EnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;;MAiBsB,UAMA,M;MAPIB,IAAI,eAAJ,C;QACkB,OAA Q,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO, K;;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,gBAAAd,C;UAAc,2B;UACV,IAAI,gBAAW,UAAK,O AAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ, CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf ,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QA CV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ, WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI, OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd ,C;QAAC,uB;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;; MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UA AK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CA AR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,O AAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV ,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,W AAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,O AAO,K;;;MAGf,OAAO,E;IACX,C;;MAMI,OA+3IO,qBAAQ,CA/3IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAA P,IAAL,C;IACpC,C;;MAMI,OA4IO,qBAAQ,CA4IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IA CpC,C;;MAMI,OA4IO,qBAAQ,CAj4IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI, OAk4IO,qBAAQ,CAI4IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAm4IO,qBA AQ,CAn4IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAo4IO,qBAAQ,Cp4IR,G AAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAq4IO,qBAAQ,CAr4IR,GAAe,IAAf,GA AYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OA4IO,qBAAQ,CAt4IR,GAAe,IAAf,GAAYB,UAAK,m BAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAu4IO,qBAAQ,CAv4IR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,

IAAL,C;IACpC,C;4FAEA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C  
AAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAA  
J,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAI  
kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK  
,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;6FAWA,  
yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA  
Ac,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q  
AEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,  
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,U  
AAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,o  
D;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;U  
ACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C  
;KATA,C;6FAWA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,C  
AAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;Q  
AAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL  
,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;6FAWA,yB;MA  
AA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAA  
d,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,O  
AAO,I;MACX,C;KATA,C;6FAWA,yB;MAAA,0D;MAAA,oD;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,S  
AAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAA  
I,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;MACX,C;KATA,C;kFAWA,yB;MAAA,mC;MA  
AA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAA  
A,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,  
OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAA  
O,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;M  
ACX,C;KATA,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KAT  
A,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,  
yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;oFAWA,yB;MAAA,m  
C;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;;MAKBI,IAunIO,qBAAQ,CAvnlf,C;  
QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IA  
mnIO,qBAAQ,CAnnlf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CA  
AX,C;IACX,C;;MASI,IA+mIO,qBAAQ,CA/mlf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA  
AO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IA2mIO,qBAAQ,CA3mlf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAumIO,qBAAQ,CAvmlf,C;QACI,MA  
AM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAmmIO,qBA  
AQ,CAnmlf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IAC  
X,C;;MASI,IA+lIO,qBAAQ,CA/lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,g  
BAAR,CAAX,C;IACX,C;;MASI,IA2lIO,qBAAQ,CA3lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U  
AAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MASI,IAulIO,qBAAQ,CAvllf,C;QACI,MAAM,2BAAuB,iBAAv  
B,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;IACX,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,  
C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gC  
AAyB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2B  
AAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;  
IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UA  
AK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MA  
AA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K  
;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C

;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;IAKJ,C;ofAEA,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAhBA,C;ofAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAaB,I;QACtB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4E;MACX,C;KAhBA,C;;MAsBI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;

MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAmB,I;MACnB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACtB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;QACpB,YAAy,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;CAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;MACX,C;KafA,C;;MoBppFI,IAAI,EpB6qFI,KAAK,CoB7qFT,CAAJ,C;QACl,cpB4qFc,sD;QoB3qFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4qFV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoB/qFI,IAAI,EpByrFI,KAAK,CoBzrFT,CAAJ,C;QACl,cpBwrFc,sD;QoBvrFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwrFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoB3rFI,IAAI,EpBqsFI,KAAK,CoBrsFT,CAAJ,C;QACl,cpBosFc,sD;QoBnsFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBosFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoBvsFI,IAAI,EpBitFI,KAAK,CoBjtFT,CAAJ,C;QACl,cpBgtFc,sD;QoB/sFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgtFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoBntFI,IAAI,EpB6tFI,KAAK,CoB7tFT,CAAJ,C;QACl,cpB4tFc,sD;QoB3tFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4tFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoB/tFI,IAAI,EpByuFI,KAAK,CoBzuFT,CAAJ,C;QACl,cpBwuFc,sD;QoBvuFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwuFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoB3uFI,IAAI,EpBqvFI,KAAK,CoBrvFT,CAAJ,C;QACl,cpBovFc,sD;QoBnvFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBovFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoBvvFI,IAAI,EpBiwFI,KAAK,CoBjwFT,CAAJ,C;QACl,cpBgvFc,sD;QoB/vFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgvFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoBnwFI,IAAI,EpB6wFI,KAAK,CoB7wFT,CAAJ,C;QACl,cpB4wFc,sD;QoB3wFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4wFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MoB/wFI,IAAI,EpByxFI,KAAK,CoBzxFT,CAAJ,C;QACl,cpBwxFc,sD;QoBvxFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwxFV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoB3xFI,IAAI,EpBqyFI,KAAK,CoBryFT,CAAJ,C;QACl,cpBoyFc,sD;QoBnyFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBoyFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoBvyFI,IAAI,EpBizFI,KAAK,CoBjzFT,CAAJ,C;QACl,cpBgzFc,sD;QoB/yFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgzFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoBnzFI,IAAI,EpB6zFI,KAAK,CoB7zFT,CAAJ,C;QACl,cpB4zFc,sD;QoB3zFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4zFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoB

/zFI,IAAI,EpBy0FI,KAAK,CoBz0FT,CAAJ,C;QACI,cpBw0Fc,sD;QoBv0Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;  
;MpBw0FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoB30FI,IAAI,E  
pBq1FI,KAAK,CoBr1FT,CAAJ,C;QACI,cpBo1Fc,sD;QoBn1Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBo1FV,  
OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoBv1FI,IAAI,EpBi2FI,KAA  
K,CoBj2FT,CAAJ,C;QACI,cpBg2Fc,sD;QoB/1Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBg2FV,OAAO,kBAA  
gB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoBn2FI,IAAI,EpB62FI,KAAK,CoB72FT,  
CAAJ,C;QACI,cpB42Fc,sD;QoB32Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB42FV,OAAO,kBAAgB,gBAAV,  
mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MoB/2FI,IAAI,EpBy3FI,KAAK,CoBz3FT,CAAJ,C;QA  
CI,cpBw3Fc,sD;QoBv3Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBw3FV,OAAO,kBAAgB,gBAAV,mBAAO,C  
AAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;gGAEA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iB  
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAA  
K,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;M  
AAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;Y  
ACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAA  
A,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAA  
L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,y  
B;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,U  
AAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;  
KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U  
ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,  
OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,  
WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA  
AR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QA  
MI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,  
gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA  
qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CA  
AL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8  
D;MAAA,oC;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,U  
AAU,sBAAK,KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C  
;KAZA,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,  
gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,C  
AAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAA  
A,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;  
UACI,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI  
IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;  
QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QA AJ,C;YACI,  
IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;  
QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAA  
W,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,  
IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MACX,C;  
KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,  
gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QA AJ,C;YACL,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,  
CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MA  
AA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,  
M;UACI,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,W  
AAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQi  
B,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QA AJ,C;Y  
ACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAA



W,I;;;QAE nB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQIB,Q;QAFb,eAAe,K;QACf, WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C; eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;MA CX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQIB,Q;QAFb,eAAe,K;QACf,WA AW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,iBAAJ ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO, I;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAiaA,Q;QAAhB,iD;UAAgB,cAA hB,e;UAAsB,IAJaU,SAiaN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAja1D,OAKaO,W;MAJaX ,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAkaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAA sB,IAlaa,SakaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAla1D,OAmoO,W;MALaX,C;KALA, C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAmaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IANac, SAmAV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAna1D,OAOaO,W;MAnaX,C;KALA,C;oFA OA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAoaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApaY,SAoaR ,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAPA1D,OAAQO,W;MAPaX,C;KALA,C;oFAOA,yB; MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAqaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAraa,SAqaT,CAAU, OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QARA1D,OASaO,W;MARA X,C;KALA,C;oFAOA,yB;MAAA,+ D;MAAA,uC;QAIW,kBAAS,gB;QAsaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtac,SAsaV,CAAU,OAAV,C AAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAta1D,OAAuO,W;MAtaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA, uC;QAIW,kBAAS,gB;QAuaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,CAAJ,C;Y AAwB,WAAy,WAAI,OAAJ,C;;QAVA1D,OAAwO,W;MAVaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QA IW,kBAAS,gB;QAWaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaZ,CAAU,OAAV,CAAJ,C;YAAw B,WAAy,WAAI,OAAJ,C;;QAXa1D,OAYaO,W;MAXaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAYaA,oC;MAAA,g C;MAzaA,uC;QAIW,kBAAS,gB;QAYaA,Q;QAAhB,iD;UAAgB,cAAhB,0B;UAAsB,IAzaa,SAyaT,CAAU,oBAA V,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QAZa1D,OAAoO,W;MAZaX,C;KALA,C;gGAOA,yB;MAAA,+D; MAAA,uC;QAMW,kBAAGB,gB;QAizOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/tOI,IAIFmC,SAkF/ B,EA+tOkB,cA/tOIB,EA+tOkB,sBA/tOIB,WA+tO2B,IA/tO3B,CAAJ,C;YAA2C,sBA+tOZ,IA/tOY,C;;QAI F/C,OA oFO,W;MANFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAKzOV,gB;QADb,YAAY ,C;QACZ,iD;UAAa,WAAb,e;UA7tOI,IArFsC,SAqFIC,EA6tOkB,cA7tOIB,EA6tOkB,sBA7tOIB,WA6tO2B,IA7tO 3B,CAAJ,C;YAA2C,sBA6tOZ,IA7tOY,C;;QARf/C,OAuFO,W;MATFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAA A,uC;QAMW,kBAAGB,gB;QAmzOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA3tOI,IAxFuC,SAwFnC, EA2tOkB,cA3tOIB,EA2tOkB,sBA3tOIB,WA2tO2B,IA3tO3B,CAAJ,C;YAA2C,sBA2tOZ,IA3tOY,C;;QAXf/C,OA 0FO,W;MAzFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAozOV,gB;QADb,YAAY ,C;QACZ,iD;UAAa,WAAb,e;UAztOI,IA3FqC,SA2FjC,EAytOkB,cAztOIB,EAytOkB,sBAztOIB,WAytO2B,IAztO 3B,CAAJ,C;YAA2C,sBAytOZ,IAztOY,C;;QA3F/C,OA6FO,W;MA5FX,C;KAPA,C;kGASA,yB;MAAA,+D;MAA A,uC;QAMW,kBAAGB,gB;QAqzOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAvtOI,IA9FsC,SA8FIC,EA utOkB,cAvtOIB,EAutOkB,sBAvtOIB,WAutO2B,IAvtO3B,CAAJ,C;YAA2C,sBAutOZ,IAvtOY,C;;QA9F/C,OA gG O,W;MAFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAszOV,gB;QADb,YAAY,C; QACZ,iD;UAAa,WAAb,e;UArtOI,IAjGuC,SAiGnC,EAqtOkB,cArtOIB,EAqtOkB,sBArtOIB,WAqtO2B,IArtO3B, CAAJ,C;YAA2C,sBAqtOZ,IArtOY,C;;QAjG/C,OAmGO,W;MAIGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA, uC;QAMW,kBAAGB,gB;QAuzOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAntOI,IApGwC,SAoGpC,EA mtOkB,cAntOIB,EAmtOkB,sBAntOIB,WAmto2B,IAntO3B,CAAJ,C;YAA2C,sBAmtOZ,IAntOY,C;;QApG/C,OA sGO,W;MARGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAwzOV,gB;QADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UAjtOI,IAvGyC,SAuGrC,EAitOkB,cAjtOIB,EAitOkB,sBAjtOIB,WAitO2B,IAjtO3 B,CAAJ,C;YAA2C,sBAitOZ,IAjtOY,C;;QAvG/C,OAYGO,W;MAXGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAYG A,gC;MA+sOA,oC;MAXzOA,uC;QAMW,kBAAGB,gB;QAYzOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B ;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA/sO/B,IA1GsC,SA0GIC,CAAU,OAAV,EAAiB,OA AjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4GO,W;MA3GX,C;KAPA,C;;MA+uOiB,gB;MADb,YAAY ,C;MACZ,iD;QAAA,WAAb,e;QA/tOI,IAAI,WA+tOkB,cA/tOIB,EA+tOkB,sBA/tOIB,WA+tO2B,IA/tO3B,CAAJ,C;

UAA2C,sBA+tOZ,IA/tOY,C;;MAE/C,OAAO,W;IACX,C;;MASuOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAA b,e;QA7tOI,IAAI,WA6tOkB,cA7tOIB,EA6tOkB,sBA7tOIB,WA6tO2B,IA7tO3B,CAAJ,C;UAA2C,sBA6tOZ,IA7t OY,C;;MAE/C,OAAO,W;IACX,C;;MAouOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3tOI,IAAI,WA 2tOkB,cA3tOIB,EA2tOkB,sBA3tOIB,WA2tO2B,IA3tO3B,CAAJ,C;UAA2C,sBA2tOZ,IA3tOY,C;;MAE/C,OAAO, W;IACX,C;;MAkuOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAztOI,IAAI,WAYtOkB,cAZtOIB,EAytO kB,sBAztOIB,WAYtO2B,IAztO3B,CAAJ,C;UAA2C,sBAytOZ,IAztOY,C;;MAE/C,OAAO,W;IACX,C;;MAGuOiB, gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvtOI,IAAI,WAutOkB,cAvtOIB,EAutOkB,sBAvtOIB,WAutO2 B,IAvtO3B,CAAJ,C;UAA2C,sBAutOZ,IAvtOY,C;;MAE/C,OAAO,W;IACX,C;;MA8tOiB,gB;MADb,YAAY,C;M ACZ,iD;QAAa,WAAb,e;QArtOI,IAAI,WAqtOkB,cArtOIB,EAqtOkB,sBArtOIB,WAqtO2B,IArtO3B,CAAJ,C;UA A2C,sBAqtOZ,IArtOY,C;;MAE/C,OAAO,W;IACX,C;;MA4tOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e; QAntOI,IAAI,WAmtOkB,cAntOIB,EAmtOkB,sBAntOIB,WAmtO2B,IAntO3B,CAAJ,C;UAA2C,sBAmtOZ,IAntO Y,C;;MAE/C,OAAO,W;IACX,C;;MA0tOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjtOI,IAAI,WAITO kB,cAJtOIB,EAitOkB,sBAjtOIB,WAITO2B,IAjtO3B,CAAJ,C;UAA2C,sBAitOZ,IAjtOY,C;;MAE/C,OAAO,W;IAC X,C;;SGAEA,yB;MAAA,gC;MA+sOA,oC;MA/sOA,oD;QAstOiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,OB ;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGb,iB;UA/sO/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ, C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;;SGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kB AAmB,gB;QAOV,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QAP pD,OAQO,W;MAPX,C;KALA,C;;MAWOB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB, IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;wFAEA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QA8EH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,CAAL, C;YAAyB,WAAy,WAAI,OAAJ,C;;QA9E3D,OA+EO,W;MA9EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC ;QAIW,kBAAY,gB;QA+EH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EY,SA+EX,CAAU,OAAV,CAAL ,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA/E3D,OAqFO,W;MA/EX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QAqFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFa,SAqFZ,CAAU,OAAV,CAAL, C;YAAyB,WAAy,WAAI,OAAJ,C;;QAhF3D,OAiFO,W;MAhFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QAiFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFW,SAiFV,CAAU,OAAV,CAAL, C;YAAyB,WAAy,WAAI,OAAJ,C;;QAjF3D,OAkFO,W;MAjFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QAkFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAiFY,SAkFX,CAAU,OAAV,CAAL, C;YAAyB,WAAy,WAAI,OAAJ,C;;QAIF3D,OAmFO,W;MAIFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QAmFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnFa,SAmFZ,CAAU,OAAV,CAAL ,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAnF3D,OAoFO,W;MAoFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC ;QAIW,kBAAY,gB;QAoFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPFc,SAoFb,CAAU,OAAV,CAAL, C;YAAyB,WAAy,WAAI,OAAJ,C;;QApF3D,OAqFO,W;MApFX,C;KALA,C;0FAOA,yB;MAAA,+D;MAAA,uC; QAIW,kBAAY,gB;QAqFH,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArFe,SAqFd,CAAU,OAAV,CAAL,C ;YAAyB,WAAy,WAAI,OAAJ,C;;QArF3D,OASFO,W;MARFX,C;KALA,C;0FAOA,yB;MAAA,+D;MASFA,oC;M AAA,gC;MATFA,uC;QAIW,kBAAY,gB;QAsFH,Q;QAAb,iD;UAAgB,cAAhB,OB;UAAsB,IAAI,CAtFY,SAsFX, CAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QAtF3D,OAuFO,W;MATFX,C;KALA,C;;MAWI,OA AO,2BAAGb,gBAAhB,C;IACX,C;;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB ,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGb,SA AhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ, C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IA AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;M AAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,W AAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,S AAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IA CX,C;;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV ,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAGb,SAAhB, gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;M



d,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB ,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,W;MACtB,WAAW,iBAakB,I AAIb,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO, I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAA e,OAAO,W;MACtB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAK,WA AI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAax B,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OA Ac,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,EAaj,C;;MAET,OAAO,I;IACX,C;;MAQwB,UACT,M; MAHX,aAAa,aAAa,SAAb,EAAMB,OAAQ,KAA3B,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C ;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MA QwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C ;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;MA QwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAAnB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB, C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;M AQwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB, C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;;M AQwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAAp B,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IACX,C;; MAQwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,c AApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IAC X,C;;MAQwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB ,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;IA CX,C;;MAQwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAo B,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;I ACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAAZ,EAae,CAAf,C;MAC9B,OAAO,yBAAY, OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAu B,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA 3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ, MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OA AO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IA CX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB ,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAA W,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C ;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CAAZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA 2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CA Ab,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MA MI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,O AAQ,aAAR,GAAuB,CAAvB,IAA3B,C;IACX,C;;MAGBiB,UACL,M;MoBtgIR,IAAI,EpB+/HI,KAAK,CoB//HT,C AAJ,C;QACI,cpB8/Hc,sD;QoB7/Hd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB8/HV,IAAI,MAAK,CAAT,C;QAA Y,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,O AAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX, C;;MAGBiB,UACL,M;MoB5hIR,IAAI,EpBqhII,KAAK,CoBrhIT,CAAJ,C;QACI,cpBohIc,sD;QoBnhId,MAAM,gC AAyB,OAAQ,WAAjC,C;;MpBohIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;Q AAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY, C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,C

AAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBljIR,IAAI,EpB2iI  
I,KAAK,CoB3iIT,CAAJ,C;QACI,cpB0iIc,sD;QoBzId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB0iIV,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;  
QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wB  
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MA  
ET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBxkIR,IAAI,EpBikII,KAAK,CoBjkIT,CAAJ,C;QACI,cpBgkIc,sD;Q  
oB/jId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBgkIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,K  
AAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C  
;MACnB,YAAY,C;MACZ,WAAW,iBAae,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IA  
AI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB9II  
R,IAAI,EpBulII,KAAK,CoBvIIT,CAAJ,C;QACI,cpBsIIc,sD;QoBrId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBsl  
IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,M  
AAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAh  
B,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WA  
AI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBpnIR,IAAI,EpB6mII,KAAK,CoB7mIT,CAAJ,C;Q  
ACI,cpB4mIc,sD;QoB3mId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB4mIV,IAAI,MAAK,CAAT,C;QAAY,OAA  
O,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,U  
AAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,W  
AAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;M  
AgBiB,UACL,M;MoB1oIR,IAAI,EpBmoII,KAAK,CoBnoIT,CAAJ,C;QACI,cpBkoIc,sD;QoBjoId,MAAM,gCAAY  
B,OAAQ,WAAjC,C;;MpBkoIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,  
OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MA  
CZ,WAAW,iBAaKB,CAAIb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C  
;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBhqIR,IAAI,EpBypII,KA  
AK,CoBzpiIT,CAAJ,C;QACI,cpBwplc,sD;QoBvpId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBwpIV,IAAI,MAAK  
,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;Q  
AAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wB  
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MA  
ET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBtrIR,IAAI,EpB+qII,KAAK,CoB/qIT,CAAJ,C;QACI,cpB8qIc,sD;Q  
oB7qId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB8qIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,  
KAAK,gBAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,EAA  
P,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SA  
Ab,O;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,iBAAJ,C;;MAET,OAAO,I;IACX,C;;MoB3rII,IA  
AI,EpBqsII,KAAK,CoBrsIT,CAAJ,C;QACI,cpBosIc,sD;QoBnsId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpBosIV,  
IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,iB;M  
ACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA  
Aa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;  
MACT,OAAO,I;IACX,C;;MoB9sII,IAAI,EpBwtII,KAAK,CoBxtIT,CAAJ,C;QACI,cpButIc,sD;QoBttId,MAAM,g  
CAAYB,OAAQ,WAAjC,C;;MpButIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI  
,KAAK,IAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,I  
AAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QAC  
I,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBjuII,IAAI,EpB2uII,KAAK,CoB3uIT,CAAJ,  
C;QACI,cpB0uIc,sD;QoBzuid,MAAM,gCAAYB,OAAQ,WAAjC,C;;MpB0uIV,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QA  
AY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OA  
AO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBp  
vII,IAAI,EpB8vII,KAAK,CoB9vIT,CAAJ,C;QACI,cpB6vIc,sD;QoB5vId,MAAM,gCAAYB,OAAQ,WAAjC,C;;M  
pB6vIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAA

O,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WA  
AW,iBA Ae,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,C  
AAJ,C;MACT,OAAO,I;IACX,C;;MoBvII,IAAI,EpBixII,KAAK,CoBjxIT,CAAJ,C;QACI,cpBgxIc,sD;QoB/wId,  
MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgxIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;M  
ACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OA  
AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IA  
A7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB1xII,IAAI,EpBoyII,KAAK,Co  
BpyIT,CAAJ,C;QACI,cpBmyIc,sD;QoBlyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmyIV,IAAI,MAAK,CAAT  
,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,  
CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MAC  
X,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IA  
CX,C;;MoB7yII,IAAI,EpBuzII,KAAK,CoBvzIT,CAAJ,C;QACI,cpBszIc,sD;QoBrzId,MAAM,gCAAyB,OAAQ,W  
AAjC,C;;MpBszIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;  
QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;M  
ACnB,WAAW,iBAAkB,CAAI B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,U  
AAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBh0II,IAAI,EpB00II,KAAK,CoB10IT,CAAJ,C;QACI,cpBy0I  
c,sD;QoBx0Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBy0IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,  
WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAA  
O,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAA  
d,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBn1III,IAAI,EpB6I  
II,KAAK,CoB71IT,CAAJ,C;QACI,cpB41Ic,sD;QoB31Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB41IV,IAAI,M  
AAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,I  
AAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,C  
AAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EA AJ,C;MA  
CT,OAAO,I;IACX,C;gGAEA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,  
CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL  
,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc  
,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,Q  
AAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAA  
A,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YAC  
I,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4  
C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,C  
AAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;  
MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA  
AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;K  
AZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA  
CI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O  
AAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,W  
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA  
R,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAM  
I,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,g  
BAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,  
4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,  
EAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;MACX,C;KAZA,C;wFAcA,yB  
;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBA Aa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,I  
AAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;OF  
AeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBA Aa,SAAb,gB;UAAa,WAAA,SAAb,M;  
UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAb

A,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA  
Ab,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IAAJ,C;;QAET,OAAO,I;MACX,  
C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WA  
AA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IAAJ,C;;QAET,OAAO,I;  
MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;U  
AAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IAAJ,C;;QAET,O  
AAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb  
,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IAAJ,C;;Q  
AET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAA  
a,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,IA  
AJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX  
,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,W  
AAl,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOi  
B,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBA  
AV,CAAL,C;YACI,K;UACJ,IAAK,WAAl,iBAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;;MAMBI,eAAe,CAAC,  
mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB,mBAAmB,wB;MACnB,i  
BAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q  
ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;M  
ACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,  
UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,m  
C;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;  
MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,  
KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAA  
O,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,C  
AAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UA  
AK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IA  
AI,WAAW,CAAf,C;QAakB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,  
UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAE  
R,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB  
,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,I  
AAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAA  
P,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,W  
AAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YA  
AL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAA  
W,CAAf,C;QAakB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,K  
AAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MA  
MI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAakB,M;MACIB,mBAA  
mB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,U  
AAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,IAk+CO,qBAAQ,CAI+Cf,C;QAAe,  
OAAO,W;MACTb,WAAW,wB;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAg+CO,qBAAQ,CAh  
+Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA89CO,q  
BAAQ,CA99Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MA  
MI,IA49CO,qBAAQ,CA59Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;I  
ACX,C;;MAMI,IA09CO,qBAAQ,CA19Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MAC  
L,OAAO,I;IACX,C;;MAMI,IAw9CO,qBAAQ,CAx9Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,I  
AAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA59CO,qBAAQ,CA9Cf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MAC  
N,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAo9CO,qBAAQ,Ca99Cf,C;QAAe,OAAO,W;MACTb,WAA  
W,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAk9CO,qBAAQ,CAI9Cf,C;QAAe,OAAO,W;M

ACtB, WAAW, 0B; MACN, WAAL, IAAK, C; MACL, OAAO, I; IACX, C; MAMI, IAw4CO, qBAAQ, CAx4Cf, C; QAAe, OAAO, S; MACtB, aAAa, aAAa, SAAb, EAAMb, gBAAnB, C; MACb, gBAAgB, wB; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IAo4CO, qBAAQ, CAp4Cf, C; QAAe, OAAO, S; MACtB, aAAa, cAAU, gBAAV, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IA4CO, qBAAQ, CAh4Cf, C; QAAe, OAAO, S; MACtB, aAAa, eAAW, gBAAX, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IA43CO, qBAAQ, CA53Cf, C; QAAe, OAAO, S; MACtB, aAAa, eAAS, gBAAT, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IAw3CO, qBAAQ, CAx3Cf, C; QAAe, OAAO, S; MACtB, aAAa, iBAAU, gBAAV, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IAo3CO, qBAAQ, CAp3Cf, C; QAAe, OAAO, S; MACtB, aAAa, iBAAW, gBAAX, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IA3CO, qBAAQ, CAh3Cf, C; QAAe, OAAO, S; MACtB, aAAa, iBAAy, gBAAZ, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IA42CO, qBAAQ, CA52Cf, C; QAAe, OAAO, S; MACtB, aAAa, oBAAa, gBAAb, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; MAMI, IAw2CO, qBAAQ, CAx2Cf, C; QAAe, OAAO, S; MACtB, aAAa, iBAAU, gBAAV, C; MACb, gBAAgB, 0B; MACHb, aAAU, CAAV, OAAa, SAAb, M; QACI, OAAO, YAAy, CAAZ, IAAP, IAawB, UAAK, CAAL, C; MAC5B, OAAO, M; IACX, C; kFAEA, yB; MAAA, oD; MsB/3JA, sC; MJjFA, kC; MAAA, oC; QAAsG, 4C; MAAtG, C; MAAA, 6D; QAC4C, +BAAW, CAAX, EAAC, CAAd, C; MAAA, C; MAD5C, kF; MliFA, uBAOe, yB; QArEf, 8D; UAqEe, uB; YAAU, eAAsB, gB; YAAtB, OA5Dd, cAAc, SA4DgB, CA5DhB, CAAd, EA A2B, SA4DM, CA5DN, CAA3B, C; UA4DI, C; QAAA, C; OAAA, C; MtBw3Jf, sC; QAMI, IAAl, mBAAO, CAAX, C; UA Ac, iDsB93JH, iBtB83JsB, QsB93JtB, CtB83JG, E; MACIB, C; KAPA, C; sGASA, yB; MAAA, oD; MsBr3JA, sC; MJpGA ,kC; MAAA, oC; QAAsG, 4C; MAAtG, C; MAAA, 6D; QAC4C, +BAAW, CAAX, EAAC, CAAd, C; MAAA, C; MAD5C, k F; MloGA, iCAOe, yB; QAxFf, 8D; UAwFe, uB; YAAU, eAAsB, gB; YAAtB, OA/Ed, cAAc, SA+EgB, CA/EhB, CAAd, E AA2B, SA+EM, CA/EN, CAA3B, C; UA+EI, C; QAAA, C; OAAA, C; MtB82Jf, sC; QAMI, IAAl, mBAAO, CAAX, C; UA Ac, iDsBp3JH, 2BtBo3JgC, QsBp3JhC, CtBo3JG, E; MACIB, C; KAPA, C; MAeI, oBAAS, cAAT, C; IACJ, C; MAMI, IA Al, mBAAO, CAAX, C; QACI, e; QACA, oB; IAER, C; MAMI, IAAl, mBAAO, CAAX, C; QACI, e; QACA, oB; IAER, C; MAMI, IAAl, mBAAO, CAAX, C; QACI, e; QACA, oB; IAER, C; MAMI, IAAl, mBAAO, CAAX, C; QACI, e; QACA, oB; IAER, C; MAMI, IAAl, mBAAO, CAAX, C; QACI, e; QACA, oB; IAER, C; MAQI, OAAqB, OAAAd, sBAA c, C; IACzB, C; MAM0B, kBAAf, yB; MAAuB, mB; MAA9B, OAAuC, OuBhgKhC, WvBggKgC, C; IAC3C, C; MAM0B ,kBAAf, yB; MAAuB, mB; MAA9B, OAAuC, OuBvgKhC, WvBugKgC, C; IAC3C, C; MAM0B, kBAAf, yB; MAAuB, m B; MAA9B, OAAuC, OuB9gKhC, WvB8gKgC, C; IAC3C, C; MAM0B, kBAAf, yB; MAAuB, mB; MAA9B, OAAuC, Ou BrhKhC, WvBqhKgC, C; IAC3C, C; MAM0B, kBAAf, yB; MAAuB, mB; MAA9B, OAAuC, OuB5hKhC, WvB4hKgC, C; IAC3C, C; MAM0B, kBAAf, yB; MAAuB, mB; MAA9B, OAAuC, OuBniKhC, WvBmiKgC, C; IAC3C, C; MAM0B, kB AAf, 0B; MAAuB, mB; MAA9B, OAAuC, OuBliKhC, WvB0iKgC, C; IAC3C, C; MAQI, IA+nCO, qBAAQ, CA/nCf, C; Q AAe, OAAO, S; MACD, kBAAAd, SqBr5liB, Q; MrBq5IK, mB; MAA7B, OuBpjKO, W; IvBqjKX, C; MAMI, IA+nCO, qB AAQ, CA/nCf, C; QAAe, OAAO, S; MACD, kBAAAd, SqBn5liB, Q; MrBm5IK, iB; MAA7B, OuB5jKO, W; IvB6jKX, C; M AMI, IA+nCO, qBAAQ, CA/nCf, C; QAAe, OAAO, S; MACD, kBAAAd, SqBj5liB, Q; MrBi5IK, iB; MAA7B, OuBpkKO, W; IvBqkKX, C; MAMI, IA+nCO, qBAAQ, CA/nCf, C; QAAe, OAAO, S; MACD, kBAAAd, SqB/4liB, Q; MrB+4IK, iB; M AA7B, OuB5kKO, W; IvB6kKX, C; MAMI, IA+nCO, qBAAQ, CA/nCf, C; QAAe, OAAO, S; MACD, kBAAAT, UAAL, SA AK, C; MAAiB, mB; MAA7B, OuBplKO, W; IvBqlKX, C; MAMI, IA+nCO, qBAAQ, CA/nCf, C; QAAe, OAAO, S; MAC D, kBAAAd, SqB54liB, Q; MrB44IK, iB; MAA7B, OuB5lKO, W; IvB6lKX, C; MAMI, IA+nCO, qBAAQ, CA/nCf, C; QAA e, OAAO, S; MACD, kBAAAd, SqB14liB, Q; MrB04IK, iB; MAA7B, OuBpmKO, W; IvBqmKX, C; MAMI, IAuoCO, qBA AQ, CAvoCf, C; QAAe, OAAO, S; MACD, kBAAAT, UAAL, SAAK, C; MAAiB, iB; MAA7B, OuB5mKO, W; IvB6mKX, C; MAQI, IA6jCO, qBAAQ, CA7jCf, C; QAAe, OAAO, S; MACD, kBAAAd, SqBv9liB, Q; MrBu9IK, sBAAS, cAAT, C; MA



A7B,OuBtnKO,W;IvBunKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBr9liB,Q;MrBq9IK,6B;MAA7B,OuB9nKO,W;IvB+nKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBn9liB,Q;MrBm9IK,6B;MAA7B,OuBtoKO,W;IvBuoKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBj9liB,Q;MrBi9IK,6B;MAA7B,OuB9oKO,W;IvB+oKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OuBtpKO,W;IvBupKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB98liB,Q;MrB88IK,6B;MAA7B,OuB9pKO,W;IvB+pKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB58liB,Q;MrB48IK,6B;MAA7B,OuBtqKO,W;IvBuqKX,C;;MAMI,IAqkCO,qBAAQ,CArkCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OuB9qKO,W;IvB+qKX,C;;MAQI,IA2/BO,qBAAQ,CA3/Bf,C;QAAe,OAAO,S;MACD,kBAAd,SqBzhJiB,Q;MrByhJK,iC;MAA7B,OuBxrKO,W;IvByrKX,C;sFAEA,yB;MAAA,wD;MsBxqKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBiqKf,sC;QAMI,OAAO,mDsBvqKI,iBtBuqKiB,QsBvqKjB,CtBuqKjE;MACX,C;KAPA,C;wFASA,yB;MAAA,wD;MsBjrKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtB0qKf,sC;QAI,OAAO,mDsB9qKI,iBtB8qKiB,QsB9qKjB,CtB8qKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsBxrKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBirKf,sC;QAI,OAAO,mDsBrrKI,iBtBqrKiB,QsBrrKjB,CtBqrKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsB/rKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBwrKf,sC;QAI,OAAO,mDsB5rKI,iBtB4rKiB,QsB5rKjB,CtB4rKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsBtsKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtB+rKf,sC;QAI,OAAO,mDsBnsKI,iBtBmsKiB,QsBnsKjB,CtBmsKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsB7sKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBssKf,sC;QAI,OAAO,mDsB1sKI,iBtB0sKiB,QsB1sKjB,CtB0sKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsBptKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBotKf,sC;QAI,OAAO,mDsBxtKI,iBtBwtKiB,QsBxtKjB,CtBwtKjE;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MsBluKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MiiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtB2tKf,sC;QAI,OAAO,mDsB/tKI,iBtB+tKiB,QsB/tKjB,CtB+tKjE;MACX,C;KALA,C;0GAOA,yB;MAAA,wD;MsBttKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MioGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,C A/EhB,CAAd,EA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+sKf,sC;QAMI,OAAO,mDsBrKI,2BtBqtK2B,QsBrK3B,CtBqtKjE;MACX,C;KAPA,C;4GASA,yB;MAAA,wD;MsB/tKA,sC;MJpGA,kC;M

AAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBwtKf,sC;QAIi,OAAO,mDsB5tKI,2BtB4tK2B,QsB5tK3B,CtB4tKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBtuKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+tKf,sC;QAIi,OAAO,mDsBnuKI,2BtBmuK2B,QsBnuK3B,CtBmuKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7uKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBsuf,sC;QAIi,OAAO,mDsB1uKI,2BtB0uK2B,QsB1uK3B,CtB0uKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBpvKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBovKf,sC;QAIi,OAAO,mDsBxvKI,2BtBvwK2B,QsBxvK3B,CtBvwKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBlwKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB2vKf,sC;QAIi,OAAO,mDsB/vKI,2BtB+vK2B,QsB/vK3B,CtB+vKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBzwKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBkwKf,sC;QAIi,OAAO,mDsBtwKI,2BtBswK2B,QsBtwK3B,CtBswKJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBhxKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBywKf,sC;QAIi,OAAO,mDsB7wKI,2BtB6wK2B,QsB7wK3B,CtB6wKJ,E;MACX,C;KALA,C;MAA1,OAAO,sBAAW,cAAX,C;IACX,C;;MAMoB,kBqBjqJQ,iB;MrBiqJA,iB;MAAxB,OAAiC,WuB10K1B,WvB00K0B,C;IACrC,C;;MAMoB,kBqB9pJQ,iB;MrB8pJA,iB;MAAxB,OAAiC,WuBj1K1B,WvBi1K0B,C;IACrC,C;;MAMoB,kBqB3pJQ,iB;MrB2pJA,iB;MAAxB,OAAiC,WuBx1K1B,WvBw1K0B,C;IACrC,C;;MAMoB,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WuB/1K1B,WvB+1K0B,C;IACrC,C;;MAMoB,kBqBtpJQ,iB;MrBspJA,iB;MAAxB,OAAiC,WuBt2K1B,WvBs2K0B,C;IACrC,C;;MAMoB,kBqBnpJQ,iB;MrBmpJA,iB;MAAxB,OAAiC,WuB72K1B,WvB62K0B,C;IACrC,C;;MAMoB,kBAAT,oB;MAAiB,iB;MAAxB,OAAiC,WuBp3K1B,WvBo3K0B,C;IACrC,C;;MAQI,OAAmC,OAA5B,2BAAGB,UAAhB,CAA4B,C;IACvC,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuBp4K9C,WvBo4K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuB34K9C,WvB24K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuB15K9C,WvBk5K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuBh6K9C,WvBg6K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuBv6K9C,WvBu6K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuB96K9C,WvB86K8C,C;IACzD,C;;MAM0B,kBAAf,oB;MAAuB,iC;MAA9B,OAAqD,OuBr7K9C,WvBq7K8C,C;IACzD,C;;MAqsBY,oBAAS,CAAT,EAAY,wBAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAOR,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAA



AY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAhOhB,OAKOO,W;MAjOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAaUB,QAAvB,C;QAGOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAjOuC,WaiOnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAJOhB,OAmOO,W;MAIOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAxB,C;QAIOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAlOwC,WakOpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAIOhB,OAoOO,W;MAnOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAsB,QAAtB,C;QAKOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAnOsC,WAmOIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAnOhB,OAqOO,W;MApOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAaUB,QAAvB,C;QAmOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aApOuC,WaoOnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApOhB,OAsOO,W;MArOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAxB,C;QAOOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aArOwC,WaqOpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArOhB,OAuOO,W;MAtOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAyB,QAAzB,C;QAqOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAtOyC,WAsOrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtOhB,OAwoO,W;MAvOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAA0B,QAA1B,C;QASOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAvO0C,WAuOtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvOhB,OAyOO,W;MAxOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAyOA,oC;MAAA,gC;MAzOA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAaUB,QAAvB,C;QAUOL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAy,aAxOuC,WawOnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxOhB,OA0OO,W;MAzOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAYOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA1OoC,WA0OhC,CAAY,OAAZ,CAAJ,EA1OiD,cA0OvB,CAAe,OAaf,CAA1B,C;;QA1OhB,OA4OO,W;MA3OX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA2OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA5OoC,WA4OhC,CAAY,OAAZ,CAAJ,EA5OiD,cA4OvB,CAAe,OAaf,CAA1B,C;;QA5OhB,OA8OO,W;MA7OX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA6OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aA9OoC,WA8OhC,CAAY,OAAZ,CAAJ,EA9OiD,cA8OvB,CAAe,OAaf,CAA1B,C;;QA9OhB,OA9PO,W;MA/OX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QA+OL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAhPoC,WAgPhC,CAAY,OAAZ,CAAJ,EAhPiD,cAgPvB,CAAe,OAaf,CAA1B,C;;QAhPhB,OAKPO,W;MAjPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAiPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAlPoC,WakPhC,CAAY,OAAZ,CAAJ,EAiPiD,cAkPvB,CAAe,OAaf,CAA1B,C;;QAlPhB,OAoPO,W;MAnPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAmPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aApPoC,WaoPhC,CAAY,OAAZ,CAAJ,EApPiD,cAoPvB,CAAe,OAaf,CAA1B,C;;QApPhB,OAsPO,W;MArPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAqPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAtPoC,WAsPhC,CAAY,OAAZ,CAAJ,EAtPiD,cAsPvB,CAAe,OAaf,CAA1B,C;;QAtPhB,OAwoO,W;MAvPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAuPL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,aAxPoC,WawPhC,CAAY,OAAZ,CAAJ,EAxPiD,cAwPvB,CAAe,OAaf,CAA1B,C;;QAxPhB,OA0PO,W;MAzPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;M

A0PA,oC;MAAA,gC;MA1PA,yD;QAQI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAc,EAAc,C;QAC1B,kBAAc,  
mBAAoB,QAApB,C;QAYPL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAAY,aA1PoC,WA0PhC,CAAY,oBAAZ,  
CAAJ,EA1PiD,cA0PvB,CAAe,oBAAf,CAA1B,C;;QA1PhB,OA4PO,W;MA3PX,C;KAVA,C;;MAoBoB,Q;MAAh  
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;  
MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,  
aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SA  
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,  
W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,O  
AAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,  
cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MA  
UoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA  
0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;  
QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,  
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;M  
AEhB,OAAO,W;IACX,C;;iGAEA,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAQoB,Q;QAAhB,wBAAgB,SAAhB,gB  
;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAAY,aAAI,YAAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OA  
AO,W;MACX,C;KAZA,C;;MAsoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,  
aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wB  
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CA  
A1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,  
WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MA  
AhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,O  
AAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,  
M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAU  
oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0  
B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA  
,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,  
C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAAY,aAAI,YAAAY,OAAZ,CAA  
J,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;mGAEA,yB;MAAA,oC;MAAA,gC;MAAA,sE;QA  
QoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAAY,aAAI,YAAAY,oBAAZ,C  
AAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;;MAqBoB,Q;MAAhB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO9sNnB,wBAAL,IAAK,MAAT,EAAGB,IA  
AK,OAArB,C;;MPgtNA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M  
;QACI,WAAe,UAAU,OAAV,C;QO3tNnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP6tNA,OAAO,W;I  
ACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO  
xuNnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP0uNA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOrvNnB,wBAAL,IAAK,MAAT,EA  
AgB,IAAK,OAArB,C;;MPuvNA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlwNnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPowNA,  
OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,O  
AAV,C;QO/wNnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPixNA,OAAO,W;IACX,C;;MASoB,Q;MA  
AhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO5xNnB,wBAAL,IAAK,  
MAAT,EAAGB,IAAK,OAArB,C;;MP8xNA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAg  
B,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOzyNnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;  
MP2yNA,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAOb,Q;QAAhB,wBAAgB,SAAh  
B,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UOtznNnB,wBAAL,IAAK,MAAT,EA  
gB,IAAK,OAArB,C;;QPwzNA,OAAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAA  
A,SAAb,M;QACI,WAAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAb,wBAAa,SAAb,gB;QA





C,CAAY,OAAZ,C;UO18PP,U;UADP,YPo8Pe,WOp8PH,WPo8PwB,GOp8PxB,C;UACL,IAAI,aAAJ,C;YACH,aPk8PuC,gB;YAA5B,W0j8PX,aPi8PgC,GOj8PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP87PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApOT,OAsOO,W;MArOX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAsoA,+D;MAtoA,yC;QASW,kBAAU,oB;QAsOD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,OAAZ,C;UOn9PP,U;UADP,YPq9Pe,WOr9PH,WPq9PwB,GOr9PxB,C;UACL,IAAI,aAAJ,C;YACH,aPm9PuC,gB;YAA5B,W0l9PX,aPk9PgC,GOl9PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+8PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAZOT,OA2OO,W;MA1OX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA5OqD,WA4O3C,CAAY,OAAZ,C;UOp+PP,U;UADP,YPs+Pe,WOt+PH,WPs+PwB,GOT+PxB,C;UACL,IAAI,aAAJ,C;YACH,aPo+PuC,gB;YAA5B,WOn+PX,aPm+PgC,GOn+PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg+PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;MA/OX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAGPA,+D;MAhPA,yC;QASW,kBAAU,oB;QAgPD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAjPmD,WAIpZC,CAAY,OAAZ,C;UOr/PP,U;UADP,YPu/Pe,Wov/PH,WPu/PwB,GOv/PxB,C;UACL,IAAI,aAAJ,C;YACH,aPq/PuC,gB;YAA5B,WOp/PX,aPo/PgC,GOp/PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPI/PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OAqPO,W;MApPX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MARPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UOtqQP,U;UADP,YPwgQe,WoxgQH,WPwgQwB,GOxgQxB,C;UACL,IAAI,aAAJ,C;YACH,aPsgQuC,gB;YAA5B,WOrgQX,aPqgQgC,GOrgQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkgQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;MAzPX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOvhQP,U;UADP,YPyhQe,WozhQH,WPyhQwB,GOzhQxB,C;UACL,IAAI,aAAJ,C;YACH,aPuhQuC,gB;YAA5B,WothQX,aPshQgC,GOthQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmhQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;MA9PX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UahQsD,WAgQ5C,CAAY,OAAZ,C;UOxiQP,U;UADP,YP0iQe,W0liQH,WP0iQwB,GOliQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiQuC,gB;YAA5B,WoviQX,aPuiQgC,GOviQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoiQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;MAnQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UOzjQP,U;UADP,YP2jQe,W03jQH,WP2jQwB,GO3jQxB,C;UACL,IAAI,aAAJ,C;YACH,aPyjQuC,gB;YAA5B,W0xjQX,aPwjQgC,GOxjQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqjQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;MAxQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAaHb,iD;UAAgB,cAAhB,OB;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UO1kQP,U;UADP,YP4kQe,W05kQH,WP4kQwB,GO5kQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0kQuC,gB;YAA5B,W0zkQX,aPykQgC,GOzkQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPskQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5QT,OA8QO,W;MA7QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UO5lQP,U;UADP,YP8lQe,W09lQH,WP8lQwB,GO9lQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4lQuC,gB;YAA5B,W03lQX,aP2lQgC,GO3lQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwlQA,iB;UACA,IAAK,WajRyD,cAiRrD,CAAE,OAaf,CAAJ,C;;QajRT,OA mRO,W;MAiRX,C;KAXA,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UApRiD,WArVc,CAAY,OAAZ,C;UO9mQP,U;UADP,YPgnQe,WOhnQH,WPgnQwB,GOhnQxB,C;UACL,IAAI,aAAJ,C;YACH,aP8mQuC,gB;YAA5B,W07mQX,aP6mQgC,GO7mQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP0mQA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAE,OAaf,CAAJ,C;;QAtRT,OA wRO,W;MAvRX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WAYrVc,CAAY,OAAZ,C;UOhoQP,U;UADP,YPkoQe,W0loQH,WPkoQwB,GOloQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgoQuC,gB;YAA5B,WOnQX,aP+nQgC,GO/nQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4nQA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAE,OAaf,CAAJ,C;;QA3RT,OA6RO,W;MA5RX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOlPQP,U;UADP,YPopQe,WOpPQH,WPopQwB,GOppQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkpQuC,gB;YAA5B,W0jpQX,aPipQgC,GOjpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8oQA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAE,OAaf,CAAJ,C;;QAhST,



OAKSO,W;MAjSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOpqQP,U;UADP,YPsqQe,WOTqQH,WPsqQwB,GOTqQxB,C;UACL,IAAI,AAAJ,C;YACH,aPoqQuC,gB;YAA5B,WOnqQX,aPmqQgC,GOnqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgqQA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAE,OAAf,CAAJ,C;;QArST,OASO,W;MAiSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUdS,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAwSvC,CAAY,OAAZ,C;UOtrQP,U;UADP,YPwrQe,WoxrQH,WPwrQwB,GoxrQxB,C;UACL,IAAI,AAAJ,C;YACH,aPsrQuC,gB;YAA5B,WOrqQX,aPqrQgC,GOrqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkrQA,iB;UACA,IAAK,WAlSyD,cA0SrD,CAAE,OAAf,CAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UOxsQP,U;UADP,YP0sQe,W01sQH,WP0sQwB,G01sQxB,C;UACL,IAAI,AAAJ,C;YACH,aPwsQuC,gB;YAA5B,W0vsQX,aPusQgC,G0vsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosQA,iB;UACA,IAAK,WASyD,cA+SrD,CAAE,OAAf,CAAJ,C;;QA/ST,OAIto,W;MAhTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAItd,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAITiD,WAKtvC,CAAY,OAAZ,C;UO1tQP,U;UADP,YP4tQe,W05tQH,WP4tQwB,G05tQxB,C;UACL,IAAI,AAAJ,C;YACH,aP0tQuC,gB;YAA5B,W0ztQX,aPytQgC,G0ztQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPstQA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAE,OAAf,CAAJ,C;;QApTT,OAsTO,W;MArTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;MAAA,gC;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,oB;UACI,UAvTiD,WAutvC,CAAY,oBAAZ,C;UO5uQP,U;UADP,YP8uQe,W09uQH,WP8uQwB,G09uQxB,C;UACL,IAAI,AAAJ,C;YACH,aP4uQuC,gB;YAA5B,W03uQX,aP2uQgC,G03uQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwuQA,iB;UACA,IAAK,WAZTyD,cAyTrD,CAAE,oBAAf,CAAJ,C;;QAZTT,OA2TO,W;MA1TX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO18PP,U;UADP,YP08Pe,W0p8PH,WP08PwB,G0p8PxB,C;UACL,IAAI,AAAJ,C;YACH,aPk8PuC,gB;YAA5B,W0j8PX,aPi8PgC,G0j8PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP87PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9PP,U;UADP,YPq9Pe,W0r9PH,WPq9PwB,G0r9PxB,C;UACL,IAAI,AAAJ,C;YACH,aPm9PuC,gB;YAA5B,W019PX,aPk9PgC,G019PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP+8PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp+PP,U;UADP,YPs+Pe,W0t+PH,WP s+PwB,G0t+PxB,C;UACL,IAAI,AAAJ,C;YACH,aPo+PuC,gB;YAA5B,WOn+PX,aPm+PgC,GOn+PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg+PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr/PP,U;UADP,YPu/Pe,W0v/PH,WPu/PwB,G0v/PxB,C;UACL,IAAI,AAAJ,C;YACH,aPq/PuC,gB;YAA5B,WOp/PX,aPo/PgC,G0p/PhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPi/PA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtGQP,U;UADP,YPwgQe,W0xgQH,WPwgQwB,G0xgQxB,C;UACL,IAAI,AAAJ,C;YACH,aPsgQuC,gB;YAA5B,WOrgQX,aPqgQgC,GOrgQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkgQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvhQP,U;UADP,YPyhQe,W0zhQH,WPyhQwB,G0zhQxB,C;UACL,IAAI,AAAJ,C;YACH,aPuhQuC,gB;YAA5B,W0thQX,aPshQgC,G0thQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPmhQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOXiQP,U;UADP,YP0iQe,W0liQH,WP0iQwB,G0liQxB,C;UACL,IAAI,AAAJ,C;YACH,aPwiQuC,gB;YAA5B,W0viQX,aPuiQgC,G0viQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoiQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzjQP,U;UADP,YP2jQe,W03jQH,WP2jQwB,G03jQxB,C;UACL,IAAI,AAAJ,C;YACH,aPyjQuC,gB;YAA5B,W0xjQX,aPwjQgC,G0xjQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqjQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W

;MACX,C;KafA,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAy,oBAAZ,C;UO1kQP,U;UADP,YP4kQe,WO5kQH,WP4kQwB,GO5kQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0kQuC,gB;YAA5B,WOzkQX,aPykQgC,GOzkQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPskQA,iB;UACA,IAAK,WAAI,oBAAJ,C;;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UO5lQP,U;UADP,YP8lQe,WO9lQH,WP8lQwB,GO9lQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4lQuC,gB;YAA5B,WO3lQX,aP2lQgC,GO3lQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPwlQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;0FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UO9mQP,U;UADP,YPgnQe,WOhnQH,WPgnQwB,GOhnQxB,C;UACL,IAAI,aAAJ,C;YACH,aP8mQuC,gB;YAA5B,WO7mQX,aP6mQgC,GO7mQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UP0mQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UOhoQP,U;UADP,YPkoQe,WoloQH,WPkoQwB,GOloQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgoQuC,gB;YAA5B,WO/nQX,aP+nQgC,GO/nQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UP4nQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UOlpQP,U;UADP,YPopQe,WOppQH,WPopQwB,GOppQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkpQuC,gB;YAA5B,WOjpQX,aPipQgC,GOjpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UP8oQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UOpqQP,U;UADP,YPsqQe,WotqQH,WPsqQwB,GOtqQxB,C;UACL,IAAI,aAAJ,C;YACH,aPqQuC,gB;YAA5B,WOnqQX,aPmqQgC,GOmqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPgqQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UOtrQP,U;UADP,YPwrQe,WOrQH,WPwrQwB,GOxrQxB,C;UACL,IAAI,aAAJ,C;YACH,aPsrQuC,gB;YAA5B,WOrQX,aPqrQgC,GOrrQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPkrQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UOxsQP,U;UADP,YP0sQe,W01sQH,WP0sQwB,GO1sQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsQuC,gB;YAA5B,W0vsQX,aPusQgC,GOvsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPosQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAy,OAAZ,C;UO1tQP,U;UADP,YP4tQe,W05tQH,WP4tQwB,GO5tQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tQuC,gB;YAA5B,W0ztQX,aPytQgC,GOztQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPstQA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;2FakBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAy,oBAAZ,C;UO5uQP,U;UADP,YP8uQe,W09uQH,WP8uQwB,GO9uQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4uQuC,gB;YAA5B,W03uQX,aP2uQgC,GO3uQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;;UPwuQA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;;QAET,OAAO,W;MACX,C;KahBA,C;0FakBA,yB;MAAA,kC;MAAA,4C;;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,OAAgB,qBAAhB,oBAAgB,C;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;MAIJ,C;KAZA,C;4EAa,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6TA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9TiB,SA8Tb,CAAU,IAAV,CAAJ,C;;;QA9ThB,OA+TO,W;MA9TX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+TA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhUiB,SAgUb,CAAU,IAAV,CAAJ,C;;;QAhUhB,OaiUO,W;MAhUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QaiUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAIUiB,SAkUb,CAAU,IAAV,CAAJ,C;;;QAIUhB,OAmUO,W;MAIUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WApUiB,SAoUb,CAAU,IAAV,CAAJ,C;;;QApUhB,OAqUO,W;MApUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAtUiB,SAsUb,CAAU,IA

AV,CAAJ,C;;QAtUhB,OAuUO,W;MAtUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAA  
a,gBAAb,C;QAuUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxUiB,SAwUb,CAAU,IAAV,CAAJ,C;;QAxU  
hB,OAYUO,W;MAxUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAYU  
A,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1UiB,SA0Ub,CAAU,IAAV,CAAJ,C;;QA1UhB,OA2UO,W;MA  
1UX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2UA,Q;QAAb,iD;UAA  
a,WAAb,e;UACI,WAAY,WA5UiB,SA4Ub,CAAU,IAAV,CAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KANA,C;8E  
AQA,yB;MAAA,gE;MA6UA,oC;MAAA,gC;MA7UA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;  
UAAa,WAAb,0B;UACI,WAAY,WA9UiB,SA8Ub,CAAU,iBAAV,CAAJ,C;;QA9UhB,OA+UO,W;MA9UX,C;KA  
NA,C;0FAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgHP,gB;QADb,YAAY,C;QACZ,iD;  
UAAa,WAAb,e;UACI,WAAY,WAjHwB,SaiHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;Qaj  
HhB,OAkHO,W;MAjHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmH  
P,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApHwB,SAoHpB,EAAU,cAAV,EAAU,sBAA  
V,WAAmB,IAAnB,CAAJ,C;;QApHhB,OAqHO,W;MApHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAO  
W,kBAAa,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvHwB,SAu  
HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvHhB,OAwHO,W;MAvHX,C;KARA,C;4FAU  
A,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAYHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WA  
Ab,e;UACI,WAAY,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1HhB,OA2  
HO,W;MA1HX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,gB;QAD  
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,  
IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;MA7HX,C;KARA,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,e  
AAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAGIpB,EAAU,c  
AAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;MAhIX,C;KARA,C;4FAUA,yB;MAAA,gE;  
MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAKIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY  
,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;MAAnIX,C;KAR  
A,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;U  
AAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,  
OAuIO,W;MAtIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAAa,eAAa,g  
BAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAY,WAZIwB,SAYIpB,EAAU,cAAV,  
EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAZIhB,OA0IO,W;MAZIX,C;KARA,C;wGAUA,yB;MAAA,+D;MA  
AA,uC;QAOW,kBAAoB,gB;QA21Dd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj1DmC,U;UAAA,cAVQ  
,SAUR,EAi1DT,cAj1DS,EAi1DT,sBAj1DS,Wai1DA,IAj1DA,W;YAA6C,6B;;QAVhF,OAwo,W;MAVX,C;KA  
RA,C;4GAUA,yB;MAAA,oD;QAw1DiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj1DmC,U;UAAA,yB  
Ai1DT,cAj1DS,EAi1DT,sBAj1DS,Wai1DA,IAj1DA,W;YAA6C,6B;;QACHF,OAao,W;MACX,C;KATA,C;;MA  
mBiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WA  
AU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,Y  
AAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,  
WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,S  
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;  
MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SA  
Ab,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;  
;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,  
WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9  
B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAA  
V,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,  
SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C  
;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SA  
Ab,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,  
C;gGAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAAa,SAAb,gB;

UAAa,WAAb,UAAa,SAAb,O;UACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;  
QACHB,OAAO,W;MACX,C;KAXA,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QAipDJ,Q;QAAhB,  
iD;UAAgB,cAAhB,e;UAzoDqB,U;UAAA,cARe,SAQf,CAyoDQ,OAzoDR,W;YAAaC,6B;;;QAR3D,OASO,W;M  
ARX,C;KANA,C;8FAQA,yB;MAAA,oD;QA8oDoB,Q;QAAhB,iD;UAAgB,cAAhB,e;UAzoDqB,U;UAAA,wBAy  
oDQ,OAzoDR,W;YAAaC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;MAAb,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,  
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IAC  
X,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;  
MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,  
UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,  
M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,g  
B;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;  
MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,  
W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,C  
AAJ,C;;MACHB,OAAO,W;IACX,C;kFAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,wBAAa,SA  
Ab,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;MACX,  
C;KARA,C;;MAC4B,mB;QAAE,2C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,2BAAjB,C;IACX,C;;MAM4B,  
mB;QAAE,+C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAM4B,mB;QAAE,gD;MAAF  
,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAM4B,mB;QAAE,8C;MAAF,C;IAAA,C;;MAAxB,  
OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAM4B,mB;QAAE,+C;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BA  
AjB,C;IACX,C;;MAM4B,mB;QAAE,gD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MA  
M4B,mB;QAAE,iD;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAM4B,mB;QAAE,kD;  
MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAM4B,mB;QAAE,+C;MAAF,C;IAAA,C;;M  
AAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAQI,OAA2B,SAAf,aAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2  
B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,  
SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SA  
Af,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SAAf,  
eAAL,SAAK,CAAE,C;IAC/B,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;0FAEA,yB;MAAA,2D;M  
AAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SA  
AV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;Q  
AEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,  
WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GA  
AI,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MAAA,  
2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAA  
A,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,  
C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;  
QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAA  
I,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MA  
AA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,Q  
AAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,C  
AAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU  
,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,I  
AAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;  
MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAA  
U,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAA  
I,CAAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UA  
AU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UA  
CV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KafA,C;4FAiBA

,yB;MAAA,2D;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC X,wBAAU,SAAV,gB;UAAU,QAAV,UAAU,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,GAAI,WAAI,GA AAI,CAAR,C;YACI,IAAK,WAAI,cAAJ,C;;QAEb,OOAO,I;MACX,C;KAFa,C;;MAuBI,UAAe,aAAL,SAAK,C;M ACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C ;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G; IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI, UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SA AK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YA AJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU, KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ, OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX, C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,e AAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;M ACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ, OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX, C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,e AAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;M ACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ, OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX, C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,e AAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;M ACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL EAAU,KAAV,C;MACJ,OOAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ, OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OOAO,G;IACX, C;;MASiB, Q;MADb,UAAU,qBAAiB,YAAY,gBAAZ,CAAJ,B,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb ,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAbB,YAAY,gBAAZ,CAApB,C ;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G;IACX,C;; MASiB,Q;MADb,UAAU,qBAAbB,YAAY,gBAAZ,CAArB,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M; QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAbB,YAAY,gBAAZ, CAAnB,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G; IACX,C;;MASiB,Q;MADb,UAAU,qBAAbB,YAAY,gBAAZ,CAApB,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA ,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAbB,YAAY ,gBAAZ,CAArB,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,O AAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAsB,YAAY,gBAAZ,CAAtB,C;MACV,wBAaA,SAAb,gB;QAAa, WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OOAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAuB ,YAAY,gBAAZ,CAAvB,C;MACV,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;M ACvB,OOAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAbB,YAAY,gBAAZ,CAApB,C;MACV,wBAaA,SAAb,g B;QAAa,WAAb,UAAa,SAAb,O;QAAMb,GAAL,WAAI,iBAAJ,C;;MACvB,OOAO,G;IACX,C;;MAUI,UAAe,aAA L,SAAK,C;MACX,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MAC X,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OOAJ,GAAL,E AAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OOAJ,GAAL,EAAO,KAAP,C;M ACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IA CX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UA Ae,eAAL,SAAK,C;MACX,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK, C;MACX,OOAJ,GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OOAJ, GAAL,EAAO,KAAP,C;MACJ,OOAO,G;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB.gB;QAAGB,cAAA,SAAh B,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OOAO,K;;MACtD,OOAO,I;IACX,C;;MAQoB,Q;M AAhB,wBAAGB,SAAhB.gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,O AAO,K;;MACtD,OOAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB.gB;QAAGB,cAAA,SAAhB,M;QAAsB ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OOAO,K;;MACtD,OOAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAG B,SAAhB.gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OOAO,K;;MAC tD,OOAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB.gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC, UAAU,OAAV,CAAL,C;UAAyB,OOAO,K;;MACtD,OOAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB.gB ;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OOAO,K;;MACtD,OOAO,I;IA

CX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV, CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAA A,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;8EAEA ,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAh B,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;MACX,C;KARA,C;;MA gBI,OAAO,EAn/GA,qBAAQ,CAm/GR,C;IACX,C;;MAQI,OAAO,EAp/GA,qBAAQ,CAo/GR,C;IACX,C;;MAQI, OAAO,EAr/GA,qBAAQ,CAq/GR,C;IACX,C;;MAQI,OAAO,EAt/GA,qBAAQ,CAs/GR,C;IACX,C;;MAQI,OAAO ,EAu/GA,qBAAQ,CAu/GR,C;IACX,C;;MAQI,OAAO,EAv/GA,qBAAQ,CAv/GR,C;IACX,C;;MAQI,OAAO,EAz/ GA,qBAAQ,CAy/GR,C;IACX,C;;MAQI,OAAO,EA1/GA,qBAAQ,CA0/GR,C;IACX,C;;MAQI,OAAO,EA3/GA,q BAAQ,CA2/GR,C;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI, UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB ;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;; MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAA wB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAg B,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAA O,K;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV, CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAA A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;M AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;; MACrD,OAAO,K;IACX,C;+EAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB, gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO ,K;MACX,C;KARA,C;;MAeI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI, OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOI,O AAO,gB;IACX,C;;MAOI,OAAO,gB;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAG B,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q; MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C ;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,c AAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MA DhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UA AwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAA A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADh B,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAA wB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA, SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MADhB, YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB ,qB;;MAC9C,OAAO,K;IACX,C;mFAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QA CZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB ;;QAC9C,OAAO,K;MACX,C;KAPA,C;;MACoB,Q;MADhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,c AAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MA DhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB ,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MADhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB, cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MA DhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB ,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MADhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,

cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MA DhB,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB ,OAAvB,C;;MACpC,OAAO,W;IACX,C;gFAEA,yB;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QADhB,kBA AkB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,UAAU,WAAV,EAAuB,o BAAvB,C;;QACpC,OAAO,W;MACX,C;KAPA,C;;MAkBoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAAkB,O;M ACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,W AAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAAkB, O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAm B,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBA AkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,W AAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy,C;MACZ, kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAA V,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy,C;M ACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,s BAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy, C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EA AU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,Y AAY,C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAA V,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF 9C,YAAy,C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU, cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MA F9C,YAAy,C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU, cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC; MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAy,C;QACZ,kBAAkB,O;QACIB,wBAAgB,SAAhB,gB;U AAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,oBA AhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;wFAaA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB ;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EA AwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,Y AAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,O AAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q; QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL, oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MAAA,gD;Q AOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YA AJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAAA,8D;MA AA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU, UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA,yB;MAA A,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAA c,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;0FAYA, yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C; 0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;MACX,C; KAVA,C;0FAYA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACI B,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAAL,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB, OAAO,W;MACX,C;KAVA,C;SAYA,yB;MAAA,8D;MAAA,gD;QAOI,YAAy,wB;QACZ,kBAAkB,O;QACIB, OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB; ;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAy,wB;QACZ,kBAAkB,O; QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;U ACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgBA,yB;MAAA,8D;MAAA,gD;QAOI,YAAy,wB;QACZ,kBA AkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA





Q;MAFb,IA8IO,qBAAQ,CAM8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,C  
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IAC  
X,C;;MAQiB,Q;MAFb,IAx8IO,qBAAQ,CAw8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;M  
AAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;M  
AEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IA/8IO,qBAAQ,CA+8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,C  
AAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ  
,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,  
MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAx9IO,qBAAQ,CAw9If,C;QAAe,OAAO,I;MACtB,U  
AAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,i  
B;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,C  
AAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv9IO,qBAAQ,CAu9If,C;QAAe,OAA  
O,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,I  
AAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QASiB,Q  
;QAHb,IAtiJO,qBAAQ,CAsiJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2B  
AAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;  
MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAIjJO,qBAAQ,CAkjJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;  
QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,S  
AAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MA  
CX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9jJO,qBAAQ,CA8jJf,C;UAAe,OAAO,I;  
QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,U  
AAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,W  
AW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1kJO,qB  
AAQ,CA0kJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,a  
AAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA  
AJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA  
,sC;QASiB,Q;QAHb,IAtlJO,qBAAQ,CAslJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS  
,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC  
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kF  
AoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAImJO,qBAAQ,CAkmJf,C;UAAe,OAAO,I;QACtB,cAAc,UA  
AK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UA  
CR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,O  
AAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9mJO,qBAAQ,CA8mJf,C;U  
AAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U  
ACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU  
,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAH  
b,IAInJO,qBAAQ,CAOnJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,  
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,  
oC;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtoJO,qBAAQ,CAsoJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAA  
L,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QA  
AQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O  
;MACX,C;KAIBA,C;;MA0BiB,Q;MAFb,IAxtJO,qBAAQ,CAwtJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAA  
L,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAA  
a,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7tJO,qB  
AAQ,CA6tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAA  
Q,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,  
C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IALuJO,qBAAQ,CAkuJf,C;QAAe,OAAO,I;MACtB,UAAU,UA

AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvuJO,qBAAQ,CAuuJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5uJO,qBAAQ,CA4uJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjvJO,qBAAQ,CAivJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtvJO,qBAAQ,CAsvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3vJO,qBAAQ,CA2vJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhwJO,qBAAQ,CAgwJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IAh1JO,qBAAQ,CAG1Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IAI2JO,qBAAQ,Cak2Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAj3JO,qBAAQ,CAi3Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt3JO,qBAAQ,CAs3Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA33JO,qBAAQ,CA23Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAr4JO,qBAAQ,CAq4Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IA54JO,qBAAQ,CA44Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAr5JO,qBAAQ,CAq5Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp5JO,qBAAQ,CAo5Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn+JO,qBAAQ,CAm+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAIBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA+JO,qBAAQ,CA++Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC



wKO,qBAAQ,C;IA+wKnB,C;;MAQI,OA/wKO,qBAAQ,C;IAGxKnB,C;;MAQI,OAhxKO,qBAAQ,C;IAixKnB,C;;  
MAQI,OAjxKO,qBAAQ,C;IAkxKnB,C;;MAQI,OAlxKO,qBAAQ,C;IAmxKnB,C;;MAQI,OAnxKO,qBAAQ,C;IA  
oxKnB,C;;MAQI,OApXKO,qBAAQ,C;IAqxKnB,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SA  
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAh  
B,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MA  
CrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAA  
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QA  
AGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MA  
QoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,  
OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAs  
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,S  
AAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;  
IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAA  
J,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;IFAEa,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAA  
hB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,O  
AAO,K;;QACrD,OAAO,I;MACX,C;KARA,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,I  
Ar7KO,qBAAQ,CAq7Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;Q  
AAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MAC  
X,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IA17KO,qBAAQ,CA07Kf,C;UA  
CI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,c  
AAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA  
,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IA/7KO,qBAAQ,CA+7Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;  
QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UA  
AK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAO  
qB,Q;QAHjB,IAp8KO,qBAAQ,CAo8Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,  
C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,O  
AAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAz8KO,qBAAQ,C  
Ay8Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAA  
d,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAa  
A,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IA98KO,qBAAQ,CA88Kf,C;UACI,MAAM,mCAA8B  
,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,  
EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAA  
A,uC;QAOqB,Q;QAHjB,IAN9KO,qBAAQ,CAm9Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UA  
AK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C  
;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAx9KO  
,qBAAQ,CAw9Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,i  
BAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KA  
XA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,IA79KO,qBAAQ,  
CA69Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CA  
Ad,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;g  
GAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7iLO,qBAAQ,CA6iLf,C;UACI,MAAM,mCA  
A8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA  
AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAA  
A,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArjLO,qBAAQ,CAqjLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;  
QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAA  
jB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;  
MAAA,uC;QAUqB,Q;QAHjB,IA7jLO,qBAAQ,CA6jLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,  
UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAA

K,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArKLO,qBAAQ,CAqkLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7kLO,qBAAQ,CA6kLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArLLO,qBAAQ,C Aqllf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7ILO,qBAAQ,CA6lLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7mLO,qBAAQ,CA6mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;MACX,C;KAdA,C;4FAgBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAM6B,UAE0,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;0GAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS6B,Q;QAFzB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,c

AAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAF A,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C; UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W; MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QA AQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAA O,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAE J,OAAO,W;MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QA CZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O; QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;U ACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS0B,Q;QAFtB,Y AAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EA AI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B, WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS0 B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,U AAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,C AAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;MAAA,4F;MA AA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB ,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4GAIbA,yB;MAAA,8D;M AAA,4F;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA 9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAA V,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4GAIbA,yB; MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAA Z,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OA AO,W;MACX,C;KafA,C;;MAsoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,S AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q; MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;; MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,S AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q; MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;; MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,S AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;kFAEA,yB; MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UA AgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;MACX,C;KATA,C;;MAgBoB,Q;MADhB, UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAA O,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OA AO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;Q AAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB, G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IAC X,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAA S,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MA



AK,WAlIqB,GAkIP,UAAK,CAAL,CAIIO,EAAAnB,KAkIqB,CAAM,CAAN,CAIIF,CAkIrB,C;;MAIIT,OAoIO,I;IA  
nIX,C;;MA8II,WwB/kZO,MAAK,KxB+kZK,gBwB/kZL,ExB08YD,KAqIkB,OwB/kZjB,C;MxBglZZ,WAAW,iBA  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CxIO,EAAAn  
B,KAwIqB,CAAM,CAAN,CxIF,CAwIrB,C;;MAXIT,OA0IO,I;IAzIX,C;;MAoJI,WwB/IZO,MAAK,KxB+lZK,gB  
wB/lZL,ExBo9YD,KA2IkB,OwB/lZjB,C;MxBgmZZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAA  
IB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;M  
A9IT,OA9JO,I;IA/IX,C;8EAEA,yB;MAAA,gE;MwB99YA,iB;MxB89YA,8C;QAQI,WwB/9YO,MAAK,KxB+9Y  
K,gBwB/9YL,ExB+9YW,KAAM,OwB/9YjB,C;QxBg+YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,  
IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,O  
AAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MwB9+YA,iB;MxB8+YA,8C;QAQI,WwB/+YO,MAAK,KxB  
++YK,gBwB/+YL,ExB++YW,KAAM,OwB/+YjB,C;QxBg/YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MA  
AkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QA  
ET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB9/YA,iB;MxB8/YA,8C;QAQI,WwB//YO,MAAK,K  
xB+/YK,gBwB//YL,ExB+/YW,KAAM,OwB//YjB,C;QxBggZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MA  
AkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QA  
ET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MwB9gZA,iB;MxB8gZA,8C;QAQI,WwB/gZO,MAAK,  
KxB+gZK,gBwB/gZL,ExB+gZW,KAAM,OwB/gZjB,C;QxBghZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,  
MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;  
QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB9hZA,iB;MxB8hZA,8C;QAQI,WwB/hZO,MA  
AK,KxB+hZK,gBwB/hZL,ExB+hZW,KAAM,OwB/hZjB,C;QxBgiZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAA  
V,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,  
C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB9iZA,iB;MxB8iZA,8C;QAQI,WwB/iZO,MA  
AK,KxB+iZK,gBwB/iZL,ExB+iZW,KAAM,OwB/iZjB,C;QxBgjZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,  
MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;  
QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB9jZA,iB;MxB8jZA,8C;QAQI,WwB/jZO,MAA  
K,KxB+jZK,gBwB/jZL,ExB+jZW,KAAM,OwB/jZjB,C;QxBgkZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,  
MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;  
QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB9kZA,iB;MxB8kZA,8C;QAQI,WwB/kZO,MA  
AK,KxB+kZK,gBwB/kZL,ExB+kZW,KAAM,OwB/kZjB,C;QxBglZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAA  
V,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,  
C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB9lZA,iB;MxB8lZA,8C;QAQI,W  
wB/lZO,MAAK,KxB+lZK,gBwB/lZL,ExB+lZW,KAAM,OwB/lZjB,C;QxBgmZZ,WAAW,eAAa,IAAb,C;QACX,a  
AAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA9V,EAAMB,MAAM,CAAN,CA  
AnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAqHoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwB1s  
ZJ,MAAK,KxB0sZwB,wBA5FzB,KA4FyB,EAawB,EAaxB,CwB1sZxB,ExB0sZqD,SwB1sZrD,CxB0sZD,C;MA  
CX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;U  
AAoB,K;QACpB,IAAK,WAhGqB,GAwGP,UAAK,UAAI,EAAL,EAAL,kBAAL,SAhGO,EAAGI,OAAGJ,CAGrB,C;;M  
AhGT,OAkGO,I;IAjGX,C;;MA+GoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBwB5tZJ,MAAK,KxB4tZwB,  
wBApGzB,KAOgyB,EAawB,EAaxB,CwB5tZxB,ExB4tZqD,SwB5tZrD,CxB4tZD,C;MACX,QAAQ,C;MACQ,O  
AtGL,KAsGK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAA  
K,WAxGqB,GAwGP,UAAK,UAAI,EAAL,EAAL,kBAAL,SAxGO,EAwGI,OAAGJ,CAwGrB,C;;MAxGT,OA0GO,I;IAz  
GX,C;;MAuHoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBwB9uZJ,MAAK,KxB8uZwB,wBA5GzB,KA4GyB  
,EAawB,EAaxB,CwB9uZxB,ExB8uZqD,SwB9uZrD,CxB8uZD,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;  
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAAGH  
P,UAAK,UAAI,EAAL,EAAL,kBAAL,SAhHO,EAAGI,OAAGJ,CAAGrB,C;;MAHHT,OAkHO,I;IAjHX,C;;MA+HoB,gB;  
MAHhB,gBAAGB,gB;MACHB,WAAW,iBwBhwZJ,MAAK,KxBgwZwB,wBApHzB,KAOHyB,EAawB,EAaxB,C  
wBhwZxB,ExBgwZqD,SwBhwZrD,CxBgwZD,C;MACX,QAAQ,C;MACQ,OAHL,KAsHK,W;MAAhB,OAAGB,  
cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAI,



EAAK,kBAAL,SAxHO,EAwHI,OAxHJ,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwBlxZJ,MAAK,KxBkxZwB,wBA5HzB,KA4HyB,EAawB,EAAXB,CwBlxZxB,ExBkxZqD,SwBlxZrD,CxBkxZD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAAL,SahIO,EAgII,OAhIJ,CAGrB,C;;MAhIT,OakIO,I;IAjIX,C;;MA+IoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwBpyZJ,MAAK,KxBoyZwB,wBApIzB,KAoIyB,EAawB,EAAXB,CwBpyZxB,ExBoyZqD,SwBpyZrD,CxBoyZD,C;MACX,QAAQ,C;MACQ,OAiIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;IAzIX,C;;MAuJoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwBtzZJ,MAAK,KxBszZwB,wBA5IzB,KA4IyB,EAawB,EAAXB,CwBtzZxB,ExBszZqD,SwBtzZrD,CxBszZD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,UAAL,EAAK,kBAAL,SahJO,EAgJI,OAhJJ,CAGrB,C;;MAhJT,OakJO,I;IAjJX,C;;MA+JoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwBx0ZJ,MAAK,KxBw0ZwB,wBApJzB,KAoJyB,EAawB,EAAXB,CwBx0ZxB,ExBw0ZqD,SwBx0ZrD,CxBw0ZD,C;MACX,QAAQ,C;MACQ,OAiJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJO,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBwB11ZJ,MAAK,KxB01ZwB,wBA5JzB,KA4JyB,EAawB,EAAXB,CwB11ZxB,ExB01ZqD,SwB11ZrD,CxB01ZD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAL,EAAK,kBAAL,UAhKO,EAgKI,OA hKJ,CAGrB,C;;MAhKT,OakKO,I;IAjKX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MwBxsZA,iB;MxBwsZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewB1sZJ,MAAK,KxB0sZwB,wBAAN,KAAM,EAawB,EAAXB,CwB1sZxB,ExB0sZqD,SwB1sZrD,CxB0sZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwB1tZA,iB;MxB0tZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewB5tZJ,MAAK,KxB4tZwB,wBAAN,KAAM,EAawB,EAAXB,CwB5tZxB,ExB4tZqD,SwB5tZrD,CxB4tZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwB5uZA,iB;MxB4uZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewB9uZJ,MAAK,KxB8uZwB,wBAAN,KAAM,EAawB,EAAXB,CwB9uZxB,ExB8uZqD,SwB9uZrD,CxB8uZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwB9vZA,iB;MxB8vZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewBhwZJ,MAAK,KxBgwZwB,wBAAN,KAAM,EAawB,EAAXB,CwBhwZxB,ExBgwZqD,SwBhwZrD,CxBgwZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwBhxZA,iB;MxBgxZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewBlxZJ,MAAK,KxBkxZwB,wBAAN,KAAM,EAawB,EAAXB,CwBlxZxB,ExBkxZqD,SwBlxZrD,CxBkxZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwBlyZA,iB;MxBkyZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewBpyZJ,MAAK,KxBoyZwB,wBAAN,KAAM,EAawB,EAAXB,CwBpyZxB,ExBoyZqD,SwBpyZrD,CxBoyZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAL,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MwBpzZA,iB;MxBpzZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ewBtzZJ,MAAK,KxBszZwB,wBAAN,KAAM,EAawB,EAAXB,CwBtzZxB,ExBszZqD,SwBtzZrD,CxBszZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WA

AI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;  
+EAKBA,yB;MAAA,kF;MAAA,gE;MwBt0ZA,iB;MxBs0ZA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACH  
B,WAAW,ewBx0ZJ,MAAK,KxBw0ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBx0ZxB,ExBw0ZqD,SwBx0ZrD,  
CxBw0ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;Y  
AAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,O  
AAO,I;MACX,C;KAhBA,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MwBx1ZA,iB;MxBw1ZA,8C;QAWo  
B,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ewB11ZJ,MAAK,KxB01ZwB,wBAAN,KAAM,EAAwB,EAA  
xB,CwB11ZxB,ExB01ZqD,SwB11ZrD,CxB01ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cAAhB,C;UA  
AgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,U  
AAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MA0GI,WwB37ZO,MAAK,KxB27ZK,gB  
wB37ZL,ExB02ZD,KAIfKB,OwB37ZjB,C;MxB47ZZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA  
AlB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPFO,EAAAnB,KAOFqB,CAAM,CAAN,CAPFF,CAoFrB,  
C;;MApFT,OAsFO,I;IARFX,C;;MAGGI,WwB38ZO,MAAK,KxB28ZK,gBwB38ZL,ExBo3ZD,KAUFkB,OwB38Zj  
B,C;MxB48ZZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1FqB,GA0FP,  
UAAK,CAAL,CA1FO,EAAAnB,KAOFqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;IA3FX,C;;MASGI,  
WwB39ZO,MAAK,KxB29ZK,gBwB39ZL,ExB83ZD,KA6FkB,OwB39ZjB,C;MxB49ZZ,WAAW,iBAaA,IAAb,C;  
MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhGqB,GAGGP,UAAK,CAAL,CAhGO,EAAAnB,KAGGq  
B,CAAM,CAAN,CAhGF,CAGGrB,C;;MAhGT,OAKGO,I;IAjGX,C;;MA4GI,WwB3+ZO,MAAK,KxB2+ZK,gBwB  
3+ZL,ExBw4ZD,KAmGkB,OwB3+ZjB,C;MxB4+ZZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA  
AlB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,CAAL,CAtGO,EAAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,  
C;;MAtGT,OAwGO,I;IAvGX,C;;MAkHI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ExBk5ZD,KAYgkB,OwB3/Zj  
B,C;MxB4/ZZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5GqB,GA4GP,  
UAAK,CAAL,CA5GO,EAAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;IA7GX,C;;MA  
wHI,WwB3gaO,MAAK,KxB2gaK,gBwB3gaL,ExB45ZD,KA+GkB,OwB3gajB,C;MxB4gaZ,WAAW,iBAaA,IAAb  
,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAIHqB,GAKHP,UAAK,CAAL,CAIHO,EAAAnB,KAK  
HqB,CAAM,CAAN,CAIHF,CAkHrB,C;;MAIHT,OAoHO,I;IANHX,C;;MA8HI,WwB3haO,MAAK,KxB2haK,gBw  
B3haL,ExBs6ZD,KAQhkB,OwB3hajB,C;MxB4haZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAl  
B,M;QACI,IAAK,WAxHqB,GAwHP,UAAK,CAAL,CAXHO,EAAAnB,KAWHqB,CAAM,CAAN,CAXHF,CAwHrB  
,C;;MAxHT,OA0HO,I;IAzHX,C;;MAoII,WwB3iaO,MAAK,KxB2iaK,gBwB3iaL,ExBg7ZD,KA2HkB,OwB3iajB,  
C;MxB4iaZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9HqB,GA8HP,sB  
AAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgiO,I;IA/HX,C;  
+EAEa,yB;MAAA,gE;MwB17ZA,iB;MxB07ZA,8C;QAQI,WwB37ZO,MAAK,KxB27ZK,gBwB37ZL,ExB27ZW  
,KAAM,OwB37ZjB,C;QxB47ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,W  
AAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C  
;+EAgBA,yB;MAAA,gE;MwB18ZA,iB;MxB08ZA,8C;QAQI,WwB38ZO,MAAK,KxB28ZK,gBwB38ZL,ExB28Z  
W,KAAM,OwB38ZjB,C;QxB48ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,  
WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA  
,C;+EAgBA,yB;MAAA,gE;MwB19ZA,iB;MxB09ZA,8C;QAQI,WwB39ZO,MAAK,KxB29ZK,gBwB39ZL,ExB29  
ZW,KAAM,OwB39ZjB,C;QxB49ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAA  
K,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KA  
dA,C;+EAgBA,yB;MAAA,gE;MwB1gaA,iB;MxB0gaA,8C;QAQI,WwB3gaO,MAAK,KxB2gaK,gBwB3gaL,Ex  
B2gaW,KAAM,OwB3gajB,C;QxB4gaZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IA

AK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAANB,CAAJ,C;;QAET,OAAO,I;MACX,C;K  
AdA,C;+EAgBA,yB;MAAA,gE;MwB1haA,iB;MxB0haA,8C;QAQI,WwB3haO,MAAK,KxB2haK,gBwB3haL,Ex  
B2haW,KAAM,OwB3hajB,C;QxB4haZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACI,IA  
AK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAANB,CAAJ,C;;QAET,OAAO,I;MACX,C;K  
AdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1iaA,iB;MxB0iaA,8C;QAQI,WwB3iaO,MAAK,KxB2iaK,gBwB  
3iaL,ExB2iaW,KAAM,OwB3iajB,C;QxB4iaZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;U  
ACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EAAM,kBAAM,CAAN,EAANB,CAAJ,C;;QAET,OAAO,I;MA  
CX,C;KAdA,C;;MAwB8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAA  
I,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBA  
AO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAA  
d,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAA  
O,EAAC,OAAd,EAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAA  
O,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I  
;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0  
B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAA  
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACx  
B,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OA AV,CAA  
P,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QA  
AiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,  
YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAA  
A,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MAC  
Z,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,  
C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OA  
V,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1  
B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUuD,yB  
;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y  
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C  
;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,S  
AAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU  
,OA AV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,  
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU  
wD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;  
MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,  
YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,g  
BAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAA  
O,UAAU,OA AV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc  
,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,  
C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q  
AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;  
MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,  
MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAA  
O,gBAAO,UAAU,OA AV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CA  
AT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,  
M;IACX,C;;MAU0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;  
QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,  
MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;  
UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YA  
CI,MAAO,gBAAO,UAAU,OA AV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,S

AAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;IAC5F,C;;MAUoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,O

AAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;  
MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAA  
E,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,k  
CAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,  
qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,qBAAL,  
eAAK,C;MAAP,C;IAAA,C;;MADhB,IAv4OO,qBAAQ,CAu4Of,C;QAAe,OAAO,e;MACtB,kCAAgB,4BAAhB,C;  
IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAz4OO,qBAAQ,CAy4Of,C;Q  
AAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAA  
A,C;;MADhB,IA34OO,qBAAQ,CA24Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;Q  
AAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA74OO,qBAAQ,CA64Of,C;QAAe,OAAO,e;MACtB  
,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA/4OO  
,qBAAQ,CA+4Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,e  
AAK,C;MAAP,C;IAAA,C;;MADhB,IAj5OO,qBAAQ,CAi5Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;I  
ACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAN5OO,qBAAQ,CAm5Of,C;Q  
AAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAA  
A,C;;MADhB,IAr5OO,qBAAQ,CAq5Of,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;Q  
AAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IAv5OO,qBAAQ,CAu5Of,C;QAAe,OAAO,e;MACtB,  
kCAAgB,8BAAhB,C;IACJ,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;Q  
AAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAA  
gC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,  
cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MA  
AM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,  
SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;  
IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh  
B,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACj  
D,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;  
QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;  
MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI  
,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQo  
B,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAA  
O,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;  
MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;  
QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAF  
hB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QAC  
P,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAF  
hB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QAC  
P,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,U  
AAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;  
MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB  
,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ  
,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;M  
ACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OA  
AW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MADhB,UAAe,C;MACf,w  
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,  
UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MA  
QoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,  
OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,  
OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA  
,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAh  
B,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf

,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MyB5+bl,OAAO,sBAAl,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAl,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAl,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAl,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAUkC,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;MAAR,C;IAAA,C;;MAF9B,IAAI,8BAAJ,C;QACI,OAAO,sBAAl,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uBAAvB,C;IACX,C;;MASI,OAAO,sBAAl,KAAJ,C;IACX,C;;MAgBqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAsB,KAwJf,IAAS,CAAT,IAxJe,KAwJD,IAAS,iBaxJvB,SAwJuB,CAA3B,GAxJI,SAwJkC,aAxJnB,KAwJmB,CAAtC,GAxJ0B,YAwJ4B,CAXJnC,KAwJmC,C;;MAvJ7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAl,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;sGAEA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,sBAAl,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;MACjE,C;KARA,C;;MAwBqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAY,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAl,C;UACI,OAAO,O;;MAEf,OAAO,I;IACX,C;sGAEA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAI,SAAK,EAAU,KAAV,C;MACHB,C;KARA,C;;MAeW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IArFH,SAqFO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;MatFP,yB;IACJ,C;;MAuSoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAjSc,SAiSV,CAAU,OAAY,CAAJ,C;UACI,OAAO,O;;MAISf,OAqSO,I;IAPsX,C;;MAOW,qB;;QAoSP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAvSc,SAuSV,CAAU,OAAY,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;;QAE5B,oBAAO,I;;MAzSP,wB;IACJ,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAY,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;IAG5B,C;;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;IACX,C;mFAEA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAY,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;MACV,C;KAPA,C;;MACq,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;IAG5B,C;;MAMI,OAAY,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;IACpC,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAY,CAAJ,C;YAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;0FAEA,yB;MAAA,8D;MAAA,iD;QAKI,OAAY,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,sBAAl,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;MACjE,C;KANA,C;;MAYI,OAAY,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAc,sBAAl,KAAJ,CAAtC,GAAcD,I;IACjE,C;;MAQiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAaA,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAOI,OAAO,wBAAQ,OAAR,C;IACX,C;gGAEA,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;MACX,C;KAZA,C;;MAMBiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;8FAEA,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;MACX,C;KAbA,C;;MAMBI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAhB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,OAAO,E;IACX,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UACI,M

AAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;  
QACpB,OAAO,I;;IAGnB,C;;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,  
2BAAL,C;IACX,C;iFAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAOoB,UAQT,M;QAVP,WAAe,I;Q  
ACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OA  
AO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,2E;  
MACX,C;KAhBA,C;iFAkBA,yB;MAAA,iE;MAAA,uC;QAKI,eAAe,SAAK,sBAAa,cAAb,C;QACpB,OAAO,QA  
AS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,g  
CAAuB,kDAAvB,C;MACV,C;KAXA,C;;MAoBiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,mBAAy,OA  
AZ,C;MAC9B,gBAAgB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KA  
AnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;IACX,C;;MAOI,OAA  
O,4BAAY,OAAZ,C;IACX,C;;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iB  
AAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,WAAW,QA  
AS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAMI,OAAW,mB  
AAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;MAOoB,Q;MADhB,WAAe,I;MACC,2B;M  
AAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;IA  
CX,C;;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IA  
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;IACX,C;qFAEA,yB;MAAA,mC;MAAA,gD;MA  
AA,4B;QAQI,OAAO,kBAAO,cAAP,C;MACX,C;KATA,C;;MAkBI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,sB  
AAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJ,C;IACX,C;;MAOQ,kBADE,SACF,Q;QAAW,OA  
AY,UAAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;  
QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAzB,C;QACV,OAAO,M;;IAG  
nB,C;;MAMiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C;UAAK,  
6BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAyB,iCAAzB,C;;MAHIB,W;IAKJ,C;qFAEA,yB;MAAA,kF;MA  
AA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,  
OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAY  
B,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAA  
vB,C;QAEIB,OAAO,6E;MACX,C;KAhBA,C;;MAuBQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ,GAAe,  
sBAAK,CAAL,CAAf,GAA4B,I;;QAEiC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,aA  
Aa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;IAGnB,C;;MAMI,OAAW,mBAAQ,  
CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2  
B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OA  
AO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IAC  
X,C;;MAsBsC,UAGT,MAHS,EAarB,MAbqB,EAclB,M;MLnkBR,IAAI,EKyiBI,KAAC,CLziBT,CAAJ,C;QACI,c  
KwiBc,sD;QLviBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MKwiBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,mB;M  
ACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OAAO,W;  
QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAA  
J,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;Y  
AEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;;QAIX,O  
AAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,oDAAW,CAAf,C;UAAkB  
,IAAK,WAAI,MAAJ,C;;MAE3B,OAAy,qBAAL,IAAK,C;IACHB,C;;MLtkBI,IAAI,EKglBI,KAAC,CLhIBT,CAA  
J,C;QACI,cK+kBc,sD;QL9kBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MK+kBV,OAAO,kBAAGB,gBAAV,iBAAO  
,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;KGAEA,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI,CAA  
C,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,WA  
AnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;QAIInB,OAAO,W;MACX,C;KAF  
A,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cA  
Ab,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YA  
CD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAEEnB,OAAO,I;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,+D;MA  
AA,uC;QAIW,kBAAS,gB;QAYEA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAM,IAZEU,SAyEN,

CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAZe1D,OA0EO,W;MAzEX,C;KALA,C;kGAOA,yB;MAAA,+D;MA+4BA,wE;MA/4BA,uC;QAMW,kBAAGb,gB;QAg5BV,gB;QADb,YAAy,C;QACC,2B;QAAb,OA Aa,cAAb,C;UAAa,sB;UAt4BT,IAVmC,SAU/B,CAs4BkB,oBAAmB,cAAnB,EAAMb,sBAAnB,UAt4BIB,EAs4B+ C,IAt4B/C,CAAJ,C;YAA2C,sBAs4BQ,IAt4BR,C;;QAV/C,OAYO,W;MAXX,C;KAPA,C;sGASA,yB;MAAs4BA,w E;MAt4BA,oD;QA64BiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAt4BT,IAAI,UAs4B kB,oBAAMb,cAAnB,EAAMb,sBAAnB,UAt4BIB,EAs4B+C,IAt4B/C,CAAJ,C;YAA2C,sBAs4BQ,IAt4BR,C;;QA E/C,OAAO,W;MACX,C;KAVA,C;wGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAMb,gB;QAOV,Q;QAAA,2B; QAAbB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QAPpD,OAOO, W;MAPX,C;KALA,C;;MAWOB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,YAAJ,C;UA AkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;0FAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB; QAsBH,Q;QAAA,2B;QAAbB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL, C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtB3D,OAuBO,W;MAtBX,C;KALA,C;;MAWI,OAAO,6BAAGb,gBAAhB, C;IACX,C;;MAMOB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAA Y,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAMOB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB; QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MA MoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OnB9pBe,W;;MmB+pBt C,OAA6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAuB,OAAQ,aAAR,GAuB,CAAvB,IAAvB,CAAiD,C;IAC jE,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OA AO,W;MActB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,sBAAI ,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAkBiB,UACL,M;ML9uBR,IAAI,EKquBI,KAAK,CLruBT,CAAJ,C; QACI,cKouBc,sD;QLnuBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MKouBV,IAAI,MAAK,CAAT,C;QAAY,OAAO ,W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAA Y,OAAO,OAAO,mBAAP,C;;MAEvB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb, C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAy,qBAAL,IAAK, C;IACHb,C;;MAiBqC,IAGhB,I;MLvwBjB,IAAI,EK6vBI,KAAK,CL7vBT,CAAJ,C;QACI,cK4vBc,sD;QL3vBd,M AAM,gCAAYB,OAAQ,WAAjC,C;;MK4vBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MAC X,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MActB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MA CnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UAC I,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;U ACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;IACX,C;kGAEA,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC; QAMI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IA AI,CAAC,UAAU,QAAS,WAAAnB,CAAL,C;YACI,QAAS,O;YACT,mBAAMb,iBAAO,QAAS,YAAhB,I;YACnB,I AAI,iBAAgB,CAApB,C;cAAuB,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sB AAa,eAAb,C;YAFR,OfnvBD,W;;QEYvBP,OAAO,iB;MACX,C;KArBA,C;0FAuBA,yB;MAAA,+D;MAAA,uC;Q AOiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL, C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;;MAwBI,IAAI,wCAAsB,kBAAQ,C AAIC,C;QAaqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;IACX,C;oFAEA,yB; MAAA,oD;MHvwBA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MIiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,c AAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MGgwBf,sC;Q AMI,IAAI,iBAAO,CAAX,C;UAAc,iDH5vBH,iBGswBsB,QHtwBtB,CGswBG,E;;MACIB,C;KAPA,C;wGASA,yB ;MAAA,oD;MH7vBA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA Ac,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed, cAAc,SA+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MGsvBf,sC;QA MI,IAAI,iBAAO,CAAX,C;UAAc,iDH5vBH,2BG4vBgC,QH5vBhC,CG4vBG,E;;MACIB,C;KAPA,C;;MAeI,sBA AS,cAAT,C;IACJ,C;;MAWgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SA AK,C;QAEwB,kBAA3C,sBC13BsD,sBD03BtD,uB;QAAmD,mB;QAA3D,OAAoE,OF9zBjE,WE8zBiE,C;;MAEj



D,kBAAhB,0B;MAAwB,oB;MAA/B,OFh0BO,W;IEi0BX,C;wFAEA,yB;MAAA,wD;MHhzBA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MliFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MGyyBf,sC;QAMI,OAAO,mDH/yBI,iBG+yBiB,QH/yBjB,CG+yBJ,E;MACX,C;KAPA,C;4GASA,yB;MAAA,wD;MHtyBA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MG+xBf,sC;QAMI,OAAO,mDHryBI,2BGqyB2B,QHryB3B,CGqyBJ,E;MACX,C;KAPA,C;;MAeI,OAAO,wBAAW,cAAX,C;IACX,C;;MAWe,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIC,sBCn6BuD,sBDm6BvD,uB;QAA0C,iC;QAAID,OAAyE,OFv2BrE,WEu2BqE,C;;MAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OFz2BO,W;IE02BX,C;;MAQoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTb,OAAO,M;IACX,C;0FAEA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAd,C;QACjD,kBAAY,mBAAoB,QAAPB,C;QA+DH,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAhE8C,SAGe/B,CAAU,OAAV,C;UIB9enB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QkB8aA,OAkEO,W;MAjEX,C;KAXA,C;+FAaA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QAyBL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAAy,aAxBoC,WAwBhC,CAAY,OAAZ,CAAJ,EAA0B,OAAlB,C;;QAxBhB,OA0BO,W;MAzBX,C;KAXA,C;+FAaA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QAyBL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAAy,aAlBoC,WA0BhC,CAAY,OAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,OAaf,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;;MAoB,oB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAl,YAAY,OAAZ,CAAJ,EAA0B,OAAlB,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAl,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAAU,OAAV,C;QIB9enB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;MkBgfA,OAAO,W;IACX,C;gGAEA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAC,EAAd,CAA7D,C;QAYG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UAXO,MAYP,aAl,OAAJ,EAZe,aAYF,CAAc,OAAd,CAAb,C;;QAZhB,OAAuB,M;MAC3B,C;KAdA,C;;MAwBoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAl,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAXB,CAAZ,CAAX,CAAb,C;IACX,C;;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAL,CAAJ,CAAlB,GAA8B,oBAAW,OAAd,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;;MAMJ,OAA4B,qBAAh

B,gBAAL,SAAK,CAAgB,C;IAChC,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHB,OAAO,0  
BAAa,gBAAb,C;IACX,C;;MAMI,OAAO,iBAAU,SAAV,C;IACX,C;;MASqB,IAAN,I;MADX,IAAI,oCAAJ,C;QA  
CW,QAAM,cAAN,C;eACH,C;YAACK,iB;YAAL,K;eACA,C;YAACK,aAAU,8BAAJ,GAaKb,sBAAK,CAAL,CAAI  
B,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAA,qBAAiB,YAAy,cAAZ,CAAjB,CAAb,C;YAHL,K;;QA  
AP,W;;MAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;IAC5C,C;sFAEA,yB;MAAA,+D;MAOA,gD;MAPA,u  
C;QAIW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQIB,CAA  
U,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;MAVX,C;KALA,C;0FAOA,yB;MAAA,g  
D;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UA  
CC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;uFAWA,yB;MAAA,wE;MAyBA,+D;  
MAZBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAiBiD,W  
A0BvC,CAAY,OAAZ,C;UIB/7BP,U;UADP,YkBi8Be,WiBj8BH,WkBi8BwB,GiBj8BxB,C;UACL,IAAI,aAAJ,C;Y  
ACH,akB+7BuC,gB;YAA5B,WiB97BX,akB87BgC,GiB97BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UkB27BA,i  
B;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;uFAYA,yB;MAAA,wE;MA8BA,+D;  
MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,  
WA+BvC,CAAY,OAAZ,C;UIBj9BP,U;UADP,YkBm9Be,WiBn9BH,WkBm9BwB,GiBn9BxB,C;UACL,IAAI,aA  
AJ,C;YACH,akBi9BuC,gB;YAA5B,WiBh9BX,akBg9BgC,GiBh9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UkB6  
8BA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAJCT,OAmCO,W;MAiCX,C;KAXA,C;0FAaA,  
yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,O  
AAZ,C;UIB/7BP,U;UADP,YkBi8Be,WiBj8BH,WkBi8BwB,GiBj8BxB,C;UACL,IAAI,aAAJ,C;YACH,akB+7BuC,  
gB;YAA5B,WiB97BX,akB87BgC,GiB97BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UkB27BA,iB;UACA,IAAK,  
WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UIBj9BP,U;UADP,YkBm9Be,WiBn9BH,  
WkBm9BwB,GiBn9BxB,C;UACL,IAAI,aAAJ,C;YACH,akBi9BuC,gB;YAA5B,WiBh9BX,akBg9BgC,GiBh9BhC,  
EAAS,MAAT,C;YACA,e;;YAEA,c;;UkB68BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;  
MACX,C;KAhBA,C;4FAkBA,yB;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,O  
AAA,oBAAgB,W;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;  
MAIJ,C;KAZA,C;8EAeA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,mCAAwB,EAAXB,CAAb  
,C;QAqEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,  
C;;QAtEhB,OAuEO,W;MATEX,C;KANA,C;4FAQA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,k  
BAAa,eAAa,mCAAwB,EAAXB,CAAb,C;QAqCP,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,s  
B;UACT,WAAY,WAjC+C,SAiC3C,CAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C  
;;QAJChB,OAkCO,W;MAjCX,C;KARA,C;0GAUA,yB;MAAA,+D;MAuQA,wE;MAvQA,uC;QAOW,kBAAoB,g  
B;QAUqD,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,cAVQ,SAUR,CA6  
PT,oBAAmB,cAAnB,EAAmB,sBAAnB,UA7PS,EA6PoB,IA7PpB,W;YAA6C,6B;;QAVhF,OAWO,W;MAVX,C;  
KARA,C;8GAUA,yB;MA6PA,wE;MA7PA,oD;QAoQiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;U  
AAa,sB;UA7PsB,U;UAAA,wBA6PT,oBAAmB,cAAnB,EAAmB,sBAAnB,UA7PS,EA6PoB,IA7PpB,W;YAA6C,6  
B;;QACHF,OAAO,W;MACX,C;KATA,C;+FAWA,yB;MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAy  
,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB  
,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,W;MACX,C;KAXA,C;4FAaA,yB;MAAA,+D;MAAA,uC;QAK  
W,kBAAa,gB;QA6NJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,cARe,SAQf,CAqN  
Q,OArNR,W;YAA6C,6B;;QAR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,oD;QA0NoB,Q;QAAA,2B;  
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,wBAqNQ,OArNR,W;YAA6C,6B;;QAC3D,OAAO,W;  
MACX,C;KAPA,C;;MAciB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,  
CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAM4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BA  
AjB,C;IACX,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;IAC/B,C;4FAEA,yB;MAAA,2D;MAAA,+D;MAAA  
,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,S  
AAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACL,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,  
C;KafA,C;;MAuBI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MA

QI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQiB,IAAN,I;MA  
CH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAA,sBAAb,C;MAFZ,W;IAIJ,C;;MAUI,UAAe,eAAL,S  
AAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;8EAEA,yB;MAAA,gD;MAAA,uC;QAO  
oB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;  
UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;MACX,C;KATA,C;;MAiBI,IA  
AI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHc,OAAO,oBAAW,U;IACtB,C;+EAEA,yB;MAAA,gD;MAAA,u  
C;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UA  
AgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;KATA,C;;MAiBoB  
,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y  
B;QAAM,oBAAmB,qBAAnB,EAAmB,KAAmB,E;;MACtB,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;mFAEA,  
yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C  
,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBA  
AmB,qBAAnB,EAAmB,KAAmB,E;;QAC9C,OAAO,K;MACX,C;KARA,C;;MAeoB,Q;MADhB,kBAAkB,O;MAC  
F,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,  
W;IACX,C;8FAEA,yB;MAAA,wE;MAAA,gD;QASoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B  
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAmB,EAAmB,sBAAnB,UAAV,EAAu  
C,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;MACX,C;KAXA,C;;MAiBI,kBAAkB,O;MACiB,IAAI,CAAC,  
mBAAL,C;QACI,eAAe,+BAaA,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAmB,EA  
A+B,WAA/B,C;;MAGtB,OAAO,W;IACX,C;;MASI,kBAAkB,O;MACiB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+  
BAaA,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QA  
AS,WAA1B,EAAc,WAAtC,C;;MAGtB,OAAO,W;IACX,C;;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;oGAEA,yB;MAAA,wE;MAAA,oC;QAOiB,UAAgC,M;QAD7C,  
YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAmB,EAAmB,sBAAnB,UAAP  
,EAAoC,IAAP,C;;MACvB,C;KARA,C;;MAiBI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;  
MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAh  
B,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV  
,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O  
AAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAA  
S,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAA  
M,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;  
QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA  
AI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,  
QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,  
UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,  
UAAU,C;UACV,WAAW,C;;MAGnB,OAAO,O;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;  
QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA  
AI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C  
;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ  
,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAA  
M,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;  
IACX,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACn  
B,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA  
CjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,O  
AAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,  
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAA  
M,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACH  
C,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACj  
B,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAGnB,O

AAO,O;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,  
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C  
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,IAAI,oCAAJ,C;QAAwB,OAAO,  
mB;MAC/B,OAAO,CAAC,oBAAW,U;IACvB,C;iFAEA,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wC  
AAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAm,IAAI,UAAU,O  
AAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;MACX,C;KATA,C;;MAGbM,C;MAAA,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;IACJ,C;oFAEA,yB;MAAA,4F;MAAA,uC;QAI,e  
AAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,Q  
AAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO  
,W;MACX,C;KAXA,C;kGAaA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAYmD,Q;QAL/C,eAAe,SAAK,W;QACp  
B,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS  
,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuC,  
WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;MACX,C;KafA,C;8FAiBA,yB;MAAA,4F;MAAA,uC;QA  
II,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAq  
B,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,O  
AAO,W;MACX,C;KAZA,C;4GAcA,yB;MAAA,4F;MAAA,uC;QAOI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,  
QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,  
C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAcC,WAAtC,C;;QAEIB,OA  
AO,W;MACX,C;KAhBA,C;;MAuBoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAh  
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAMoB,UAMT,M;  
MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAA  
xB,MAAzB,C;;MAId,OAAO,mE;IACX,C;;MAMoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y  
B;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,+D;IACX,C;;MAA  
I,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,I  
AAtC,EAAwD,SAAxD,C;IACX,C;;MAMI,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAC,KAAd,C;M  
AlrCgB,Q;MAAA,OAmrCT,SAnrCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QAmrCK,IAAI,CAA  
C,SAAD,IAAY,OAnrCX,SAmrCW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QAnr  
CvE,qB;UAmrCD,MAAnrCqC,WAAI,SAAJ,C;;MAmrc1D,OAAqB,M;IACzB,C;;MASI,IAAI,QzBy1IG,YAAQ,Cy  
Bz1If,C;QAAwB,OAAy,SAAL,SAAK,C;MACpC,YAAqB,UAAAT,QAAS,C;MA5tCd,kBAAY,gB;MASBH,Q;MA  
AA,OAusCT,SAvsCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAusCF,qBAvsCa,OAusCb,CAvs  
CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAusC3D,OAtsCO,W;IAusCX,C;;MASI,YAAqB,gCAAT,QAAS,EAAgC  
,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MAZuCT,kBAAY,gB;MASBH,Q;MAA  
A,OAotCT,SAptCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAotCF,qBAptCa,OAotCb,CAptCF,  
C;UAAyB,WAAy,WAAI,OAAJ,C;;MAotC3D,OAntCO,W;IAotCX,C;;MASI,YAAqB,YAAT,QAAS,C;MACrB,I  
AAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MATvCT,kBAAY,gB;MASBH,Q;MAAA,OAIuCT,SAjuCS,  
W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAiuCF,qBAjuCa,OAIuCb,CAjuCF,C;UAAyB,WAAy,  
WAAI,OAAJ,C;;MAiuC3D,OAhucO,W;IAiuCX,C;8FAEA,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OA  
AN,C;MACX,C;KANA,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,a  
AAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,  
WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;MACX,C;KAhB  
A,C;;MasBI,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,M  
AAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,iBAAO,C  
AAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MAMI  
,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO  
,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,  
GAAY,QAAS,OAAR,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,O  
AAO,M;IACX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MA

CN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;;QAEP,eAAa,iBAAa,SAAb,C;QACN,OAAP,QAAO,EAAO,QAAP,C;QACP,OAAO,Q;;IAEf,C;;MAMI,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;4FAEA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;MACX,C;KANA,C;;MAwB+C,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,aAAa,iBAAmB,CAAC,WAAW,IAAX,GAaKB,CAAlB,IAAD,IAAwB,IAAxB,IAAnB,C;QACb,gBAAy,CAAZ,C;QACA,OA AO,UAAQ,QAaf,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IAAI,aAAa,IAAb,IAAq B,CAAC,cAA1B,C;YAA0C,K;UnBh9DID,WAAW,iBmBi9Da,UnBj9Db,C;UiBLX,mBAAc,CAAd,YES9DwB,UfT 9DxB,Y;YjBM6B,emBg9DS,sBfr9D3B,OEQ9DgC,GAAK,OAAL,IAAL,CnBh9DT,C;;UmBg9DrB,MAAO,WnB/ 8DR,ImB+8DQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB, EAA6B,IAA7B,EAAMc,IAAnC,EAAyC,cAAzC,EA AUe,KAAvE,C;MEvkEA,OAAgB,qBAAhB,C;QAAGB,gC;Q FwkEL,mBExkEqB,OFwkErB,C;;MAEX,OAAO,Q;IACX,C;;MAoBkD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,i BAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K ;QACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAaKB,CAAlB,IAAD,IAAwB,IAAxB,IAAb,C;QACb,eAAa,kBAA c,SAAd,C;QACb,YAAy,C;QACZ,OAAO,QAAQ,QAaf,C;UACI,QAAO,cAAK,KAAL,EAA2B,eAAAd,QAAQ,IA AR,IAAc,EAAa,QAAb,CAA3B,C;UACP,IAAI,CAAC,cAAD,IAAmB,QAAO,KAAP,GAAC,IAArC,C;YAA2C,K; UAC3C,MAAO,WAAI,UAAU,QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MAC gE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAMc,IAAnC,EAAyC,cAAzC,EA AUe,IAAvE,C;ME/mEA,OA AgB,qBAAhB,C;QAAGB,gC;QFgnEL,mBAAI,UEhnEiB,OFgnEjB,CAAJ,C;;MAEX,OAAO,Q;IACX,C;;MAUBoB ,gB;MAHhB,gBAXW,KAWW,O;MACTb,WAAW,iBD7+DJ,MAAK,KC6+DkB,mCAAwB,EAAXB,CD7+DIB,EC 6+D+C,SD7+D/C,CC6+DD,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI, KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAgBP,OAhBO,EAAnB,KAgBqB,CAAM,UAAAN,EAAM,k BAAN,SAhBF,CAGrBrB,C;;MAhBT,OAKBO,I;IAjBX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MD3+DA,iB;MC2+D A,8C;QAWoB,UAEsB,M;QALtC,gBAAGB,KAAM,O;QACTb,WAAW,eD7+DJ,MAAK,KC6+DkB,mCAAwB,EA AxB,CD7+DIB,EC6+D+C,SD7+D/C,CC6+DD,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB ,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAMb,MAAM,UAAAN,EAA M,kBAAN,SAANb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MAoCI,YAAy,oB;MACZ,aAZW,KAYQ,W; MACnB,WAAW,iBD1gEJ,MAAK,KC0gEkB,mCAAwB,EAAXB,CD1gEIB,EC0gEqD,wBAbtD,KaAsD,EAAwB, EAAXB,CD1gErD,CC0gED,C;MACX,OAAO,KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,G AeP,KAAM,OAfC,EAeO,MAAO,OAfd,CAerB,C;;MAfT,OAiBO,I;IAhBX,C;+EAEA,yB;MAAA,kF;MAAA,gE; MDvgEA,iB;MCugEA,8C;QAQI,YAAy,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eD1gEJ,MAAK,KC0gEkB, mCAAwB,EAAXB,CD1gEIB,EC0gEqD,wBAAN,KAAM,EAAwB,EAAXB,CD1gErD,CC0gED,C;QACX,OAAO, KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KAAM,OAAhB,EAawB,MAAO,OAA/B, CAAJ,C;;QAET,OAAO,I;MACX,C;KAfA,C;;MA0BW,sB;;QAaP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;U AAyB,qBAAO,W;UAAP,uB;;QACzB,anBzoEoD,gB;QmB0oEpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB ,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAmBK,IAAnBL,CAMBiB,C;UACP,UAA U,I;;QAEd,qBAAO,M;;;MATBP,yB;IACJ,C;8FAEA,yB;MAAA,qD;MnBnoEA,+D;MmBmoEA,uC;QAUI,eAAe,o B;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QAChC,anBzoEoD,gB;QmB0oEpD,cAAc,QAAS,O;QA CvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAAV,EAAMb,IAAnB,C AAJ,C;UACP,UAAU,I;;QAEd,OAAO,M;MACX,C;KApBA,C;;MA8B6D,yB;QAAA,YAA0B,I;MAAM,sB;QAA A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q AAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACI,2B;MAAhB,OAAgB,cAA hB,C;QAAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,I AAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EA AUb,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,C

AAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAA  
O,M;IACX,C;;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,q  
B;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,E  
AAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;I  
AC5F,C;;MAOI,OAAO,S;IACX,C;;MAQoB,mB;QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MAAhB,kCAAgB,8  
BAAhB,C;IACJ,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,  
wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MA  
AhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OA  
AW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB  
,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAA  
mB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;  
MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QAC  
P,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAA  
M,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,  
yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,O  
AAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,U  
AAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAA  
hB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;M  
ACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADh  
B,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;IACX,C;  
;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAA  
O,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,  
O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MGI0EI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT  
,EAAy,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,I  
AA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MAwGI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EA  
AS,CAAT,EAAy,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAA  
X,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MC9NI,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,  
W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAy,QAAS,O;MA  
CrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OtB00iD,SsB101C,KtB00+C,IAAL,EsB101C,KtB00oD,MAA  
V,CsB10jD,C;;MACX,aAAa,iBAAsB,cAAAtB,C;MACb,MAAO,WtBwOqD,SsBxOjD,KtBwOsD,IAAL,EsBxOjD,  
KtBwO2D,MAAV,CsBxOrD,C;;QAEwB,kBAAhB,QAAS,O;QAAPB,MAAO,WtBsOiD,SAAK,eAAL,EAAU,iBA  
AV,CsBtOjD,C;;MACO,QAAT,QAAS,W;MACIB,OAAO,M;IACX,C;sFAEA,yB;MAAA,+D;MAOA,gD;MAPA,u  
C;QAIW,kBAAU,gB;QAOD,Q;QAAA,OtBgRoE,iBAAQ,W;QsBhR5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA  
R6B,SAQIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;MAVX,C;KALA,C;0FA  
OA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,StBgRoE,QAAQ,W;QsBhR5F,OAAgB,cAAhB,C;UAAg  
B,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KAT  
A,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,cAAAb,C;QAYBA,Q;QAAA,OtB2OuE,iBAAQ,W;  
QsB305F,OAAa,cAAAb,C;UAAa,sB;UACT,WAAY,WA1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,  
W;MA1BX,C;KANA,C;4FAQA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QA4EJ,Q;QAAA,OtBgLoE,iBAA  
Q,W;QsBhL5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApeR,W;YAAsC,6B;;Q  
AR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,oD;QAYeOB,Q;QAAA,OtBgLoE,iBAAQ,W;QsBhL5F,  
OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApeR,W;YAAsC,6B;;QAC3D,OAAO,W;MACX,C  
;KAPA,C;;MAciB,Q;MAAA,OAAA,StB2OuE,QAAQ,W;MsB305F,OAAa,cAAAb,C;QAAa,sB;QACT,WAAY,WA  
AI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MA  
CN,OAAA,StB+NoE,QAAQ,W;MsB/N5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CA

AL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQI,OAAO,CAAC,mB;IACZ,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,StB2MoE,QAAQ,W;MsB3M5F,OAAgB,cAAhB,C;QAAgB,yB;QAA M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;;MAQo B,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,YAAY,C;MACI,OAAA,StByLoE,QAAQ,W;MsBzL5F,O AAqB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MA OoB,Q;MAAA,OAAA,StBgLoE,QAAQ,W;MsBhL5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;I AC1B,C;;MASmB,kBAAR,iB;MAAQ,gB;;QJ09Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I ;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,eI79CqB,QJ69CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C; UACI,QAAQ,QAAS,O;UACjB,QIh+CiB,QJg+CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI, UAAU,C;YACV,WAAW,C;;;QAGnB,eAAO,O;;;MI+CP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,O AAe,QAAR,iBAAQ,EAAQ,UAAAR,C;MACnB,C;KANA,C;;MAcmB,kBAAR,iB;MAAQ,gB;;QJgiDf,eAAe,sB;QA Cf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,eIniDqB,QJmiDN,C AAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UACjB,QItiDiB,QJsiDT,CAAS,CAAT,C; UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,eAAO,O;;;MI5iDP,mB;IACJ, C;;MAMI,OAAe,UAAAR,iBAAQ,EAAQ,UAAAR,C;IACnB,C;;MAQI,OAAO,mB;IACX,C;;MASoB,Q;MADhB,IA AI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,StB2HoE,QAAQ,W;MsB3H5F,OAAgB,cAAhB,C;QAAgB,yB;QAA M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAOmC,Q;MAAA,OtBkHqD,iB AAQ,W;MsBIH7E,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;IACJ,C;;MAOI,OAAO,i B;IACX,C;;MAMI,OAAe,aAAR,iBAAQ,C;IACnB,C;gF5B7MA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OA AO,kBAAO,cAAP,C;MACX,C;KATA,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,c AAP,C;MACX,C;KATA,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;MAC X,C;KATA,C;;;QAmBQ,OAac,QAAP,MAAO,EAAQ,SAAR,C;;;QACHB,+C;UACE,MAAM,2BAAUb,CAAE,Q AAzB,C;;;UAHV,O;;;IAKJ,C;;;QAUQ,OAac,SAAP,MAAO,EAAS,SAAT,C;;;QACHB,+C;UACE,MAAM,2BAAU B,CAAE,QAazB,C;;;UAHV,O;;;IAKJ,C;;;QAUQ,OAAd,OAAd,MAAO,iBAAQ,eAAM,IAAd,EAuB,CAAA, cAAK,IAAL,IAAe,CAAf,IAAvB,CAAY,C,C;;;QACzD,+C;UACE,MAAM,2BAAUb,CAAE,QAazB,C;;;UAHV,O ;;IAKJ,C;;MAUI,OAAO,mBAAmB,2BAAS,OAAT,C;IAC9B,C;;MAUI,OAAO,mBAAmB,2BAAS,OAAT,C;IAC9 B,C;;MAUI,OAAO,mBAAmB,2BAAS,OAAT,C;IAC9B,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAA O,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAQI,OAAO,2BA Ae,KA Af,C;IACX,C;;MAQI,OAAO,2BA Ae,KAAf,C;IACX,C;;MsBIEW,StB0EM,mBAAN,KAAM,C;MAAb,OAA0C,U AAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC5E,C;;MsB3EW,StBmFM,kBAAN,KAAM,C;MAAb,OAA2 C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7E,C;;MsBpFW,StB4FM,oBAAN,KAAM,C;MAAb,OA A2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7E,C;;MsB7FW,StBqGM,qBAAN,KAAM,C;MAAb, OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC9E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;M sB9GW,StBsHM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC5E,C ;;MsBvHW,StB+HM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7 E,C;;MsBhIW,StBwIM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IA C7E,C;;MsBzIW,StBiJM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;I AC9E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;MsB IKW,StByKM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7E,C;;M sB1KW,StBiLM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC9E,C ;;MAQI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAQI,OAAO,2BA Ae,KAAf,C;IACX,C;;MsBpMW,StB2MM,iBAAN, KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC5E,C;;MsB5MW,StBmNM,oBA AN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7E,C;;MsBpNW,StB2NM,q BAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC9E,C;;MAQI,OAAO,2B AAS,KAAM,WAAf,C;IACX,C;;MAQI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C ;IACX,C;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;MsB9PW,StBqQM,oBAAN,KAAM,C;MAAb ,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;IAC7E,C;;MAQI,OAAO,2BA Ae,KAAf,C;IACX,C;; MAQI,OAAO,2BA Ae,KAAf,C;IACX,C;;MASI,OAAO,sCAAE,yBAAgB,SAAhB,EAAYB,EAazB,EAakC,EAAL

C,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,EAAtB,EAA0B,EAA1B,C;IAC3B,C;;MASI,OAAO,sCAAe,yBAAgB,SAAhB,EAAyB,EAAtB,EAA0B,EAA1B,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,EAAtB,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;IAC3B,C;;MASI,OAAO,sCAAe,yBAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MAMI,OAAO,sCAAe,yBAAgB,cAAhB,EAAyB,EAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAyB,EAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC3B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAyB,EAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC3B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;IAC1B,C;;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAhB,GAAMB,IAAnB,GAA8B,IAAD,aAA1D,C;IAC3B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;IAC3B,C;;MAGI,OAAMB,IAAR,8BAAGC,GAAPC,GAAIE,OAAL,SAAK,CAAJE,GAA+E,I;IAC1F,C;;MAGI,OAAMW,mEAAJ,GAAmE,OAAL,SAAK,SAAnE,GAAIF,I;IAC5F,C;;MAGI,OAAMW,YAAQ,aAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAAK,CAArE,GAAmF,I;IAC9F,C;;MAGI,OAAMB,UAAA,sCAAe,UAAf,EAA2B,sCAAe,UAA1C,CAAR,4BAAJ,GAAuE,mBAAL,SAAK,EAAvE,GAAqF,I;IAC3G,C;;MAGI,O6B3lBgB,U7B2lBG,sCAAe,U6B3lB1B,E7B2lB6B,sCAAe,U6B3lB5C,C7B2lBL,4BAAJ,GAAqE,mBAAL,SAAK,EAArE,GAAmF,I;IAC9F,C;;MAGI,OAAMW,iFAAJ,GAA4D,SAAK,QA AJE,GAA8E,I;IACzF,C;;MAGI,OAAMB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAAkF,I;IAC7F,C;;MAGI,O6BvmBgB,U7BumBiB,W6BvmBjB,E7BumB0C,U6BvmB1C,C7BumBL,4BA AJ,GAAmE,YAAL,SAAK,CAAnE,GAAgF,I;IAC3F,C;;MAGI,OAAMB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR ,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GAAqF,I;IAC3G,C;;MAGI,O6B/mBgB,U7B+mBkB,mC6B/mBIB,E7B+mB4C,mC6B/mB5C,C7B+mBL,4BAAJ,GAAqE,uBAAL,SAAK,CAArE,GAAmF,I;IAC9F,C;;MAGI,OAAMB,M AAR,8BAAiC,KAArC,GAAmE,QAAL,SAAK,CAAnE,GAAkF,I;IAC7F,C;;MAGI,OAAMW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GAAoF,I;IAC/F,C;;MAGI,OAAMB,UAAA,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAyE,oBAAL,SAAK,EAAzE,GAAwF,I;IACnG,C;;MAGI,O6B/nBgB,U7B+nBG,uCAAgB,U6B/nBnB,E7B+nB8B,uCAAgB,U6B/nB9C,C7B+nBL,4BAAJ,GAAuE,oBAAL,SAAK,EAAvE,GAAfF,I;IACjG,C;;MAQI,OAAO,wBAAy,EAAa,GAAG,CAAG,IAAzB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,C AAG,EAA1B,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAG,CAAG,IAAjC,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAG,CAAG,IAAjC,C;IACX,C;;MAQI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAAO,yBAAiB,OAAR,EAAQ,GAAG,CAAG,CAAjB,C;IACX,C;;MAQI,IAAI,MAAM, WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAG,CAAG,IAAjB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,IAAI,MAAM,WAAV,C;QAAy B,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAG,CAAG,IAAzB,C;IACX,C;;MAQI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAG,CAAG,IAAz B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,oBAAL,SAAK,CAAL,SAAKB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAS,EAAQ,8BAAH,CAAG,EAAjB,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,oBAAL,SAAK,CAAL,SAAKB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,oBAAL,SAAK,CAAL,SAAKB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,O



AAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,C  
AAG,EAA1B,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAQI,O  
AAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAUI,OAAW,4BAAO,YAAP,KAAJ,GAAy  
B,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAA  
W,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,  
S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,Y  
AAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;  
MAUI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAy  
B,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAA  
W,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,G  
AA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,Y  
AAX,GAAyB,YAAzB,GAA2C,S;IACtD,C;;MAUI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+  
BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4B  
AAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAA  
I,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BA  
AO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAiC,MA  
AM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;  
MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QA  
AiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,O  
AAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAn  
B,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;Q  
AAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;IACX,C;;MAUI,IAAI,6BA  
Ae,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BA  
AO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAA  
O,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAz  
B,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACH  
C,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,  
MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;  
MACHC,OAAO,S;IACX,C;;MAYW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAz  
C,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0B  
AAiB,KAAM,MAAvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,K  
AAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C  
;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAA  
L,SAAK,EAAy,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB  
,C;MAEvB,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMC,O  
AAN,KAAM,a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EA  
Ac,KAAc,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,g  
BAAO,KAAM,MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMC,OAAN,KAAM,a  
;;QAC3B,gB;MAHZ,W;IAKJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C;;  
MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAA  
M,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;;QAC3B,g  
B;MAHZ,W;IAKJ,C;;M8BlmCI,OAAO,sBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAUkC,qB;QAAE,MAAM,8BAAO  
B,+CAA4C,aAA5C,MAA1B,C;MAAR,C;IAAA,C;;MAA9B,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;IACX  
,C;;MAGbqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAy,C;  
MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UA  
CI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;;MAGbqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;  
MACX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,  
YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;IACX,C;;MASW,sB;;QAUdS,Q;QAAA,2B;QA

AhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvDH,SAuDO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,  
uB;;;QAC9C,qBAAO,I;;;MAxDP,yB;IACJ,C;;MAxLoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,  
C;QAAgB,yB;QACZ,IA9Kc,SA8KV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;MA/Kf,OAKLO,I;IAjLX,C;;MASI  
,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb,oBAAvB,C;MACV,OAAO,QAAS,O;IAC  
pB,C;iFAEA,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA  
AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;MACV,C;KATA,C;;MAiBI  
,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;;MAQoB,Q;M  
AAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAC  
rD,OAAO,I;IACX,C;;MASiB,Q;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,  
KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;+FAEA,y  
B;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAm  
B,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;MACX,C;KAdA,C  
;6FAgBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,gBAAGB,E;QACHB,YAAy,C;QACC,2B;QAAb,OAAa,cA  
Ab,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAy,K;UACHB,qB;;Q  
AEJ,OAAO,S;MACX,C;KafA,C;;MAwBI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb  
,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO  
,I;IACX,C;+EAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YA  
AY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;Y  
ACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;MACX,C  
;KAIBA,C;;MA4BiB,Q;MAFb,gBAAGB,E;MACHB,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,  
mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAy,K;QACHB,qB;;MAEJ,OAAO,S;IACX,  
C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAA  
O,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;;MASoB,Q;MADhB,WAAe,I;MACC,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;MAGf,OAAO,I;I  
ACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAUb,oBAAvB,C;MACV,aAAa,  
QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,MAAM,gCAAYb,qCAAzB,C;MACV,OAAO,M;IACX,C;mFAEA,  
yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAy,K;  
QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAA  
W,MAAM,8BAAYb,mDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAA  
M,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAIBA,C;;MA0BI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UA  
Ad,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;IA  
CX,C;;MAUoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,I  
AAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,I  
AAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAaW,Q;MXhUP,IAAI,EW+TI,KAACK,CX/  
TT,CAAJ,C;QACI,cW8Tc,sD;QX7Td,MAAM,gCAAYb,OAAQ,WAAjC,C;;MW+TN,UAACK,CAAL,C;QAAU,gB  
;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;IAKJ,  
C;;MAUI,OAAO,sBAAkB,SAAlB,EAAwB,SAAXB,C;IACX,C;;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,IAAXB,  
EAA8B,SAA9B,C;IACX,C;;MAWgF,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;MAAF,C;IA  
AA,C;;MAAsC,OAAA,EAAG,M;IAAM,C;;MAA3H,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAlB,EAA0C,  
IAA1C,EAAGD,+BAAhD,CAArB,EAAyG,sBAAZG,C;IACX,C;oGAEA,yB;MAirBA,wE;MAjrBA,oD;QAOrBiB,g  
B;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAjrBT,IAAI,UAirBkB,oBAAmB,cAAnB,EAAM  
B,sBAAnB,UAirBIB,EAirB+C,IAjrB/C,CAAJ,C;YAA2C,sBAirBQ,IAjrBR,C;;QAE/C,OAAO,W;MACX,C;KAZA  
,C;sGAcA,yB;MAAA,8C;MAAA,0C;MAAA,8B;;QAOKB,qB;UAAE,c;QAAF,C;MAAA,C;MAPIB,sC;QAOW,Q;  
QAAP,OAAO,uCAAo,iCAAP,gC;MACX,C;KARA,C;;MAGBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA  
gB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;;MAQI,OAAO,sBA  
AkB,SAAlB,EAAwB,KAAxB,EAA+B,SAA/B,C;IACX,C;;MASuB,iB;IAAW,C;;MAAvB,Q;MAAP,OAAO,4CA  
AU,oBAAV,kC;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;U  
AAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;

QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;I  
ACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAaW,Q;MXrcP,IAAI,EWocI,KAACK,CXpcT,CAAJ,  
C;QACI,cWmcc,sD;QXlcd,MAAM,gCAAYb,OAAQ,WAAjC,C;;MWocN,UAAK,CAAL,C;QAAU,sB;WACV,+C;  
QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;IAKJ,C;;MAUI,O  
AAO,sBAaKB,SAAlB,EAawB,SAaxB,C;IACX,C;;MAUW,8B;IAAA,C;;MAEC,iBAA6B,iBAAZ,gBAAy,C;MA  
CIB,QAAX,UAAW,C;MACX,OAAO,UAAW,W;IACtB,C;;MALJ,0C;IAOJ,C;sFAEA,yB;MAAA,sD;MT7aA,sC;  
MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MA  
D5C,kF;MliFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,C  
AAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MSsaf,sC;QAQI,OAAO,mDT9aI,iBS8ai  
B,QT9ajB,CS8aJ,E;MACX,C;KATA,C;OGAWA,yB;MAAA,sD;MTraA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;M  
AAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8  
D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3  
B,C;UA+EI,C;QAAA,C;OAAA,C;MS8Zf,sC;QAQI,OAAO,mDTtaI,2BSsa2B,QTta3B,CSsaJ,E;MACX,C;KATA,  
C;;MAmBI,OAAO,wBAAW,cAAAX,C;IACX,C;;MAUW,sC;MAAA,4C;IAAA,C;;MAEC,iBAAiC,iBAAhB,oBAA  
gB,C;MACtB,WAAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;IACtB,C;;MALJ,0D;IAOJ,C;wFAEA,  
yB;MAAA,wE;MAAA,uC;QAWW,kBAAy,oB;QAUeH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA  
CZ,WAxEsC,SAwEvB,CAAU,OAAV,C;UxBrcnB,wBAAL,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;QwBnCA,O  
A0EO,W;MAzEX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yC;QAWW,kBAAC,oB;QA0BL,Q;QAAA,2B;QAA  
hB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA3B4B,WA2BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;Q  
A3BhB,OA6BO,W;MA5BX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yD;QAUW,kBAAC,oB;QA6BL,Q;QAAA  
,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9B4B,WA8BxB,CAAY,OAAZ,CAAJ,EA9ByC,cA  
8Bf,CAAe,OAaf,CAA1B,C;;QA9BhB,OAGCO,W;MA/BX,C;KAXA,C;;MAuBoB,Q;MAAA,2B;MAAhB,OAAgB  
,cAAhB,C;QAAGb,yB;QACZ,WAAY,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,  
C;;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,WAAY,aAAI,YAAy,OAAZ,CAAJ,EA  
A0B,eAAe,OAaf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QxBrcnB,wBAAL,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;MwBuCA,  
OAAO,W;IACX,C;gGAEA,yB;MAAA,wE;MAAA,2C;QAcI,aAAa,oB;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAA  
hB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAJ,EAde,aAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAAuB,M;MAC3B,C;K  
AhBA,C;;MA4BoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cA  
Ac,OAAd,CAAb,C;;MAEhB,OAAO,W;IACX,C;;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,  
WAAY,WAAL,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAQI,OAAO,0BAAa,cAAb,C;IACX,C;;MAQI,OAA4B,qB  
AAhB,iBAAL,SAAK,CAAGb,C;IACCh,C;;MAQI,OAAO,0BAAa,gBAAb,C;IACX,C;;MAUI,OAAwC,oBAAjC,0  
BAAa,sBAAb,CAAiC,C;IAC5C,C;;MAQiD,OAAA,EAAG,W;IAAW,C;;MAA3D,OAAO,uBAAmB,SAAnB,EA  
AyB,SAAZB,EAAoC,cAApC,C;IACX,C;yFAEA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAg  
B,cAAhB,C;UAAgB,yB;UACZ,WAAY,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO  
,W;MACX,C;KAXA,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2  
B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UxBvfp,U;UADP,YwByfe,  
WxBzfH,WwByfwB,GxBzfxB,C;UACL,IAAI,aAAJ,C;YACH,awBufuC,gB;YAA5B,WxBtfx,awBsfgC,GxBtfhC,  
EAAS,MAAT,C;YACA,e;;YAEA,c;;UwBmfA,iB;UACA,IAAK,WAAL,OAAJ,C;;QAhCT,OAKCO,W;MAjCX,C;  
KAZA,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OA  
AgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UxB3gBP,U;UADP,YwB6gBe,WxB7gB  
H,WwB6gBwB,GxB7gBxB,C;UACL,IAAI,aAAJ,C;YACH,awB2gBuC,gB;YAA5B,WxB1gBX,awB0gBgC,GxB1  
gBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UwBugBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAaf,CAAJ,C  
;;QArCT,OAuCO,W;MAtCX,C;KAbA,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OA  
gB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UxBvfp,U;UADP,YwByfe,WxBzfH,WwByfwB,GxBz  
xB,C;UACL,IAAI,aAAJ,C;YACH,awBufuC,gB;YAA5B,WxBtfx,awBsfgC,GxBtfhC,EAAS,MAAT,C;YACA,e;;  
YAEA,c;;UwBmfA,iB;UACA,IAAK,WAAL,OAAJ,C;;QAET,OAAO,W;MACX,C;KAjBA,C;yFAmBA,yB;MAAA

,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;Ux  
B3gBP,U;UADP,YwB6gBe,WxB7gBH,WwB6gBwB,GxB7gBxB,C;UACL,IAAI,aAAJ,C;YACH,awB2gBuC,gB;  
YAA5B,WxB1gBX,awB0gBgC,GxB1gBhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UwBugBA,iB;UACA,IAAK,W  
AAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAIBA,C;0FAoBA,yB;MAAA,kC;MAAA,4C;;QAUW,sC  
;QAAA,8C;MAVX,C;MAAA,gE;QAWqD,OAAA,oBAAgB,W;MAAhB,C;MAXrD,oE;QAY4C,gCAAY,OAAZ,C  
;MAAA,C;MAZ5C,gF;MAAA,yC;QAUI,2D;MAIJ,C;KAdA,C;;MAuBI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B  
,C;IACX,C;;MAWI,OAAO,gCAA4B,SAA5B,EAAkC,SAaIC,C;IACX,C;;MAWI,OAAoD,gBAA7C,gCAA4B,SA  
A5B,EAAkC,SAaIC,CAA6C,C;IACxD,C;4GAEA,yB;MAAsMA,wE;MatMA,oD;QA+MiB,gB;QADb,YAAY,C;Q  
ACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAtMsB,U;UAAA,wBAsMT,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAt  
MS,EAsMoB,IAtMpB,W;YAA6C,6B;;;QACHf,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,wE;MAAA,oD;  
QAUiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,o  
BAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,W;MACX,C;KAbA,C;;MAS  
BI,OAA6C,gBAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;IACjD,C;8FAEA,yB;MAAA,oD;QA6JoB,Q;Q  
AAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAtJK,U;UAAA,wBAsJQ,OAtJR,W;YAAsC,6B;;;QAC3D,OA  
AO,W;MACX,C;KATA,C;;MAkBiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAA  
U,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAQI,OAAO,qBAAiB,SAAjB,C;IACX,C;;MAU6B,S;IAAG,C;;  
MAA5B,OAAy,aAAL,SAAK,EAAW,eAAX,C;IACHB,C;;MAWI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;IA  
CX,C;;MAWiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAl,WAAI,IAAJ,C;;  
MACvB,OAAO,G;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,  
UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAUI,OAAO,oBAAW,U;IACtB,C;;MAU  
oB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I  
;;MACrD,OAAO,K;IACX,C;;MASoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;Q  
AAM,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MACtB,OAAO,K;IACX,C;iFAEA,yB;MAAA,wE;MAAA,uC;QA  
OoB,Q;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C  
;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;QAC9C,OAAO,K;MACX,C;KATA,C;;MAkBoB,Q;MADhB,k  
BAAkB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;  
MACpC,OAAO,W;IACX,C;4FAEA,yB;MAAA,wE;MAAA,gD;QAWoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBA  
AkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAAnB,EAAmB,sBA  
AnB,UAAV,EAAuC,WAAvC,EAAoD,OAAPD,C;;QACpC,OAAO,W;MACX,C;KAbA,C;;MAqBoB,Q;MAAA,2  
B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;kGAEA,yB;MAAA,wE;MAAA,oC  
;QASiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAA  
nB,EAAmB,sBAAnB,UAAP,EAAoC,IAAPC,C;;MACvB,C;KAVA,C;;MAqBI,eAAe,oB;MACf,IAAI,CAAC,QAA  
S,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAl,GAAl,CAAR,C;QAAiB,OAAO,G;  
MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAl,CAAE,CAAN,C;UAAe,OAAO,  
C;QACTB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,C  
AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAl,GAAl,CAAR,C;QAAiB,  
OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAl,CAAE,CAAN,C;UAA  
e,OAAO,C;QACTB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf  
,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUI,  
eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,eAAe,SAAS,O  
AAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2B  
AAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;;MAGnB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,I  
AAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QAC  
I,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,  
C;;MAE9C,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,  
UAAU,QAAS,O;MACnB,IAAQ,QAAl,GAAl,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,IAAM,QAAl,CAAE,CAAN,C;UAAe,OAAO,C;QACTB,IAAI,MAAM,CAAV,C;UA

Aa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAGnB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUI,OAAO,CAAC,oBAAW,U;IACvB,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MASE,qB;QACP,eAAO,EAAP,C;QAA A,OACA,E;MAFO,C;IAAA,C;;MAAX,OAAO,kBAAI,qBAAJ,C;IAIX,C;kFAEA,yB;MAAA,4F;MAAA,uC;QAM I,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAA O,W;MACX,C;KAbA,C;gGAeA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAcM,D,Q;QAL/C,eAAe,SAAK,W;QACp B,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS ,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAMb,YAANb,EAAMb,oBAANb,QAAV,EAAuC, WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;MACX,C;KAjBA,C;;MA0BoB,Q;MADhB,UAAe,C;MAC C,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;M ASoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;; MAEX,OAAO,G;IACX,C;;MAQe,qB;QAAE,e;UAAM,MAAM,gCAAYB,2BAAwB,mBAAXb,MAAZB,C;;QAAZ, S;MAAF,C;IAAA,C;;MAAX,OAAO,kBAAI,gCAAJ,C;IACX,C;;MAeI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc ,IAAtC,C;IACX,C;;MAoBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;IACX,C;;MAQ W,4B;MAAA,sC;IAAA,C;;MAG0B,qB;QAAE,IAAI,CAAC,iBAAD,IAAY,WAAM,eAAN,CAAhB,C;UAAiC,oB AAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;MAAhE,C;IAAA,C;;MADzB,kBAAc,KAAAd,C;MACA,OAAkB,S AAX,eAAW,EAAO,kEAAP,CAA8E,W;IACpG,C;;MAJJ,kD;IAMJ,C;;MAeW,wC;MAAA,4B;IAAA,C;;MAG6B, qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAD5B,YAAqB,UAAT,qBAAS,C;MACrB,OAakB,YAAX,eA AW,EAAU,4CAAV,CAA0B,W;IACHD,C;;MALJ,IAAI,Q/B40JG,YAAQ,C+B50Jf,C;QAAwB,OAAO,S;MAC/B, qD;IAMJ,C;;MAcW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC, YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eA AW,EAAU,4CAAV,CAA0B,W;IACpD,C;;MAPJ,qD;IASJ,C;;MAcW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QAA E,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC,YAAqB,YAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QAC I,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;IACpD,C;;MAPJ,qD;IASJ,C;8FA EA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;MACX,C;KARA,C;wFAUA,yB;MAAA,+D;MAA A,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y B;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,O AAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAIBA,C;;MA0BI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAA W,OAAAX,EAAjB,EAAc,C;IACjD,C;;MAWI,OAAy,OAAL,SAAK,EAAc,OAAT,QAAS,CAAd,C;IACHB,C;;M AWI,OAA+C,UAAxC,YAAW,SAAX,EAA0B,aAAT,QAAS,CAA1B,EAAwC,C;IACnD,C;;MAWI,OAAkC,UAA 3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;IACtC,C;4FAEA,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK, OAAL,C;MACX,C;KARA,C;;MA0B+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BA AiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;IACX,C;;MAoBkD,oB;QAAA,OAAY,C;MAAG, 8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D ,CAAiE,EAAI,SAAJ,C;IAC5E,C;;MAWoD,cAAM,EAAN,C;IAAS,C;;MAAZD,OAAO,oBAAgB,SAAhB,EAAcB, KAAtB,EAA6B,UAA7B,C;IACX,C;;MAYI,OAAO,oBAAgB,SAAhB,EAAcB,KAAtB,EAA6B,SAA7B,C;IACX,C ;MAAiC,aAAK,CAAL,C;IAAO,C;;MAApC,OAAO,yBAAY,kBAAZ,C;IACX,C;;MAc4B,wC;MAAA,6B;MAAA,

yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;IASxB,C;;;;;;;;;;oCARmB,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gBAAYB,M;;;gBAAZB,gB;;;;;;;;;;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAMb,eAANb,CAAN,O;kBAAA,kBC/pDZ,yB;uBD+pDY,yB;cAAA,Q;cACA,qBAAU,e;cAHd,gB;;;cAKJ,W;;;;;;;;;;IAAA,C;MATwB,yD;uBAAA,4G;YAAA,S;iBAAA,Q;iBAAA,uB;MAAA,C;IAAA,C;MAAxB,OAAO,SAAS,0CAAT,C;IAUX,C;MAY6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAYwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAMc,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,FA,W;IAC5F,C;;MAMoB,mB;QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MAAhB,kCAAgB,8BAAhB,C;IACJ,C;;MAOI,OAAO,S;IACX,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,OAAp,I;;MAEJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MEt3DI,aAAa,qBAAiB,YAAY,cAAZ,CAAjB,C;MACb,kBAAc,KAAAd,C;MR+sBgB,Q;MAAA,OQ9sBT,SR8sBS,W;MAAhB,OAAgB,cAAhB,C;QAAGB,2B;QAAU,oB;QQ9sBK,IAAI,CAAC,SAAD,IAAY,OR8sBX,SQ9sBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QR8sBvE,qB;UQ9sBD,MR8sBqC,WAAL,SAAJ,C;;MQ9sB1D,OAAqB,M;IACzB,C;;MAWI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;;MAWI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QRwqBZ,Q;QAAA,OQxqBL,SRwqBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAm,IAAI,CQxqBwB,qBRwqBb,OQxqBa,CRwqB5B,C;YAAYB,WAAY,WAAL,OAAJ,C;;QOxqBvD,ORyqBG,W;;MQxqBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;IACX,C;;MAWI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;gGAEA,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;MACX,C;KARA,C;;MAGBI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAL,OAAJ,C;MACP,OAAO,M;IACX,C;;MASI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAQuD,UAAT,

M;MAA1C,aAAa,qBAaIB,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAA  
L,GAAY,CAAZ,IAAvE,CAAJB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MAC  
P,OOAO,M;IACX,C;;MASI,aAAa,qBAaIB,YAAY,SAAK,KAAAL,GAAY,CAAZ,IAAZ,CAAJB,C;MACb,MAAO,  
gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OOAO,M;IACX,C;8FAEA,yB;MAAA,4C;MAA  
A,qC;QAOI,OOAO,gBAAK,OAAL,C;MACX,C;KARA,C;gGC/GA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,  
OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;  
KARA,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MACHb,C;KARA,C;  
0EAUA,yB;MA0CA,6C;MAAA,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAYCS,Q;UAAA,0B;UAAhB,OAAGB,c  
AAhB,C;YAAgB,oC;YAAM,IAzCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;;UAC9C,qB  
AAO,I;;;QA1CP,yB;MACJ,C;KANA,C;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA,uC;QAKW,qB;;  
UA6GO,Q;UAAA,OOAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAA  
L,C;YACd,IA/Gc,SA+GV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAJHP,wB;  
MACJ,C;KANA,C;;MAaI,ICwKgD,qBAAU,CDxK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OOAO,qB  
AAK,CAAL,C;IACX,C;4EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0  
B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OOAO,O;;QACrD,MA  
AM,gCAAuB,6DAAvB,C;MACV,C;KAPA,C;;MAaI,OCsJgD,qBAAU,CDtJnD,GAAe,IAAf,GAAyB,qBAAK,CA  
AL,C;IACpC,C;wFAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,  
cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OOAO,O;;QACrD,OOAO,I;MACX,C;KA  
NA,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OOAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC  
,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;;MAYI,OOAW,SAAS,CAAT,IAAc,SAAS,2  
BAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;0FAEA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB  
,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAAL,EA AV,CAAJ,C;Y  
ACI,OOAO,K;;;QAGf,OOAO,E;MACX,C;KAVA,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;  
QAIkB,Q;QAAA,OOAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,  
KAAAL,EA AV,CAAJ,C;YACI,OOAO,K;;;QAGf,OOAO,E;MACX,C;KAVA,C;;MAiBI,IC+FgD,qBAAU,CD/F1D,  
C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OOAO,qBAAK,2BAAL,C;IACX,C;0EAEA,yB;MAAA,mD;MAA  
A,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OOAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,O  
AAc,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OOAO,O  
;;QAEnC,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAVA,C;;MAGBI,OC0EgD,qBAAU,CD1EnD,GAAe,IAAf,GA  
AyB,qBAAK,mBAAS,CAAT,IAAL,C;IACpC,C;sFAEA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIk  
B,Q;QAAA,OOAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK  
,KAAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OOAO,O;;QAEnC,OOAO,I;MACX,C;KATA,C;8EAW  
A,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OOAO,kBAAO,cAAP,C;MACX,C;KATA,C;;MAkBI,IC0CgD,qB  
AAU,CD1C1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OOAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;I  
ACX,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UA  
AK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHIB,W;IAKJ,C;8EAEA,yB;MAAA,6  
C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACp  
B,YAAY,K;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,  
KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAAL,C  
;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OOAO,4E;MACX,C;KAhBA,C;;MAsBI,OOAW,qBAAU,CAAd,G  
AAiB,qBAAK,CAAL,CAAJB,GAA8B,I;IACzC,C;0FAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QA  
MoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAA  
U,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OOAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAA  
C,KAAAL,C;UAAy,OOAO,I;QACnB,OOAO,M;MACX,C;KafA,C;;MdrML,IAAI,Ec8NI,KAAK,Cd9NT,CAAJ,C;  
QACI,cc6Nc,wD;Qd5Nd,MAAM,gCAAyB,OOAQ,WAAjC,C;;Mc6NV,OOAO,8BAAc,eAAF,CAAE,EAAa,gBA  
Ab,CAAd,EAAoC,gBAAPC,C;IACX,C;;MdhOI,IAAI,Ec0OI,KAAK,Cd1OT,CAAJ,C;QACI,ccyOc,wD;QdxOd,M  
AAM,gCAAyB,OOAQ,WAAjC,C;;McyOV,OE3M6E,oBF2M1D,eAAF,CAAE,EAAa,gBAAb,CE3M0D,C;IF4MjF  
,C;;Md5OI,IAAI,EcsPI,KAAK,CdtPT,CAAJ,C;QACI,ccqPc,wD;QdpPd,MAAM,gCAAyB,OOAQ,WAAjC,C;;Mcq

PV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;IACX,C;;MdxPI,IAAI,EckQI,KAAK ,CdlQT,CAAJ,C;QACI,cciQc,wD;QdhQd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MciQV,OAAO,mBAAkB,gBAAZ ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;IACX,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iB AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BA AY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;MACX,C;KAVA,C;4FAYA,yB;MAAA,uD;MAAA,oC; MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C ;YACI,OEVPoF,oBFuPnE,CEvPmE,EFuPhE,QAAQ,CAAR,IEvPgE,C;;QFwP5F,OAAO,E;MACX,C;KAVA,C;oF AYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,S AAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C; YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD; MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;Q AAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEIRqE,oBFkR pD,KEIRoD,C;;QFmR7E,OAAO,E;MACX,C;KAVA,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAIEA,uC;QAIW,k BAAS,oB;QAKEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAPE6B,SAoEzB ,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApExC,OAsEO,W;MAREx,C;KALA,C;8EAOA,y B;MAAA,yD;MA2DA,oC;MA3DA,uC;QAIW,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UAC I,cAAc,qBAAI,KAAJ,C;UACd,IA7D6B,SA6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;Q A7DxC,OA+DO,WA/DqC,W;MACHd,C;KALA,C;4FAOA,yB;MAAA,yD;MAkBA,gC;MA+nBA,6C;MAAA,oC; MAjpBA,uC;QAMW,kBAAGB,oB;QAKpBV,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UA AM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA/nB/B,IANBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB ,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OAqBO,W;MApBX,C;KAPA,C;4FASA,yB;MAAA,yD;MASA,g C;MA+nBA,6C;MAAA,oC;MAxoBA,uC;QAMW,kBAAGB,oB;QAYoBV,gB;QADb,YAAy,C;QACC,0B;QAAb,O AAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA/nB/B,IAVoC,SAUhC,CAA U,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAV/C,OAYO,WAZ4C,W;MACvD,C;KAPA,C;g GASA,yB;MAAA,gC;MA+nBA,6C;MAAA,oC;MA/nBA,oD;QAsBiB,gB;QADb,YAAy,C;QACC,0B;QAAb,OA Aa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA/nB/B,IAAI,UAAU,OAAV,E AAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;oFAYA,yB;MAAA,y D;MAcA,6C;MAAA,oC;MAAA,gC;MAAd,uC;QAIW,kBAAY,oB;QAcH,Q;QAAA,0B;QAaHb,OAAgB,cAAhB, C;UAAgB,oC;UAAM,IAAI,CAdU,SacT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAd3D,O AeO,W;MAcX,C;KALA,C;oFAOA,yB;MAAA,yD;MAOA,6C;MAAA,oC;MAAA,gC;MAPA,uC;QAIW,kBAAY, oB;QAOH,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAPU,SAOT,CAAU,oBAAV,CA AL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;MACnD,C;KALA,C;wFAOA,yB;MAAA,6 C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI, CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;MACX,C;KANA,C;kFA QA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UAC d,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OAAO,W;MACX,C;KATA,C;;MA eI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;IACX,C;;MAMI,IAAI,OAAQ,UA AZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;IACX,C;;MASc,Q;MAHV,WAAmB,wBAAR,OAAQ, EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MAcTB,aAAa,mBAAc,IAAd,C;MACH,yB;M AAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;IACX,C;4E AEA,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAASB,EAAM,OAAN,CAAe,W; MACjD,C;KANA,C;;MdhaI,IAAI,EcglI,KAAK,CdhbT,CAAJ,C;QACI,cc+ac,wD;Qd9ad,MAAM,gCAAYB,OAA Q,WAAjC,C;;Mc+aV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAe,EAAa,gBAAb,CAAjB,C;IACX,C;;MdlbI,IAA I,Ec4bI,KAAK,Cd5bT,CAAJ,C;QACI,cc2bc,wD;Qd1bd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mc2bV,OE1Z4F,oB F0Z3E,CE1Z2E,EF0ZtE,eAAF,CAAe,EAAa,gBAAb,CE1ZsE,C;IF2ZhG,C;;Md9bI,IAAI,EcwcI,KAAK,CdxcT,C AAJ,C;QACI,ccucc,wD;Qdtcd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McucV,aAAa,gB;MACb,OAAO,8BAAY,SA AW,eAAF,CAAe,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;IACX,C;;Md3cl,IAAI,EcqdI,KAAK,CdrdT,CA AJ,C;QACI,ccodc,wD;Qdndd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McodV,aAAa,gB;MACb,OEvb6E,oBFub5D,S



AAW,eAAF,CAAE,EAAa,MAAb,CAAX,IEvb4D,C;IFwbjF,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;;QAGf,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;MACX,C;KAZA,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEhdqE,oBFgdpD,QAAQ,CAAR,IEhdoD,C;;;QFmd7E,OAAO,S;MACX,C;KAZA,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAJ,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,KAaf,C;;QAEf,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;MACX,C;KAXA,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAJ,KAAL,EAAV,CAAL,C;YACI,OEexoF,oBFwenE,CExemE,EFwehE,KExegE,C;;QF0e5F,OAAO,S;MACX,C;KAXA,C;;MAiBI,OAAO,qBAAC,SAAd,CAAoB,U;IAC/B,C;kFAEA,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAW,W;MAC7C,C;KANa,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAkEA,6C;MAAA,oC;MAAA,gC;MAIEA,uC;QASI,eAAmC,cAApB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAApB,C;QA+DH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAhE8C,SAgE/B,CAAU,oBAAV,C;U3BjCnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;Q2B/BA,OAKEO,W;MAjEX,C;KAXA,C;wFAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAyBA,6C;MAAA,oC;MAAA,gC;MAzBA,yC;QASI,eAAmC,cAApB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mBAAuB,QAAvB,C;QAuBL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAxBuC,WAwBnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxBhB,OA0BO,W;MAzBX,C;KAXA,C;wFAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA0BA,6C;MAAA,oC;MAAA,gC;MA1BA,yD;QAQI,eAAmC,cAApB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mBAAoB,QAApB,C;QAYBL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA1BoC,WA0BhC,CAAY,oBAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,oBAAf,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;4FAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QA0oB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;U3BjCnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;Q2BmCA,OAAO,W;MACX,C;KAXA,C;2FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAgBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA2C,cAApB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,CAA3C,C;QAYG,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAXO,MAYP,aAAI,oBAAJ,EAZe,aAYF,CAAc,oBAAd,CAAb,C;;QAZhB,OAAuB,M;MAC3B,C;KAdA,C;8FAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAQoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAd,CAAb,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;;MAkBiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAA,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OAAO,2BAAa,eAAc,YAAy,gBAAZ,CAAd,CAAb,C;IACX,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;IAKJ,C;;MAMI,OAAO,2BAAa,iBAAGB,gBAAhB,CAAb,C;IACX,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAA,qBAAoB,YAAy,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;gFAEA,yB;MAAA,+D;MAOA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAR6B,SAQIB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAThB,OAwo,W;MAVX,C;KALA,C;oFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;U3BneP,U;UADP,Y2Bqee,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;gFAYA,yB;MAAA,wE;MA8BA,

6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;U3BrfP,U;UADP,Y2Bufe,W3BvfH,W2BufwB,  
G3BvfxB,C;UACL,IAAI,AAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3Bpfc,EAAS,MAAT,C;YA  
CA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAE,oBAAf,CAAJ,C;;QAJCT,OAmCO,W;MAICX  
,C;KAXA,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2Bqee,W3BreH,W2BqewB,  
G3BrexB,C;UACL,IAAI,AAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YA  
CA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;oFAiBA,yB;M  
AAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB  
,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2Bufe,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aA  
AJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3Bpfc,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;  
UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,6C;MA  
AA,oC;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASwD,OAAgB,SAAhB,oBAAgB,C;  
MAAhB,C;MATxD,oE;QAU+C,gCAAY,oBAAZ,C;MAAA,C;MAV/C,gF;MAAA,yC;QAQI,2D;MAIJ,C;KAZA,C  
;wEAeA,yB;MAAA,gE;MAqEA,6C;MAAA,oC;MAAA,gC;MArEA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqEA  
,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAtEmB,SASeF,CAAU,iBAAV,CAAJ,C;;QAtEhB  
,OAUeO,W;MATEx,C;KANA,C;sFAQA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,k  
BAAa,eAAa,gBAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,W  
AjC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAKCO,W;MAJcX,C;KARA  
,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAiKA,6C;MAAA,oC;MA3KA,uC;QAOW,kBAAoB,gB;QA2Kd,gB;QA  
Db,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,cAVQ,SAUR,EAIKT,cAjKS,EAIKT,  
sBAjKS,WaiKA,iBAjKA,W;YAA6C,6B;;;QAVhF,OAOW,W;MAVX,C;KARA,C;uGAUA,yB;MAAA,gC;MAiK  
A,6C;MAAA,oC;MAJKA,oD;QAwKiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,  
U;UAAA,yBAiKT,cAjKS,EAIKT,sBAjKS,WaiKA,iBAjKA,W;YAA6C,6B;;;QACHf,OAAO,W;MACX,C;KATA,  
C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QA  
Ab,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;Q  
AChB,OAAO,W;MACX,C;KAXA,C;qFAaA,yB;MAAA,+D;MAQA,gC;MA0HA,6C;MAAA,oC;MAIIA,uC;QAK  
W,kBAAa,gB;QAIJ,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAzHK,U;UAAA,cARe,SAQf,CAyH  
Q,oBAzHR,W;YAA6C,6B;;;QAR3D,OASO,W;MARX,C;KANA,C;yFAQA,yB;MAAA,gC;MA0HA,6C;MAAA,o  
C;MAIHA,oD;QA8HoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAzHK,U;UAAA,wBAyHQ,oBAz  
HR,W;YAA6C,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,  
oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACH  
B,OAAO,W;MACX,C;KARA,C;;MAc4B,mB;QAAE,iC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;  
IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACTd,OAAO,I;MACX,C;K  
ARA,C;;MAGBI,OAAO,ECxrByC,qBAAU,CDwrBnD,C;IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;  
MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;  
YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;KARA,C;;MAeI,OAAO,gB;IACX,C;4EAEA,yB;MAAA,6C;MAA  
A,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA  
AM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,K;MACX,C;KAPA,C;0EASA,yB;MAAA,6C;M  
AAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QADhB,kBAakB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,o  
C;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,OAAO,W;MACX,C;KAPA,C;wFASA,yB;MAAA,  
6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QACZ,kBAakB,O;QACF,0B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,oBAA  
hC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;mFAaA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOoC,Q;QAHhC,  
YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ  
,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAVA,C;iGAYA,yB;MAAA,uD;MAAA,oC;MAAA,gD  
;QAOI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,iCAA

I,KA AJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;gFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;MAC1B,C;KALA,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;MACvB,C;KARA,C;;MAgBiB,Q;MAFb,IC7xBgD,qBAAU,CD6xB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;4EAEA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QASiB,Q;QAHb,IC5yBgD,qBAAU,CD4yB1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;;MA0BiB,Q;MAFb,IC9zBgD,qBAAU,CD8zB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IC30BgD,qBAAU,CD20B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;4EAEA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QASiB,Q;QAHb,IC11BgD,qBAAU,CD01B1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;;MA0BiB,Q;MAFb,IC52BgD,qBAAU,CD42B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OC33BgD,qBAAU,C;ID43B9D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;MACX,C;KARA,C;6EAAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;MACJ,C;KANA,C;8EAQA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,ICp5BgD,qBAAU,CD05B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEiB,OAAO,W;MACX,C;KAXA,C;4FAAa,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAUqB,Q;QAHjB,ICp6BgD,qBAAU,CD06B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEiB,OAAO,W;MACX,C;KAdA,C;uFAGBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAi,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEiB,OAAO,W;MACX,C;KAXA,C;qGAaA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAS0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAi,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4EAiBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;MACX,C;KATA,C;wFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;MACX,C;KATA,C;;MA sBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAA sC,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAA sC,IAAtC,EAAwD,SAAXD,C;IACX,C;;MAamC,OAAA,EAAG,W;IAAW,C;;MAA7C,OAAO,6BAAgB,IAAhB,EAA sB,sBAAtB,C;IACX,C;;MAkBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SAAhE,C;IACX,C;oFAEA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MA



C;UAAgB,yB;UAAM,IAhNH,SAgNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I  
;;MAjNP,yB;IACJ,C;;MASW,sB;;QAiNS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAjNH,S  
AiNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAINP,yB;IACJ,C;;MASW,s  
B;;QAKNS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAINH,SAkNO,CAAU,OAAV,CAAJ,C;  
YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MANNP,yB;IACJ,C;;MASW,sB;;QAmNS,Q;QAAA,2B;QAA  
hB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAhNH,SAmNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,u  
B;;;QAC9C,qBAAO,I;;;MApNP,yB;IACJ,C;yFAEA,yB;MA4kBA,oD;MAktEI,0D;MA9xFJ,uC;QAOW,qB;;UA4k  
BO,Q;UAAA,OAAa,SA2sEX,YAAR,iBAAQ,CA3sEW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,s  
BAAK,KAAL,C;YACd,IA9kBc,SA8kBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO  
,I;;;QAhIBP,wB;MACJ,C;KARA,C;yFAUA,yB;MAGlBA,oD;MA4sEI,0D;MA5xFJ,uC;QAOW,qB;;UAGlBO,Q;U  
AAA,OAAa,SAqsEX,YAAR,iBAAQ,CAsEW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,  
KAAL,C;YACd,IAIIBc,SAkIBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApI  
BP,wB;MACJ,C;KARA,C;yFAUA,yB;MAoIBA,oD;MAssEI,0D;MA1xFJ,uC;QAOW,qB;;UAoIBO,Q;UAAA,OA  
Aa,SA+rEX,YAAR,iBAAQ,CA/rEW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;  
YACd,IAIIBc,SAsIBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxlBP,wB;M  
ACJ,C;KARA,C;yFAUA,yB;MAwlBA,oD;MAGsEI,0D;MAxxFJ,uC;QAOW,qB;;UAwlBO,Q;UAAA,OAAa,SAyr  
EX,YAAR,iBAAQ,CAzrEW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA  
IIBc,SA0IBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5IBP,wB;MACJ,C;K  
ARA,C;mFAUA,yB;MAAA,8C;MIC9IA,6B;MkC8IA,4B;QAQI,OIC5ImC,ckC4IpB,MAAR,iBAAQ,CIC5IoB,C;M  
kC6IvC,C;KATA,C;mFAWA,yB;MAAA,8C;MrBIIA,+B;MqB0IA,4B;QAQI,OrBxIsC,eqBwIvB,MAAR,iBAAQ,  
CrBxIuB,C;MqByIIC,C;KATA,C;mFAWA,yB;MAAA,8C;MnCtMA,+B;MmCsMA,4B;QAQI,OnCpMsC,emCoM  
vB,MAAR,iBAAQ,CnCpMuB,C;MmCqM1C,C;KATA,C;mFAWA,yB;MAAA,8C;MjCpMA,iC;MiCoMA,4B;QA  
QI,OjCIMyC,gBiCkM1B,MAAR,iBAAQ,CjCIMO0B,C;MiCmM7C,C;KATA,C;mFAWA,yB;MAAA,iE;MAAA,uC;  
QAQoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OA  
AO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;  
QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA  
CrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;  
QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAA  
M,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,O  
AAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB  
,mDAAvB,C;MACV,C;KAVA,C;;MAkBI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;IACpC,C;;MA  
QI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;IACpC,C;;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAy  
B,sBAAK,CAAL,C;IACpC,C;;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;IACpC,C;;MASoB,  
Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;  
MACrD,OAAO,I;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,O  
AAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;  
QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MASoB,Q;MA  
AA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACr  
D,OAAO,I;IACX,C;2FAEA,yB;MA0mFI,8D;MA1mFJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,gBAmmFT,cAAR,iB  
AAQ,C;;QAnmFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KARA,C;2FAUA,y  
B;MAwmFI,8D;MAxmFJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,gBAimFT,cAAR,iBAAQ,C;;QAJmFhB,OAAO,O  
AAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KARA,C;2FAUA,yB;MAsmFI,8D;MATmFJ,iD;Q  
AOe,oBAAS,C;QAAT,S;UAAc,gBA+IFT,cAAR,iBAAQ,C;;QAIFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GA  
AsD,aAAa,KAAb,C;MACjE,C;KARA,C;2FAUA,yB;MAomFI,8D;MApmFJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,g  
BA6IFT,cAAR,iBAAQ,C;;QA7IFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KA  
RA,C;;MAGBe,oBAAS,C;MAAT,S;QAAC,gBA4jFT,gBAAR,iBAAQ,C;;MA5jFhB,OAAO,OAAsC,sBAAI,KAAJ,  
CAAtC,GAAsD,I;IACjE,C;;MAQe,oBAAS,C;MAAT,S;QAAC,gBA2jFT,gBAAR,iBAAQ,C;;MA3jFhB,OAAO,O  
AAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAQe,oBAAS,C;MAAT,S;QAAC,gBA0jFT,gBAAR,iBAAQ,C;;

MA1jFhB,OAAO,OAAc,sBAAl,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAQe,oBAAS,C;MAAT,S;QAAC,gBAyjFT,  
gBAAR,iBAAQ,C;;MAzjFhB,OAAO,OAAc,sBAAl,KAAJ,CAAtC,GAAsD,I;IACjE,C;uFAEA,yB;MAAA,kD;M  
AAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OICxeU,KkCwelB,C;MACnB,C;KARA,C;uFAUA,yB;MAAA,kD;  
MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OrBveY,KqBuepB,C;MACnB,C;KARA,C;uFAUA,yB;MAAA,kD  
;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OnCxbY,KmCwhBpB,C;MACnB,C;KARA,C;uFAUA,yB;MA  
AA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OjCvHbc,KiCuhBtB,C;MACnB,C;KARA,C;iGAUA,yB;  
MAAA,sC;MIC9aA,6B;MkC8aA,0BAOGC,yB;QICrbhC,6B;;UkCqbgC,qB;YAAE,yBIC3aK,ckC2aK,EIC3aL,CkC  
2aL,C;UAAF,C;QAAA,C;OAAA,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UrC2rBf,0D;YACI,IqC5rB0B,UI  
C3aK,cHumCjB,YAAK,KAAL,CGvmCiB,CkC2aL,CrC4r1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;  
QqChsBP,0B;MACJ,C;KARA,C;iGAUA,yB;MAAA,sC;MrBzaA,+B;MqByaA,0BAOGC,yB;QrBhhbC,+B;;UqBgb  
gC,qB;YAAE,yBrBtaQ,eqBsaE,ErBtaF,CqBsaR,C;UAAF,C;QAAA,C;OAAA,C;MAPhC,uC;QAOMb,kBAAR,iB;  
QAAQ,uB;;UrC6rBf,0D;YACI,IqC9rB0B,UrBtaQ,ehBomCpB,YAAK,KAAL,CgBpmCoB,CqBsaR,CrC8r1B,C;c  
ACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QqClsBP,0B;MACJ,C;KARA,C;iGAUA,yB;MAAA,sC;MnCpeA,+  
B;MmCoeA,0BAOGC,yB;QnC3ehC,+B;;UmC2egC,qB;YAAE,yBnCjeQ,emCieE,EnCjeF,CmCieR,C;UAAF,C;QA  
AA,C;OAAA,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UrC+oBf,0D;YACI,IqChpB0B,UnCjeQ,eFinCpB,Y  
AAK,KAAL,CEjnCoB,CmCieR,CrCgp1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QqCpBP,0B;MA  
CJ,C;KARA,C;iGAUA,yB;MAAA,sC;MjCjeA,iC;MiCieA,0BAOGC,yB;QjCxeH,C,iC;;UiCwegC,qB;YAAE,yBjC9  
dW,gBiC8dD,EjC9dC,CiC8dX,C;UAAF,C;QAAA,C;OAAA,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UrCi  
pBf,0D;YACI,IqClpB0B,UjC9dW,gBJgnCvB,YAAK,KAAL,CiHnCuB,CiC8dX,CrCkp1B,C;cACI,sBAAO,K;cA  
AP,wB;;;UAGR,sBAAO,E;;;QqCtpBP,0B;MACJ,C;KARA,C;+FAUA,yB;MAAA,sC;MrCkwBA,0D;MAAA,oD;M  
GxtCA,6B;MkCsdA,yBAO+B,yB;QlC7d/B,6B;;UkC6d+B,qB;YAAE,yBlCndM,ckCmdI,ElCndJ,CkCmdN,C;UAA  
F,C;QAAA,C;OAAA,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UrC+vBD,Q;UAAA,OAAQ,SAAR,wBAAQ,  
CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IqChwByB,UIcndM,cHmtCjB,YAAK,KAAL,CGntCiB,CkCm  
dN,CrCgwBzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QqCpwBP,yB;MACJ,C;KARA,C;+FAUA,yB;  
MAAA,sC;MrCowBA,0D;MAAA,oD;MgBrTCA,+B;MqBidA,yBAO+B,yB;QrBxd/B,+B;;UqBwd+B,qB;YAAE,yB  
rB9cS,eqB8cC,ErB9cD,CqB8cT,C;UAAF,C;QAAA,C;OAAA,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UrCi  
wBD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IqClwByB,UrB9cS,eh  
BgtCpB,YAAK,KAAL,CgBhtCoB,CqB8cT,CrCkwBzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QqCtw  
BP,yB;MACJ,C;KARA,C;+FAUA,yB;MAAA,sC;MrCstBA,0D;MAAA,oD;MEluCA,+B;MmC4gBA,yBAO+B,yB  
;QnCnhB/B,+B;;UmCmhB+B,qB;YAAE,yBnCzgsBS,emCygBC,EnCzgsBD,CmCygBT,C;UAAF,C;QAAA,C;OAA  
A,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UrCmtBD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,O  
AAc,cAAAd,C;YAAc,uB;YACV,IqCptByB,UnCzgsBS,eF6tCpB,YAAK,KAAL,CE7tCoB,CmCygBT,CrCotBzB,C;c  
ACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QqCxtBP,yB;MACJ,C;KARA,C;+FAUA,yB;MAAA,sC;MrCwtBA  
,0D;MAAA,oD;MljuCA,iC;MiCygBA,yBAO+B,yB;QjChhB/B,iC;;UiCghB+B,qB;YAAE,yBjCtgBY,gBiCsgBF,Ej  
CtgBE,CiCsgBZ,C;UAAF,C;QAAA,C;OAAA,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UrCqtBD,Q;UAAA,  
OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IqCttByB,UjCtgBY,gBJ4tCvB,YAAK,  
KAAL,Ci5tCuB,CiCsgBZ,CrCstBzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QqC1tBP,yB;MACJ,C;K  
ARA,C;iFAUA,yB;MAAA,4C;MIC9fA,6B;MkC8fA,4B;QAQI,OIC5fmC,ckC4fpB,KAAR,iBAAQ,CIC5foB,C;Mk  
C6fvC,C;KATA,C;iFAWA,yB;MAAA,4C;MrB1fA,+B;MqB0fA,4B;QAQI,OrBxfCs,eqBwfvB,KAAR,iBAAQ,Cr  
BxfuB,C;MqByf1C,C;KATA,C;iFAWA,yB;MAAA,4C;MnCtjBA,+B;MmCsjsBA,4B;QAQI,OnCpjsC,emCojBvB,  
KAAR,iBAAQ,CnCpjsBuB,C;MmCqjB1C,C;KATA,C;iFAWA,yB;MAAA,4C;MjCpjBA,iC;MiCojBA,4B;QAQI,Oj  
CljByC,gBiCkjb1B,KAAR,iBAAQ,CjCljB0B,C;MiCmjB7C,C;KATA,C;iFAWA,yB;MAAA,oD;MAAA,iE;MA01  
EI,0D;MA11EJ,uC;QAQkB,Q;QAAA,OAAa,SAk1EX,YA11EF,SAk1EN,QAAQ,CA11EW,CAAb,W;QAAd,OAAc  
,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MAm1EI,0D;MAm1EJ,uC  
;QAQkB,Q;QAAA,OAAa,SA20EX,YA30EF,SA20EN,QAAQ,CA30EW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,u  
B;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCA  
AuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MA40EI,0D;MA50EJ,uC;QAQkB,Q;QAA

A,OAAa,SAo0EX,YAp0EF,SAo0EN,QAAQ,CAP0EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,s  
BAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;  
MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MAq0EI,0D;MAr0EJ,uC;QAQkB,Q;QAAA,OAAa,SA6zEX,  
YA7zEF,SA6zEN,QAAQ,CA7zEW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;U  
ACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C  
;+FAeA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA,Y,OICxsBM,KkCwsBIB,C;MACnB,C;KAR  
A,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA,Y,OrBvsBQ,KqBusBpB,C;MACnB,C;  
KARA,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA,Y,OnCxxvBQ,KmCwvBpB,C;MA  
CnB,C;KARA,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA,Y,OjCvvBU,KiCuvBtB,C;  
MACnB,C;KARA,C;;MAGBI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;M  
AQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;MAQI,OAAW,mBAAJ,GA  
Ae,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAA  
K,iBAAO,CAAP,IAAL,C;IACpC,C;6FAEA,yB;MAAA,oD;MAktEI,0D;MAltEJ,uC;QAOkB,Q;QAAA,OAAa,SA  
2sEX,YA3sEF,SA2sEN,QAAQ,CA3sEW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAA  
L,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;MACX,C;KAZA,C;6FAcA,yB;M  
AAA,oD;MA4sEI,0D;MA5sEJ,uC;QAOkB,Q;QAAA,OAAa,SAqsEX,YArsEF,SAqsEN,QAAQ,CArsEW,CAAb,  
W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB  
,OAAO,O;;QAEnC,OAAO,I;MACX,C;KAZA,C;6FAcA,yB;MAAA,oD;MAssEI,0D;MAtsEJ,uC;QAOkB,Q;QAA  
A,OAAa,SA+rEX,YA/rEF,SA+rEN,QAAQ,CA/rEW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sB  
AAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;MACX,C;KAZA,C;6F  
AcA,yB;MAAA,oD;MAGsEI,0D;MAhsEJ,uC;QAOkB,Q;QAAA,OAAa,SAyrEX,YAzrEF,SAyrEN,QAAQ,CAzrE  
W,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,  
C;YAAwB,OAAO,O;;QAEnC,OAAO,I;MACX,C;KAZA,C;qFAcA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,  
OAAO,kBAAO,cAAP,C;MACX,C;KAVA,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAA  
O,cAAP,C;MACX,C;KAVA,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;M  
ACX,C;KAVA,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;MACX,C;KAV  
A,C;;MAoBI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,  
CAAX,C;IACX,C;;MAUL,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iB  
AAQ,cAAR,CAAX,C;IACX,C;;MAUL,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAA  
I,MAAO,iBAAQ,cAAR,CAAX,C;IACX,C;;MAUL,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,O  
AAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;IACX,C;qFAEA,yB;MAAA,gD;MIC90BA,6B;MkC80BA,4B;QAO  
I,OIC30BmC,ckC20BpB,OAAR,iBAAQ,CIC30BoB,C;MkC40BvC,C;KARA,C;qFAUA,yB;MAAA,gD;MrBz0BA,  
+B;MqBy0BA,4B;QAOI,OrBt0BsC,eqBs0BvB,OAAR,iBAAQ,CrBt0BuB,C;MqBu0B1C,C;KARA,C;qFAUA,yB;  
MAAA,gD;MnCp4BA,+B;MmCo4BA,4B;QAOI,OnCj4BsC,emCi4BvB,OAAR,iBAAQ,CnCj4BuB,C;MmCk4B1  
C,C;KARA,C;qFAUA,yB;MAAA,gD;MjCj4BA,iC;MiCi4BA,4B;QAOI,OjC93ByC,gBiC83B1B,OAAR,iBAAQ,C  
jC93B0B,C;MiC+3B7C,C;KARA,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB  
,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UA  
AU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;  
;QAGhB,IAAI,CAAC,KAAL,C;UAA,Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,0D;MACX,C;KAnBA,C;q  
FAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,Y  
AAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAA  
J,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA  
Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MA  
AA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAGB,c  
AAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAz  
B,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA,Y,MAAM,gCAAuB,mDAAvB,C;QA  
EIB,OAAO,2D;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASo  
B,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UA

AU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;  
;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIb,OAAO,4D;MACX,C;KAnBA,C;;  
MA2BI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;IACvC,C;;MAQI,OAAW,mBAAQ,CAA  
Z,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;IACvC,C;;MAQI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,  
GAA4B,I;IACvC,C;;MAQI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;IACvC,C;;MAWob,  
Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAUO,  
AAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,K  
AAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAWob,Q;MAFhB,aAAqB,I;MACrB,YAAy,K;MACI,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAUO,AAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAA  
O,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,  
C;;MAWob,Q;MAFhB,aAAqB,I;MACrB,YAAy,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA  
AI,UAUO,AAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IA  
AI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAWob,Q;MAFhB,aAAsB,I;MACtB,YAAy,  
K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAUO,AAV,CAAJ,C;UACI,IAAI,KAAJ,C;Y  
AAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAA  
O,M;IACX,C;;MjBzzCI,IAAI,EiBq0CI,KAAK,CjBr0CT,CAAJ,C;QACI,ciBo0Cc,sD;QjBn0Cd,MAAM,gCAAyB,  
OAAQ,WAAjC,C;;MiBo0CV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;  
MjBv0CI,IAAI,EiBm1CI,KAAK,CjBn1CT,CAAJ,C;QACI,ciBk1Cc,sD;QjBj1Cd,MAAM,gCAAyB,OAAQ,WAAj  
C,C;;MiBk1CV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MjBr1CI,IAAI,  
EiBi2CI,KAAK,CjBj2CT,CAAJ,C;QACI,ciBg2Cc,sD;QjB/1Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB2CV,O  
AAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MjBn2CI,IAAI,EiB+2CI,KAAK,  
CjB/2CT,CAAJ,C;QACI,ciB82Cc,sD;QjB72Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB82CV,OAAO,uBAAoB,  
gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MjBj3CI,IAAI,EiB63CI,KAAK,CjB73CT,CAAJ,  
C;QACI,ciB43Cc,sD;QjB33Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB43CV,OAAO,mBAAgB,gBAAV,iBAA  
O,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MjB/3CI,IAAI,EiB24CI,KAAK,CjB34CT,CAAJ,C;QACI,ciB04  
Cc,sD;QjBz4Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB04CV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,  
EAAC,CAAd,CAAhB,C;IACX,C;;MjB74CI,IAAI,EiB55CI,KAAK,CjBz5CT,CAAJ,C;QACI,ciBw5Cc,sD;QjBv5C  
d,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiBw5CV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,  
CAAhB,C;IACX,C;;MjB35CI,IAAI,EiBu6CI,KAAK,CjBv6CT,CAAJ,C;QACI,ciBs6Cc,sD;QjBr6Cd,MAAM,gCA  
AyB,OAAQ,WAAjC,C;;MiBs6CV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IAC  
X,C;mGAEa,yB;MAAA,4C;MAAA,qD;MAsvDI,8D;MATvDJ,uC;QASI,iBA6uDgB,cAAR,iBAAQ,CA7uDhB,W  
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAUO,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA  
R,IAAL,C;;;QAGf,OAAO,W;MACX,C;KafA,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MA6uDI,8D;MA7uDJ,uC;Q  
ASI,iBAouDgB,cAAR,iBAAQ,CApuDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAUO,sBAAK,KAAL,CAAV,  
CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KafA,C;mGAiBA,yB;MAA  
A,4C;MAAA,qD;MAouDI,8D;MApuDJ,uC;QASI,iBA2tDgB,cAAR,iBAAQ,CA3tDhB,WAA+B,CAA/B,U;UACI,  
IAAI,CAAC,UAUO,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAA  
O,W;MACX,C;KafA,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MA2tDI,8D;MA3tDJ,uC;QASI,iBAktDgB,cAAR,iB  
AAQ,CAltDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAUO,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gB  
AAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KafA,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q  
;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK  
,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAUO,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE  
nB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB  
;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC  
,UAUO,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE  
nB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C  
;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAUO,IAAV,CAAL,C;YACD,I  
AAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE  
nB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,u



C;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C; YACI,IAAK,WAAL,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAL,IAAJ,C;YACL,WA AW,I,;;QAE nB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwoA, Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxOa,SAwOT,CAAU,OAAV,CAAJ,C;YAAwB,W AAY,WAAL,OAAJ,C;QAxO1D,OAYOO,W;MAxOX,C;KARA,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kB AAS,gB;QAYOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzOc,SAyOV,CAAU,OAAV,CA AJ,C;YAAwB,WAA Y,WAAL,OAAJ,C;QAzO1D,OA0OO,W;MAzOX,C;KARA,C;qFAUA,yB;MAAA,+D;MAA A,uC;QAOW,kBAAS,gB;QA00A,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1Oc,SA0OV,C AAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAL,OAAJ,C;QA1O1D,OA2OO,W;MA1OX,C;KARA,C;qFAUA,yB; MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM ,IA3Oe,SA2OX,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAL,OAAJ,C;QA3O1D,OA4OO,W;MA3OX,C;KAR A,C;kGAUA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QAq/FV,gB;QADb,YAAY,C;QACC,2B;QAAb,OA Aa,cAAb,C;UAAa,sB;UAp8FT,IAjDsC,SAiDIC,EAo8FkB,cAp8FIB,EAo8FkB,sBAP8FIB,WAo8F2B,IAp8F3B,C AAJ,C;YAA2C,sBAo8FZ,IAp8FY,C;QAjD/C,OAmDO,W;MA1DX,C;KAVA,C;mGAYA,yB;MAAA,+D;MAAA, uC;QASW,kBAAgB,gB;QAs/FV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA18FT,IApDu C,SAoDnC,EAk8FkB,cA18FIB,EAk8FkB,sBA18FIB,Wak8F2B,IA18F3B,CAAJ,C;YAA2C,sBAk8FZ,IA18FY,C;Q ApD/C,OAsDO,W;MArDX,C;KAVA,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QAU/FV,gB;Q ADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAh8FT,IAvDuC,SAuDnC,EAg8FkB,cAh8FIB,EA g8 FkB,sBAh8FIB,WAg8F2B,IAh8F3B,CAAJ,C;YAA2C,sBAg8FZ,IAh8FY,C;QAvD/C,OAYDO,W;MAxDX,C;KA VA,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QAw/FV,gB;QADb,YAAY,C;QACC,2B;QAAb, OAAa,cAAb,C;UAAa,sB;UA97FT,IA1DwC,SA0DpC,EA87FkB,cA97FIB,EA87FkB,sBA97FIB,WA87F2B,IA97F 3B,CAAJ,C;YAA2C,sBA87FZ,IA97FY,C;QA1D/C,OA4DO,W;MA3DX,C;KAVA,C;MA09FiB,gB;MADb,YAA Y,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAp8FT,IAAI,WAo8FkB,cAp8FIB,EAo8FkB,sBAP8FIB,WAo8 F2B,IAp8F3B,CAAJ,C;UAA2C,sBAo8FZ,IAp8FY,C;MAE/C,OAAO,W;IACX,C;MA88FiB,gB;MADb,YAAY,C ;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA18FT,IAAI,Wak8FkB,cA18FIB,EAk8FkB,sBA18FIB,Wak8F2B,I A18F3B,CAAJ,C;UAA2C,sBAk8FZ,IA18FY,C;MAE/C,OAAO,W;IACX,C;MA48FiB,gB;MADb,YAAY,C;MAC C,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAh8FT,IAAI,WAg8FkB,cAh8FIB,EAg8FkB,sBAh8FIB,WAg8F2B,IAh8 F3B,CAAJ,C;UAA2C,sBAg8FZ,IAh8FY,C;MAE/C,OAAO,W;IACX,C;MA08FiB,gB;MADb,YAAY,C;MACC,2 B;MAAb,OAAa,cAAb,C;QAAa,sB;QA97FT,IAAI,WA87FkB,cA97FIB,EA87FkB,sBA97FIB,WA87F2B,IA97F3B ,CAAJ,C;UAA2C,sBA87FZ,IA97FY,C;MAE/C,OAAO,W;IACX,C;2FAEA,yB;MAAA,+D;MAAA,uC;QAOW,k BAAY,gB;QAwCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAxCY,SAwCX,CAAU, OAAV,CAAL,C;YAAyB,WAA Y,WAAL,OAAJ,C;QAxC3D,OAYCO,W;MAxCX,C;KARA,C;2FAUA,yB;MAAA ,+D;MAAA,uC;QAOW,kBAAY,gB;QAYCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI, CAzCa,SAyCZ,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAL,OAAJ,C;QAzC3D,OA0CO,W;MAzCX,C;KAR A,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA0CH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U AAgB,yB;UAAM,IAAI,CA1Ca,SA0CZ,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAL,OAAJ,C;QA1C3D,OA2 CO,W;MA1CX,C;KARA,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA2CH,Q;QAAA,2B;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA3Cc,SA2Cb,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAL,O AAJ,C;QA3C3D,OA4CO,W;MA3CX,C;KARA,C;MAiBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y B;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA Y,WAAL,OAAJ,C;MAC3D,OAAO,W;IACX,C;M ASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAy B,WAA Y,WAAL,OAAJ,C;MAC3D,OAAO,W;IACX,C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA gB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA Y,WAAL,OAAJ,C;MAC3D,OAAO,W;IACX, C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;U AAyB,WAA Y,WAAL,OAAJ,C;MAC3D,OAAO,W;IACX,C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C; QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA Y,WAAL,OAAJ,C;MAC1D,OAAO,W;IACX,C ;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,W AA Y,WAAL,OAAJ,C;MAC1D,OAAO,W;IACX,C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y

B;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O/B/yDe,W;;M+BgzDtC,OAA4D,SAMvCrD,cAAkB,cAAR,iBAAQ,EAnvCN,OAAQ,MAmvCF,EAnvCS,OAAQ,aAAR,GAAuB,CAAvB,IAMvCT,CAAIB,CAnvCqD,C;IACHe,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O/BzzDe,W;;M+B0zDtC,OAA4D,SAsvCrD,eAAmB,cAAR,iBAAQ,EAtvCP,OAAQ,MAsvCD,EAtvCQ,OAAQ,aAAR,GAAuB,CAAvB,IASvCR,CAAnB,CAtvCqD,C;IACHe,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O/Bn0De,W;;M+B00DtC,OAA4D,UAYvCrD,eAAmB,cAAR,iBAAQ,EAzvCP,OAAQ,MAyvCD,EAzvCQ,OAAQ,aAAR,GAAuB,CAAvB,IAYvCR,CAAnB,CAZvCqD,C;IACHe,C;;MAQI,IAAI,OAAQ,UAAZ,C;QAAuB,O/B70De,W;;M+B80DtC,OAA4D,UA4vCrD,gBAAoB,cAAR,iBAAQ,EA5vCR,OAAQ,MA4vCA,EA5vCO,OAAQ,aAAR,GAAuB,CAAvB,IA4vCP,CAApB,CA5vCqD,C;IACHe,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAWkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAQI,OAAO,cAAkB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,eAAmB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,gBAAoB,aAAR,iBAAQ,EAAW,OAAx,CAApB,C;IACX,C;;MAQI,OAAO,cAAkB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,eAAmB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,gBAAoB,aAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,cAAkB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,eAAmB,cAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAx,CAAnB,C;IACX,C;;MAQI,OAAO,gBAAoB,cAAR,iBAAQ,EAAW,OAAx,CAApB,C;IACX,C;;MAKBiB,UACL,M;MjBphER,IAAI,EiB6gEI,KAAK,CjB7gET,CAAJ,C;QACI,ciB4gEc,sD;QjB3gEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiB4gEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAKBiB,UACL,M;MjB5iER,IAAI,EiBqiEI,KAAK,CjBriET,CAAJ,C;QACI,ciBoiEc,sD;QjBniEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiBoiEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAKBiB,UACL,M;MjBpkER,IAAI,EiB6jEI,KAAK,CjB7jET,CAAJ,C;QACI,ciB4jEc,sD;QjB3jEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiB4jEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAKBiB,UACL,M;MjB5iER,IAAI,EiBqiEI,KAAK,CjBriET,CAAJ,C;QACI,ciBolEc,sD;QjBniEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiBolEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MjBjmEI,IAAI,EiB6mEI,KAAK,CjB7mET,CAAJ,C;QACI,ciB4mEc,sD;QjB3mEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiB4mEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MjBtmEI,IAAI,EiBkoEI,KAAK,CjBloET,CAAJ,C;QACI,ciBioEc,sD;

QjBhoEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiBioEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WA  
AW,c;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sB  
AAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaiB,CAAJB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA  
A6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MjB3oEI,IAAI,EiBupEI,K  
AAK,CjBvpET,CAAJ,C;QACI,ciBspEc,sD;QjBrpEd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MiBspEV,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaiB,CAAJB  
,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,O  
AAO,I;IACX,C;;MjBhqEI,IAAI,EiB4qEI,KAAK,CjB5qET,CAAJ,C;QACI,ciB2qEc,sD;QjB1qEd,MAAM,gCAAY  
B,OAAQ,WAAjC,C;;MiB2qEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAA  
K,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL  
,CAAP,C;MACnB,WAAW,iBAakB,CAAlB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAA  
K,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;mGAEA,yB;MAAA,4C;MAAA,gD;MA0+BI,8D;MA  
1+BJ,uC;QASI,iBAi+BgB,cAAR,iBAAQ,CAj+BhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAA  
L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KafA,C;mGaiBA,  
yB;MAAA,4C;MAAA,gD;MAi+BI,8D;MAj+BJ,uC;QASI,iBAw9BgB,cAAR,iBAAQ,Cax9BhB,WAA+B,CAA/B,  
U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;Q  
AGf,OAAO,iB;MACX,C;KafA,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MAw9BI,8D;MAx9BJ,uC;QASI,iBA+8B  
gB,cAAR,iBAAQ,CA/8BhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YA  
CI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KafA,C;mGaiBA,yB;MAAA,4C;MAAA  
,gD;MA+8BI,8D;MA/8BJ,uC;QASI,iBA8BgB,cAAR,iBAAQ,CAi8BhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,  
UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,  
C;KafA,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;U  
AAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MAC  
X,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,  
C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;M  
ACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cA  
Ab,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,  
I;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa  
,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OA  
AO,I;MACX,C;KAhBA,C;sFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;MACZ,C;KARA,C;sFA  
UA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;MACZ,C;KARA,C;uFAUA,yB;MAAA,kD;MAAA,4B;Q  
AOY,QAAR,iBAAQ,C;MACZ,C;KARA,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;MACZ,C  
;KARA,C;;MagBI,IAAI,mBAAJ,C;QAae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO  
,I;IACX,C;;MAQI,IAAI,mBAAJ,C;QAae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,  
I;IACX,C;;MAQI,IAAI,mBAAJ,C;QAae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,  
I;IACX,C;kGAEA,yB;MAAA,8D;MAAA,uC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;  
MACX,C;KARA,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAA  
nB,C;MACX,C;KARA,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAOI,OAAO,qBAAoB,cAAR,iBAAQ,  
CAApB,C;MACX,C;KARA,C;;MagBI,IAAI,iBAAO,CAAX,C;QACI,iB;QAhII,UAAR,iBAAQ,C;;IAmIZ,C;;MA  
QI,IAAI,iBAAO,CAAX,C;QACI,iB;QAIII,UAAR,iBAAQ,C;;IAqIZ,C;;MAQI,IAAI,iBAAO,CAAX,C;QACI,iB;Q  
ApII,UAAR,iBAAQ,C;;IAuIZ,C;;MAQI,IAAI,iBAAO,CAAX,C;QACI,iB;QAtII,UAAR,iBAAQ,C;;IAyIZ,C;;MA  
QoB,kBA+eT,cAAU,iBhBnwEO,QgBmwEjB,C;MA/eiB,mB;MAAxB,OAAiC,Sdj9E1B,Wci9E0B,C;IACrC,C;;M  
AQoB,kBAkft,eAAmB,UAAR,iBAAQ,CAAnB,C;MAlfiB,mB;MAAxB,OAAiC,Sd19E1B,Wc09E0B,C;IACrC,C;  
;MAQoB,kBAqfT,eAAW,iBhB/yEM,QgB+yEjB,C;MARfiB,mB;MAAxB,OAAiC,Udn+E1B,Wcm+E0B,C;IACrC,  
C;;MAQoB,kBAwfT,gBAAy,iBhBjzEK,QgBizEjB,C;MAxfiB,mB;MAAxB,OAAiC,Ud5+E1B,Wc4+E0B,C;IACr

C,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QhBnwEO,QgBmwEjB,C;MA1csB,mB;MAA7B,Odt/EO,W;Icu/EX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAmB,UA5cnB,SA4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OdhgFO,W;IcigFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8cd,eA9cA,SA8cW,QhB/yEM,QgB+yEjB,C;MA9csB,mB;MAA7B,Od1gFO,W;Ic2gFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAhdA,SAgdY,QhBjzEK,QgBizEjB,C;MAhdsB,mB;MAA7B,OdphFO,W;IcqhfX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkad,cAlaA,SakaU,QhBnwEO,QgBmwEjB,C;MALasB,6B;MAA7B,Od9hFO,W;Ic+hFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoad,eAAmB,UApAnB,SAoAW,QAAQ,CAAnB,C;MApasB,6B;MAA7B,OdxiFO,W;IcyiFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAasad,eAtaA,SAsaW,QhB/yEM,QgB+yEjB,C;MATasB,8B;MAA7B,Od1jFO,W;IcmjFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwad,gBAxaA,SAwaY,QhBjzEK,QgBizEjB,C;MAXasB,8B;MAA7B,Od5jFO,W;Ic6jFX,C;;MAUoB,kBAyXT,cAAU,iBhBnwEO,QgBmwEjB,C;MAzXiB,mB;MAAxB,OAAiC,YdvkF1B,WcukF0B,C;IACrC,C;;MAUoB,kBA0XT,eAAmB,UAAAR,iBAAQ,CAAnB,C;MA1XiB,mB;MAAxB,OAAiC,Ydl1F1B,Wck1F0B,C;IACrC,C;;MAUoB,kBA2XT,eAAW,iBhB/yEM,QgB+yEjB,C;MA3XiB,mB;MAAxB,OAAiC,Yd71F1B,Wc61F0B,C;IACrC,C;;MAUoB,kBA4XT,gBAAY,iBhBjzEK,QgBizEjB,C;MA5XiB,mB;MAAxB,OAAiC,YdxmF1B,WcwmF0B,C;IACrC,C;;MAUI,OAAO,iB;IACX,C;;MAUI,OAAO,iB;IACX,C;;MASi,OAAO,iB;IACX,C;;MAUI,OAAO,iB;IACX,C;8FAEA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;MACX,C;KATA,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;MACX,C;KATA,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;MACX,C;KATA,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;MACX,C;KATA,C;;MAkBI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAAPB,C;IACnB,C;;MASI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAAPB,C;IACnB,C;;MASI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAAPB,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,C;IACX,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,C;IACX,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,C;IACX,C;SFAEA,yB;MhB/0EA,8C;MgB+0EA,kF;QAmB6D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB90E1H,UgB+0EA,iBhB/0EA,EgB+0EiB,WAAy,QhB/0E7B,EgB+0EsC,iBhB/0EtC,EgB+0EyD,UhB/0EzD,EgB+0EqE,QhB/0ErE,C;QgBg1EA,OAAO,W;MACX,C;KATBA,C;wFAwBA,yB;MhB/0EA,8C;MgB+0EA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB90E5H,UgB+0EA,iBhB/0EA,EgB+0EiB,WAAy,QhB/0E7B,EgB+0EsC,iBhB/0EtC,EgB+0EyD,UhB/0EzD,EgB+0EqE,QhB/0ErE,C;QgBg1EA,OAAO,W;MACX,C;KATBA,C;wFAwBA,yB;MhB/6EA,8C;MgB+6EA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB96E5H,UgB+6EA,iBhB/6EA,EgB+6EiB,WAAy,QhB/6E7B,EgB+6EsC,iBhB/6EtC,EgB+6EyD,UhB/6EzD,EgB+6EqE,QhB/6ErE,C;QgBg7EA,OAAO,W;MACX,C;KATBA,C;wFAwBA,yB;MhB/6EA,8C;MgB+6EA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB96E9H,UgB+6EA,iBhB/6EA,EgB+6EiB,WAAy,QhB/6E7B,EgB+6EsC,iBhB/6EtC,EgB+6EyD,UhB/6EzD,EgB+6EqE,QhB/6ErE,C;QgBg7EA,OAAO,W;MACX,C;KATBA,C;wFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,iBhBnwEO,QgBmwEjB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBhB/yEM,QgB+yEjB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBhBjzEK,QgBizEjB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAaKB,OAAR,iBAAQ,EAAO,OAAP,CAAIb,C;MACX,C;KAZA,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;MACX,C;KAZA,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;MACX,C;KAZA,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAaOB,OAAR,iBAAQ,EAAO,OAAP,CAAPB,C;MACX,C;KAZA,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAUI,OAAO,mBAaKB,YAAR,iBAAQ,EAAy,SAAZ,EAAuB,OAAvB,CAAIb,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAy

,SAAZ,EAAuB,OAAvB,CAAnB,C;MACX,C;KAXA,C;6FAaA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAUI,OA  
AO,qBAAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;MACX,C;KAXA,C;8FAmBI,yB;MAAA,  
0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;MAAR,C;KAAR,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,O  
AAQ,YAAR,iBAAQ,C;MAAR,C;KAAR,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;  
MAAR,C;KAAR,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;MAAR,C;KAAR,C;kGA  
QA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;MAAR,C;KAAR,C;kGAQA,yB;MAAA,8D;MAA  
A,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;MAAR,C;KAAR,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cA  
AR,iBAAQ,C;MAAR,C;KAAR,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;MAAR,C;  
KAAR,C;iFAEJ,yB;MAAA,uC;MhBjiEA,iD;MgBiiEA,qC;QAQb,4B;QAAA,gBAAU,OiChiGM,K;QkCgiGjC,O  
AAO,mBhBniEA,2BaxIK,gBAAW,SAAX,EAwIL,CgBmiEA,C;MACX,C;KARA,C;iFAUA,yB;MAAA,yC;MhBn  
iEA,iD;MgBmiEA,qC;QAQI,OAAO,oBhBriEA,qBgBqiEW,iBhBriEX,EAxIK,mBgB6qEgB,OrB/hGO,Kk3BvB,  
CAwIL,CgBqiEA,C;MACX,C;KARA,C;iFAUA,yB;MAAA,yC;MhBrkEA,iD;MgBqkEA,qC;QAOSB,4B;QAAA,g  
BAAU,OnChlGO,K;QmCglGnC,OAAO,oBhBvkEA,2BaxIK,eAAY,SAAZ,EAwIL,CgBukEA,C;MACX,C;KARA  
,C;iFAUA,yB;MAAA,2C;MhBvkEA,iD;MgBukEA,qC;QAOb,4B;QAAA,gBAAU,OjC/kGQ,K;QiC+kGrC,OAA  
O,qBhBzkEA,2BaxIK,gBAaA,SAAb,EAwIL,CgBykEA,C;MACX,C;KARA,C;;MAkBoB,UAAiB,M;MAFjC,YA  
AY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAaHb,OAAGB,cAAhB  
,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OiCzkGX,K;;MkC0kGjC,OAAO,cAAU,MAAV,C;I  
ACX,C;;MAUoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAA  
P,C;MACL,0B;MAaHb,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OrB1kGT,  
K;;MqB2kGnC,OAAO,eAAW,MAAX,C;IACX,C;;MAUoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,i  
BAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAaHb,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO  
,cAAP,EAAO,sBAAP,YAAkB,OnC7nGT,K;;MmC8nGnC,OAAO,eAAW,MAAX,C;IACX,C;;MAUoB,UAAiB,M;  
MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAaHb,OA  
AGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OjC9nGP,K;;MiC+nGrC,OAAO,gBAA  
Y,MAAZ,C;IACX,C;iFAEA,yB;MAAA,uC;MhBznEA,iD;MgBznEA,sC;QAQI,OAAO,mBhB3nEA,qBgB2nEU,i  
BhB3nEV,EgB2nEoB,QAAS,QhB3nE7B,CgB2nEA,C;MACX,C;KARA,C;iFAUA,yB;MAAA,yC;MhB3nEA,iD;  
MgB2nEA,sC;QAQI,OAAO,oBhB7nEA,qBgB6nEW,iBhB7nEX,EgB6nEqB,QAAS,QhB7nE9B,CgB6nEA,C;MA  
CX,C;KARA,C;iFAUA,yB;MAAA,yC;MhB7pEA,iD;MgB6pEA,sC;QAQI,OAAO,oBhB/pEA,qBgB+pEW,iBhB/p  
EX,EgB+pEqB,QAAS,QhB/pE9B,CgB+pEA,C;MACX,C;KARA,C;iFAUA,yB;MAAA,2C;MhB/pEA,iD;MgB+pE  
A,sC;QAQI,OAAO,qBhBjqEA,qBgBiqEY,iBhBjqEZ,EgBiqEsB,QAAS,QhBjqE/B,CgBiqEA,C;MACX,C;KARA,  
C;;MAGBI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,C;IACIB,C;;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAA  
U,SAAV,C;IACIB,C;;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,C;IACIB,C;;MAQI,IAAI,iBAAO,CAA  
X,C;QAAC,YAAU,SAAV,C;IACIB,C;;MAUI,OAAO,iBhBtpFiB,Q;IgbupF5B,C;;MAUI,OAAO,iBhB7oFiB,Q;Igb  
8oF5B,C;8FAEA,yB;MAAA,gD;MAAA,4B;QAQI,OAAE,OAAR,iBAAQ,C;MACnB,C;KATA,C;;MAmBI,OAAO  
,iBhB7qFiB,Q;Igb8qF5B,C;;MAQuB,wB;QAAW,qCAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnB,OAAO,iBAA  
M,cAAN,EAAY,8BAAZ,C;IACX,C;;MAQuB,wB;QAAW,qCAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnB,OAAO,iB  
AAM,cAAN,EAAY,gCAAZ,C;IACX,C;;MAQuB,wB;QAAW,qCAAK,KAAL,C;MAAX,C;IAAA,C;;MAAnB,OA  
AO,iBAAAM,cAAN,EAAY,gCAAZ,C;IACX,C;;MAQuB,wB;QAAW,qCAAK,KAAL,C;MAAX,C;IAAA,C;;MAA  
nB,OAAO,iBAAAM,cAAN,EAAY,gCAAZ,C;IACX,C;;MAQ4B,wB;QAAW,yBAAK,KAAL,C;MAAX,C;IAAA,C;  
;MAAxB,OxBp5GO,eAAW,+BwBo5GA,gBxBp5GA,GAAGB,kBwBo5GV,8BxBp5GU,CAAhB,CAAX,C;IwBq5  
GX,C;gGAEA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,ShB/uFM,QgB+uFjB,C;MACX,C;KATA,C;;MA  
iB2B,wB;QAAW,wBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvB,OvBx6GO,cAAU,gCuBw6GA,gBvBx6GA,GA  
Ae,iBuBw6GT,6BvBx6GS,CAAF,CAAV,C;IuBy6GX,C;8FAEA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAA  
U,ShB/uFO,QgB+uFjB,C;MACX,C;KATA,C;;MAiB4B,wB;QAAW,yBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAx  
B,OtB57GO,eAAW,kBsB47GA,gBtB57GA,EAAGB,kBsB47GV,8BtB57GU,CAAhB,CAAX,C;IsB67GX,C;gGAE  
A,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAGB,OAAL,SAAK,CAAhB,C;MACX,C;KATA,C;;M  
AiB6B,wB;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzB,OpBh9GO,gBAAy.gCoBg9GA,gBpBh9GA,G  
AAiB,mBoBg9GX,+BpBh9GW,CAAjB,CAAZ,C;IoBi9GX,C;gGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,q

BAAY,ShBjyFK,QgBiyFjB,C;MACX,C;KATA,C;uFAWA,yB;MAAA,+D;MAwCA,gD;MAxCA,uC;QAOW,kBA  
AU,gB;QAwCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAZC6B,SAyCIB,CAAU,OAAV,C  
;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ChB,OA4CO,W;MA3CX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4C  
A,gD;MA5CA,uC;QAOW,kBAAU,gB;QA4CD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA  
7C6B,SA6CIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ChB,OAgDO,W;MA/CX,C;KARA,C  
;uFAUA,yB;MAAA,+D;MAGDA,gD;MAhDA,uC;QAOW,kBAAU,gB;QA9gDD,Q;QAAA,2B;QAAhB,OAAgB,cA  
AhB,C;UAAgB,yB;UACZ,WAjD6B,SAiDIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAiDhB,O  
AoDO,W;MAnDX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoDA,gD;MApDA,uC;QAOW,kBAAU,gB;QAoDD,Q;  
QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArD6B,SAqDIB,CAAU,OAAV,C;UACC,OAAZ,WA  
AY,EAAO,IAAP,C;;QAtDhB,OAwDO,W;MAvDX,C;KARA,C;2FAUA,yB;MAAA,gD;MAAA,oD;QAOb,Q;Q  
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,  
IAAP,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOb,Q;QAAA,2B;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,  
OAAO,W;MACX,C;KAZA,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOb,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MAC  
X,C;KAZA,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOb,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U  
ACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;uF  
AcA,yB;MAAA,wE;MA4HA,+D;MA5HA,yC;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C,CAAY,OAAZ,C;U9B19GP,U;UADP,Y8B49Ge,W9B59GH,W8B49G  
wB,G9B59GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B09GuC,gB;YAA5B,W9Bz9GX,a8By9GgC,G9Bz9GhC,EAAS,  
MAAT,C;YACA,e;;;YAEA,c;;U8Bs9GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/HT,OAIIO,W;MAhIX,C;KAbA,C  
;uFAeA,yB;MAAA,wE;MAiIA,+D;MAjIA,yC;QAYW,kBAAU,oB;QAIID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,UAlIqD,WakI3C,CAAY,OAAZ,C;U9B9+GP,U;UADP,Y8Bg/Ge,W9Bh/GH,W8Bg/GwB,G  
9Bh/GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B8+GuC,gB;YAA5B,W9B7+GX,a8B6+GgC,G9B7+GhC,EAAS,MAA  
T,C;YACA,e;;;YAEA,c;;U8B0+GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApIT,OAsIO,W;MArIX,C;KAbA,C;sFAe  
A,yB;MAAA,wE;MAsIA,+D;MAtIA,yC;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UACZ,UAvIqD,WauI3C,CAAY,OAAZ,C;U9B1gHP,U;UADP,Y8BogHe,W9BpgHH,W8BogHwB,G9B  
pgHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BkgHuC,gB;YAA5B,W9BjgHX,a8BjgHgC,G9BjgHhC,EAAS,MAAT,C;  
YACA,e;;;YAEA,c;;U8B8/GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzIT,OA2IO,W;MAIIX,C;KAbA,C;uFAeA,y  
B;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA  
gB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U9BthHP,U;UADP,Y8BwhHe,W9BxhHH,W8BwhHwB,G9Bxh  
HxB,C;UACL,IAAI,aAAJ,C;YACH,a8BshHuC,gB;YAA5B,W9BrhHX,a8BqhHgC,G9BrhHhC,EAAS,MAAT,C;Y  
ACA,e;;;YAEA,c;;U8BkhHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJO,W;MA/IX,C;KAbA,C;uFAeA,yB;  
MAAA,wE;MAGJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QA9JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB  
,yB;UACZ,UajJiD,WaiJvC,CAAY,OAAZ,C;U9B3iHP,U;UADP,Y8B6iHe,W9B7iHH,W8B6iHwB,G9B7iHxB,C;  
UACL,IAAI,aAAJ,C;YACH,a8B2iHuC,gB;YAA5B,W9B1iHX,a8B0iHgC,G9B1iHhC,EAAS,MAAT,C;YACA,e;;;  
YAEA,c;;U8BuiHA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAE,OAaf,CAAJ,C;;QAnJT,OAqJO,W;MApJX,C;KAd  
A,C;uFagBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U9BhkHP,U;UADP,Y8BkkHe,W9BlkHH,W8Bkk  
HwB,G9BlkHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BgkHuC,gB;YAA5B,W9B/jHX,a8B+jHgC,G9B/jHhC,EAAS,  
MAAT,C;YACA,e;;;YAEA,c;;U8B4jHA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAE,OAaf,CAAJ,C;;QAxJT,OA0J  
O,W;MAzJX,C;KAdA,C;uFagBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2  
B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U9BrIHP,U;UADP,Y8BulH  
e,W9BvIHH,W8BulHwB,G9BvIHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BqlHuC,gB;YAA5B,W9BplHX,a8BolHgC  
,G9BplHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BilHA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAE,OAaf,CAA  
J,C;;QA7JT,OA+JO,W;MA9JX,C;KAdA,C;uFagBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;  
QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U9B1  
mHP,U;UADP,Y8B4mHe,W9B5mHH,W8B4mHwB,G9B5mHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B0mHuC,gB;

YAA5B,W9BzmHX,a8BymHgC,G9BzmHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BsmHA,iB;UACA,IAAK,  
WAlKyD,cAkKrD,CAAE,OAAf,CAAJ,C;;QAiKT,OAoKO,W;MAnKX,C;KAaA,C;2FAgBA,yB;MAAA,+D;MAA  
A,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B19GP,U;  
UADP,Y8B49Ge,W9B59GH,W8B49GwB,G9B59GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B09GuC,gB;YAA5B,W9  
Bz9GX,a8By9GgC,G9Bz9GhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bs9GA,iB;UACA,IAAK,WAAI,OAAJ,C;  
;QAET,OAAO,W;MACX,C;KAIBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAG  
B,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B9+GP,U;UADP,Y8Bg/Ge,W9Bh/GH,W8Bg/GwB,G  
9Bh/GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B8+GuC,gB;YAA5B,W9B7+GX,a8B6+GgC,G9B7+GhC,EAAS,MAA  
T,C;YACA,e;;;YAEA,c;;U8B0+GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAIBA,C;2FA  
oBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YA  
AY,OAAZ,C;U9BlgHP,U;UADP,Y8BogHe,W9BpgHH,W8BogHwB,G9BpgHxB,C;UACL,IAAI,aAAJ,C;YACH,a  
8BkgHuC,gB;YAA5B,W9BjgHX,a8BigHgC,G9BjgHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B8/GA,iB;UAC  
A,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAIBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;Q  
AAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BthHP,U;UADP,Y8BwhHe,  
W9BxhHH,W8BwhHwB,G9BxhHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BshHuC,gB;YAA5B,W9BrhHX,a8BqhHg  
C,G9BrhHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BkhHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,  
W;MACX,C;KAIBA,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA  
AgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B3iHP,U;UADP,Y8B6iHe,W9B7iHH,W8B6iHwB,G9B7iHxB,C;UAC  
L,IAAI,aAAJ,C;YACH,a8B2iHuC,gB;YAA5B,W9B1iHX,a8B0iHgC,G9B1iHhC,EAAS,MAAT,C;YACA,e;;;YAE  
A,c;;U8BuiHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAnBA,C;2FAqBA,yB  
;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAA  
Z,C;U9BhkHP,U;UADP,Y8BkkHe,W9BlkHH,W8BkkHwB,G9BlkHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BkgHuC  
,gB;YAA5B,W9B/jHX,a8B+jHgC,G9B/jHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B4jHA,iB;UACA,IAAK,W  
AAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;  
QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BrlHP,U;UADP,Y8BulHe,  
W9BvlHH,W8BulHwB,G9BvlHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BqlHuC,gB;YAA5B,W9BplHX,a8BolHgC,  
G9BplHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BilHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,  
OAAO,W;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAh  
B,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B1mHP,U;UADP,Y8B4mHe,W9B5mHH,W8B4mHwB,G9B5  
mHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B0mHuC,gB;YAA5B,W9BzmHX,a8BymHgC,G9BzmHhC,EAAS,MAA  
T,C;YACA,e;;;YAEA,c;;U8BsmHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;K  
AnBA,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAQW,kBAAM,eAAa,cAAb,C;QAqKA,Q;QAAA,2B;QAAb,OAAa  
,cAAb,C;UAAa,sB;UACT,WAAY,WajKiB,SaiKb,CAAU,IAAV,CAAJ,C;;QajKhB,OAkKO,W;MAjKX,C;KAT  
A,C;+EAWA,yB;MAAA,gE;MAAA,uC;QAQW,kBAAM,eAAa,cAAb,C;QAkKA,Q;QAAA,2B;QAAb,OAAa,cAA  
b,C;UAAa,sB;UACT,WAAY,WAnKiB,SAmKb,CAAU,IAAV,CAAJ,C;;QAnKhB,OAoKO,W;MAnKX,C;KATA,  
C;8EAWA,yB;MAAA,gE;MAAA,uC;QAQW,kBAAM,eAAa,cAAb,C;QAoKA,Q;QAAA,2B;QAAb,OAAa,cAAb,  
C;UAAa,sB;UACT,WAAY,WArKiB,SAqKb,CAAU,IAAV,CAAJ,C;;QArKhB,OAsKO,W;MArKX,C;KATA,C;+  
EAWA,yB;MAAA,gE;MAAA,uC;QAQW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;U  
AAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;MAvKX,C;KATA,C;4FA  
WA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OA  
Aa,cAAb,C;UAAa,sB;UACT,WAAY,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C  
;;QAtDhB,OAuDO,W;MAtdX,C;KAXA,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA  
wDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAZDwB,SAYDpB,EAAU,  
cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;MAzDX,C;KAXA,C;6FAaA,yB;MAAA,g  
E;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAA  
a,sB;UACT,WAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6  
DO,W;MA5DX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,  
YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sB

AAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;MA/DX,C;KAXA,C;;MAwBiB,UACiB,M;MAF9B,YAAY,  
C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IA  
AnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAaiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,  
C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;I  
ACX,C;;MAaiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,  
WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAaiB,UACiB,M;MAF9  
B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,W  
AAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA  
CT,WAAY,WAAI,UAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,Q;MAAA,2B;MAAb,OAAa,cA  
Ab,C;QAAa,sB;QACT,WAAY,WAAI,UAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,Q;MAAA,2B  
;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MA  
UiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAU,IAAV,CAAJ,C;;MACHB,OAA  
O,W;IACX,C;;MAQ4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAaiB,8BAajB,C;IACX,C;;MAQ4  
B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAaiB,8BAajB,C;IACX,C;;MAQ4B,mB;QAAE,gC;MA  
AF,C;IAAA,C;;MAAxB,OAAO,qBAaiB,8BAajB,C;IACX,C;;MAQ4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAx  
B,OAAO,qBAaiB,8BAajB,C;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,I  
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAA  
hB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OA  
AO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAA  
V,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;+EAEA,yB  
;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;MACnB,C;KAVA,C;+EAYA,yB;MAAA,0C;MAAA,4B;Q  
ASI,OAAe,IAAR,iBAAQ,C;MACnB,C;KAVA,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,  
C;MACnB,C;KAVA,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;MACnB,C;KAVA,C;;M  
AqBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OA  
AO,I;;MACrD,OAAO,K;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,  
UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,  
cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MA  
WoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA  
O,I;;MACrD,OAAO,K;IACX,C;;MAUoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB  
;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAUoB,Q;MADhB,YAAY,C;M  
ACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OA  
AO,K;IACX,C;;MAUoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,U  
AAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MAUoB,Q;MADhB,YAAY,C;MACI,2B;MAAh  
B,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;  
MAUoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAA  
V,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAUoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,  
cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAUoB,Q;  
MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,O  
AAvB,C;;MACpC,OAAO,W;IACX,C;;MAUoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MA  
F9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAA  
V,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MAF9  
C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,  
EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MAF9C,  
YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,E  
AAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MAF9C,Y  
AAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EA



AU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;0FAEA,yB;MA9wCI,8D;MA8w  
CJ,gD;QAUoC,Q;QAHhC,YArxCgB,cAAR,iBAAQ,C;QAsxChB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;U  
ACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAbA,  
C;2FAeA,yB;MArxCi,8D;MAqxCI,gD;QAUoC,Q;QAHhC,YA5xCgB,cAAR,iBAAQ,C;QA6xChB,kBAakB,O;Q  
ACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QA  
EIB,OAAO,W;MACX,C;KAbA,C;2FAeA,yB;MA5xCI,8D;MA4xCJ,gD;QAUoC,Q;QAHhC,YAnyCgB,cAAR,iB  
AAQ,C;QAoyChB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ  
,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAbA,C;2FAeA,yB;MAAnyCI,8D;MAmyCJ,gD;QAUo  
C,Q;QAHhC,YA1yCgB,cAAR,iBAAQ,C;QA2yChB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U  
AAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAbA,C;yGAeA,yB;  
MA10CI,8D;MA00CJ,gD;QAUI,YAp1CgB,cAAR,iBAAQ,C;QAq1ChB,kBAakB,O;QACIB,OAAO,SAAS,CAAh  
B,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;M  
ACX,C;KAjBA,C;yGAmbA,yB;MAr1CI,8D;MAq1CJ,gD;QAUI,YA/1CgB,cAAR,iBAAQ,C;QA2ChB,kBAakB,  
O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C  
;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAjBA,C;yGAmbA,yB;MAh2CI,8D;MAG2CJ,gD;QAUI,YA12CgB,cAA  
R,iBAAQ,C;QA22ChB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,  
KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAjBA,C;yGAmbA,yB;MA32CI,8D;M  
A22CJ,gD;QAUI,YAr3CgB,cAAR,iBAAQ,C;QAs3ChB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAA  
c,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAjBA  
,C;;MA0BoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MASoB,  
Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MASoB,Q;MAAA,2B;  
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MASoB,Q;MAAA,2B;MAAhB,OA  
AGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MAYiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MAYiB,UA  
Aa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAA  
gB,IAAhB,C;;IACvB,C;;MAYiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAA  
M,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MAYiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MAUiB,Q;  
MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MACG,OA1/CG,gBAAR,iBAAQ,C;M  
A0/ChB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICnoJ8D,YkCmoJ1D,GlCnoJ2E,KAAjB,EkCm  
oJpD,CICnoJiF,KAA7B,CkCmoJ1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IA  
AI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MACG,OAjgDG,gBAAR,iBAAQ,C;MAigDhB,a  
AAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IrB1oJ+D,aqB0oJ3D,GrB1oJ6E,KAAIB,EqB0oJrD,CrB1o  
JmF,KAA9B,CqB0oJ3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,  
C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MACG,OAxgDG,gBAAR,iBAAQ,C;MAwgDhB,aAAU,CAA  
V,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InCjrJ4E,0BmCirJxE,GnCjiJ8B,KAAL,GAAiB,GAhJ8B,EmCirJIE,C  
nCjiJwB,KAAL,GAAiB,GAhJ8B,CmCirJxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;M  
AFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MACG,OA/gDG,gBAAR,iBAAQ,C;MA+  
gDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IjCxrJ6E,0BiCwrJzE,GjC/iJ8B,KAAL,GAAiB,KA  
zi+B,EiCwrJnE,CjC/iJwB,KAAL,GAAiB,KazI+B,CiCwrJzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,  
C;mFAEA,yB;MA9iDI,8D;MA8iDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,  
CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1jDG,cAAR,iBAAQ,C;QA0jDhB,aAAU,CAAV,iB;UACI,QAA  
Q,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YAC  
V,WAAW,C;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA7jDI,8D;MA6jDJ,sC;QAYiB,Q;QAHb,IA  
AI,mBAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAzkDG,cAA  
R,iBAAQ,C;QAYkDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,I  
AAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAu  
BA,yB;MA5kDI,8D;MA4kDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL

,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAxlDG,cAAR,iBAAQ,C;QAwIDhB,aAAU,CAAV,iB;UACI,QAAQ,sBA  
AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3IDI,8D;MA2IDJ,sC;QAYiB,Q;QAHb,IAAI,mBA  
AJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAvmDG,cAAR,iBA  
AQ,C;QAumDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2  
BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;;MA+BiB,Q;  
MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAlpDG,gBAAR,iBAAQ,C;M  
AkpDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAA  
X,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O  
AAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAzpDG,gBAAR,iBAAQ,C;MAypDhB,aAAU,CAAV,iB;QACI  
,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,M  
AAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,  
CAAL,C;MACG,OAhqDG,gBAAR,iBAAQ,C;MAgqDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC  
R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IA  
CX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvtDG,gB  
AAR,iBAAQ,C;MAuqDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,  
EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,  
mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9sDG,gBAAR,iBAAQ,C;MA8sDhB,aAA  
U,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICv1J8D,YkCu1J1D,GICv1J2E,KAAjB,EkCu1JpD,CICv1JiF  
,KAA7B,CkCu1J1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;Q  
AAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OArtDG,gBAAR,iBAAQ,C;MAqtDhB,aAAU,CAAV,iB;  
QACI,QAAQ,sBAAK,CAAL,C;QACR,IrB91J+D,aqB81J3D,GrB91J6E,KAAlB,EqB81JrD,CrB91JmF,KAA9B,Cq  
B81J3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I  
;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA5tDG,gBAAR,iBAAQ,C;MA4tDhB,aAAU,CAAV,iB;QACI,QAAQ  
,sBAAK,CAAL,C;QACR,InCr4J4E,0BmCq4JxE,GnCrvJ8B,KAAL,GAAiB,GAhJ8B,EmCq4JIE,CnCrvJwB,KAA  
L,GAAiB,GAhJ8B,CmCq4JxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mB  
AAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAnuDG,gBAAR,iBAAQ,C;MamuDhB,aAAU,  
CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IjC54J6E,0BiC44JzE,GjCnwJ8B,KAAL,GAAiB,KazI+B,EiC44  
JnE,CjCnwJwB,KAAL,GAAiB,KazI+B,CiC44JzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;mFAEA  
,yB;MAIwDI,8D;MAkwDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;  
QACd,eAAe,SAAS,OAAT,C;QACF,OA9wDG,cAAR,iBAAQ,C;QA8wDhB,aAAU,CAAV,iB;UACI,QAAQ,sBA  
AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAjxDI,8D;MAixDJ,sC;QAYiB,Q;QAHb,IAAI,mBA  
AJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA7xDG,cAAR,iBAA  
Q,C;QA6xDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2B  
AAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;  
MAhyDI,8D;MAgyDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QA  
Cd,eAAe,SAAS,OAAT,C;QACF,OA5yDG,cAAR,iBAAQ,C;QA4yDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,C  
AAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;  
;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA/yDI,8D;MA+yDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,  
C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA3zDG,cAAR,iBAAQ,  
C;QA2zDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAA  
W,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;;MA+BiB,Q;MAF  
b,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA2tDG,gBAAR,iBAAQ,C;MA2D  
hB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,  
I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA72DG,gBAAR,iBAAQ,C;MA62DhB,aAAU,CAAV,iB;QACI,QAA  
Q,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,

C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp3DG,gBAAR,iBAAQ,C;MAo3DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp3DG,gBAAR,iBAAQ,C;MA23DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAWI,OAAO,mB;IACX,C;;MAWI,OAAO,mB;IACX,C;;MAWI,OAAO,mB;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;qFAEA,yB;MAAA,4F;MA9/DI,8D;MA8/DJ,uC;QAUqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAxgED,cAAR,iBAAQ,C;QAwgEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;qFAGBA,yB;MAAA,4F;MATgEI,8D;MASgEJ,uC;QAUqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAhED,cAAR,iBAAQ,C;QAgEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;qFAGBA,yB;MAAA,4F;MA9gEI,8D;MA8gEJ,uC;QAUqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAxhED,cAAR,iBAAQ,C;QAwEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;qFAGBA,yB;MAAA,4F;MAthEI,8D;MAshEJ,uC;QAUqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAhIED,cAAR,iBAAQ,C;QAgEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;mGAgBA,yB;MAAA,4F;MA9jEI,8D;MA8jEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OA3kED,cAAR,iBAAQ,C;QA2kEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAjBA,C;mGAmBA,yB;MAAA,4F;MAzkEI,8D;MAykEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAtIED,cAAR,iBAAQ,C;QAsIEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAjBA,C;mGAmBA,yB;MAAA,4F;MApIEI,8D;MAoIEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAjmED,cAAR,iBAAQ,C;QAimEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAjBA,C;mGAmBA,yB;MAAA,4F;MAIEI,8D;MA+IEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OA5mED,cAAR,iBAAQ,C;QA4mEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAjBA,C;+FAMBA,yB;MAAA,4F;MAIoEI,8D;MA0oEJ,uC;QAS0B,UAEU,M;QAJhC,YAjpEgB,cAAR,iBAAQ,C;QAKpEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;+FAGBA,yB;MAAA,4F;MALpEI,8D;MAkpEJ,uC;QAS0B,UAEU,M;QAJhC,YAzpEgB,cAAR,iBAAQ,C;QA0pEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;+FAGBA,yB;MAAA,4F;MALqEI,8D;MAkqEJ,uC;QAS0B,UAEU,M;QAJhC,YAZqEgB,cAAR,iBAAQ,C;QA0qEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBA

AI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;6GAgBA,yB;MAAA,4F;MA1sEI,8D;MA0sEJ,uC;QAY0B,Q;QAFtB,YAptEgB,cAAR,iBAAQ,C;QAqtEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAIBA,C;6GAoBA,yB;MAAA,4F;MAttEI,8D;MAstEJ,uC;QAY0B,Q;QAFtB,YAhuEgB,cAAR,iBAAQ,C;QAiuEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAIBA,C;6GAoBA,yB;MAAA,4F;MALuEI,8D;MAkuEJ,uC;QAY0B,Q;QAFtB,YA5uEgB,cAAR,iBAAQ,C;QA6uEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAIBA,C;6GAoBA,yB;MAAA,4F;MA9uEI,8D;MA8uEJ,uC;QAY0B,Q;QAFtB,YAxvEgB,cAAR,iBAAQ,C;QAYvEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAIBA,C;mFAoBA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MICx5KiD,SkCw5KjD,GICx5K2D,KAAK,GkCw5KzD,SAAS,OAAT,CICx5KoE,KAAx,IAAf,C;;QkC05KrD,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MICt6KiD,SkCs6KjD,GICt6K2D,KAAK,GkCs6KzD,SAAS,OAAT,CICt6KoE,KAAx,IAAf,C;;QkCw6KrD,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MICp7KiD,SkCo7KjD,GICp7K2D,KAAK,GkCo7KzD,SAAS,OAAT,CICp7KoE,KAAx,IAAf,C;;QkCs7KrD,OAAO,G;MACX,C;KAZA,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MICi8KiD,SkCk8KjD,GICi8K2D,KAAK,GkCk8KzD,SAAS,OAAT,CICi8KoE,KAAx,IAAf,C;;QkCo8KrD,OAAO,G;MACX,C;KAZA,C;;MA sBoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MA6DI,Wbh9KO,MAAK,Kag9KK,cbh9KL,Ea85KD,KakDKB,Obh9KjB,C;Mai9KZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAAnB,KaQDqB,CAAM,CAAN,CARDF,CAqDrB,C;;MARDT,OAuDO,I;IAtdX,C;;MAoEI,Wbn+KO,MAAK,Kam+KK,cbn+KL,Ea06KD,KAyDkB,Obn+KjB,C;Mao+KZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAAnB,Ka4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;IA7DX,C;;MA2EI,Wbt/KO,MAAK,Kas/KK,cbt/KL,Eas7KD,KAgEkB,Obt/KjB,C;Mau/KZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAMErB,C;;MAnET,OAqEO,I;IApEX,C;;MAkFI,WbzgLO,MAAK,KaygLK,cbzgLL,Eak8KD,KAuEkB,ObzgLjB,C;Ma0gLZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,Ka0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;IA3EX,C;+EAEA,yB;MAAA,gE;Mb58KA,iB;Ma48KA,8C;QAWI,Wbh9KO,MAAK,Kag9KK,cbh9KL,Eag9KW,KAAM,Obh9KjB,C;Qai9KZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;Mb/9KA,iB;Ma+9KA,8C;QAWI,Wbn+KO,MAAK,Kam+KK,cbn+KL,Eam+KW,KAAM,Obn+KjB,C;Qao+KZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;Mbl/KA,iB;Mak/KA,8C;QAWI,Wbt/KO,MAAK,Kas/KK,cbt/KL,Eas/KW,KAAM,Obt/KjB,C;Qau/KZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MbrgLA,iB;MaqgLA,8C;QAWI,

WbzgLO,MAAK,KaygLK,cbzgLL,EaygLW,KAAM,ObzgLjB,C;Qa0gLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,C  
AAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CA  
AJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;;MAiFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBb7kLJ,MAAK,  
Ka6kLwB,wBAnDzB,KAmDyB,EAawB,EAaxB,Cb7kLxB,Ea6kLqD,Sb7kLrD,Ca6kLD,C;MACX,QAAQ,C;MA  
CQ,OArDL,KaQDK,W;MAAhB,OAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB  
,IAAK,WAvDqB,GAuDp,uBAAK,UAAAL,EAak,kBAAL,UAvDO,EAuDI,OAvDJ,CAuDrB,C;;MAvDT,OAYDO,I  
;IAxDX,C;;MAyEoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBblmLJ,MAAK,KakmLwB,wBA5DzB,KA4DyB,  
EAawB,EAaxB,CblmLxB,EakmLqD,SblmLrD,CakmLD,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAh  
B,OAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAGeP,uBA  
AK,UAAAL,EAak,kBAAL,UAhEO,EAGeI,OAhEJ,CAGeRb,C;;MAhET,OAKEO,I;IAjEX,C;;MAkFoB,gB;MAHh  
B,gBAAgB,c;MACHB,WAAW,iBbnLJ,MAAK,KaunLwB,wBArEzB,KaQEyB,EAawB,EAaxB,CbvnLxB,EAun  
qD,SbvnLrD,CaunLD,C;MACX,QAAQ,C;MACQ,OAvEL,KAUeK,W;MAAhB,OAGb,cAAhB,C;QAAGb,yB;Q  
ACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAZEqB,GAYeP,uBAAK,UAAAL,EAak,kBAAL,UAZEO,  
EAYeI,OAZeJ,CAYeRb,C;;MAzET,OA2EO,I;IA1EX,C;;MA2FoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBb5  
oLJ,MAAK,Ka4oLwB,wBA9EzB,KA8EyB,EAawB,EAaxB,Cb5oLxB,Ea4oLqD,Sb5oLrD,Ca4oLD,C;MACX,Q  
AAQ,C;MACQ,OAhFL,KAGfK,W;MAAhB,OAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAo  
B,K;QACpB,IAAK,WAlFqB,GAKfP,uBAAK,UAAAL,EAak,kBAAL,UAlFO,EAKfI,OAlfJ,CakFrB,C;;MAIFT,O  
AoFO,I;IANfX,C;;+EAEA,yB;MAAA,kF;MAAA,gE;MbxkLA,iB;MawkLA,8C;QAcOB,UAEY,M;QAL5B,gBAAg  
B,c;QACHB,WAAW,eb7kLJ,MAAK,Ka6kLwB,wBAAN,KAAM,EAawB,EAaxB,Cb7kLxB,Ea6kLqD,Sb7kLrD,  
Ca6kLD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YA  
AoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C;;QAET,O  
AAO,I;MACX,C;KAnBA,C;;+EAqBA,yB;MAAA,kF;MAAA,gE;Mb7ILA,iB;Ma6ILA,8C;QAcOB,UAEY,M;QAL5  
B,gBAAgB,c;QACHB,WAAW,eblmLJ,MAAK,KakmLwB,wBAAN,KAAM,EAawB,EAaxB,CblmLxB,EakmLqD  
,SblmLrD,CakmLD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,S  
AAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C  
;;QAET,OAAO,I;MACX,C;KAnBA,C;;+EAqBA,yB;MAAA,kF;MAAA,gE;Mb1nLA,iB;MaknLA,8C;QAcOB,UAE  
Y,M;QAL5B,gBAAgB,c;QACHB,WAAW,ebvnLJ,MAAK,KaunLwB,wBAAN,KAAM,EAawB,EAaxB,CbvnLxB  
,EAunLqD,SbvnLrD,CaunLD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,  
KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAaqB,OAARb,  
CAAJ,C;;QAET,OAAO,I;MACX,C;KAnBA,C;;8EAqBA,yB;MAAA,kF;MAAA,gE;MbvoLA,iB;MauoLA,8C;QA  
coB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW,eb5oLJ,MAAK,Ka4oLwB,wBAAN,KAAM,EAawB,EAaxB,  
Cb5oLxB,Ea4oLqD,Sb5oLrD,Ca4oLD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGb,cAAhB,C;UAAgB,yB;UA  
CZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAaq  
B,OAARb,CAAJ,C;;QAET,OAAO,I;MACX,C;KAnBA,C;;MAGfI,WbhtLO,MAAK,KagLk,cbhtLL,Ea8pLD,KAK  
DkB,KbhtLjB,C;MaitLZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDq  
B,GAqDP,sBAAK,CAAL,CARDO,EAAnB,KaQDqB,aAAM,CAAN,CARDF,CAQDrB,C;;MARDT,OAUdO,I;IAtD  
X,C;;MAoEI,WbnuLO,MAAK,KamuLK,cbnuLL,Ea0qLD,KAYDkB,KbnuLjB,C;MaouLZ,WAAW,iBAAa,IAAb,C  
;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4D  
qB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;IA7DX,C;;MA2EI,WbtvLO,MAAK,KasvLK,cbtvLL,Ea  
srLD,KAGeKB,KbtvLjB,C;MauvLZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAA  
K,WAnEqB,GAMeP,sBAAK,CAAL,CANEO,EAAnB,KAmEqB,aAAM,CAAN,CANef,CAMeRb,C;;MANET,OAQ  
EO,I;IApEX,C;;MAkFI,WbzwLO,MAAK,KaywLK,cbzwLL,EaksLD,KAUeKB,KbzwLjB,C;Ma0wLZ,WAAW,iBA  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EA  
AnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;IA3EX,C;;+EAEA,yB;MAAA,gE;Mb5sLA,iB  
;Ma4sLA,8C;QAWI,WbhtLO,MAAK,KagLk,cbhtLL,EagtLW,KAAM,KbhtLjB,C;QaitLZ,WAAW,eAAa,IAAb,C  
;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,C  
AAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;;+EAmbA,yB;MAAA,gE;Mb/tLA,iB;Ma+tLA,8C;Q  
AWI,WbnuLO,MAAK,KamuLK,cbnuLL,EamuLW,KAAM,KbnuLjB,C;QaouLZ,WAAW,eAAa,IAAb,C;QACX,a

AAU,CAAV,MAAkB,IAAiB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MblvLA,iB;MakvLA,8C;QAWI,WbtvLO,MAAK,KasvLK,cbtvLL,EasvLW,KAAM,KbtvLjB,C;QauvLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAiB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MbrwLA,iB;MaqwLA,8C;QAWI,WbzwLO,MAAK,KaywLK,cbzwLL,EaywLW,KAAM,KbzwLjB,C;Qa0wLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAiB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;;MA2BoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MICp4LiD,SkCo4LjD,GICp4L2D,KAAK,GkCo4LzD,OICp4LoE,KAAx,IAAf,C;;MkCs4LrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MrB/4LmD,UqB+4LnD,GrB/4L8D,KAAK,KqB+4L5D,OrB/4LuE,KAAx,CAAhB,C;;MqBi5LvD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MIC6LiD,SkCg6LjD,GIC6L2D,KAAK,GAAW,CDgJ5C,SmCgxLxB,OnChxLkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MkCk6LrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MIC96LiD,SkC86LjD,GIC96L2D,KAAK,GAAW,CCiJ5C,SiC6xLxB,OjC7xLkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MkCg7LrD,OAAO,G;IACX,C;+EAEA,yB;MAAA,0C;MICluLA,6B;MkCkuLA,4B;QAOI,OIC/tLmC,ckC+tLpB,IAAR,iBAAQ,CIC/tLoB,C;MkCguLvC,C;KARA,C;+EAUA,yB;MAAA,0C;MrB7tLA,+B;MqB6tLA,4B;QAOI,OrB1tLsC,eqB0tLvB,IAAR,iBAAQ,CrB1tLuB,C;MqB2tL1C,C;KARA,C;+EAUA,yB;MAAA,sC;MA5hBA,wB;MA4hBA,iBAOiB,yB;QnCv0Lb,6B;;UmCu0Le,OnC9zLoB,cmC8zLpB,EnC9zL8B,KAAL,GAAiB,GAAtB,C;QmC8zLR,C;OAAAd,C;MAPjB,4B;QApHBoB,Q;QADhB,UAAgB,W;QACA,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MICp7KiD,SkCo7KjD,GICp7K2D,KAAK,GAAW,CDgJ5C,SmCoyKf,OnCpyKyB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;QkC88LrD,OAxhBO,G;MAyhBX,C;KARA,C;+EAUA,yB;MAAA,sC;MAxhBA,wB;MAwhBA,iBAOiB,yB;QjCh1Lb,6B;;UiCg1Le,OjCv0LoB,ciCu0LpB,EjCv0L8B,KAAL,GAAiB,KAAtB,C;QiCu0LR,C;OAAAd,C;MAPjB,4B;QAhhBoB,Q;QADhB,UAAgB,W;QACA,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MIC18KiD,SkCk8KjD,GIC18K2D,KAAK,GAAW,CCiJ5C,SiCizKf,OjCjzKyB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;QkCw9LrD,OApHBO,G;MAqhBX,C;KARA,C;;MCvgMoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;IACX,C;;MAUoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;IACX,C;;MAUoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnC CiD,SmCDjD,GnCC2D,KAAK,GmCDzD,OnCCoE,KAAx,IAAf,C;;MmCCrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MtBVmD,UsBUnD,GtBV8D,KAAK,KsBU5D,OtBVuE,KAAx,CAAhB,C;;MsBYvD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnC3BiD,SmC2BjD,GnC3B2D,KAAK,GAAW,CDgJ5C,SoCrHxB,OpCqHkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MmC6BrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnCzCiD,SmCyCjD,GnCzC2D,KAAK,GAAW,CCiJ5C,SkCxGxB,OICwGkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MmC2CrD,OAAO,G;IACX,C;;MCPGI,OpCsCkE,YoCtCvD,CpCsCwE,KAAjB,EoCtCID,CpCsC+E,KAA7B,CoCtCvD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OvBqCmE,auBrCxD,CvBqC0E,KAAIB,EUBrCnD,CvBqCiF,KAA9B,CuBrCxD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OrCIgF,0BqCjRE,CrCoJ2B,KAAL,GAAiB,GAhJ8B,EqCjHE,CrCoJsB,KAAL,GAAiB,GAhJ8B,CqCjRE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OnCGiF,0BmCHtE,CnC4I2B,KAAL,GAAiB,KAZI+B,EmCHjE,CnC4IsB,KAAL,GAAiB,KAZI+B,CmCHtE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;kFAEA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,C

AAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAA  
N,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,O  
AAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;;MAgBI,OpCtCkE,YoCs  
CvD,CpCtCwE,KAAjB,EoCsCID,CpCtC+E,KAA7B,CoCsCvD,KAAJ,GAAy,CAAZ,GAAmB,C;IAC9B,C;;MAQ  
I,OvBvCmE,auBuCxD,CvBvC0E,KAAiB,EUbuCnD,CvBvCiF,KAA9B,CuBuCxD,KAAJ,GAAy,CAAZ,GAAmB,  
C;IAC9B,C;;MAQI,OrCxEGF,0BqCwErE,CrCwE2B,KAAL,GAAiB,GAhJ8B,EqCwEhE,CrCwEsB,KAAL,GAAiB  
,GAhJ8B,CqCwErE,KAAJ,GAAy,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OnCzEiF,0BmCyEtE,CnCGE2B,KAAL,G  
AAiB,KAZI+B,EmCyEjE,CnCGEsB,KAAL,GAAiB,KAZI+B,CmCyEtE,KAAJ,GAAy,CAAZ,GAAmB,C;IAC9B,  
C;kFAEA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C  
;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EA  
AS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,  
MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MA  
AM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;MACX,C;KARA,C;gFC9IA,yB;MAAA,mC;MAAA,2  
C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;MACX,C;KAVA,C;;QAqBQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;;QACHB,+C  
;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;;UAHV,O;;IAKJ,C;;;QAWQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;  
;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;;UAHV,O;;IAKJ,C;;MAWI,OAAO,WAAW,IAAX,IAA  
mB,2BAAS,OAAT,C;IAC9B,C;;MAWI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;IAC9B,C;;MAQI,OAA  
O,2BtC0H4B,SsC1HnB,KtC0H6B,KAAL,GAAiB,GAAiB,CsC1H5B,C;IACX,C;;MAQI,OAAO,2BtC2H8B,UAA  
W,oBsC3HhC,KtC2H2B,KAAK,CAAL,UAAO,CsC3H9B,C;IACX,C;;MAQI,OAAO,2BrC0H8B,UAAW,oBqC1H  
hC,KrC0H2B,KAAK,CAAL,iBAAN,CqC1H9B,C;IACX,C;;MAQY,Q;MAAD,cAAC,OxBwB4C,UwBxB5C,KxB  
wBkD,yBwBxBxC,ExBwBwC,CAAN,CwBxB7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCrCsLR,SqCtLiB,K  
xB+GIB,KbuEW,QAAV,CqCtLQ,C;;MAA5C,a;IACJ,C;;MAQI,OAAO,2BpCuF4B,SoCvFnB,KpCuF6B,KAAL,G  
AAiB,KAAtB,CoCvF5B,C;IACX,C;;MAQI,OAAO,2BpCwF8B,UAAW,oBoCxFhC,KpCwF2B,KAAK,CAAL,YA  
AN,CoCxF9B,C;IACX,C;;MAWI,OAAO,uCAAgB,yBtCiEY,SsCjEI,StCiEM,KAAL,GAAiB,GAAiB,CsCjEZ,EtC  
iEY,SsCjEmB,EtCiET,KAAL,GAAiB,GAAiB,CsCjEZ,EAA4C,EAA5C,C;IAC3B,C;;MAWI,OAAO,uCAAgB,yB  
AAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;IAC3B,C;;MAWI,OAAO,wCAAiB,yBAAGB,SAAhB,EAAsB,  
EAAtB,M;IAC5B,C;;MAWI,OAAO,uCAAgB,yBpC8BY,SoC9BI,SpC8BM,KAAL,GAAiB,KAAtB,CoC9BZ,EpC  
8BY,SoC9BmB,EpC8BT,KAAL,GAAiB,KAAtB,CoC9BZ,EAA4C,EAA5C,C;IAC3B,C;;MAQI,OAAO,uCAAgB,  
yBAAGB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC3B,C;;MAQI,OAAO,wCAAiB,yBAAGB,c  
AAhB,EAAsB,eAAtB,EAA8B,cAAD,aAA7B,C;IAC5B,C;;MAQI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;M  
ACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAy,CAAhB,GAAmB,IAAnB,  
GAA6B,CAAC,IAAD,IAA1D,C;IAC3B,C;;MAQI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,w  
CAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAy,CAAhB,GAAmB,IAAnB,GAA8B,IAAD,  
aAA1D,C;IAC5B,C;;MAUI,ItCtMgF,0BsCsM5E,EtCtDkC,KAAL,GAAiB,GAhJ8B,EsCsMtE,6BAAM,UtCtDsB,  
KAAL,GAAiB,GAhJ8B,CsCsM5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;MACHC,WtCrBuB,SsCqB5B,StCrBsC,K  
AAL,GAAiB,GAAiB,C;MsCqBV,YAAK,W;MAA9B,OrCnG6D,oBArDP,SAAU,CDmI7B,SsCqBV,EtCrBoB,KA  
AL,GAAiB,GAAiB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAqDO,C;IqCoGjE,C;;MAUI,IrCIMkE,YqCkM  
9D,ErCIM+E,KAAjB,EqCkMxD,4BAAK,UrCIMgF,KAA7B,CqCkM9D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MA  
C3C,OrC/G6D,cqC+GtD,SrC/GsD,EARDP,SqCoKtC,ErCpKgD,KAAK,GAAy,CqCoK5D,WtCrP4D,MAAZ,IAAf  
,CAqDO,C;IqCgHjE,C;;MAUI,IxBtMmE,awBsM/D,ExBtMiF,KAAiB,EwBsMzD,6BAAM,UxBtMiF,KAA9B,Cw  
BsM/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OxB3H+D,iBwB2HxD,SxB3HwD,EAlDP,UwB6KxC,ExB  
7KmD,KAAK,UAAy,CbkJ/C,UAAW,oBAAL,CqC2BtB,WrC3BsB,MAAK,CAAL,iBAAN,CalJ+C,MAAZ,CAAh  
B,CAkDO,C;IwB4HnE,C;;MAUI,IpClOIF,0BoCkO7E,EpCzFkC,KAAL,GAAiB,KAZI+B,EoCkOvE,8BAAO,UpC  
zFqB,KAAL,GAAiB,KAZI+B,CoCkO7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WpCxDuB,SoCwD5B,SpC  
xDsC,KAAL,GAAiB,KAAtB,C;MoCwDV,YAAK,W;MAA9B,OrCvI6D,oBArDP,SAAU,CCoI7B,SoCwDV,EpCx  
DoB,KAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAqDO,C;IqCwIjE,C;;MAYI,OrCxOk  
E,YqCwOvD,SrCxOwE,KAAjB,EqCwOhD,YrCxO6E,KAA7B,CqCwOvD,IAAJ,GAAyB,YAAzB,GAA2C,S;IACt





C3B,iBAAU,K;;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;IACjB,C;;;MAO0E,sB;MAAjB,gB;MA  
CzD,sBAA2B,I;MAC3B,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAAuB,cAAJ,G  
AAa,KAAb,GAAwB,mB;IAHV,C;;MAKC,qB;IAAA,C;;MAG9B,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QAC  
I,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;IACX,C;  
;;MAO8E,uB;MAAIB,gB;MAC5D,sBAA2B,I;MAC3B,iBAAmC,uBAAO,CAAX,GAAc,sBAAS,IAAT,MAAd,GA  
AiC,sBAAS,IAAT,M;MACHe,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;IAHT,C;;MAKA,qB;IAAA,C;;MAG9B,  
YAAY,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K  
;;;QAGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K;IACX,C;;;MCvBA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,  
gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K;  
MAEzB,YAG6F,OAArE,0BAA0B,KAAM,IAAhC,EAAyC,YAAa,IAAtD,EAA+D,IAA/D,CAAqE,C;MAE7F,YA  
GuB,I;IAxBvB,C;;MA0BwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;IAAA,C;;MAGH,OAAI,YAA  
O,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;IAAxC,C;;MAGjC,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,e  
AAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;IAAA,C;;MAIA,O  
AAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAkK,UAAM,IAAX,UAAqB,SAAK,IAA1B,KAAN,SAA2C,SAA3C,I;  
IAAxB,C;;MAE8B,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAAnC,GAA8C,oBAAE,  
UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;IAA9C,C;;MAEIC,yC;IAAA,C;;MAS+F,2BAAgB,U  
AAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;IAAA,C;;;MAT/F,gD;QAAA,+B;;MAAA,yC;IAAA,C;;;MAYDA,sC;M  
AjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,  
gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAG4F,0BAArC,KAaqC,EAAf,YAAe,EAAN,IAAM,C;MAE  
5F,YAGuB,I;IAxBvB,C;;MA0BuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAApC,C;IAAA,C;;MAGF,OAAI,  
YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;IAAxC,C;;MAGjC,gDAA4B,kBAAa,KAAM,UAAAnB,KAC  
5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;IAAA,C;;MAI  
A,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAL,QAAa,SAAb,IAAN,SAA2B,SAA3B,I;IAAxB,C;;M  
AE8B,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eA  
A4B,CAAC,SAAD,IAA5B,C;IAA9C,C;;MAEIC,wC;IAAA,C;;MAS4F,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,I  
AArC,C;IAAA,C;;;MAT5F,+C;QAAA,8B;;MAAA,wC;IAAA,C;;MAYDA,uC;MAjCI,IAAI,gBAAJ,C;QAAgB,M  
AAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAGyB,K;MA  
EzB,YAG+F,4BAAvC,KAauC,EAAhB,YAAgB,EAAN,IAAM,C;MAE/F,YAGwB,I;IAxBxB,C;;MA0BwC,mCA  
AwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;IAAA,C;;MAGH,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,  
KAAd,GAAgC,2BAAQ,SAAR,K;IAAhC,C;;MAGjC,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,  
MAAf,KAAwB,kBAAQ,KAAM,KAAd,CAAxB,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;IAAA,C;;MAI  
A,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6B  
AAU,EAAY,CAAV,CAApC,CAAN,MAAuE,cAAU,6BAAU,EAAY,CAAV,CAAvE,CAAiG,Q;IAAZH,C;;MAE8  
B,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,yBAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAA  
hB,yBAA6B,SAAD,aAA5B,W;IAA9C,C;;MAEIC,yC;IAAA,C;;MASgG,2BAAgB,UAAhB,EAA4B,QAA5B,EAA  
sC,IAAtC,C;IAAA,C;;;MATHg,gD;QAAA,+B;;MAAA,yC;IAAA,C;;;MChJkD,+BAAS,UAAT,UAAkB,wBAA  
S,iBAAT,M;IAAIB,C;;MAKIB,oCAAQ,iBAAR,K;IAAA,C;;;MzCDhC,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,Y  
AAvB,EAAqC,CAArC,C;IAApC,C;;MACe,8B;IAAA,C;;MACO,6B;IAAA,C;;MAEM,qBAAS,KAAT,IAAkB,SA  
AS,S;IAA3B,C;;MAEZ,oBAAQ,S;IAAR,C;;MAG9B,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,eAAS,KAAM,M  
AAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,UAAM,  
IAAX,UAAqB,SAAK,IAA1B,K;IAAxB,C;;MAE8B,2BAAE,UAAF,+BAAU,SAAV,C;IAAA,C;;MAEIC,mC;MA  
CI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;IAFIC,C;;;MAAA,0C;QAAA,yB;;MA  
AA,mC;IAAA,C;;;MA0BA,gC;MAjBmD,0BAAe,KAAf,EAAsB,YAAtB,EAAoC,CAApC,C;IAAIC,C;;MACe,iB;I  
AAA,C;;MACO,gB;IAAA,C;;MAEM,qBAAS,KAAT,IAAkB,SAAS,S;IAA3B,C;;MAEX,oBAAQ,S;IAAR,C;;MA  
G9B,0CAAsB,kBAAa,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;I  
AAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,QAAa,SAAb,I;IAAxB,C;;MAE8B,OAAE,UA  
AF,qBAAU,S;IAAV,C;;MAEIC,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;IAFjC,C;;;MAAA,yC;QAAA,w  
B;;MAAA,kC;IAAA,C;;;MA0BA,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,K;IAApC,C;;MACe,iB;IAAA,

C;;MACO,gB;IAAA,C;;MAEM,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;IAAIB,C;;MAEZ,kCAAQ,SAAR,K;IA  
AA,C;;MAG9B,2CAAuB,kBAaA,KAAM,UAAuB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KA  
Ad,CADD,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAx,CAAX  
,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAApC,CAA8D,Q;IAAtF,C;;MAE8B,OAAE,UAAf,qBAAU,SA  
AV,W;IAAA,C;;MAEIC,mC;MACI,aAC8B,qB;IAFIC,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;;M0C/DJ,  
oB;IAAA,C;;MAI8B,oB;IAAA,C;;;MAJ9B,2B;QAAA,U;;MAAA,oB;IAAA,C;;MCEA,e;MAAA,iB;MAAA,uB;I  
AAA,C;;MAAA,0C;MAAA,C;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAE  
A,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;IAhCJ,C;;MAII,6B;MAAA,sC  
;IAAA,C;;MAEA,6B;MAAA,iD;IAAA,C;;MAEA,6B;MAAA,+C;IAAA,C;;MAEA,6B;MAAA,yC;IAAA,C;;M  
AEA,6B;MAAA,sC;IAAA,C;;MAEA,6B;MAAA,+C;IAAA,C;;MAEA,6B;MAAA,gD;IAAA,C;;MAEA,6B;MA  
AA,4C;IAAA,C;;MAEA,6B;MAAA,yC;IAAA,C;;MAEA,6B;MAAA,gD;IAAA,C;;MAEA,6B;MAAA,gD;IAAA  
,C;;MAEA,6B;MAAA,qC;IAAA,C;;MAEA,6B;MAAA,2C;IAAA,C;;MAEA,6B;MAAA,qC;IAAA,C;;MAEA,6  
B;MAAA,0C;IAAA,C;;MAhCJ,+oB;IAAA,C;;MAAA,a;aAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UA  
AA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;a  
AAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;  
UAAA,0C;aAAA,W;UAAA,+C;gBAAA,uE;IAAA,C;;MAqCA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;M  
AAA,C;MAMI,0E;MAEA,0E;MAEA,4E;IAVJ,C;;MAMI,gC;MAAA,0C;IAAA,C;;MAEA,gC;MAAA,0C;IAAA  
,C;;MAEA,gC;MAAA,2C;IAAA,C;;MAVJ,sI;IAAA,C;;MAAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAA  
A,S;UAAA,gD;gBAAA,0E;IAAA,C;;MAwB+B,oC;IAAD,C;;MAQI,qB;QAAA,iD;MAAA,kB;IAAD,C;;IAEjC,  
C;;IAMA,C;;IC/EA,C;;IAQA,C;;MCjBI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,GAAd,GAAuB,  
MAAM,CAAN,I;IACIC,C;;MAGI,UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,GAAd,GAAuB,  
QAAM,CAAN,C;IACIC,C;;MAII,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAA  
Z,IAAJ,EAA2B,CAA3B,C;IACX,C;;MAGI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAY,MAAI,CAAJ,EA  
AO,CAAP,CAAZ,CAAJ,EAA2B,CAA3B,C;IACX,C;;MAoBI,WAAO,CAAP,C;QAD2E,OAC3D,SAAS,GAAb,G  
AAkB,GAAIB,GAA2B,MAAM,iBAaIB,GAAjB,EAA5B,KAAtB,EAA6B,IAA7B,CAAN,I;WACvC,WAAO,CAA  
P,C;QAF2E,OAE3D,SAAS,GAAb,GAAkB,GAAIB,GAA2B,MAAM,iBAaIB,KAaIB,EAAwB,GAAxB,EAA6B,C  
AAC,IAAD,IAA7B,CAAN,I;QAC/B,MAAa,gCAAYB,eAAzB,C;IAHsD,C;;MAwB3E,sBAAO,CAAP,C;QAD+E,  
OAC/D,sBAAS,GAAT,MAAJ,GAaKB,GAAIB,GAA2B,aAAM,mBAaIB,GAAjB,EAA5B,KAAtB,EAA6B,IAA7  
B,CAAN,C;WACvC,sBAAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAaKB,GAAIB,GAA2B,QAAM,m  
BAaIB,KAaIB,EAAwB,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAa,gCAAYB,eAAzB,C;IAH0D,C;  
;;;;;;MCnB/E,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,yC;MAAA,C;MAKI,sE;MAGA,0F;MAGA,gE;I  
AXJ,C;;MAKI,4B;MAAA,wC;IAAA,C;;MAGA,4B;MAAA,kD;IAAA,C;;MAGA,4B;MAAA,qC;IAAA,C;;MA  
XJ,sI;IAAA,C;;MAAA,a;aAAA,U;UAAA,6C;aAAA,oB;UAAA,uD;aAAA,O;UAAA,0C;gBAAA,mE;IAAA,C;;;  
;;;;;;MCwBA,uC;MATI,wB;MAIA,gB;IAL0B,C;;MAU9B,yC;MACI,YAMmC,oB  
AAgB,IAAhB,EAA5B,IAAtB,C;IAPvC,C;;MAeY,8DAAqC,IAArC,C;IAAA,C;;MAOA,uDAA8B,IAA9B,C;IAAA  
,C;;MAOA,wDAA+B,IAA/B,C;IAAA,C;;MA7BZ,gD;QAAA,+B;;MAAA,yC;IAAA,C;;MATI,oB;IAXR,C;;MA  
eQ,gB;IAfR,C;;MAAA,2BAWQ,8CAXR,EAeQ,kCAfR,C;IAAA,C;;MAAA,OAWQ,4DAXR,IAeQ,sCAfR,O;IAA  
A,C;;MAAA,c;MAWQ,yD;MAIA,qD;MAfR,a;IAAA,C;;MAAA,4IAWQ,4CAXR,IAeQ,oCAfR,I;IAAA,C;;;MCI  
CA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,mC;MAAA,C;MAYI,4D;MAKA,8C;MAKA,gD;IAtBJ,C;;MAYI,s  
B;MAAA,mC;IAAA,C;;MAKA,sB;MAAA,4B;IAAA,C;;MAKA,sB;MAAA,6B;IAAA,C;;MAtBJ,mG;IAAA,C;;  
MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,K;UAAA,kC;gBAAA,6D;IAAA,C;;MCAA,e;MAAA,i  
B;MAAA,uB;IAAA,C;;MAAA,qC;MAAA,C;MAYI,0D;MAKA,gE;MAKA,8D;MAKA,4D;IA3BJ,C;;MAYI,wB;  
MAAA,kC;IAAA,C;;MAKA,wB;MAAA,qC;IAAA,C;;MAKA,wB;MAAA,oC;IAAA,C;;MAKA,wB;MAAA,mC  
;IAAA,C;;MA3BJ,qJ;IAAA,C;;MAAA,a;aAAA,Q;UAAA,uC;aAAA,W;UAAA,0C;aAAA,U;UAAA,yC;aAAA,S;  
UAAA,wC;gBAAA,+D;IAAA,C;;MtD4eW,Q;MAAA,IqBxegB,KrBwez,IAAS,CAAT,IqBxeY,KrBweE,IAAS,w  
BAA3B,C;QAAA,OAA5C,UqBxetB,KrBwesB,C;;QqBxeb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAA  
tC,W;IACJ,C;;MrBifW,Q;MAAA,IqBzegB,KrByeZ,IAAS,CAAT,IqBzeY,KrByeE,IAAS,0BAA3B,C;QAAA,OAA  
sC,UqBzetB,KrByesB,C;;QqBzeb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkfW,

Q;MAAA,IqB1egB,KrB0eZ,IAAS,CAAT,IqB1eY,KrB0eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB1etB,KrB0esB,C;;QqB1eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmfW,Q;MAAA,IqB3egB,KrB2eZ,IAAS,CAAT,IqB3eY,KrB2eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB3etB,KrB2esB,C;;QqB3eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBofW,Q;MAAA,IqB5egB,KrB4eZ,IAAS,CAAT,IqB5eY,KrB4eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB5etB,KrB4esB,C;;QqB5eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqfW,Q;MAAA,IqB7egB,KrB6eZ,IAAS,CAAT,IqB7eY,KrB6eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB7etB,KrB6esB,C;;QqB7eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsfW,Q;MAAA,IqB9egB,KrB8eZ,IAAS,CAAT,IqB9eY,KrB8eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB9etB,KrB8esB,C;;QqB9eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBufW,Q;MAAA,IqB/egB,KrB+eZ,IAAS,CAAT,IqB/eY,KrB+eE,IAAS,0BAA3B,C;QAAA,OAAc,UqB/etB,KrB+esB,C;;QqB/eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwfW,Q;MAAA,IqBhfgB,KrBgfZ,IAAS,CAAT,IqBhfY,KrBgfE,IAAS,0BAA3B,C;QAAA,OAAc,UqBhftB,KrBgfsB,C;;QqBhfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MAMI,OAAO,cAAa,SAAb,C;IACX,C;oFAEA,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;MAC1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,SAA8B,C;MACzC,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;MAC1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;MAC3C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAwC,OAAjC,SAAiC,C;MAC5C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAyC,OAAiC,SAAkC,C;MAC7C,C;KANA,C;;MAYW,8B;MAAS,uB;IAAT,C;;MAC4B,OAAA,gBAA Y,O;IAAZ,C;;MACG,OAAA,gBrBupM/B,YAAQ,C;IqBvpMuB,C;;MACc,OAAy,WAAZ,gBAAy,EAAS,OAAT,C;IAAZ,C;;MAE5C,oCAAa,2BAAkB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAy,KAAZ,E;IACX,C;;MAE S,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB,UAAZ,gBAAy,EAAY,EAAY,OAAZ,C;IACvB,C;;MAfJ,0C;IAiBJ,C;wFAsVA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAyB,C; QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAGB,WAAhB,EAA6B,iB AA7B,EAAgD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;MACX,C;KatBA,C;wFAwBA,yB;MAAA,8C;MA AA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UA AU,SAAV,EAA0C,WAA1C,EAAlF,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;MACX,C;K AtBA,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAA G,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAMF,iBAAnF,EAASG,UAAtG,EAaKH,QA AIH,C;QACA,OAAO,W;MACX,C;KatBA,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UAAA,oBAAyB, C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAYC,WAAzC,EAA+E,i BAA/E,EAaK,G,UAAIG,EAA8G,QAA9G,C;QACA,OAAO,W;MACX,C;KatBA,C;wFAwBA,yB;MAAA,8C;MA AA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UA AU,SAAV,EAA0C,WAA1C,EAAlF,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;MACX,C;K AtBA,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAA G,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAMF,iBAAnF,EAASG,UAAtG,EAaKH,QA AIH,C;QACA,OAAO,W;MACX,C;KatBA,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAyB, C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAaqF,i BAArF,EAawG,UAAxG,EAAoH,QAApH,C;QACA,OAAO,W;MACX,C;KatBA,C;wFAwBA,yB;MAAA,8C;MA AA,kF;QAmB0E,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UA AU,SAAV,EAA6C,WAA7C,EAAlF,iBAAvF,EAA0G,UAA1G,EAASh,QAAhH,C;QACA,OAAO,W;MACX,C;K AtBA,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAA G,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAlF,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;MACX,C;KAtBA,C;;MA+BI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5 B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MAQW,WAAS,W;MAAT,YAA2B,SA AY,Q;MkC/jB9C,eAAiB,I;MIC+jBjB,OkC9jBO,K;IIC+jBX,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,S AAY,Q;IAC5B,C;;MAQW,WAAS,c;MAAT,YAA8B,SAAY,Q;MkC5lBjD,eAAiB,I;MIC4lBjB,OkC3lBO,K;IIC4l

BX,C;;MAQW,WAAS,W;MAAT,YAA2B,SAAY,Q;MkCrmB9C,eAAiB,I;MICqmBjB,OkCpmBO,K;IICqmBX,C;;  
MDrxBI,IAAI,ECiyBI,WAAW,CDjyBf,CAAJ,C;QACI,cCgyBoB,0C;QD/xBpB,MAAM,gCAAyB,OAAQ,WAAjC  
,C;;MCgyBV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAF,C;IACX,C;;MDnyBI,IAAI,EC+yBI,WAAW,CD/y  
Bf,CAAJ,C;QACI,cC8yBoB,0C;QD7yBpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MC8yBV,OAAO,SAAS,SAAT,  
EAAe,eAAW,OAAx,CAAF,C;IACX,C;;MDjzBI,IAAI,EC6zBI,WAAW,CD7zBf,CAAJ,C;QACI,cC4zBoB,0C;QD  
3zBpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MC4zBV,OAAO,SAAS,SAAT,EAAe,eAAS,OAAAT,CAAF,C;IACX,  
C;;MD/zBI,IAAI,EC20BI,WAAW,CD30Bf,CAAJ,C;QACI,cC00BoB,0C;QDz0BpB,MAAM,gCAAyB,OAAQ,WA  
AjC,C;;MC00BH,WAAS,W;MAAT,YAAsB,gBAAGb,SAAhB,EAAsB,OAAtB,K;MkC7pB7B,eAAiB,I;MIC6pBj  
B,OkC5pBO,K;IIC6pBX,C;;MD70BI,IAAI,ECy1BI,WAAW,CDz1Bf,CAAJ,C;QACI,cCw1BoB,0C;QDv1BpB,M  
AAM,gCAAyB,OAAQ,WAAjC,C;;MCw1BV,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAx,CAAF,C;IACX,C;;MD  
31BI,IAAI,ECu2BI,WAAW,CDv2Bf,CAAJ,C;QACI,cCs2BoB,0C;QDr2BpB,MAAM,gCAAyB,OAAQ,WAAjC,C  
;;MCs2BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAF,C;IACX,C;;MDz2BI,IAAI,ECq3BI,WAAW,CDr3Bf  
,CAAJ,C;QACI,cCo3BoB,0C;QDn3BpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCo3BH,WAAS,c;MAAT,YAAy  
B,gBAAGb,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;MkCvsBhC,eAAiB,I;MICusBjB,OkCtsBO,K;IICusBX,C;;  
MDv3BI,IAAI,ECm4BI,WAAW,CDn4Bf,CAAJ,C;QACI,cCk4BoB,0C;QDj4BpB,MAAM,gCAAyB,OAAQ,WAA  
jC,C;;MCK4BH,WAAS,W;MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OAAV,CAAF,C;MkCrtB7B,eAAiB,I;MIC  
qtBjB,OkCptBO,K;IICqtBX,C;;MDr4BI,IAAI,ECk5BI,WAAW,CDl5Bf,CAAJ,C;QACI,cCi5BoB,0C;QDh5BpB,M  
AAM,gCAAyB,OAAQ,WAAjC,C;;MCi5BV,OAAO,gBAAGb,SAAhB,EAAsB,OAAtB,EAA+B,IAA/B,C;IACX,C  
;;MAUI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAA  
iB,OAAjB,C;IAC5B,C;;MASI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SA  
AY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MASI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,  
C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MASI,oCAAa,2BAAkB,SAAIb,EAA6B,OA  
A7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MASI,oCAAa,2BAAk  
B,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,  
OAAjB,C;MkC5x9C,eAAiB,I;MIC4xBjB,OkC3xBO,K;IIC4xBX,C;;MASI,oCAAa,2BAAkB,SAAIb,EAA6B,OA  
A7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MASI,oCAAa,2BAAk  
B,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;  
MASI,oCAAa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACN,WAAS,c;MAAT,YAA8B,SAAY,O  
AAM,SAAN,EAAiB,OAAjB,C;MkC7zBjD,eAAiB,I;MIC6zBjB,OkC5zBO,K;IIC6zBX,C;;MASI,oCAAa,2BAAkB  
,SAAIb,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,O  
AAjB,C;MkCx0B9C,eAAiB,I;MICw0BjB,OkCv0BO,K;IICw0BX,C;;MAOI,OAAy,SAAY,QAAO,CAAQ,OAAR,  
CAAP,C;IAC5B,C;IFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,eAAy,OAAZ,EAwIL,C;MAvIX,C;  
KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,  
C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAAW,OAAx,EAwIL,C;MAvIX,C;KANA,C;iFA  
QA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;iFAQA,y  
B;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAa,OAAb,EAwIL,C;MAvIX,C;KANA,C;gFAQA,yB;MAw  
IA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAc,OAAAd,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;M  
AxIA,qC;QAKI,OAwIO,gCaxIK,sBA Ae,OAaf,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC  
;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;;MAAI,OAAO,oBAAoB,SAAPb,EAA0B,  
QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EA  
AsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,  
KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAAL,SA  
AK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,O  
AAO,oBAAoB,SAAPb,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,Q  
AAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAA  
L,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MA  
MI,OAAO,oBAAoB,SAAPb,EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAA  
O,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAOI,OAAy,SAAY,QAA



AAO,CAAP,EAAU,CAAV,C;MACHB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KA  
AI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MACHB,C;KARA,C;;MUnPW,Q;MAAA,IuBXgB,KvBWZ,IAAS,CAA  
T,IuBXY,KvBWE,IAAS,2BAA3B,C;QAAA,OAAc,qBuBXtB,KvBWsB,C;;QuBXb,MAAM,8BAA0B,mCAAYB,  
gBAaZB,MAA1B,C;;MAAtC,W;IACJ,C;;MpBkPe,WqBjPY,KrBiPZ,IAAS,C;MAAT,S;QAAC,OqBjPF,KrBiPE,I  
A67FT,gBAAR,iBAAQ,C;;MA77FT,U;MAAA,S;QAAA,SAAsC,sBqBjPtB,KrBiPsB,C;;QqBjPb,MAAM,8BAA0  
B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;IACJ,C;;MrB4Pe,WqBIPY,KrBkPZ,IAAS,C;MAAT,S;QAAC,OqBIPF,K  
rBkPE,IAy7FT,gBAAR,iBAAQ,C;;MAz7FT,U;MAAA,S;QAAA,SAAsC,sBqBIPtB,KrBkPsB,C;;QqBIPb,MAAM,  
8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;IACJ,C;;MrB6Pe,WqBnPY,KrBmPZ,IAAS,C;MAAT,S;QAAC,O  
qBnPF,KrBmPE,IAq7FT,gBAAR,iBAAQ,C;;MAr7FT,U;MAAA,S;QAAA,SAAsC,sBqBnPtB,KrBmPsB,C;;QqBn  
Pb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;IACJ,C;;MrB8Pe,WqBpPY,KrBoPZ,IAAS,C;MAAT  
,S;QAAC,OqBpPF,KrBoPE,IAi7FT,gBAAR,iBAAQ,C;;MAj7FT,U;MAAA,S;QAAA,SAAsC,sBqBpPtB,KrBoPsB,  
C;;QqBpPb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;IACJ,C;;MAQW,8B;MAAS,uB;IAAT,C;;M  
AC4B,OAAA,gBAAY,K;IAAZ,C;;MACG,OAAA,gBAAY,U;IAAZ,C;;MACc,OAAA,gBAAY,gBAAS,OAAT,C;I  
AAZ,C;;MAE5C,oCAAA,2BAakB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;IACX,C;;MAES,  
Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAGC,OAAO,E;MACvC,OrBmmBO,UqBnmBA,gBrBmmBR,QAAQ,E  
qBnmBoB,OvD2HF,KkCwelB,C;IqBlmBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAGC,OAAO,E;  
MACvC,OrB+zBO,cqB/zBA,gBrB+zBR,QAAQ,EqB/zBwB,OvDuHN,KkCwsBIB,C;IqB9zBX,C;;MAfJ,4C;IAiBJ  
,C;;MAQW,8B;MAAS,uB;IAAT,C;;MAC4B,OAAA,gBAAY,K;IAAZ,C;;MACG,OAAA,gBAAY,U;IAAZ,C;;MA  
Ce,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,C;;MAE7C,oCAAA,2BAakB,KAAIB,EAAyB,SAAZB,C;MACb,OAA  
O,6BAAY,KAAZ,C;IACX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAACi,OAAO,E;MACxC,OrBoIB  
O,UqBplBA,gBrBoIBR,QAAQ,EqBplBoB,O1C6GA,KqBuepB,C;IqBnlBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EA  
AD,QAAJ,C;QAACi,OAAO,E;MACxC,OrBgZBO,cqBhzBA,gBrBgZBR,QAAQ,EqBhzBwB,O1CyGJ,KqBusBpB,  
C;IqB/yBX,C;;MAfJ,4C;IAiBJ,C;;MAQW,8B;MAAS,uB;IAAT,C;;MAC4B,OAAA,gBAAY,K;IAAZ,C;;MACG,  
OAAA,gBAAY,U;IAAZ,C;;MACe,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,C;;MAE7C,oCAAA,2BAakB,KAAIB  
,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;IACX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QA  
AiC,OAAO,E;MACxC,OrBqkBO,UqBrkBA,gBrBqkBR,QAAQ,EqBrkBoB,OxD6CA,KmCwhBpB,C;IqBpkBX,C;  
;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAACi,OAAO,E;MACxC,OrBiyBO,cqBjyBA,gBrBiyBR,QAAQ  
,EqBjyBwB,OxDyCJ,KmCwvBpB,C;IqBhyBX,C;;MAfJ,4C;IAiBJ,C;;MAQW,8B;MAAS,uB;IAAT,C;;MAC4B,O  
AAA,gBAAY,K;IAAZ,C;;MACG,OAAA,gBAAY,U;IAAZ,C;;MACgB,OAAA,gBAAY,gBAAS,OAAT,C;IAAZ,  
C;;MAE9C,oCAAA,2BAakB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;IACX,C;;MAES,Q;MA  
AL,IAAI,eAAC,0EAAD,SAAJ,C;QAACk,OAAO,E;MACzC,OrBsjBO,UqBtjBA,gBrBsjBR,QAAQ,EqBtjBoB,Ot  
D+BE,KiCuhBtB,C;IqBrjBX,C;;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAACk,OAAO,E;MACzC,OrBkx  
BO,cqBlxBA,gBrBkxBR,QAAQ,EqBlxBwB,OtD2BF,KiCuvBtB,C;IqBjxBX,C;;MAfJ,4C;IAiBJ,C;;MCnJ+C,OA  
AA,SAAY,Y;IAAZ,C;;MAGH,OAAA,SAAY,S;IAAZ,C;;MAGY,OAAA,SAAY,QAAO,MAAP,C;IAAZ,C;;MAG  
a,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,C;IAAZ,C;;MAGb,OAAA,SAAY,QAAO,IAAP,C;IAAZ,C;;MAG4B,  
OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAApB,C;IAAZ,C;;MAGxC,OAAA,SAAY,S;IAAZ,C;;MAG  
G,OAAA,SAAY,Y;IAAZ,C;;MAGY,OAAA,SAAY,WAAU,MAAV,C;IAAZ,C;;MAGX,OAAA,SAAY,a;IAAZ,C;  
;;gFzCvBhd,yB;MAAA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAA  
d,C;MAAA,C;MAD5C,kF;MAAA,6B;QAAsG,+C;MAAA,C;KAAAtG,C;;M0CF+B,oB;QAAA,OAA0B,E;MAA1B,  
gB;IAAD,C;;IAE9B,C;;IAIA,C;;IAIA,C;;MAKkC,oB;QAAA,OAA0B,E;MAA1B,gB;IAAD,C;;IAEjC,C;;MAq  
CsC,gB;IAAD,C;;MAGCJ,sB;IAAD,C;;IAEhC,C;;MA8DoC,kB;IAAD,C;;ICtJnC,C;;IAIA,C;;MNNQ,8B;MAC  
LaAAY,C;IADhB,C;;MAE6B,oBAAQ,gBAAI,O;IAAZ,C;;MACuB,Q;MAA1B,IAAI,aAAQ,gBAAI,OAaHb,C;Q  
AAA,OAAsB,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAakB,MAAM,2BAAYB,UAAF,WAAvB,C;IAA9C,C;;MAL9B,  
IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KA  
ArB,C;eACIB,W;YAVwD,OAuzC,kBAakB,KAAIB,C;eACf,Y;YAXwD,OAWxC,mBAAmB,KAAAnB,C;eAchB,  
W;YAZwD,OAYzC,kBAakB,KAAIB,C;eACf,U;YAbwD,OAa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAczC,k  
BAakB,KAAIB,C;eACf,Y;YAfWd,OAexC,mBAAmB,KAAAnB,C;eAchB,a;YAhBwD,OAgbvC,oBAAoB,KAAp  
B,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;IAjB0C,C;;MAqBH,kC;MAAS,0B;MAC9D,aAAY,C;I

ADyC,C;;MAE5B,oBAAQ,kBAAM,O;IAAd,C;;MACkC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OA  
AwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHwB,oD  
;IAAA,C;;MAON,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;  
MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OA AwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,  
2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHqB,iD;IAAA,C;;MAOE,kC;MAAS,wB;MAC1D,aAAY,C;IADqC,C;;  
MAExB,oBAAQ,kBAAM,O;IAAd,C;;MACgC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OA AwB,mBA  
AM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHsB,kD;IAAA,C;;  
MAOF,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;MAA9B,IA  
AI,aAAQ,kBAAM,OAAIB,C;QAAA,OA AwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,U  
AAF,WAAvB,C;IAAID,C;;MAHqB,iD;IAAA,C;;MAOF,kC;MAAS,sB;MACtD,aAAY,C;IADiC,C;;MAEpB,oBA  
AQ,kBAAM,O;IAAd,C;;MAC8B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OA AwB,mBAAM,iBAAN,  
EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHoB,gD;IAAA,C;;MAOI,kC;M  
AAS,wB;MAC1D,aAAY,C;IADqC,C;;MAExB,oBAAQ,kBAAM,O;IAAd,C;;MACgC,Q;MAA9B,IAAI,aAAQ,kB  
AAM,OAAIB,C;QAAA,OA AwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAv  
B,C;IAAID,C;;MAHsB,kD;IAAA,C;;MAOE,kC;MAAS,yB;MAC5D,aAAY,C;IADuC,C;;MAE1B,oBAAQ,kBAA  
M,O;IAAd,C;;MACiC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OA AwB,mBAAM,iBAAN,EAAM,yB  
AAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,C;;MAHuB,mD;IAAA,C;;MAOJ,kC;MAAS,uB;M  
ACxD,aAAY,C;IADmC,C;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAI  
B,C;QAAA,OA AwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;IAAID,  
C;;MAHqB,iD;IAAA,C;;MAOnB,wB;IAAD,C;;MAGe,MAAM,mC;IAAN,C;;MAI1C,IAAI,qBAAJ,C;QACI,OA  
AO,CnBrBiF,WmBqBrE,UnBrBqE,EmBqBzD,QnBrByD,C;;QmBuBxF,OAAS,CAAY,qBAAsB,UAAiB,EAakC,  
QAAIC,C;;IAE7B,C;;MAIL,IAAI,KAAY,kBAAhB,C;QACI,KAAY,mBAakB,QAAIB,EAA4C,sCAAhB,QAAGB,  
EAA5C,C;;QAEH,QAAT,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;IAEvD,C;;MAKwB,Q;MADpB,gBAAGB,I  
AAhB,KAAgB,E;MACI,IAAI,OOjGkB,OPiGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHB,OAAI,aAAJ,GAAMB,K  
AAM,WAAzB,GAAyC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,W;MACjB,OAAO,S;IACX  
,C;;MAGyB,U;IAAD,C;;MAEHb,OAAO,mCAAsB,WAAK,KAAM,E;IAC5C,C;;MAGI,OAAO,M;IACX,C;;MAG  
I,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;IAC3C,C;;MAGI,OAAR,IAAI,EA AW,GAAN,K;IACL,C;;M  
AII,OAAO,M;IACX,C;;MAKA,YAA Y,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,C  
AAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,  
CAAN,IAAW,G;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAC3B,C;;MAQW,WAAO,S  
;MAIBd,YAA Y,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oB  
AAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAY  
nB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAU3B,C;;MAaI,WAAqB,S;MACrB,IAAI,qBAAmB,  
CAAY,OAAd,KAA2B,SAAhD,C;QAJCA,YAA Y,MAKCM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,U  
AgCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL  
,C;;YAE1B,MAAM,CAAN,IAAW,G;;QA4Bf,OAzBG,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2B  
nB,WAAW,C;QACX,OBAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAApB,IAAQ,CAAH,GAAG,C  
AAY,OAApB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YAAgB,CAAH,IAAG,C;QQzFjB,IR0FyB,CQ1FhB,OAAL,  
KAAkB,SAAtB,C;UR0F4B,MQzFxB,URyFqB,CQzFF,O;;QR0FnB,OAAO,C;QACP,OBAAU,IAAV,e;UAE0B,YA  
CX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI,O;UAAiB,aAAU,CAAV,kB;YACI,OAAO,aAA  
P,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;IAEf,C;;MAGgC,WAAS,c;MAAT,YAAhC,EAAE,  
MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;MAXW,OAYrB,K;IAZqB,C;;MAGH,WAAS,W;MAAT,Y  
AAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASIB,  
K;IATkB,C;;MAGA,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MA  
LQ,OAMIB,K;IANkB,C;;MAKzB,eAAiB,I;MACjB,OAAO,K;IACX,C;;MS5MiD,OAAW,QAAX,8BAAW,EAAQ  
,YAAR,C;IAAX,C;qFAEjD,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAAR,I,MAAoD,cAA0B,aAA1B,CAAmC,  
cAAc,YAAW,CAAX,CAAGC,C;MAAjF,C;KADpD,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAAR,I,  
MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAGC,C;MAAjF,C;KADpD,C;;MAMoD,QAAQ,cAAA

,sCAAK,mBAAL,EAAYB,sCAAK,mBAA9B,CAAR,6B;IAAA,C;;MAKD,QAAQ,cAAA,sCAAK,kBAAL,EAaw  
B,sCAAK,kBAA7B,CAAR,6B;IAAA,C;;MtCZkB,uCqCAtB,E;IrCAsB,C;iGAErE,yB;MAAA,kD;MAAA,4B;QA  
CsE,mBAAY,SAAZ,C;MAAA,C;KADtE,C;;MAMI,OAAAsB,UAAy,QAAvB,KAAmC,SAa9C,GACe,UAAy,UA  
D3B,GAGI,gBAAGb,UAAhB,C;IACR,C;;MAIL,YqChB2C,E;MrCiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,  
UAAhB,C;QACU,KAAy,MAAK,QAAS,OAAAd,C;MACTb,OAAO,K;IACX,C;;MAUc,Q;MANV,IAAI,KAAM,O  
AAN,GAAa,UAAW,KAA5B,C;QACI,OAAO,gBAAGb,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAy,C;  
MACZ,OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,  
KAAM,OAAIB,C;QACI,MAAM,KAAN,IAAe,I;;MAEnB,OAAO,K;IACX,C;;MAK6C,sBAAY,OAAZ,E;IAAA,C  
;;MAKF,oBAAU,OAAV,E;IAAA,C;;MAMY,oBAAU,IAAV,E;IAAA,C;;MASIC,Q;MAAA,kC;MAAjB,iBAAc,C  
AAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;;IAER,C;;MAQuD,qBAAQ,4BAAR,C;IAAA,C;;MAMiB,kBAAh  
B,0B;MAAwB,oB;MAAxB,OHhB7C,W;IGgB6C,C;;MAQpD,gBAAGb,SAAhB,EAAsB,cAAtB,C;IACJ,C;;MAQI,  
gBAAGb,SAAhB,EAAsB,UAAtB,C;IACJ,C;;MAGI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YA  
AY,YAAy,IAAZ,C;MACZ,gBAAc,KAAd,EAaqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;  
QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,C;;IAER,C;;MAGI,OAAO,gBAAkB,IAAIB,O;IACX,C;;MA  
MI,oCAAA,2BAAkB,UAAIB,EAA8B,QAA9B,EAawC,MAAO,OAA/C,C;MACb,gBAAGb,WAAW,UAAx,I;MA  
ChB,oCAAA,2BAAkB,iBAAlB,EAAqC,oBAAoB,SAApB,IAArC,EAAoE,WAAy,OAAhF,C;MAEb,IAAI,WAAk  
B,QAAO,WAAP,CAAIB,IAAyC,WAAkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAaqB  
,QAArB,C;QACTb,WAAy,KAAI,QAAJ,EAAC,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UAA  
nD,C;UACI,iBAAc,CAAd,UAAAsB,SAAtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAAb,  
IAAP,C;;;UAG7C,mBAAc,YAAy,CAAZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAoB,OAApB,IAAZ,IAAy  
C,OAAO,aAAa,OAAb,IAAP,C;;;IAIzD,C;;MAIgF,gB;IAAA,C;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,OA  
AK,aAAL,SAAK,C;MAAL,C;KAD9E,C;;MAMI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SLskBoB,Q;IK1kxB,C;;MAUA  
,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAAO,K;IACX,C;;MAIL,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAA  
O,K;IACX,C;;MuC1K2F,6B;IAAjC,C;;MAKID,eAAe,e;MACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QA  
AS,OAAT,EAAMB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I;;MAGf,OAAO,K;IACX,C;;MAIoB,Q;MA  
DhB,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WA  
AW,I;;MAEjC,OAAO,Q;IACX,C;;MAEyG,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAtC,Q;MAAD  
,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MACuC,qB;QAAE,QAAO,gBAAP,mB;MAAF,C;IAAA,  
C;;MAAtC,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;MAG9D,eAAe,IAAK,W;MACpB,O  
AAO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,QAAS,S;;IAEjB,C;;MAEyB,OAAA,IAAK,U;IAAL,C;;MC7BwD  
,oC;MACjF,gBAAB8B,C;IADkB,C;;MAA5C,iBAAL,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;IACX,C;;MAKc,UAC  
F,M;MAHR,aAAa,K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAL,eAAJ,EAAL,  
uBAAJ,WAAc,CAAd,C;QACA,UAAU,I;;MAEd,OAAO,O;IACX,C;;MAGI,yBAAY,CAAZ,EAAe,SAAf,C;IACJ,  
C;;MAE4E,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MACU,qB;Q  
AAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;MAAV,yBAAU,8CAAV,C;IAAA,C;;MAGb,iD;IAAA,C;;MAED,0B  
AAQ,OAAR,KAAoB,C;IAApB,C;;MAG/B,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAL,KAAL,G  
AAc,OAAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAGI,iBAAc,sBAAd,WAA+B,CAA/B,U;QAC  
I,IAAI,wBAAL,KAAL,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAE6D,iCAAA,CAAb,  
C;IAAA,C;;MACU,sDAAiB,KAAjB,C;IAAA,C;;MAGK,uCAAQ,IAAR,EAAC,SAAd,EAAYB,OAAzB,C;IAAA,C  
;;MAMxE,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;M3CoDX,iBAAc,CAAd,UAAAsB,KAAtB,U;Q2C  
nDiB,e;QACA,iB;;IAEjB,C;;MAQI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OA  
AO,K;MAE9B,OAAO,oCAAA,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;MAK+B,OAAA,oCAAA,yBAAGb,IA  
AhB,C;IAAb,C;;MAG/B,oB;MACI,eACsB,C;MACTb,cAIqB,E;IAPzB,C;;MASsC,sBAAQ,gB;IAAR,C;;MAIvB,Q  
;MADP,IAAI,CAAC,cAAL,C;QAAGb,MAAM,6B;MACTb,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wB  
AAI,WAAJ,C;IACX,C;;M9C7BJ,IAAI,E8CgCU,gBAAQ,E9ChCIB,CAAJ,C;QACI,c8C+BwB,sE;Q9C9BxB,MAA  
M,6BAAsB,OAAQ,WAA9B,C;;M8CgCF,6BAAS,WAAAT,C;MACA,eAAQ,W;MACR,cAAO,E;IACX,C;;MAGJ,  
oB;MAGmD,wD;MAG3C,oCAAA,4BAAMb,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;IAJe,C;;MAO  
M,sBAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO



,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGh  
C,wBAAI,YAAJ,EA AW,OAAX,C;MACA,mC;MACA,cAAO,E;IACX,C;;M9CnEJ,IAAI,E8CsEU,gBAAQ,E9CtE  
IB,CAAJ,C;QACI,c8CqEwB,4E;Q9CpExB,MAAM,6BAAsB,OAAQ,WAA9B,C;;M8CqEF,wBAAyB,WAAzB,EA  
AiC,OAAjC,C;IACJ,C;;;MAG2G,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAa,2BAAkB,gBAA  
IB,EAA6B,OAA7B,EAA5C,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;IALG,C;;MASHb,oCAAa,4BAAM  
B,KAA nB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;IACJ,C;  
;MAGI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;IACX,C;;  
MAGI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAY,KAAZ,IAAT,C;MAC  
IB,mC;MACA,OAAO,M;IACX,C;;MAGI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aA  
AI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;IACb,C;;MAE+B,mB;IAAA,C;;;MC1LgD,sB;MA4BnF,uBAAoC,  
I;MA2CpC,yBAA6C,I;IAvEK,C;;MAKZ,wB;MAGIC,gBAAqB,K;IAHY,C;;MAAC,yB;IAAA,C;;MAKJ,oB;IAAA  
,C;;MAG1B,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;IACX,C;;MAE+B,iEAAc,IAAd,C;IAAA,C;;MA  
CG,iEAAc,IAAd,C;IAAA,C;;MACU,+DAAY,IAAZ,EAakB,KAAIB,C;IAAA,C;;;Mad5C,wE;MAAsC,2CAAK,  
KAAM,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;IAAA,C;;MAMbA,YAAQ,Q;IACZ,C;;MAMoB,sD;MAAS,6  
B;IAAT,C;;MACoC,MAAM,qCAA8B,8BAA9B,C;IAAN,C;;MAEpC,4BAAwB,Q;IAC5B,C;;MAEsD,sDAAY,OA  
AZ,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,  
C;;MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,oCAAQ,W;MAC5B,6G;IAKJ,C;;MAGI,IAAI,+CAAY,OAAZ,C  
AAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,4BAAwB,  
K;IAAxB,C;;MA1BvC,IAAI,4BAAJ,C;QACI,6F;;MA4BJ,OAAO,mC;IACX,C;;MAKqB,Q;MAAA,OAAA,I5D2  
O2D,QAAQ,W;M4D3OxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U5D8JsD,U;Q4D9JjD,Y5D2KiD,Y;Q4D1KxD,i  
BAAI,GAAJ,EAAS,KAAT,C;;IAER,C;;MAMsB,sD;MAAS,oC;IAAT,C;;MACkC,MAAM,qCAA8B,gCAA9B,C;I  
AAN,C;;MACjB,4BAAwB,Q;IAAxB,C;;MAE+B,wDAAc,OAAAd,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAA  
A,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,M;IAArB,C;;MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,o  
CAAQ,W;MAC5B,+G;IAKJ,C;;MAE+B,OAAA,4BAAwB,K;IAAxB,C;;MAI3B,IAAI,SAAS,KAAb,C;QAAoB,O  
AAO,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IAC  
xB,C;;MAE+B,OAAA,oCAAa,yBAAGB,IAAhB,C;IAAb,C;;MAzBvC,IAAI,8BAAJ,C;QACI,iG;;MA2BJ,OAAO,  
qC;IACX,C;;MAGA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,  
KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,  
OAAO,I;IACX,C;;MC7HgF,oC;IAAjC,C;;MAQ3C,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ  
,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAAhB,C;IACvB,C;;MAK+B,OAAA,m  
CAAY,2BAAkB,IAAIB,C;IAAZ,C;;MCb0D,8B;MAAIC,4B;IAArB,C;;IAoBF,C;;IAGoB,C;;MAEd,OAAA,oBAA  
M,O;IAAN,C;;MAEG,Q;MAAA,oCAAM,0BAAW,KAAAX,CAAN,4D;IAAA,C;;MAI9B,IAAa,I;MAFpB,0BAAW,  
KAAAX,C;MAEoB,gBAAb,qBAAM,KAAN,C;MAAqB,qC;MAA5B,OAAO,CAAa,O9C8BjB,S8C9BI,2D;IACX,C;  
;MAGU,oBAAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;IACX,C;;MAGU,oBAAAY,QAAO,mCAAoB,KAA  
pB,CAAP,EAAMC,CAAnC,EAAsC,OAAtC,C;MACIB,qC;IACJ,C;;MAGI,IAAI,QAAS,UAAb,C;QAAwB,OAAO  
,K;MAE/B,uBAAA,oBhD4mCoB,QK3pC0C,Y2C+CrD,Q3C/CqD,CL2pC1C,C;MgD3mCpB,qC;MACA,OAAO,I;  
IACX,C;;MAGI,mCAAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAMB,OAAO,oBAAO,QAAP,C;MAC1B,I  
AAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,K  
AEF,O;QAAK,uB3C3DqD,Y2C2D7C,Q3C3D6C,CL2pC1C,QgDhmC6B,oBhDgmC7B,C;;;QgD/ICR,uBAAoC,cA  
A5B,oBAA4B,EA AV,CAAU,EAAP,KAAO,CAAY,Q3C5DE,Y2C4DK,Q3C5DL,C2C4DF,EAA4C,cAAN,oBAA  
M,EAAY,KAAZ,EAAMB,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;IACX,C;;MAGI,0BAAW,KAAAX,C;  
MACA,qC;MACA,OAAW,UAAS,sBAAb,GACG,oBAAAY,MADf,GAGG,oBAAAY,QAAO,KAAP,EAAC,CAAd,C  
AAIB,CAAMC,CAAnC,C;IACR,C;;MAGkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAGB,OA  
AhB,CAAJ,C;UACU,oBAAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;IAC  
X,C;;MAGI,qC;MACM,oBAAAY,QAAO,SAAP,EAakB,UAAU,SAAV,IAAIB,C;IACtB,C;;MAGI,uBNhGuC,E;M  
MiGvC,qC;IACJ,C;;MAG+C,OAAM,QAAN,oBAAM,EA AQ,OAAR,C;IAAN,C;;MAEI,OAAM,YAAN,oBAAM,  
EAAY,OAAZ,C;IAAN,C;;MAEzB,qBAAc,oBAAd,C;IAAA,C;;MACY,OAAA,EAAS,MAAM,MAAK,oBAAL,C;  
IAAf,C;;MAIIC,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;IAAA,C;;MAKjC,oCAAa,mCAA0B,SA A1B,C;MAD6B,

Y;IAAA,C;;;MA7G9C,mD;MAG8B,sBNPa,EMOb,C;MAH9B,Y;IAAA,C;;MAU0B,+B;QAAA,kBAAuB,C;MALjD,mD;MAKsD,sBNdX,EMcW,C;MALtD,Y;IAAA,C;;MAOA,mD;MAGqD,sB3ChBa,Y2CgBR,Q3ChBQ,C2CgBb,C;MAHrD,Y;IAAA,C;;MCpBA,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAAL,C;;;QAEIB,UAAU,KAAY,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,+BAAuE,UAAvE,E;;IAER,C;;MAIyB,uB;QAAgB,OAAA,kBAAW,SA AQ,CAAR,EAAW,CAAX,C;MAA3B,C;IAAA,C;;MADrB,IAAI,6BAAJ,C;QACI,iBAAiB,gC;QACX,KAAY,MA AK,UAAAL,C;;;QAEIB,UAAU,KAAY,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EAA4D,UAA5D,C;;IAER, C;;MAIyC,OAAE,iBAAF,CAAE,EAAU,CAAV,C;IAAa,C;;MADpD,IAAI,6BAAJ,C;QACI,iBAAiB,gB;QACX,K AAY,MAAK,UAAAL,C;;;QAEIB,UAAU,KAAY,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EAA4D,cAA5D, C;;IAER,C;;;MAWyC,QAAC,IAAM,CAAP,KAAa,IAAM,CAAnB,K;IAAsB,C;;MAP3D,sC;QAAiC,OAAjC,yB;; MACA,4BAA4B,K;MAE5B,YAAY,E;MAGZ,iBAAc,CAAd,UAAsB,GAAtB,U;QAAiC,KAAY,MAAK,KAAL,C; MAC7C,iBAAiB,kC;MACX,KAAY,MAAK,UAAAL,C;MACiB,mBAAc,CAAd,YAAsB,KAAM,OAA5B,Y;QACI, QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,QAAQ,MAAM,OAAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAA c,IAAM,CAApB,KAA0B,KAAK,CAAnC,C;UAAsC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;IACX,C;;M AAI,aAAa,gBAAmB,KAAM,OAAzB,O;MACb,aAAa,YAAU,KAAY,EAAiB,MAAjB,EAAyB,KAAzB,EAAgC,Y AAhC,EAA8C,UAA9C,C;MACb,IAAI,WAAW,KAAf,C;QtE6/Ua,gB;QADb,YAAY,C;QACZ,wBsE5/UI,MtE4/U J,gB;UAAa,WsE5/UT,MtE4/UJ,M;UsE5/UoC,MtE4/UV,csE5/UU,EtE4/UV,sBsE5/UU,YtE4/UD,I;;;IsE1/UvC,C;; MAIL,IAAI,UAAAS,GAAb,C;QACI,OAAO,K;;MAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MAC b,WAAW,YAAU,KAAY,EAAiB,MAAjB,EAAyB,KAAzB,EAAgC,MAAhC,EAAwC,UAAxC,C;MACX,YAAY, YAAU,KAAY,EAAiB,MAAjB,EAAyB,SAAS,CAAT,IAAZB,EAAqC,GAAR,C,EAA0C,UAA1C,C;MAEZ,aAAiB, SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAgB,K;MACHB,iBAAiB,SAAS,CAAT,I;MACjB,aAAU, KAAV,OAAiB,GAAjB,M;QAEQ,iBAAa,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAgB,KAAK,SAAL,C;UACH B,iBAAiB,MAAM,UAAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAmB,UAAANB,CAAX,IAA6C,CAAjD,C;YA CI,OAAO,CAAP,IAAY,S;YACZ,6B;;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;;cAGR,iBAAa,MAAb,C;UACI, OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;;UGA,OAAO,CAAP,IAAY,MAAM,UAAAN,C;UACZ,+B;;;M AKZ,OAAO,M;IACX,C;;MC1FoB,UACM,M;MAFtB,aAAa,C;MACb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;aACnB,IAAA,MAAa,YAAW,OAAAX,CAAb,C;UAAqE,iCAAhC,OAAgC,C;;cAErE, uC;UAAmC,2BAAR,OAAQ,C;aACnC,wC;UAAmC,2BAAR,OAAQ,C;aACnC,sC;UAAmC,2BAAR,OAAQ,C;a ACnC,uC;UAAmC,2BAAR,OAAQ,C;;UAEA,kBAAR,OAAQ,C;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAc, WAAAd,I;;MAEb,OAAO,M;IACX,C;;;MCTI,2C;IAAA,C;;MAC+D,sBAAU,MAAV,C;IAAA,C;;MAEd,Q;MAAA, wEAAqB,C;IAArB,C;;;MAHjD,kD;QAAA,iC;;MAAA,2C;IAAA,C;;;MCuBA,iC;MAKA,8B;MA8CA,0BAAmE,I ;;MA1EnE,oB;MAA+B,6B;IAA/B,C;;MAE6D,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;MAErD,WAAa,Q;IACjB, C;;MAEuE,yCAAc,OAAAd,C;IAAA,C;;MAEC,OAAA,iCAAY,W;IAAZ,C;;MAGpE,IAAI,oBAAS,OAAT,CAAJ,C ;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAAa,K;IAAb ,C;;MA+C/B,0BAAAY,Q;IAEhB,C;;MAEmD,OAAA,0BAAAY,gBAAS,GAAT,C;IAAZ,C;;MAEgB,gBAAZ,0B;MA AY,c;;QhDs3CnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAp,e;;QACrB,2B;QAAhB,OAAg B,cAAhB,C;UAAgB,yB;UAAAM,IgDt3CmD,uBAAS,gBhDs3C9C,OgDt3CwD,MAAV,QhDs3C5D,C;YAAwB,aA AO,I;YAAP,e;;QAC9C,aAAO,K;;MgDv3CgD,iB;IAAA,C;;MAK/C,IAAI,+BAAJ,C;QACI,0BAAW,qB;;MAEf, OAAO,sC;IACX,C;;MAE6E,iC;IAAA,C;;MAEIC,OAAA,0BAAAY,WAAI,GAAJ,C;IAAZ,C;;MAEC,OAAA,0BAA Y,aAAI,GAAJ,EAAS,KAAT,C;IAAZ,C;;MAEP,OAAA,0BAAAY,cAAO,GAAP,C;IAAZ,C;;MAEH,OAAA,0BAA Y,K;IAAZ,C;;MA7DtC,iD;MAAuD,8B;MArC3D,mB;MAcCQ,8BAAmB,W;MACnB,2BAAgB,WAAAY,S;MAFh C,Y;IAAA,C;;MAKA,iD;MAGuB,aAAK,kEAAAL,Q;MAHvB,Y;IAAA,C;;MAcyC,0B;QAAA,aAAoB,G;MAT7D,i D;MASqE,qB;MrDICrE,IAAI,EqDoCQ,mBAAmB,CrDpC3B,CAAJ,C;QACI,cqDmCgC,+C;QrDICHC,MAAM,gC AAYB,OAAQ,WAAjC,C;;MAFV,IAAI,EqDqCQ,cAAc,CrDrCtB,CAAJ,C;QACI,gBqDoC2B,yC;QrDnC3B,MAA M,gCAAyB,SAAQ,WAAjC,C;;MqDuBV,Y;IAAA,C;;MAeA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3 C,Y;IAAA,C;;MAGA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;IAAA,C;;MA0C0E,gBAAAnE,a AAmB,gEAAAnB,C;MAA2E,wB;MAAIF,OID7CO,S;IkD8CX,C;;MCzGI,yB;;;MA2CI,UAAU,kBAAI,aAAI,OAAJ, EAAa,IAAb,C;MACd,OAAO,W;IACX,C;;MAGI,kBAAI,Q;IACR,C;;MAM6D,OAAA,kBAAI,mBAAAY,OAAZ,C; IAAJ,C;;MAEpB,OAAA,kBAAI,U;IAAJ,C;;MAEY,OAAA,kBAAI,KAAK,W;IAAT,C;;MAEH,OAAA,kBAAI,cA

AO,OAAP,CAAJ,Q;IAAA,C;;MAEZ,OAAA,kBAAL,K;IAAJ,C;;;MA7DtC,iD;MAGoB,8B;MAVxB,mB;MAWQ,s  
BAAM,gB;MAJV,Y;IAAA,C;;MAOA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAGB,QAAS,KAAzB,C;  
MACN,qBAAO,QAAP,C;MALJ,Y;IAAA,C;;MAiByC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB  
;MAGCQ,sBAAM,eAAGB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;IAAA,C;;MAaA,iD;MAA2C,eAAK,eAAL,EAA  
B,GAAtB,Q;MAA3C,Y;IAAA,C;;MAEA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;IAAA,C;;  
MAwCmC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,OnDbO,S;ImDcX,C;;MC/DyC,kC;MAErC,oBAAkC,k  
B;MACiC,sBAAyB,C;IAHW,C;;MAAC,8B;IAAA,C;;MAGrC,0B;IAAA,C;MAAA,0B;IAAA,C;;MAII,eAAe,aAA  
S,qBAAY,GAAZ,C;MACxB,mBAAmB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAA  
uB,mCAAY,GAAZ,EAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,K  
AAM,IAAb,EAakB,GAAIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,C  
AAQ,KAAR,EAAe,mCAAY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAuC,Y;U  
ACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;;  
UAEX,KAAY,MAAK,mCAAY,GAAZ,EAAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;IACX,C;;MAIuB  
,Q;MADnB,eAAe,aAAS,qBAAY,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;;MAA7D,m  
BAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,  
CAAb,C;UC3DR,OD4D2B,iBC5DrB,CD4DiC,QC5DjC,C;UD6DM,6B;UACA,OAAO,KAAM,M;;;UAEb,OAAO,  
I;;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GA  
AP,EAAy,OAAM,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAC,CAAB,C;cACU,KAAN,UAA2B,C;cCxE/  
C,OD0EmC,iBC1E7B,CD0EyC,QC1EzC,C;;cD6EoB,KAAY,QAAO,KAAP,EAAC,CAAd,C;;YAEtB,6B;YAEA,  
OAAO,OAAM,M;;;MAIzB,OAAO,I;IACX,C;;MAGI,oBAAa,kB;MACb,YAAO,C;IACX,C;;MAEyC,uBAAS,GA  
AT,S;IAAA,C;;MAEV,Q;MAAA,+BAAS,GAAT,8B;IAAA,C;;MAGR,Q;MAAA,oCAAsB,aAAS,qBAAY,GAAZ,  
CAA/B,C;MAAA,iB;QAAoD,OAAO,I;;MAA9E,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,I  
AAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;;UAEP,OAAO,I;;;QAGX,YAAuC,  
Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;IAErB,C;;MAGI,sB;;Q3E86BY,Q;QAaHb,iD;UAAgB,cA  
AhB,e;UAAsB,I2E96BK,aAAS,gB3E86BA,O2E96Ba,IAAb,M3E86Bd,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C  
,qBAAO,I;;;M2E/6BH,yB;IAAA,C;;MAIO,wD;MACH,aAAY,E;MAEZ,YAAuB,MAAa,MAAK,qCAAL,C;MACp  
C,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAqC,I;IATIC,C;;MAYC,IAAI,6B  
AAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAAlB,C;UACI,OAAO,C;;MAGf,IAAI,yD  
AAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAY,C;QACZ,  
OAAO,C;;QAEp,oBAAe,I;QACf,OAAO,C;;IAEf,C;;MAGI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO  
,eAAS,C;IACpB,C;;MAIoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,y  
BAAqD,cAARd,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;IACX,C;;M  
vD7CR,IuDgDyB,cvDhDrB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;;MuD+CE,  
6BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAY,I;MAEZ,uC;IACJ,C;;MArDJ,2D;IAuDj,C;;MAGI,mBAAm  
B,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAGC,IAAhC,GAA0C,Y;IACrD,C;;;MEtKI,aAAR,MA  
AM,OAae,CAAP,IAAO,C;MAGrB,MAAM,CAAC,KAAD,CAAE,GAAQ,C;MACR,OAAD,MAAM,CAAC,KAA  
D,C;MACL,OAAO,M;IACX,C;;MCRmC,kC;MAEnC,oBAAkC,kB;MACiC,sBAAyB,C;IAHS,C;;MAAC,8B;IAA  
A,C;;MAGnC,0B;IAAA,C;MAAA,0B;IAAA,C;;MAYI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAA  
W,GAAX,MAAoB,S;IAC/B,C;;MAGI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MA  
CZ,OAAW,UAAU,SAArB,GAAGC,KAAhC,GAA2D,I;IAC/D,C;;M1DPA,IAAI,E0DWQ,uB1DXR,CAAJ,C;QAC  
I,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M0DUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,  
IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;QAGP,OAAO,Q;;IAEf,C;;MAGI,IAAI,0BA  
AJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QFrDJ,OEsdUB,iBFtDj  
B,CEsD6B,GfT7B,C;QEuDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;IAEf,C;;MAII,oBAAa,kB;MACb,YAAO,C  
;IACX,C;;MAIW,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iB  
AA+B,I;IAH5B,C;;MAK+B,OAAA,eAAS,U;IAAT,C;;MAMX,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;  
MAES,+E;MAAnB,OAAO,iD;IACX,C;;MAIkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;M1DchD,uB;MAeP,IAf  
oB,KAehB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAnBgB,K;;M0D

de,oBAAO,sFAAP,C;IAC3B,C;;;MAjBJ,yD;IAmBJ,C;;;MAEsD,8B;MAAA,oD;IAAA,C;;;MAcTb,uB;IAAA,C;;;M  
ACE,6CAAuB,gBAAvB,C;IAAA,C;;;MAEU,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;IAAvB,C;;;MAET,O  
AAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;;MACU,OAAA,mCA  
AY,qBAAY,IAAZ,EAakB,KAAIB,C;IAAZ,C;;;MARM,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;;MArHmD  
,0CAAqC,GAARc,EAA0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;I  
AA/B,C;;;MAEI,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;IARf,C;;;MAaQ,OAAO,gBAAS,I;IACpB,  
C;;;MAIL,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;  
MAAf,cxDkDS,SwDIDoB,KAAO,iCxDkDzC,GAAqB,SAArB,GAA+B,I;MwDjD1B,OAAO,O;IACX,C;;;M3DgCR  
,IAAI,E2D7Bc,eAAQ,I3D6BtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;;M2D5BS,oC  
AAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;IACX,C;;;MAGqD,MAAM,qCAA8B,iCA  
A9B,C;IAAN,C;;;MAErD,WAAmB,Q;IACvB,C;;;MAEuE,yCAAc,OAAd,C;IAAA,C;;;MAEC,qD;IAAA,C;;;MAGp  
E,IAAI,oBAAS,OAAT,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;MAEX,OAAO,K;IACX  
,C;;;MAE+B,OAAA,WAAmB,K;IAAnB,C;;;M3DEnC,IAAI,E2DgBM,0BAAQ,IAAR,IAAgB,0BAAQ,I3DhB9B,C  
AAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;;M2DgBN,YAAY,mB;MACZ,IAAI,SAAS,IA  
Ab,C;QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;;QAGK,YAAa,KAAM,a;Q3DRhC,uB;QAeP,IAfoB,K  
AehB,QA AJ,C;UACI,gBAhByB,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;;;UAEN,sBAnBgB,K;Q2DQZ,  
+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;IAErB,C;;;MAMI,IAAI,SAAK,aAAL,  
KAAC,SAAlB,C;QAEI,sBAAO,I;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;QAEX,qDAAc,sB;QACd,qD  
AAc,sB;MAEIB,yBAAO,I;MACP,yBAAO,I;IACX,C;;;MA6CI,kBAAl,Q;MACJ,sBAAO,I;IACX,C;;;MAQmD,OA  
AA,kBAAl,mBAAY,GAAZ,C;IAAJ,C;;;MAGIB,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;MAA5C,WAA6B,I;  
QAEzB,IAAI,OAAA,IAAK,MAAL,EAAC,KAAd,CAAJ,C;UACI,OAAO,I;QAEX,OAAO,cAAA,IAAK,aAAL,C;;;  
MACF,iBAAS,mBAAT,C;MACT,OAAO,K;IACX,C;;;MAG2E,uC;IAAA,C;;;MAExB,Q;MAAJ,QAAl,OAAJ,kBA  
Al,WAAI,GA AJ,CAAJ,6B;IAAA,C;;;MAG3C,UAAU,kBAAl,WAAI,GA AJ,C;MACd,IAAI,OAAO,IAAX,C;QACI  
,eAAe,6BAAW,GAAX,EAAGB,KAAhB,C;QACf,kBAAl,aAAI,GA AJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;  
QACT,OAAO,I;QAEP,OAAO,GAAl,gBAAS,KAAT,C;IAEnB,C;;;MAGI,YAAY,kBAAl,cAAO,GAAP,C;MAC  
hB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;MAEjB,OAAO,I;IACX,C;;;MAEsC,  
OAAA,kBAAl,K;IAAJ,C;;;MArFtC,uD;MAGuB,qB;MANJ3B,yB;MAoJQ,sBAAM,gB;MAJV,Y;IAAA,C;;;MAOA  
,uD;MAAoD,qB;MAvJxD,yB;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;IAAA,C;;;MAcyC,0B;QAAA,aAAoB,G;M  
AT7D,uD;MASqE,eAAM,eAAN,EA AuB,UAAvB,Q;MArKzE,yB;MA sKQ,sBAAM,gB;MAVV,Y;IAAA,C;;;MAa  
A,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;;MAEA,uD;MAG2C,qB;MA9K/C,yB;MA+  
KQ,sBAAM,gB;MACN,KA AK,gBAAO,QAAP,C;MALT,Y;IAAA,C;;;MAmEoD,gBAA7C,qBAAYB,eAAzB,C;M  
AAqD,wB;MAA5D,OxD/KO,S;IwDg LX,C;;;MCzOI,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;IAAA  
,C;;;MAEA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;IAAA,C;;;MAKA,uD;MAG8C,eAAM,oBAAN,Q;  
MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;IAAA,C;;;MAGByC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,e  
AAM,qBAAsB,eAAtB,EA AuC,UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;IAAA,C;;;MAWA,uD;MAA2C,qBAAK  
,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;;MAa+C,gBAAXC,mBAAC,qBAAd,C;MAAgD,6B;MAAvD,OzDm  
BO,S;IyDIBX,C;;;MJ/CI,OAAG,GAAG,CAAC,QAAD,C;IACV,C;;;MKUI,OAAO,O;IACX,C;;;ICfA,C;;;MAEQ,m  
BAAM,IAAN,C;IACJ,C;;;MAGI,mBAAM,OAAN,C;MACA,c;IACJ,C;;;IAIkB,C;;;MAKmC,qB;MAA7B,gC;IAAD  
,C;;;MACa,OAAA,iBAaA,OA6DJ,OA7DiB,OA6DjB,CA7DI,C;IAAb,C;;;MAKJ,qB;IAFpC,C;;;MAIQ,OAAQ,KAA  
I,OA AJ,C;IACZ,C;;;MAGI,OAAQ,KAAI,OA AJ,C;IACZ,C;;;MAGI,OAAQ,KAAI,EA AJ,C;IACZ,C;;;MAKiC,qB;  
MACjC,cAAa,E;IAHjB,C;;;MAMQ,eAoCyC,OApCxB,OAoCwB,C;IANC7C,C;;;MAGI,cAAS,E;IACb,C;;;MAKwC  
,yB;IAF5C,C;;;MAIQ,QA wByC,OAxB1B,OA wB0B,C;MAvBzC,QAAU,eAAF,CAAE,EAAY,EA AZ,C;MACV,IA  
Al,KA AK,CAAT,C;QACI,4BAAU,C9CK0E,W8CL9D,C9CK8D,E8CL3D,C9CK2D,C;Q8CJpF,Y;QACA,IAAI,C  
9CAiE,W8CArD,IAAI,CAAJ,I9CAqD,C;;;M8CEzE,4BAAU,C;IACd,C;;;MAGI,OAAQ,KAAI,WAAJ,C;MACR,cA  
AS,E;IACb,C;;;MAW6C,cAAa,KAAb,C;IAAA,C;;;MAI7C,MAAO,U;IACX,C;;;MAIL,MAAO,iBAAQ,OAAR,C;I  
ACX,C;;;MAIL,MAAO,eAAM,OAAN,C;IACX,C;;;MC1FsC,8C;MACIC,eAAsB,C;MACTb,wBAA+B,C;MAC/B,gB  
AA6B,I;MAC7B,mBAAsC,I;MACTc,qBAAYC,I;MAEzC,yBAAGD,yBAAmB,Q;MAEnE,sBAAGD,I;IATf,C;;;MA  
OjC,6B;IAAA,C;;;MAMY,kBADr,M;MAAA,U;MAAA,2C;QAAA,e;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,

IAAxD,6BAAiE,I;QACzD,sB5D8Dd,S;Q4DhEF,S5DiEG,S;;M4DjEH,a;IAAA,C;;MAKA,kBAAC,IAAd,C;MACi  
C,oB;MCqBrB,Q;MADR,IDpBsB,MCoBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDrBc,MCqBd,+D;;MDrBZ,y  
C;MACA,2BAAmC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q5D8BY,gB4D7BH,S;;QACD,iBAAiB,8B;QAG  
jB,IAAI,0BAAJ,C;UACI,qBAAC,e;;UAEd,oBAAQ,0B;UACR,wBAAY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,  
yBAAhB,C;YAAqC,M;UACrC,kBAAGB,O;UACbB,qBAAMb,I;;;UAEnB,kBAAGB,I;UACbB,qBAAMb,S;;QAG  
vB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;;UAGV,U;UAAA,0C;YhEVhB,8BiE2CQ,WAAO,qBAAP,CjE3C  
R,C;YgEUGB,a;;;YAAA,a;UAAA,mB;YAEK,UhErBrB,oBiE6CQ,WDxB+B,eCwB/B,CjE7CR,C;;UgEsBgB,M;;;I  
AlhB,C;;MAGI,kBAAkB,mB;MACIB,IAAI,uBAAuB,gBAAGB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAMc,wCAA  
+B,WAA/B,C;;MAEvC,sBAAoB,mC;IACxB,C;;;MAKJ,qC;IAAA,C;;M/D4DiD,MAAM,6B+D1DjC,uC/D0D+D,  
WAA9B,C;I+D1DvC,C;;M/D0DiC,MAAM,6B+DvDzC,uC/DuDUE,WAA9B,C;I+DtDnD,C;;MAEkC,8C;IAAA,C;  
;;MARTc,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MEpEI,0B;MASA,gBAA2B,a;IAV/B,C;;MAQgB,OAAA,eAAS,Q;  
IAAT,C;;MAKR,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M;WAEzB,YAAQ,yBAAR,C;  
QACI,gBAAC,yC;QACd,eAAS,oBAAW,MAAX,C;;;QAEL,MAAM,6BAAsB,iBAAtB,C;IAEtB,C;;MASW,Q;MA  
LP,IAAI,kBAAW,2CAAF,C;QACI,gBAAS,yB;QACT,OAAO,yB;;MAEX,aAAa,IAAK,S;MAEd,eAAW,yCAAX,C  
;QAAsB,gC;WActB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;IAKJ,C;;;MAICA,0D;MACyD,6BAAK,  
QAAL,EAae,2CAAF,C;MADzD,Y;IAAA,C;ICoHJ,mG;IAAA,yH;;MAKW,kC;MAAS,4C;IALpB,C;IAAA,kF;M  
AOY,Q;MAAA,sC;QAAiB,U;;MACjB,OAAO,oB;IACX,C;IATR,6G;;MA3GU,OAAK,SAAL,CAAiB,UAAjB,EA  
A6B,KAA7B,C;IAAA,C;;MAMBA,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;IAAA,C;;  
MAiC6C,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;MAD2C,C;IAAA,C;;MAJnD,IAAS,SAAY,OAAjB,IAA  
2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;;QA8D0B,Q;QAHE9B,4DAImD,0DAJnD,  
EAgE8B,qBA5DS,UA4DT,qCAhE9B,C;;IAAA,C;;MAwCmD,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EAA  
2B,kBAA3B,C;MAD2C,C;IAAA,C;;MAJnD,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAi  
B,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,UAWB  
T,qCA5B9B,C;;IAAA,C;;MAoBC,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;IAA3C,C;6CAGJ,yB;MAAA,  
mG;MAAA,yH;;QAKW,kC;QAAS,4C;MALpB,C;MAAA,kF;QA0Y,Q;QAAA,sC;UAAiB,U;;QACjB,OAAO,oB;  
MACX,C;MATR,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;MAMJ,C;KAXA,C;;MFmCW,Q;MAD  
P,eG1JA,MH0JA,C;MACO,QG3JP,MH2JO,+D;MG1JX,W;IAAA,C;;MCwHL,aAAa,IAAb,MAAa,E;MACb,KAA  
K,MAAL,C;MACA,OAAO,M;IACX,C;;MC3HyG,kBAAPB,wBAAC,IAAd,C;MAA0B,IIE4D3G,a;MkE5DiF,OIE6  
D1E,W;IkE7D0E,C;;MAQvC,kBAA1B,cAAhB,sCAAAGB,EAAC,IAAd,EAAoB,IAApB,C;MAAiC,sBiEiE3C,WkEj  
E2C,C;MAAJD,OIEkEO,W;IkEIEP,C;;MCZ8C,8B;MAAA,OCIN,aDJwB,yBAAa,QAAb,mCCIxB,CxD6rBgC,sB;I  
uDjsB1B,C;;M1Fq8GvC,kBAAY,gB;MA8EH,Q;MAAhB,wB0F3gHqB,U1F2gHrB,gB;QAAGB,c0F3gHK,U1F2g  
HrB,M;QAAsB,IAAI,C0F3gHkB,oB1F2gHP,O0F3gHO,C1F2gHtB,C;UAAyB,WAAy,WAAI,OAAJ,C;;M0F3gH3  
D,qB1F4gHO,W;M0F3gHP,IpFoJwD,CoFpJpD,cpFoJqD,UoFpJzD,C;QvDoGuC,U;QuDnGnC,qBvDmGyD,OAA  
tB,+BuDnGd,mBvDmGc,uBAAsB,CAAO,W;QyDvGpD,kBAAhB,sB;QFMQ,0C;QACA,IAAI,EvDkNoC,0BAAU,  
CuDIN9C,CAAJ,C;UACI,2BAAO,GAAP,C;;QAEW,sCAAa,GAAb,C;QALnB,sBnEsDG,WqE3D8B,W;QFYjC,O  
AAO,I;;MAGX,OAAO,K;IACX,C;;MAQmB,c;;Q1FyxTC,Q;QAaHb,wB0FzxTI,U1FyxTJ,gB;UAAgB,c0FzxTZ,  
U1FyxTJ,M;UAAAsB,I0FzxTD,oB1FyxTe,O0FzxTf,C1FyxTC,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;M  
0F1xTP,e;QACI,kBAA6B,MAAX,UAAW,C;QvD8EM,U;QuD7Eb,avD6EmC,OAAtB,+BuD7EvB,mBvD6EuB,uB  
AAsB,CAAO,W;QuD7EX,kBC5BjB,aD4BD,MC5BC,CxD0uC6C,uBAAzB,CAAyB,C;QV11B9E,kBAAS,gB;QAY  
EA,U;QAAA,+B;QAaHb,OAAgB,gBAAhB,C;UAAgB,6B;UAAM,IIE7rB4C,4BjE6rB9B,SiE7rB8B,CjE6rB5C,C;  
YAAwB,WAAy,WAAI,SAAJ,C;;QiE7rBtD,sBAAMF,ejE8rBhF,WiE9rBgF,EAAa,GAAb,C;QACnF,OAAO,I;;M  
AGX,OAAO,K;IACX,C;;MGICY,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;IAA/C,C;;MAMA,8BAAY,I  
AAK,a;IAAjB,C;;MCZwD,gCAAqB,OAARb,C;IAAA,C;;MAEjC,wB;IAAD,C;;MAE1B,eAAQ,KAAR,C;IACJ,C;;  
MAEyC,iCAAuB,cAAvB,M;IAAA,C;;MCCO,8B;MAAS,uB;IAAT,C;;MACjB,OAAA,gBAAY,O;IAAZ,C;;MAG  
3B,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;  
QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMc,sBAAnC,MAA1B,C;IAFgB,C;;MAHc,4C;IAAA,C;;MCJhD,  
OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;IAER,C;;MAQI,sBAAY,sCAAAGB,gBAAE,IAAf,CAA5B,C;MACA,  
OAAO,S;IACX,C;;Mcb8C,gB;IAAA,C;;MAMwB,OAAK,S;IAAL,C;;MAQG,gB;IAAA,C;;MAMb5D,UAPF,M;

MAFP,QAAC,S;MAGV,cAAK,UAAL,U;QACI,mBAAK,UAAL,G;WACJ,IAAA,MAAA,YAAW,CAAX,CAAb,C;  
QAC6B,8BAAzB,CAAyB,C;;;QAGN,UAALB,uDAaKB,Y;MAP3B,a;IASJ,C;;;MCRCl,MAAM,yBAAqB,OAARb,C  
;IACV,C;;;MAIL,MAAM,uBAAMb,cAAnB,C;IACV,C;;;MAIL,MAAM,6BAAsB,OAAtB,C;IACV,C;;;MAIL,MAAM  
,4CAAqC,uBAAqB,YAArB,8BAArC,C;IACV,C;;;MCH4G,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;IAApE,  
C;;;MAC3B,iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MACH,0BAAY,MAAK,KAAL,EAAW,IAAX,EAAi  
B,IAAjB,C;MADhC,Y;IAAA,C;;;MAIA,iD;MAAuC,oBAAK,OAAL,EAAC,IAAd,C;MACnB,0BAAY,MAAK,KA  
AL,EAAW,OAAX,EAAoB,IAApB,C;MADhC,Y;IAAA,C;;;MAIA,iD;MAAwC,oBAAK,SAAL,EAAGB,KAAhB,C  
;MACpB,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAoS,KAAtB,C;MADhC,Y;IAAA,C;;;MAM4G,Q;MAAA,+B  
AAS,I;sCAAIB,O,2DAAA,O;;;IAApE,C;;;MAC/B,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MACC,4BA  
AY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;IAAA,C;;;MAIA,mD;MAAuC,sBAAK,OAAL,EA  
Ac,IAAd,C;MACf,4BAAY,MAAK,KAAL,EAAW,OAAX,EAAoB,IAApB,C;MADpC,Y;IAAA,C;;;MAIA,mD;MA  
AwC,sBAAK,SAAL,EAAGB,KAAhB,C;MACHB,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAoS,KAAtB,C;MAD  
pC,Y;IAAA,C;;;MAKgG,qBAAU,OAaV,EAAMb,KAAmB,C;;;IAA1D,C;;;MACtC,0D;MAAuB,6BAAK,IAAL,EA  
AW,IAAX,C;MAAvB,Y;IAAA,C;;;MACA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;IAAA,C;;;MAC  
A,0D;MAAwC,6BAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;IAAA,C;;;MAGwG,4BAAiB,OAajB,EAA0B,KAA  
1B,C;;;IAA1D,C;;;MAC9C,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;;MACA,kE;MAAuC,  
qCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;IAAA,C;;;MACA,kE;MAAwC,qCAAK,SAAL,EAAGB,KAAhB,C;MA  
AxC,Y;IAAA,C;;;MAGqG,4BAAiB,OAajB,EAA0B,KAA1B,C;;;IAA1D,C;;;MAC3C,+D;MAAuB,kCAAK,IAAL,  
EAAW,IAAX,C;MAAvB,Y;IAAA,C;;;MACA,+D;MAAuC,kCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;IAAA,C;;;M  
ACA,+D;MAAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;IAAA,C;;;8BAGuG,O;;;IAAxD,C;;;MAC/C,mE;  
MAAuB,sCAAK,IAAL,C;MAAvB,Y;IAAA,C;;;MAG+G,4BAAiB,OAajB,EAA0B,KAA1B,C;;;IAA1D,C;;;MACr  
D,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;;MACA,yE;MAAuC,4CAAK,OAAL,EAAC,I  
AAd,C;MAAvC,Y;IAAA,C;;;MACA,yE;MAAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;IAAA,C;;;MAG6  
G,4BAAiB,OAajB,EAA0B,KAA1B,C;;;IAA1D,C;;;MACnD,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB  
,Y;IAAA,C;;;MACA,uE;MAAuC,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;IAAA,C;;;MACA,uE;MAAwC,0CAA  
K,SAAL,EAAGB,KAAhB,C;MAAxC,Y;IAAA,C;;;sCAI2G,O;;;IAAhE,C;;;MAC3C,+D;MAAuB,kCAAK,IAAL,C;  
MAAvB,Y;IAAA,C;;;8BAIkG,O;;;IAAxD,C;;;MAC1C,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;IAAA,C;;;8BAGg  
G,O;;;IAAxD,C;;;MACxC,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;IAAA,C;;;MAG+F,mBAAM,OAAN,EAae,K  
AAf,C;;;IAA3D,C;;;MACpC,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;IAAA,C;;;MACA,wD;MAAgC,2BAAK,OA  
AL,EAAC,IAAd,C;MAAhC,Y;IAAA,C;;;MACA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAaQ,CAAb,EAA  
yB,sDAAzB,C;MAApC,Y;IAAA,C;;;8BAGoG,O;;;IAAxD,C;;;MAC5C,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;I  
AAA,C;;;8BAIiG,O;;;IAAxD,C;;;MACzC,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;IAAA,C;;;MAG4G,4BAAiB,O  
AAjB,EAA0B,KAA1B,C;;;IAA1D,C;;;MACiD,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;;  
MACA,sE;MAAuC,yCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;IAAA,C;;;MACA,sE;MAAwC,yCAAK,SAAL,EA  
AGB,KAAhB,C;MAAxC,Y;IAAA,C;;;MAGoH,4BAAiB,OAajB,EAA0B,KAA1B,C;;;IAA1D,C;;;MAC1D,8E;MA  
AuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;;MACA,8E;MAAuC,iDAAK,OAAL,EAAC,IAAd,C;MA  
AvC,Y;IAAA,C;;;MACA,8E;MAAwC,iDAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;IAAA,C;;;MCvEO,kB7FoBiD  
,oB;M6FO9C,Q;MAAA,OAaK,0B;MAAf,OAaU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,  
kBAaKB,sBAAY,GAAZ,C;QAKFiD,U;QAJFnE,W7FmHJ,a6FnHgB,G7FmHhB,E8FxLoB,CDqEkC,uBAAuB,CA  
AC,WAAy,mBAAY,GAAZ,CAiFhD,GCTJrC,CDsJqC,GAA6B,UajFjC,WaifiC,6DctJnD,IAAM,CAAN,I9FwLp  
B,C;;;M8FxLA,ODuEO,W;ICvEP,C;;;MCMF0C,OAaI,kBAaK,CAAL,MAAJ,GAAy,CAAZ,GAAMb,C;IAAnB,  
C;;;MAOA,OAaI,kBAaK,CAAL,MAAJ,GAAy,CAAZ,GAAMb,C;IAAnB,C;;;MxC3FA,cAAvC,C;IAAuC,C;;;My  
C4CpB,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EA  
AO,2B;QACR,IAAI,IAAJ,IAAY,K;MAEHb,OAaO,G;IACX,C;;;MAQgB,Q;MADZ,WAA0B,MAAA,MAAK,KA  
AL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBAaE,GAAf,CAAtB,C;UACI,U  
AAK,GAAL,IAAY,MAAM,GAAN,C;;;MAGpB,OAaO,S;IACX,C;;;MxC9D+C,S;IAAA,C;;;MAGCa,0BAaE,WAA  
f,C;IAAA,C;;;MAM4B,0BAaE,WAAf,C;IAAA,C;;;MAOhB,0BAaE,WAAf,C;IAAA,C;;;MAOV,Q;MAH1D,aAAkB  
,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAaO,QAAQ,MAAR,IAaKB,QAAQ,MAAjC,C;

QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;IACX,C;;MASuC,Q;MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAzBsB,MA0BIB,U A1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C;QACI,gBAAgB,O;QACHB,OAAO ,QAAQ,OAaf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;;MAE9C,OAAO,M;IACX,C;;MAOoB,UAA mB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAaL,OAAL,KAAkB,S AAtB,C;QAbqB,MAcJ,B,UAdU,KAcS,O;;MabvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cAAhB,C;QAA gB,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;IACX,C;;MAIoB,UAAgB,M;MADhC ,YAAy,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAY,IAAI,cAAJ,EAAI,sBAAJ,YAAe,O;;MAC3C ,OAAO,G;IACX,C;;MAGI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;;IAE3B,C;;MAE+D,OA AA,MAAa,QAAO,GAAP,EAAY,OAaz,C;IAAb,C;qEyCvF/D,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW ,KAAI,CAAJ,C;MAAX,C;KAPID,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C; MAAX,C;KAPID,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID, C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB; MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;M AAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAK B+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;MAAX,C;KAIB/D,C;uEAoBA,yB;MAAA,iB;MAAA,oB;Q AUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAVnD,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAA A,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,M AAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C ;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KA ZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAbpD,C;yEAeA,y B;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;MAAX,C;KAT/D,C;uEAWA,y B;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KARnD,C;qEAUA,yB;MAAA,iB; MAAA,oB;QAUKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAVID,C;yEAYA,yB;MAAA,iB;MAAA,oB;Qaco D,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAdpD,C;;MA8BI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;Q AAAGC,OAAO,wCAAO,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;IAC1C,C;m EAEA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAXjD,C;yEAaA,yB;MAAA ,iB;MAAA,oB;QAoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAPpD,C;uEASA,yB;MAAA,iB;MAAA,oB; QAOmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAPnD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OA AA,MAAW,OAAM,CAAN,C;MAAX,C;KAhBnD,C;uEakBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAA W,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CA AN,C;MAAX,C;KAVpD,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;MAAX, C;KAVvD,C;;MAoBI,IAAI,IAAI,GAAJ,KAAW,GAaf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;;MAEtB,YAzBg D,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MA AW,MAscB,CAtCa,C;IAuC9D,C;qEAEA,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAI,CAAJ,C;MA AX,C;KAVID,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAXn D,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D, C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C; qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;MAAX,C;KAbzD,C;uE AeA,yB;MAAA,iB;MAAA,+B;QAOSD,OAAA,MAAW,KAAI,SAAJ,EAAY,CAAZ,C;MAAX,C;KAPtD,C;iGAm BsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;MAAX,C;KAAR,C;+EAaT,yB;MAAA,iB; MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;MAAX,C;KAAR,C;;MASzC,kBAaKB,MAAa,eAAc,SAAd, C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAaw,gBAae,UAAAnB,GAA+B,SAA/B,GAAyC,CAAC,S;IA CrD,C;iFAEA,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAc,IAAd,C;MAAL,C;KAL9D,C;;MA mBI,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cA AQ,wCAAo,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBAAQ,wCAAo,UAAf,C;QAHyC,OAGb,YAAy,SAAL,SA AK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;IAJiB,C;;MAYzC,IAAK,QAAL,SAAK,CAAL,IAAgB,cA AQ,wCAAo,kBAA/B,C;QADwC,OACy,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAeZB,wCAAo,U;;QACP,WA

Ac,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,CAAd,GAAqB,EAAxC,E;QAHgB,OC9Z6B,MAAA,gBA  
Ae,IAAf,C;;ID8Z1C,C;;MAWxC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAD0C,OACU,  
S;WACpD,kBAAQ,GAAR,C;QAF0C,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,CAAL,yBAAuB,  
YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;QAHkB,OCxa2B,MAAA,gBA Ae,IAAf,C;;IDwaxC,C;;MAiB1C,I  
AAK,QAAL,SAAK,CAAL,IAAmB,QAAH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAA  
N,C;QAFuD,OAEzC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAIIB,SAAL,SAAK,  
C;IAJ0B,C;;MAoBvD,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,gBAAO,UAAP,C;QAFyC,OAEjB,U;W  
ACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;QAHiB,OAIW,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;;IAJX,C;;  
MAmBzC,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,O  
AIS,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;IAJT,C;uEAa/C,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6  
B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CA  
AY,C;MAA7B,C;KAPhD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7  
B,C;KAPhD,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;  
yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;  
MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;2EAWA,yB;MAAA,iB;M  
AAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;MAA7C,C;KAlB5D,C;yEAoBA,yB;MAA  
A,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;yEAYA,yB;MAAA,iB;MAAA,  
oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,O  
AAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+  
B,OAAZ,CAAY,C;MAA/B,C;KAZID,C;2EAca,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAA  
Y,C;MAA/B,C;KAZID,C;2EAca,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;  
KAbID,C;2EAca,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;MAA7C,  
C;KAT5D,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KARjD,C;  
uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;2EAYA,yB;  
MAAA,iB;MAAA,oB;QackD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAdID,C;uEA gBA,yB;MAAA,mC;M  
AAA,0B;Qac6D,OAAmC,IAA7B,CAA6B,EA AZ,IAAY,C;MAAnC,C;Kad7D,C;qEA gBA,yB;MAAA,iB;MAAA,  
oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAX/C,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,O  
AAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAPID,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,  
MAAZ,CAAY,C;MAA9B,C;KAPjD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAA  
Y,C;MAA/B,C;KAhBjD,C;yEakBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9  
B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAVID,C  
;iFAYA,yB;MAvhBA,iB;MAuhBA,oB;QAUqD,OAvhBE,MAAW,OAhBF,CAvhBE,C;MAuhBb,C;KAVrD,C;2E  
AYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;MAApB,C;KARID,C;uEAWA,yB;MAAA,iB;  
MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;yEAYA,yB;MAAA,iB;MAAA,oB;Q  
AWiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAXjD,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAA  
A,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAPID,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,  
MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAPID,C;SEAYA,yB;MAAA,iB;MAAA,+B;QAAsD,OAAA,MA  
A8C,KAA1B,SAA0B,EA AZ,CAAY,C;MAA9C,C;KAbtD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,M  
AA8C,KAA1B,SAA0B,EA AZ,CAAY,C;MAA9C,C;KAPpD,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OA  
AA,MAAgC,KAAZ,SAAY,C;MAAhC,C;KAAR,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MA  
AZ,SAAY,C;MAAjC,C;KAAR,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EA AZ,IA  
AY,C;MAA1C,C;KAP9D,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EA AZ,IAAY,C;  
MAA1C,C;KAL5D,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAX,SAAW,C;MAAX,C;KAZnD,C  
;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;MAAX,C;KAZrD,C;;MA8BqC,OAAL,IAA  
I,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;IAA1B,C;wEAErC,yB;MAAA,iB;MAAA,uB;QAKoD,  
OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KALpD,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,O  
AAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KALpD,C;mGAiBgD,yB;MAAA,mC;MAAA,4B;QAAQ,  
WAAL,SAAJ,C;MAAA,C;KAAR,C;;MAU5C,gBAAO,CAAP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QA



FoC,OAExB,C;;QAFwB,OAG5B,C;IAH4B,C;;MAiBD,OAAI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAMb,C;IAA  
nB,C;;MAOgB,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;IAAnB,C;;MAOA,OAAI,kBAAK,CAAL,  
MAAJ,GAAY,CAAZ,GAAMb,C;IAAnB,C;mGAYL,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;MAAA,C  
;KAAR,C;;MAU9C,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAeZB,C;;QAFyB,O  
AG7B,C;IAH6B,C;;MEhlCO,ctEyCoB,uBsEzCpB,EAAiB,MAAjB,C;IAAA,C;;MAMN,Q;MAAA,yDAaKB,kBA  
AkB,SAAlB,C;IAAlB,C;;MAOU,Q;MAAA,yCAAA,KAAb,oBAAUb,kBAaKB,SAAlB,C;IAAvB,C;;MAOR,Q;MA  
AA,0DAAMb,kBAaKB,SAAlB,C;IAAnB,C;;MAOU,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAaKB,SAAlB,C;IAA  
xB,C;;MAMd,Q;MAAA,wDAAiB,kBAaKB,SAAlB,C;IAAjB,C;;MAOU,Q;MAAA,wCAAY,KAAZ,oBAAsB,kB  
AAKB,SAAlB,C;IAAtB,C;;MAMR,Q;MAAA,yDAaKB,kBAaKB,SAAlB,C;IAAlB,C;;MAOU,Q;MAAA,yCAAA,  
KAAb,oBAAUb,kBAaKB,SAAlB,C;IAAvB,C;;MAMqC,kBAA1C,CAAO,S;MACID,IAAO,QnFgBD,WmFhBC,C  
AAH,IAAc,CAAM,kBAApB,KnFgBE,WmFhB6B,KAAM,GAAN,IAaKB,kBAAjD,CAAJ,C;QACI,4B;MAFsC,O  
nFkBnC,W;ImFlBmC,C;6EAK9C,yB;MAAA,6C;MAAA,4B;QAKmD,0B;MAAA,C;KALnD,C;;MAWgG,kBAA1  
C,CAAO,S;MAAR,OACjD,EAAK,QnFwBgB,WmFxBhB,CAAH,IAAc,CAAM,kBAApB,KnFwBmB,WmFxBY,K  
AAM,GAAN,IAaKB,kBAAjD,CAAF,CnFwBO,GAAqB,WAArB,GAA+B,I;ImFzBW,C;yFAIrD,yB;MAAA,yD;M  
AAA,4B;QAK0D,gC;MAAA,C;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAA  
S,KAAT,C;MAAb,C;KAP7D,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAA,S,KAAT,C;  
MAAb,C;KAP9D,C;;MAeS,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;IAAZ,C;;MAQD,OAAA,SAAY,UA  
AS,WAAW,KAAX,CAAT,C;IAAZ,C;;MAEf,QAAM,StE/EwB,csE+E9B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,  
OACT,I;gBADs,OAElB,K;;IAF0B,C;;MAUIC,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAA  
yB,WAAQ,KAAR,kCAAzB,C;;MAEV,OAAO,K;IACX,C;;MAE2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAA  
vB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WA  
C9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;;QACTb,S;MnFpDD,a;MmFgD  
gD,OAK/C,WAAJ,GAAiB,EAAjB,GAAyB,E;IAL0B,C;;MDxIf,qBAAQ,S;IAAR,C;;MAMD,qBAAQ,S;IAAR,C;;  
MAKM,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;IAAnD,C;;MAKD,qBAAQ,uCAAM,kBAAd,IAAm  
C,cAAQ,uCAAM,kB;IAAjD,C;;MAKD,QAAC,qBAAD,IAAiB,CAAC,kB;IAAlB,C;;MAKD,QAAC,uBAAD,IAA  
iB,CAAC,kB;IAAlB,C;;MAwB2B,OAAA,MAAa,gBAaE,IAAf,C;IAAb,C;;MA8BH,OAAA,MAAa,eAAc,IAAd,C;  
IAAb,C;;MErDIE,OAAO,SAASB,MAAK,WAAL,C;IACzC,C;;MAMI,OAAO,SAASB,MAAK,WAAL,EAaKB,U  
AAIB,C;IACzC,C;;MCpCI,gBAAH,IAAI,OAAO,EAAG,GAAE,IAAI,IAAI,CAAC,CAAD,EAAl,EAAJ,CAAd,GA  
AyB,CAAhC,C;IAAA,C;;MAKA,QAAQ,K;MACR,UAAU,E;MACV,OAAO,MAAK,CAAZ,C;QACI,IAAI,CAAE  
,KAAK,C;QACX,iB;;MAEJ,OAAO,G;IACX,C;;MAKI,cAAO,QAAP,GAaKB,QAAQ,Q;IAA1B,C;8E9EpBJ,yB;  
MAAA,6C;MAAA,kC;QAGI,OAAgB,QAAX,SAAW,EAAa,IAAb,C;MAAhB,C;KAHJ,C;;M+EmBY,Q/CdkC,O+  
CcnB,SAAf,C;aACJ,Q;UADI,OACQ,M;aACZ,Q;UAFI,OAeQ,M;aACZ,S;UAHI,OAGS,O;gBAHT,OAIL,MAAa,g  
BAaE,SAAf,CAAqB,Y;;IAJtC,C;;MAWC,Q;MAAD,OAAwB,CAAvB,iEAAuB,Q;IAAxB,C;;MAMA,iBAAU,SA  
AV,C;IAAA,C;;MCjCR,8B;IADuC,C;;MACvC,4B;IAAA,C;;MvFWgC,MAAM,yB;IuFR1B,C;;MvFQoB,MAAM,  
yB;IuFN1B,C;;MvFMoB,MAAM,yB;IuFJ1B,C;;MvFIoB,MAAM,yB;IuFF1B,C;;MvFEoB,MAAM,yB;IuFA1B,C;;  
MvFAoB,MAAM,yB;IuFE1B,C;;MvFFoB,MAAM,yB;IuFI1B,C;;MvFJoB,MAAM,yB;IuFM1B,C;;MvFNoB,MA  
AM,yB;IuFQ1B,C;;MvFRoB,MAAM,yB;IuFU1B,C;;MvFVoB,MAAM,yB;IuFY1B,C;;MvFZoB,MAAM,yB;IuFc1  
B,C;;MvFdoB,MAAM,yB;IuFgB1B,C;;MvFhBoB,MAAM,yB;IuFk1B,C;;MvFBoB,MAAM,yB;IuFo1B,C;;Mv  
FpBoB,MAAM,yB;IuFs1B,C;;MvFtBoB,MAAM,yB;IuFw1B,C;;MAGR,OAAO,oCAA0B,oBAAU,KAAM,OA  
AhB,C;IACrC,C;;MAG+B,gB;MAAA,8FAA0B,C;IAA1B,C;;MAI3B,OAAO,oBAAQ,eAAR,C;IACX,C;;MAG2D  
,sBAAc,MAAd,C;MACL,Q;MAAtD,4BAAMC,CAAMb,OAAZ,MAAY,WAAAnB,kC;IADC,C;;MACpC,gC;IAAA,  
C;;MAGW,cAAgB,W;MAAvB,O/CqCuD,MAAa,Q+CrCpD,K/CqCoD,EAAy,OAAZ,C;I+CpCxE,C;;MAOA,sBA  
Ac,MAAd,C;MAFA,wC;MACA,8C;IAHuC,C;;MAMnC,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAA  
O,KAAP,CAAN,IAAUb,+BAAMb,KAAM,kBAAzB,C;IACIC,C;;MAEyC,6B;IAAA,C;;MAGrC,OAAO,0BAAMb  
,KAAAnB,C;IACX,C;;MAGJ,iC;MAAoC,sBAAoB,MAApB,C;MACHc,4BAaKc,S;IADtC,C;;MACI,gC;IAAA,C;;  
MAEgD,Y;IAAA,C;;MAGpC,MAAM,qCAA8B,6CAA9B,C;IAAN,C;;MAEgC,iBAAU,I;IAAV,C;;MAEb,Q;IAA  
A,C;;MAVnC,wC;QAAA,uB;;MAAA,iC;IAAA,C;;MC5EA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA  
7D,EAAoE,gCAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,oBAC

mB,+B;MAEnB,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8D,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,kBACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBACwB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAwE,WAAxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAASe,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACsB,wBAAoB,UAApB,EAAwE,YAAxE,EAAfF,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAASe,UAAIE,EAAkF,qCAAlF,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0F,wCAA1F,C;IA5D3B,C;;MAkE6C,qB;QAAE,OjD/DD,OiD+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,IAAyB,a;MAA1D,C;IAAA,C;;MAFd,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;;QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SAIH,M;;MAJj,a;IAMJ,C;;MANEqF,6B;IAAU,C;;MAGD,0B;IAAA,C;;MAMT,8B;IAAc,C;;MAGxB,6B;IAAW,C;;MAGR,6B;IAAY,C;;MAGIB,6B;IAAU,C;;MAGJ,6B;IAAY,C;;MAGT,6B;IAAA,C;;MAGd,yB;IAAe,C;;MAGd,6B;IAAA,C;;MAGL,mC;IAAgB,C;;MAGP,gC;IAAmB,C;;MAGtB,6B;IAAgB,C;;MAGIB,6B;IAAgB,C;;MAGZ,8B;IAAiB,C;;MAGvB,4B;IAAe,C;;MAGjB,6B;IAAgB,C;;MAGN,8B;IAAiB,C;;MAGd,+B;IAAkB,C;;;MA5DzI,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MCEkE,yBAAkB,MAAlB,C;IAAA,C;;MAIxD,IAAN,I;MAAA,QIDHOC,OkDG3B,CAAF,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAxB,CAAwB,GAApB,CAAoB,MAAgB,CAApB,GAAuB,8BAAiB,SAAXC,GAAAD,8BAAiB,Y;UAAAnF,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAAsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAA,gBAAE,CAAF,CAAKB,Y;YAE7C,oBAAGB,MAAhB,C;CAAIID,OAAjB,8BAAiB,S;IBACjD,oBAAGB,KAAhB,C;cAAGD,OAAjB,8BAAiB,e;;CAE5C,cAA0B,W;cAC1B,yBAAkB,OAAIB,C;;;UAXBxB,K;;MAAA,W;IAAA,C;;MAqCO,Q;MAJP,IAAI,WAAW,MAAF,C;QAA6B,OAAO,8BAAiB,Y;;MAErD,eAAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MAAjB,C;UACb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAjB,C;;MATJ,W;IAWJ,C;;MCTDA,e;MAGqC,kB;MAHrC,iB;MAAA,uB;IAGoC,C;;MAHpC,qC;MAAA,C;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;IANJ,C;;MAII,wB;MAAA,uC;IAAA,C;;MAEA,wB;MAAA,qC;IAAA,C;;MANJ,mF;IAAA,C;;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;IAAA,C;;MAmBoC,kB;IAAD,C;;MAAC,iB;IALpC,C;;MAAA,sBAKoC,qCALpC,C;IAAA,C;;MAAA,OAKoC,iDALpC,M;IAAA,C;;MAAA,c;MAKoC,sD;MALpC,a;IAAA,C;;MAAA,2IAKoC,sCALpC,G;IAAA,C;;MAoJI,6B;MAIHA,eACoC,O;MACpC,eACsD,QAAAR,OAAQ,C;MxFwuC/C,kBAAM,iBAAa,wBwFvüC0B,OxFuuC1B,EAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,OwF5yCuC,OxF4yCvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAc,IwF7yCuC,MxF6yCrD,C;;MwF7yChB,uBAAoC,WAAO,OAAP,EAAYC,exF8yCtE,WwF9yCsE,EAAYB,EAAzB,CAAzB,GAAwD,GAAxE,C;IAbd,C;;MAIBJ,MAAd,oBAAC,C;MACd,YAAy,oBAAC,MAAK,KAAM,WAAx,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAC,UAAAd,KAA2B,KAAM,O;IACjF,C;;MAIkB,MAAd,oBAAC,C;MACd,OAAO,oBAAC,MAAK,KAAM,WAAx,C;IACzB,C;;MAQ4C,0B;QAAA,aAAkB,C;MAAmB,OAAc,SAAd,oBAAC,EAAS,KAAm,WAAf,EAA2B,UAA3B,C;IAAd,C;;MAS5D,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;MAAF,C;IAAA,C;;MAAwC,OAAA,KAAM,O;IAAO,C;;MAD3B,0B;QAAA,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;IAAA,C;;MAQA,IAAY,aAAR,YAAQ,EAAY,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEp,OAAkE,CAA3D,UAAm,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAY,EAAe,qBAAQ,EAAR,EAA3B,MAAN,EAAd,YAAID,CAA2D,eAAK,KAAL,C;IAC1E,C;;MAO8E,OAAA,KAAm,W7EpBa,S6EoBY,oB7EpBZ,E6EoB2B,W7EpB3B,C;I6EoBnB,C;uGAE9E,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAy,kBAAK,KAAL,C;QACZ,IAAI,aAAJ,C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAGB,C;QACH

B,aAAa,KAAM,O;QACnB,SAAS,mBAAC,MAAd,C;;UAEL,iBAAiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAC,S  
AAAd,EAAYB,UAAW,MAAM,MAA1C,C;UACH,EAAG,gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,  
MAAM,aAAjB,GAAgC,CAAhC,I;UACZ,QAAQ,UAAW,O;;QACd,oBAAy,MAAZ,IAAsB,aAAtB,C;QAET,IAA  
I,YAAY,MAAhB,C;UACI,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,MAAZB,C;;QAGP,OAAO,EAAG,W;MA  
Cd,C;KAZBA,C;;MAiCmC,gBAAR,Y;MxFmpCpB,kBAAM,iBAAa,mCAAwB,EAAXB,CAAb,C;MAqEA,Q;MA  
AA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAC,IwFztCc,MxFytC5B,C;;MwFztCZ,uBAAgD,exF0t  
C7C,WwF1tC6C,EAAYB,EAAZB,C;MACHd,OAAO,KAAM,W7ExDgF,S6EwDvD,WAAO,YAAP,EAAGB,gBAA  
hB,C7ExDuD,E6EwDpB,W7ExDoB,C;I6EyDjG,C;;MAS6C,qB;QAAA,QAAa,C;MAMxC,Q;M7FvHIB,IAAI,E6F  
kHQ,SAAS,C7FIHjB,CAAJ,C;QACI,c6FiHsB,8C;Q7FhHtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MG8DH,S0Fm  
DW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAS,CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,EAAC,QAAQ,CA  
AR,IAAL,C;MAC9D,a3G9DgD,gB;M2G+DhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,  
MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAauB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YA  
AY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEhB,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAauB,K  
AAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;IACX,C;;MASyC,OAAA,oBAAC,W;IAAd,C;;MAEzC,+B;M  
AmBI,uBAA4B,WAAO,wBAAP,EAAC,GAAIC,C;MAC5B,2BAAgC,WAAO,KAAP,EAaiB,GAAjB,C;IAPBpC  
,C;;MAK4D,oBAAM,oBAAO,OAAP,CAAN,C;IAAA,C;;MAMJ,OAAA,O7EpGyC,S6EoGnB,oB7EpGmB,E6EoG  
J,M7EpGI,C;I6EoGzC,C;;MAMW,OAAA,O7E1G8B,S6E0GR,wB7E1GQ,E6E0GW,M7E1GX,C;I6E0G9B,C;;M  
AjBnE,sC;QAAA,qB;;MAAA,+B;IAAA,C;;MAjIA,+C;MACKe,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;  
MADIE,Y;IAAA,C;;MAGA,+C;MAC6C,kBAAK,OAAL,EAAC,UAAd,C;MAD7C,Y;IAAA,C;;MAyJ8D,iBAAM,  
OAAH,EAAC,MAAM,MAAN,CAAF,C;IAAA,C;;MAKRB,iBAAM,OAAH,EAAC,UAAd,C;IAAA,C;;MAWIC,kC;  
MAAA,kC;MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;IAZvC,C;;MACH,2B;IAAA,  
C;;MAEY,qBAAA,kBCtK8C,CDsKxC,CCtKwC,CDsK9C,C;IAAA,C;;MAEZ,4B;IAAA,C;;MAY2B,kC;MAAS,u  
B;IAAT,C;;MACoB,OAAA,kBAAM,O;IAAN,C;;MACQ,Q;MAAA,eAAA,kBCtLG,CDsLG,KCtLH,CDsLH,mBA  
AgB,E;IAAhB,C;;MAH/C,IAAI,2BAAJ,C;QACI,yH;;MAKJ,OAAO,kC;IACX,C;;MAEGC,OAAc,SAAd,kBAAC,  
EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAC,CAAd,IAArB,GAA0C,kBAAM,aAAN,  
GAAqB,CAArB,IAA1D,C;IAAd,C;;MApBQ,kC;MAA+B,6B;IAA/B,C;;MACT,OAAA,kBAAM,O;IAAN,C;;MA  
C2C,qB;QAAE,yBAAC,EAAL,C;MAAF,C;IAAA,C;;MAAZB,OAAqB,OAAb,aAAR,oBAAQ,CAAa,EAAL,iEAA  
J,CAAI,B,W;IAAT,C,C;;MACL,Q;MAAA,eAAA,kBC3KU,CD2KJ,KC3KI,CD2KV,YAAoB,oBAAPB,O;IAAA,C;;  
;MAbpD,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMB,OAAO,I;MAC1B,YAAY,aA  
AA,KAAM,MAAN,EAAs,sBAAy,CAAZ,IAAb,C;MAEZ,iE;IA2BJ,C;;MChNI,sBAAy,C;IACHB,C;;MAiBkE,iB  
AAY,KAAZ,C;IAAA,C;;MAMJ,gB;IAAA,C;;MCjD1D,qBAAwC,Q;IADK,C;;MAI1B,Q;MAAA,yB;MAAA,iB;Q  
AAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf,qBAAC,I;MACd,OAAO,QAAS,W;IACpB,C;;M/ECa,  
Q;MADb,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAA  
O,M;IACX,C;;MAA+B,Q;MAH3B,IAAL,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAH,GAAa  
,MAAb,QAAsB,MAAtD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAaf,kBAA+B,MAA/B,kBAAgD,MAA1E,  
C;MACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAC,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;  
MAEJ,OAAO,M;IACX,C;;MAQwD,OAAA,SAAY,c;IAAZ,C;;MAQA,OAAA,SAAY,c;IAAZ,C;;MAG4B,OAAA,  
SAAY,SAAQ,GAAR,EAAs,SAAb,C;IAAZ,C;;MAGI,OAAA,SAAY,aAAY,GAAZ,EAaiB,SAAjB,C;IAAZ,C;;M  
AGP,OAAA,SAAY,YAAW,CAAX,EAAC,QAAd,C;IAAZ,C;;MAGjB,OAAA,SAAY,UAAS,CAAT,C;IAAZ,C;;M  
AGK,OAAA,SAAY,WAAU,UAAV,C;IAAZ,C;;MAGe,OAAA,SAAY,WAAU,UAAV,EAAsB,QAAtB,C;IAAZ,C;  
;MAG7B,OAAA,SAAY,QAAO,GAAP,C;IAAZ,C;;MAGS,OAAA,SAAY,OAAM,KAAN,C;IAAZ,C;;MAMyB,O  
AAA,SAAY,SAAQ,OAAR,EAaiB,WAAjB,C;IAAZ,C;;MAIvC,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QA  
CI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UZ+FG,MAAK,KY/FQ,EZ+FR,EY/FY,EZ+FZ,C;QY9FR,IAAI  
,QAAO,CAAX,C;UAAc,OAAO,KAAC,EAAL,I;QACrB,YAAY,C;QACZ,OAAO,IAAP,C;UACI,UZ2FD,MAAK,  
KY3FY,QAAQ,EAAR,IZ2FZ,EY3FwB,GZ2FxB,C;UY1FJ,SAAS,SAzB2E,WAYB5D,KAZB4D,EAyBrD,GAzBq  
D,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1BoD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;  
YACI,KAAC,EAtd+C,c;YAuDpD,KAAC,EAvd+C,c;YAwDpD,IAAI,YAAM,EAAN,CAAJ,C;cACI,KAAC,EAj  
D2C,c;cAkDhD,KAAC,EAID2C,c;cAmDhD,IAAI,YAAM,EAAN,CAAJ,C;gBACI,OAAU,iBAAH,EAAG,EAU,

EAAV,C;;;UAIb,IAAI,QAAO,GAAX,C;YAAgB,K;UACHb,QAAQ,G;;QAEZ,OAAO,KAAK,EAAL,I;;;QAEp,OAAO,4BAAU,KAAV,C;;IAEf,C;;MAGyE,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B,C;IAAgC,C;;;MAI/F,oC;IAAA,C;;MgFhHqE,OhF6Ce,kBgF7CE,oBAAH,EAAG,ChF6CF,EgF7Cc,ShF6Cd,C;Igf7Cf,C;;MAGI,OhF6Ce,sBgF7CM,oBAAH,EAAG,ChF6CN,EgF7CkB,ShF6CIB,C;Igf7Cf,C;;MAMjC,0B;QAAA,aAAsB,K;MACTe,IAAI,CAAC,UAAAL,C;QACI,OhFwCqF,qBgFxC7D,MhFwC6D,EgFxCrD,ChFwCqD,C;;;QgFtCrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAYB,CAAzB,EAA4B,MAAO,OAAAnC,EAA2C,UAA3C,C;IACf,C;;MAMqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAAL,C;QACI,OhF6BqF,qBgF7B7D,MhF6B6D,EgF7BrD,UhF6BqD,C;;;QgF3BrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAAKC,CAAlC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;IACf,C;;MAMkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,UAAAL,C;QACI,OhFqBoE,mBgFrB9C,MhFqB8C,C;;;QgFnBpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,EAAc,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAGe,UAAhE,C;IACf,C;;MAII,aAAa,ShF0B2D,OgF1BhD,KhF0BgD,C;MgFzBxE,OAAO,kBAaKB,MAAO,OAAp,KAAe,C;IAC5C,C;;MAEOd,4BAAU,CAAV,IAA+D,QAA3C,6BAAJ,GAAoB,SAAPB,GAA8B,SAAK,WAAy,EAAQ,eAAR,C;IAA/D,C;;MAGH,0B;QAAA,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAAL,C;UAAA,SACD,kBAAQ,KAAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,ShFX2C,cgFW3C,EAAcB,KhFXqB,cgFW3C,C;;UAHhB,e;;QAFI,a;;MAAA,W;IAAA,C;;MAS8G,0B;QAAA,aAAsB,K;MACpI,oCAAKB,UAAIB,EAA8B,KAA9B,EAAqC,WAArC,EAaKd,MAAlD,EAA0D,UAA1D,C;IAAA,C;;MAUA,OjFmKmD,mBAAS,CiFnK5D,GhFR4F,oBgFQzD,ChFRyD,EgFQtD,ChFRsD,CA1B5B,cgFkCvC,GhFXoD,oBgFWV,ChFXU,CgFW7E,GAA2E,S;IAC/E,C;;MASI,OjFyJmD,mBAAS,CiFzJ5D,GhFIB4F,oBgFkBzD,ChFIByD,EgFkbtD,ChFIBsD,CAIB5B,cgFoCvC,GhFrBoD,oBgFqBV,ChFrBU,CgFqB7E,GAA2E,S;IAC/E,C;;MAQiB,IAAN,I;MhG9DP,IAAI,EgG6DI,KAAK,ChG7DT,CAAJ,C;QACI,cgG4Dc,oD;QhG3Dd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgG4DH,QAAM,CAAN,C;aACH,C;UAAK,S;UAAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,IAAI,EjFmIoC,qBAAU,CiFnI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YAcB,YAAy,C;YACZ,OAAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;;cAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAAS,CAAb,C;gBACI,K;;cAEJ,KAAK,C;;;UAGb,OAAO,M;;MAnBf,W;IASBJ,C;;MAGqE,0B;QAAA,aAAsB,K;MACvF,OhFzCiG,kBgFyCnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAMC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD,ChFzCmF,EgFyCpB,6BAAM,2BAaKB,QAAIB,ChFzCc,C;IgfYcJG,C;;MAG2D,0B;QAAA,aAAsB,K;MACjF,OhF7CiG,kBgF6CnF,WAAO,6BAAM,gBAAE,oBAAR,OAAQ,CAAF,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0B,GAAAnE,ChF7CmF,EgF6CF,oBAAR,OAAQ,ChF7CE,C;Igf6CjG,C;;MAGsE,0B;QAAA,aAAsB,K;MAC5F,OhFjDiG,kBgFiDnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAMC,UAAJ,GAAgB,GAAhB,GAAyB,EAAXD,ChFjDmF,EgFiDtB,6BAAM,2BAaKB,QAAIB,ChFjDgB,C;IgfIDjG,C;;MAGgE,0B;QAAA,aAAsB,K;MACTf,OhFrDiG,kBgFqDnF,WAAO,6BAAM,gBAAE,oBAAR,OAAQ,CAAF,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB,EAAlE,ChFrDmF,EgFqDJ,oBAAR,OAAQ,ChFrDI,C;IgfqDjG,C;;;MCzH8B,uB;QAAA,UAAKB,E;MAOhD,gBAA6B,O;IAPA,C;;MAUjB,OAAO,aAAY,O;IAAnB,C;;MAGD,gBAAP,a;MnFwEG,Q;MAAA,ImFxEc,KnFwEV,IAAS,CAAT,ImFxEU,KnFwEI,IAAS,2BAA3B,C;QAAA,OAAc,qBmFxExB,KnFwEwB,C;;QmFxEf,MAAM,8BAA0B,mCAAYB,WAAzB,MAA1B,C;;MAAhC,W;IAAA,C;;MAE4E,OAAA,ajFyCY,WiFzCK,UjFyCL,EiFzCiB,QjFyCjB,C;IIFzCZ,C;;MAG5E,qCAAU,CAAV,C;MACA,OAAO,I;IACX,C;;MAGI,iBAAc,SAAJ,GAAL,C;MACd,OAAO,I;IACX,C;;MAGI,iBAAc,SAAJ,GAAL,C;MACd,OAAO,I;IACX,C;;MAGI,gBAAGB,aAAY,OAAM,EAAN,CAAU,UAAU,MAAK,EAAL,C;MACHd,OAAO,I;IACX,C;;MASI,gBAAS,E;MACT,OAAO,I;IACX,C;;MAEKc,oB;IAAA,C;;MAPdIC,uD;MAAOc,2B;MAApC,Y;IAAA,C;;MAEA,uD;MAAuB,0BAAK,EAAL,C;MAAvB,Y;IAAA,C;;MA4D4D,OAAA,SAAK,Q;IAAL,C;;MctBvB,qB;QAAA,QAaKB,I;MAAM,qB;QAAA,QAaKB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAaKc,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MACtT,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA AE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MAEpC,OAAO,C;IACX,C;;MAy0BwC,6B;QAAA,gBAAYB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA AqB,K;MAC/I,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAk

B,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA2CkF,iBAAY,KAAZ,C;IAAA,C;;MACa,U  
AAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;  
MAsBIC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;MAsB/C,iBAAY,KAAZ,C;IAAA,  
C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,  
K;IAAO,C;;MAsB5C,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KA  
AZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;MAsBtC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KA  
AZ,IAAqB,K;IAAO,C;;MAsBxC,iBAAY,KAAZ,C;IAAA,C;;MACa,UAAAY,KAAZ,IAAqB,K;IAAO,C;;MCx1C3F,  
6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K  
;MACpJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;  
MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0BgD,mC;QAAA,sBAAGC,K;MAC5E,QAAQ,E  
;MAER,EAAE,qBAAF,IAA2B,mB;MAE3B,OAAO,C;IACX,C;;MCKm+F,iBAAY,KAAZ,C;IAAA,C;;MASV,iBA  
AY,KAAZ,C;IAAA,C;;MAGCS,iBAAY,KAAZ,C;IAAA,C;;MAGBN,iBAAY,KAAZ,C;IAAA,C;;MCzR1D,oB;QA  
AA,OAAGB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,w  
B;QAAA,WAAqB,K;MACHJ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAA  
E,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;M  
AgBiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAo  
B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,E;MAER,EAAE,eAAF,IAAqB,  
a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAA  
F,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkDiC,uB;QAAA,UAAgB,C;MAAG,  
uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;M  
AAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WA  
AqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;Q  
AAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;M  
AAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,i  
BAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;Q  
AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnvB,QAAQ,E;MAER,EAAE,  
SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EA  
AE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;M  
ACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,  
IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,  
c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,E  
AAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,  
IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAA  
E,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAGDoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;  
MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,  
mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,  
+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2  
B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,  
UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MAER,EAAE,SAAF,  
IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EA  
AE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBA  
AF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;  
MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EA  
AE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;M  
ACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SA  
AkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QA  
AA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,u  
B;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;

MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC70B,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA+CoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAGBuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MC5NsF,iBAAY,IAAZ,C;IAAA,C;;MAuEF,iBAAY,IAAZ,C;IAAA,C;;MAkCsC,UAAAY,KAAZ,IAAqB,M;IAAQ,C;;MA0C7D,iBAAY,IAAZ,C;IAAA,C;;MACY,UAAAY,IAAZ,IAAoB,K;IAAO,C;;MAmqBnC,iBAAY,KAAZ,C;IAAA,C;;MAwBA,iBAAY,KAAZ,C;IAAA,C;;MAoBF,iBAAY,KAAZ,C;IAAA,C;;MAuBM,iBAAY,KAAZ,C;IAAA,C;;MAsCjE,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAGJ4F,iBAAY,KAAZ,C;IAAA,C;;MACsB,iBAAY,IAAZ,C;IAAA,C;;MAGIpB,iBAAY,KAAZ,C;IAAA,C;;MACwB,UAAAY,KAAZ,IAAqB,M;IAAQ,C;;MAsThH,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAmDuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAoBmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAsMmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAoE4B,S;;MAprEwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,S

AAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAuDsD,qB;QAAA,QAaKB,I;MACpE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAkB2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MAER,EAAE,SAAF,IAAe,S;MAEf,OAAO,C;IACX,C;;MAGc0G,iBAAY,KAAZ,C;IAAA,C;;MA0B1E,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAKB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtxB,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAKB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAqDoC,qB;QAAA,QAaC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBsC,sB;QAAA,SAaKB,E;MAAI,sB;QAAA,SAaKB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAGb0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MASeiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAc,C;MAAG,qB;QAAA,QAaC,C;MAAG,qB;QAAA,QAaC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAc,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAmLuF,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MAUE,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MA2CjD,gC;QAAA,mBA6lD8C,M;;MA7lDe,gC;QAAA,mBA5mDT,S;;MAtmDyE,oC;QAAA,uBA6mDjE,S;;MA7mD6l,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAonDIO,K;;MAnnDvE,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAaKB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAc,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnQ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAKB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4BkC,+B;QAAA,kBAA4B,K;MA

C1D,QAAQ,E;MAER,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C;;MAoDiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAakB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4FgC,oB;QAAA,OA64C6C,S;;MA74CL,2B;QAAA,cCvpFe,M;;MDwpFnF,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MAEnB,OAAO,C;IACX,C;;MAkDoF,iBAAY,GAAZ,C;IAAA,C;;MACY,UAA,Y,GAAZ,IAAmB,K;IAAO,C;;MA8CvF,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0F4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiBkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MASuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAY0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAaiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MA2DkF,iBAAY,KAAZ,C;IAAA,C;;MAUS,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MAuCd,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAakC,S;MAAW,+B;QAAA,kBAakC,S;MAC1R,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EA AE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C;;MAGfQc,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;MAER,EAA E,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAwByC,mB;QAAA,MAAe,S;MACpD,QAAQ,E;MAER,EAAE,IAAF,IAAU,G;MAEV,OAAO,C;IACX,C;;MA2HI,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IAC X,C;;MAesF,iBAAY,KAAZ,C;IAAA,C;;MACW,iBAAY,aAAZ,C;IAAA,C;;MAiMT,iBAAY,KAAZ,C;IAAA,C;; MA4CzD,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;M AC9F,QAAQ,E;MAER,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MAC T,EAAE,GAAF,IAAS,C;MAET,OAAO,C;IACX,C;;MA0C8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MA AK,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAakB,G;MACtG,QAAQ,E;MAER,EAAE,GAAF,IAAS,C;MACT,E AA E,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MAEd,OAAO,C;IACX,C;;MA KwF,iBAAY,KAAZ,C;IAAA,C;;MAkHxD,wB;QAAA,WA0W+C,M;;MAzW3E,QAAQ,E;MAER,EAAE,UAAF,IA AgB,Q;MAEhB,OAAO,C;IACX,C;;MAekC,oB;QAAA,OAAGB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;Q AAA,WaqVR,M;;MApV3E,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAA E,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiC0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;MA AO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MAER ,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U ;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiCwC,qB;QAAA,QA0QyD,Q;;MA1QK,sB;QA AA,SA0QL,Q;;MA1QoE,wB;QAAA,WaiQtF,M;;MAhQ3E,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAA E,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAYiC,mB;QAAA,MA+P0C,Q;; MA/PJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;M AEIB,OAAO,C;IACX,C;;MAY2C,uB;QAAA,UA4OgC,Q;;MA5OU,qB;QAAA,QA4OV,Q;;MA3OvE,QAAQ,E;M AER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAiDmF,OAAU,S;IAAV,C;; MACI,OAAc,a;IAAd,C;;MACH,OAAW,U;IAAX,C;;MAML,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MAC G,OAAW,U;IAAX,C;;MAMR,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MAME, OAAW,U;IAAZ,C;;MACD,OAAW,U;IAAX,C;;MACI,OAAe,c;IAAf,C;;MACJ,OAAW,U;IAAX,C;;MACA,OAA



W,U;IAAX,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACF,OAAM,K;IAAN,C;;MACK,OAAM,  
U;IAAX,C;;MAMC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;MAMU,OAAM,K;IAAN,C;;MACG,OAAS,Q;  
IAAT,C;;MACF,OOAO,M;IAAP,C;;MAMhB,OOAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IA  
AT,C;;MAMC,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAME,OAAQ,O;IAA  
R,C;;MACF,OAAM,K;IAAN,C;;MACC,OOAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C  
;;MAMG,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MACI,OAAa,Y;IAAb,C;;MA  
CC,OAAc,a;IAAd,C;;MACL,OAAS,Q;IAAT,C;;MAMT,OAAM,K;IAAN,C;;MACA,OAAM,K;IAAN,C;;MACI,O  
AAU,S;IAAV,C;;MAMC,OOAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAMJ,OOAO,M;IAAP,C;;MACC,OAA  
Q,O;IAAR,C;;MAMD,OOAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MAMK,OOAO,M;  
IAAP,C;;MACG,OOAU,S;IAAV,C;;MAMZ,OOAY,W;IAAZ,C;;MACN,OAAM,K;IAAN,C;;MACG,OAAS,Q;IA  
AT,C;;MACF,OOAO,M;IAAP,C;;MAMN,OOAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MAMJ,OAAU,S;IAAV,C  
;;MACD,OAAS,Q;IAAT,C;;MAMM,OOAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAMF,OOAO,M;IAAP,C;;M  
ACG,OOAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MAMa,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACH  
,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMvB,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACC,O  
AAU,S;IAAV,C;;MACA,OOAU,S;IAAV,C;;MElrIB,qB;QAAA,QAaKB,I;MAAM,sB;QAAA,SAaMB,I;MAAM,  
2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MA  
AM,sB;QAAA,SAaMB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAAA,mBAA6B  
,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAAM,4B;QAAA  
,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MAER,EAAE,OOAF,IA  
Aa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EA  
AE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAk  
B,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACv  
B,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAA  
F,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MAEf,OOAO,C;IACX,C;;MAsDyC,qB;QAAA,QAaQB,S;MAAW,sB;  
QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;QAAA,aAA6B,S;MAA  
W,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW,0B;QAAA,aAA0B,S;  
MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAMC,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,uB;QA  
AA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC  
tnB,QAAQ,E;MAER,EAAE,OOAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MAC  
nB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QA  
AF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;  
MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAA  
E,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MAEf,OOAO,C;IACX,C;;M  
AYwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAaIB,S;MAAW,sB;QAAA,SAaKB,S;MAAW,2B;QAAA,cA  
AuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QA  
AA,SAaKB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW  
,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAw  
B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;MAER,EAAE,UAAF,IAA  
gB,Q;MACHB,EAAE,OOAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA  
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACx  
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA  
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MAEf,OOAO,C;IACX,C;;MAsD0C,  
qB;QAAA,QAaIB,S;MAAW,sB;QAAA,SAaKB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;M  
AAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAaKB,S;MAAW,0B;QAAA,aAAsB  
,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QA  
AA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAA  
W,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MAER,EAAE,OOAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,

EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAyDqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,SA Ae,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SA AkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAGBsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAagD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAwCyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAuB8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACnE,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAYuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAY6B,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAYsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAe6C,qB;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAe+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAOI,QAAQ,E;MAGR,OAAO,C;IACX,C;;MAOI,QAAQ,E;MAGR,OAAO,C;IACX,C;;MAOI,QAAQ,E;MAGR,OAAO,C;IACX,C;;MAS8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAMsF,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAML,OAAO,M;IAAP,C;;MACU,OAAiB,gB;IAAjB,C;;MAMZ,OAAa,Y;IAAb,C;;MACC,OAAc,a;IAAd,C;;MACD,OAAa,Y;IAAb,C;;MC7oB7C,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC19B,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MACIB,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;M

ACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAC hB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a; MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IA Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MAEhB,OA AO,C;IACX,C;;MC/CwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAA O,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAuFuF,iBAAY,KAAZ,C;IAAA,C;; MACe,UAAAY,KAAZ,IAAqB,O;IAAS,C;;MAGbxC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAAY,KAAZ,IAAqB,O;IAAS,C;;MAGb5C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAAY,KAAZ,IAAqB,O;IAAS,C;;MAGG/C,iBAAY,KAAZ, C;IAAA,C;;MACc,UAAAY,KAAZ,IAAqB,O;IAAS,C;;MAMnNC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAAY,KAAZ ,IAAqB,O;IAAS,C;;MAMhpD,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAAY,KAAZ,IAAqB,O;IAAS,C;;MH/exG,sB; QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;M AAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QA AuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB; QAAA,WAAe,S;MAC5Z,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;M ACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,W AAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MAEd,OAAO,C;IACX,C;;MA0C+ B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHG,QAAQ,E;MAER,EA AE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MA MmE,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAC C,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAMc,O AAG,E;IAAH,C;;MACG,OAAW,U;IAAX,C;;MACH,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACC,OA AQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MACH,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACA,OAAS, Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACO,OAAgB,e;IAAhB,C;;MACD,OAAe,c;IAAf,C;;MACP,OAAQ,O;IA AR,C;;MACC,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMV,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd, C;;MACJ,OAAU,S;IAAV,C;;MACH,OAAO,M;IAAP,C;;MAMc,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;M ACJ,OAAU,S;IAAV,C;;MAMZ,OAAU,S;IAAV,C;;MACC,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACE ,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd,C;;MACG,OAAiB,gB;IAAjB,C;;MAMF,OAAS,Q;IAAT,C;;MACD,O AAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMP,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACG,OAA U,S;IAAV,C;;MACF,OAAQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MACQ,OAAiB,gB;IAAjB,C;;MI1N5C,oB;Q AAA,OAAgB,E;MAC9C,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAiBkC,4B;QAAA ,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAA F,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASKF,iBAAY,KAAZ,C;IAAA,C;;MC+B5C,mB;QAAA,MAwGuD,M;;MA xGG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S; MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UA AmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB; QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MA AM,uB;QAAA,UAAcS,E;MAC/gB,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MAC Z,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAA Y,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WA AF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;M AChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SA AF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAesE,oB;QAAA,OAAgB,S;MACiF,QAAQ,E;MAER,EAAE,QAAF,IAAc

,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASyC,mB;QAAA,M  
AAe,E;MACpD,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAakB  
,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;  
MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAA  
F,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAM2F,OAAU,S;IAAV,C;;MACD,OA  
AS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MAML,OAAO,M;IAAP,C;;MACD,OAAM,K;IAAN,C;;MACA,AAA  
M,K;IAAN,C;;MC9H/C,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OP4qIW,S;;MO3qIzE,QAAQ,E;MAER,EAAE,  
OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAgCgD,oB;QAAA,OAAa,S;MAAW,s  
B;QAAA,SAakB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;M  
AAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MAE  
R,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,I  
AAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAA  
E,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0CqC,mC;QAAA,sBAAgC,K;MAAO,oB;QAAA,OAuSD,Q;;  
MAtSvE,QAAQ,E;MAER,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;  
MAasC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHh,QAAQ,E;M  
AER,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IA  
CX,C;;MAoBI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;  
MAyBoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA  
,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,I  
AAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB  
,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAk2D,sB;QAAA,SAakB,M;MAAQ,uB;QAAA,UAAoB,  
K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;M  
ACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,I  
AAgB,Q;MAEhB,OAAO,C;IACX,C;;MAe4D,sB;QAAA,SAakB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ  
,E;MAER,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;  
IACX,C;;MAgC6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAakB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;Q  
AAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAA  
O,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,  
EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAA  
e,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA+BoC,4B;Q  
AAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ  
,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MAC  
IB,EAAE,WAAF,IAAiB,S;MAEjB,OAAO,C;IACX,C;;MAkBsC,oB;QAAA,OAAgB,S;MAAW,uB;QAAA,UAAo  
B,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QAAA,UAA8B,S;MAC3J,QAAQ,E;MAER,EAAE,MAAF,IAAY,  
I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IA  
CX,C;;MAuBsF,OAAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ,C;;MACC,OAAa,Y;IAAb,C;;MACD,OAAY,W;IAAZ  
,C;;MACA,OAAY,W;IAAZ,C;;MAMIB,OAAY,W;IAAZ,C;;MACA,OAAY,W;IAAZ,C;;MACH,OAAS,Q;IAAT  
,C;;MACF,OAAO,M;IAAP,C;;MAMI,OAAS,Q;IAAT,C;;MACA,OAAS,Q;IAAT,C;;MACM,OAAe,c;IAAf,C;;MA  
CT,OAAM,K;IAAN,C;;MCTx3B,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;  
MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrL,QAAQ,E;MA  
ER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,  
OAAG,E;IAAH,C;;MACM,OAAc,a;IAAd,C;;MACP,OAAO,M;IAAP,C;;MACI,OAAW,U;IAAX,C;;MACJ,OA  
O,M;IAAP,C;;MACA,OAAM,M;IAAP,C;;MC7G3D,qB;QAAA,8C;MAAA,kB;IAAD,C;;MACHc,e;MAAA,iB;M  
AAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;MAKI,+B;MAAA,0C;IAAA,C;;MAEA,+  
B;MAAA,wC;IAAA,C;;MAPJ,yF;IAAA,C;;MAAA,a;AAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;IAA  
A,C;;MAyBA,8B;IADmC,C;;MAQnC,8B;IADqC,C;;ICIDzC,C;;ICCA,C;;IAyBA,C;;ICxBgD,C;;MAIiB,c;;Q7  
Gk8C7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAGB,cAAhB,C;

UAAgB,2B;UAAM,I6G18C6C,O7Gk8C/B,S6G18C+B,U7Gk8C7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,  
K;;;M6Gn8CsD,iB;IAAA,C;;MAGhD,c;;Q7G06CG,Q;QADhB,IAAI,c6Gz6CA,Q7Gy6CA,iB6Gz6CA,Q7Gy6CsB,  
UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O6G16CZ,Q7G06CY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U  
AAM,IAAI,C6G16CP,oB7G06CkB,O6G16CIB,C7G06CG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;M6G3  
6CH,iB;IAAA,C;;MAE8B,qBAAQ,C;IAAR,C;;MAE6B,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GA  
A6C,SAAH,EAAG,C;MADc,C;IAAA,C;;MAA7B,4BAAa,IAAb,EAAMb,GAAnB,EAawB,GAAXb,kBAA6B,wC  
AA7B,C;IAAA,C;;MAOU,uBAAGB,IAAhB,C;IAAA,C;;MAMgB,yBAAGB,IAAhB,EAASB,KAAtB,C;IAAA,C;;;  
MC5BhE,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,+B;MAAA,C;MACl,4C;MACA,kD;MACA,0C;MACA,8C;IA  
JJ,C;;;MACl,kB;MAAA,2B;IAAA,C;;;MACA,kB;MAAA,8B;IAAA,C;;;MACA,kB;MAAA,0B;IAAA,C;;;MACA,  
kB;MAAA,4B;IAAA,C;;;MAJJ,sH;IAAA,C;;;MAAA,a;AAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAA  
A,+B;aAAA,Q;UAAA,iC;gBAAA,6D;;IAAA,C;;;MAYI,mD;MACA,2BAA4B,I;IANhC,C;;MAUqB,IAAN,I;MnH  
UX,IAAI,EmHXQ,mDnHWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MmHZC,QA  
AM,oBAAN,M;aACH,M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;MAAP,W;IAKJ,  
C;;MAMW,Q;MAHP,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;IACX,C;;MAGI,i  
D;MACA,kB;MACA,OAAO,kD;IACX,C;;MAkBI,2BAAY,K;MACZ,gD;IACJ,C;;MAMI,+C;IACJ,C;;;MCiCA,0C  
;MAPfGe,6B;IAA1B,C;;MAIC,0C;IAAA,C;;MAEiB,uB;;Q/GiR3C,Q;QADb,YAAY,C;QACC,sB;QAAb,OAAa,c  
AAb,C;UAAa,sB;UACT,I+GIRmE,O/GkRrD,I+GIRqD,U/GkRnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB;;QAE  
J,sBAAO,E;;;M+GtRiD,0B;IAAA,C;;MAEI,sB;;Q/G0S5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO,QAAS,cAAh  
B,C;UACI,I+G5SsE,O/G4SxD,QAAS,W+G5S+C,U/G4StE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;QAGR,qBA  
AO,E;;;M+GhTqD,yB;IAAA,C;;MAEb,+CAAiB,CAAjB,C;IAAA,C;;MAEU,+CAAiB,KAAjB,C;IAAA,C;;MAEK  
,gCAAQ,IAAR,EAAC,SAAd,EAAYB,OAAzB,C;IAAA,C;;MAE8C,uB;MAA/E,kB;MAAmC,4B;MAC5D,eAAyB,  
C;MAGrB,+DAAkB,gBAAlB,EAA6B,OAA7B,EAASc,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;IALO,  
C;;MASpB,+DAAkB,KAAiB,EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;IACX,C;;MA  
E+B,mB;IAAA,C;;MAS/B,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;M  
AE9B,OAAO,2DAAC,IAAd,EAAoB,KAApB,C;IACX,C;;MAK+B,oEAAgB,IAAhB,C;IAAA,C;;MAE/B,oB;MAC  
I,eACsB,C;IAF1B,C;;MAIsC,sBAAQ,gB;IAAR,C;;MAInB,gB;MADX,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;  
MACX,iE;MAAX,OAAO,+B;IACX,C;;;MAGJ,oB;MAGwD,iD;MAGhD,gEAAmB,KAAnB,EAA0B,WAAkB,KA  
A5C,C;MACA,eAAa,K;IAJoB,C;;MAOC,sBAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAA  
L,C;QAAoB,MAAM,6B;MAC1B,OAAO,yBAAl,mCAAJ,EAAl,YAAJ,E;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAA  
A,C;;;MAGxC,sC;IAAA,C;;MAEQ,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,K  
AAT,gBAAuB,IAAjD,C;;IAEd,C;;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAZB,C;QACI,MAAM,8BAA0B,Y  
AAS,KAAAT,gBAAuB,IAAjD,C;;IAEd,C;;MAGI,IAAI,YAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BA  
A0B,gBAAa,SAAb,mBAAkC,OAAIC,gBAAkD,IAA5E,C;;MAEV,IAAI,YAAY,OAAhB,C;QACI,MAAM,gCAA  
yB,gBAAa,SAAb,oBAAMC,OAA5D,C;;IAEd,C;;MAIc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,  
cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIc,K;;MAEf,OAAO,U;IACX,C;;MAMI  
B,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;MACb  
,mB;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,gBAAGB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAA  
O,K;;;MAGf,OAAO,I;IACX,C;;;MAzCJ,6C;QAAA,4B;;MAAA,sC;IAAA,C;;;MCsCA,mC;MAzCA,uBAC6B,I;M  
AmC7B,yBACsC,I;IArHE,C;;MAGpC,OAAO,6BAAC,GAAd,S;IACX,C;;MAEwE,gBAAR,Y;MAAQ,c;;QhHw7C  
xD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UAAM,IgHx7CwD,OhHw7C1C,OgHx7C6C,MAAH,QhHw7CxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9  
C,aAAO,K;;MgHz7CyD,iB;IAAA,C;;MAI5D,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MACH  
B,YAAY,KAAM,M;MII8JO,Q;MkI7JzB,eII6J4C,CAAnB,mDAAMb,YkI7JzB,GII6JyB,C;MkI3J5C,IAAI,eAAS,Q  
AAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QIluKqB,U;QkIvKD,UllIuKoB,CAAnB,uDAAMb,oBkIvKP,  
GIIuKO,C;;MkIvK5C,W;QACI,OAAO,K;;MAGX,OAAO,I;IACX,C;;MASI,IAAI,UAAU,IAAd,C;QAAoB,OAAO  
,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MACHc,IAAI,cAAQ,KAAM,KAAiB,C;QAAwB,OAAO,K;MAEV,  
gBAAd,KAAM,Q;MAAQ,c;;QhHm4CT,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACr  
B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CgHn4CK,2BhHm4CM,OgHn4CN,ChHm4CT,C;YA

AyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;MgHp4CH,iB;IACJ,C;;MAEwC,Q;MAAA,4CAAc,GAAd,8B;IAAA,C;  
;MAQT,OAAQ,SAAR,YAAQ,C;IAAR,C;;MAEG,qBAAQ,C;IAAR,C;;MACH,OAAA,YAAQ,K;IAAR,C;;MAW  
X,wC;MAAS,sB;IAAT,C;;MACKD,+CAAY,OAAZ,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;I  
AAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,C;;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,+F;IAIJ,C;;MAE+B,O  
AAA,qBAAiB,K;IAAjB,C;;;MAZvC,IAAI,4BAAJ,C;QACI,+E;;MacJ,OAAO,mC;IACX,C;;MAMmE,qB;QAAE,  
2CAAS,EAAT,C;MAAF,C;IAAA,C;;MAArC,OAAQ,eAAR,YAAQ,EAAb,EAAMB,GAAAnB,EAAbW,GAA  
xB,kBAA6B,iCAA7B,C;IAAR,C;;MAEqB,+BAAS,KAAM,IAAf,IAAsB,GAAAtB,GAA4B,wBAAS,KAAM,MAAF,  
C;IAA5B,C;;MAEf,OAAI,MAAM,IAAV,GAAGB,YAAhB,GAAoC,SAAF,CAAE,C;IAAPc,C;;MAWIB,wC;MAA  
S,6B;IAAT,C;;MACgE,iDAAc,OAAAd,C;IAAA,C;;MAI3D,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MA  
CT,OAAA,0BAAc,OAAO,M;IAArB,C;;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,iG;IAIJ,C;;MAE+B,OAAA,qBA  
AiB,K;IAAjB,C;;;MAZvC,IAAI,8BAAJ,C;QACI,mF;;MacJ,OAAO,qC;IACX,C;;MAK0D,gBAAR,Y;MAAQ,sB;;  
QhHkG9C,Q;QAAA,2B;QAAhB,OAGB,cAAhB,C;UAGB,yB;UAAM,IgHIGsD,OhHkGxC,OgHIG2C,IAAH,M  
hHkGtD,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MgHnG+C,yB;IAAA,C;;MAEtD,qC;IAAA,C;;M  
AEqE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAMb,CAApB,KAA4B,oBAAjC,CAAiC,8DAAqB,CAAjD,  
C;IAAV,C;;MACG,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;IAAV,C;;MAErD,IAAI,gCAAJ,C;QA  
A+B,OAAO,K;MACiC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAAsB,OAAA,CAAE,MAAF,EAAW,  
KAAM,MAAjB,C;IACjC,C;;;MAPJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MC7GA,mC;MAIB+D,6B;IAA1B,C;;  
MAQjC,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAAsB,OAAO,K;MAC7B,OAAO,sDA  
AU,IAAV,EAAGB,KAAhB,C;IACX,C;;MAK+B,qEAakB,IAAIB,C;IAAA,C;;MAE/B,qC;IAAA,C;;MAGwB,Q;M  
ADhB,iBAAE,C;MACC,mB;MAAhB,OAGB,cAAhB,C;QAGB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAAPc,  
K;;MAEJ,OAAO,U;IACX,C;;MAGI,IAAI,CAAE,KAAF,KAAU,KAAM,KAAPB,C;QAA0B,OAAO,K;MACjC,O  
AAO,CAAE,qBAAY,KAAZ,C;IACb,C;;;MAZJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MCZgB,Q;M3IkrYA,U;M  
ADhB,UAAe,C;MACf,uD;QAGB,cAAhB,iB;QACI,YAAGB,O2IprYiB,O3IorYjC,I;;M2IprYJ,aAAa,iB3IsrYN,G  
2ItrYM,C;MACb,wBAAGB,SAAhB,gB;QAGB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MA  
EX,OAAO,M;IACX,C;;MAWiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,C;MACZ,wB  
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAA  
T,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MAAw,4B;MAAA,U;QAAqB,OAAL,S3IwsMhB,YAAQ,C;;M2Ixs  
Mf,W;IACJ,C;;MAYI,O3I2rMO,qBAAQ,C2I3rMf,GA Ae,cAAf,GAAMC,S;IAAnC,C;;MASA,IAAI,cAAS,KAAb,  
C;QAAoB,OAAO,I;MAC3B,IAAI,SAAK,OAAL,KAAa,KAAM,OAAvB,C;QAA6B,OAAO,K;MAEpC,4C;QACI,  
SAAS,UAAK,CAAL,C;QACT,SAAS,MAAM,CAAN,C;QAET,IAAI,OAAO,EAAX,C;UACI,Q;;cACG,IAAI,cAA  
c,UAAIB,C;UACH,OAAO,K;;QAIP,0BAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBAAH,EAAG,EAakB,EAIB,C  
AAR,C;YAA+B,OAAO,K;;cACIF,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C  
;YAA2B,OAAO,K;;cAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA  
2B,OAAO,K;;cAC9E,6BAAsB,qBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OA  
AO,K;;cAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;  
cAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9  
E,gCAAsB,wBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,8B  
AAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,iCAAsB,  
yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAE9E,qCAAsB,6BAAt  
B,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,sCAAsB,8BAAtB,C;  
UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,oCAAsB,4BAAtB,C;UA  
A4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,qCAAsB,6BAAtB,C;UAA4C,  
IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;;cAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAA  
c,OAAO,K;;MAIrC,OAAO,I;IACX,C;;MAOI,aAAa,CAAK,eAAL,gBAAK,EAaA,SAAb,CAAL,GAA6C,CAA7C,  
QAAiD,CAAjD,I;M/C3FW,kBAAxB,mB+C4FmB,M/C5FnB,C;M+C6FI,oDrI7BgD,gBqI6BhD,C;MADJ,OpH1C  
O,WqEIdS,C;W;I+C+FjD,C;;MAII,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;;MAEJ,SA  
AU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gB  
AAO,IAAP,C;;QAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,

mBAFE,OAEF,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAP,C;aAC3B,uBAHE,OAGF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAC1B,wBAJE,OAI,F,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAF,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAC1B,uBANE,OAMF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAOF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAC1B,uBATE,OASF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAC1B,0BAVE,OAUF,E;UAAmB,MAAO,gBA Ae,cAAR,OAAQ,CAAf,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,kBA bE,OAaF,e;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;aAC1B,kBA dE,OA cF,a;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,kBA fE,OA eF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;;UAEP,MAAO,gBAAO,OAAQ,WAAf,C;;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;IACd,C;;MrInJA,6B;IAAA,C;;MACsC,Y;IAAA,C;;MACI,Y;IAAA,C;;MACN,Q;IAAA,C;;MACI,S;IAAA,C;;MACL,MAAM,6B;IAAN,C;;MACI,MAAM,6B;IAAN,C;;;MANvC,oC;QAAA,mB;;MAAA,6B;IAAA,C;;MASA,yB;MACI,+C;IADJ,C;;MAGgD,qCAAoB,KAAM,U;IAA1B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C;;MAE3B,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;IAAN,C;;MACM,S;IAAA,C;;MACI,S;IAAA,C;;MAEL,kC;IAAA,C;;MACQ,kC;IAAA,C;;MAEjD,IAAI,UAAS,CAAb,C;QAAGB,MAAM,8BAA0B,YAAS,KAA nC,C;MACtB,OAAO,2B;IACX,C;;MAGI,IAAI,cAAa,CAAb,IAAB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAaK,C,OAA5D,C;IACV,C;;MAEiC,8B;IAAA,C;;;MA5BrC,gC;QAAA,e;;MAAA,yB;IAAA,C;;MA+B8D,6BAaKB,SAAlB,EAAoC,KAAP,C;IAAA,C;;MAE3B,oB;MAA0B,0B;IAA3B,C;;MACC,OAAA,WAAO,O;IAAP,C;;MACG,OAAA,WNqsM3B,YAAQ,C;IMrsMmB,C;;MACW,OAAO,SAAP,WAAO,EAAS,OAAT,C;IAAP,C;;MACyB,c;;QmBm4CtD,Q;QADhB,IAAI,cnB14CyD,QmBk4CzD,iBnB14CyD,QmBk4CnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,OnBn4C6C,QmBm4C7C,W;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CnBn4CkD,oBmBm4CvC,OnBn4CuC,CmBm4CtD,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;MnBp4CsD,iB;IAAA,C;;MACtB,OAAO,qBAAP,WAAO,C;IAAP,C;;MAEQ,gBAAP,W;MAAA,OAAwB,cAAxB,GoBqGpC,SpBrGoC,GoBuGpC,SLskBoB,Q;If7qBgB,C;;MAON,8B;IAAA,C;;MAMe,OAAI,QAAS,OAAT,GAAgB,CAAPB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;IAA9C,C;mFAErD,yB;MAAA,qD;MAAA,mB;QAK0C,kB;MAAA,C;KAL1C,C;+FAOA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;MAAA,C;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;MAAA,C;KANpD,C;;MAaI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iBAAU,sBAaKB,QAAIB,EAAwC,IAAxC,CAAV,C;IAAzC,C;;MAOA,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iBAAU,sBAaKB,QAAIB,EAAwC,IAAxC,CAAV,C;IAAzC,C;;MAMuD,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;IAAI1C,C;;MAMQ,OAAS,cAAT,QAAS,C;IAAT,C;gFAEnE,yB;MASA,gE;MATA,6B;QAIbI,WAAW,eAVuE,IAUvE,C;QIBLX,iBAAc,CAAd,UjBLkF,iBkIF,U;UjBM6B,eAX2D,IAWvD,CiBLtB,KjBKsB,CAAJ,C;;QAXyC,OAAY/D,I;MAZ+D,C;KAPIE,C;8FASA,yB;MAAA,gE;MAAA,6B;QAQI,WAAW,eAAa,IAAb,C;QIBLX,iBAAc,CAAd,UjBMO,iBNP,U;UjBM6B,eAAI,KiBLtB,KjBKsB,CAAJ,C;;QAC7B,OAAO,I;MACX,C;KAXA,C;;MAKBY,uBAAG,iBAAO,CAAP,IAAH,C;IAAA,C;;MAQA,OAAA,SAAK,KAAL,GAAy,CAAZ,I;IAAA,C;;MAOGD,QAAC,mB;IAAD,C;;MAaxD,OAAO,qBAAGB,SAAK,U;IACHC,C;sFAEA,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;MAAR,C;KALhE,C;sFAOA,yB;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;MAAR,C;KALpD,C;;MAGBI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;IAAnC,C;;MAWgH,OAAA,SAAK,qBAAY,QAAZ,C;IAAL,C;;MAEIE,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;gBAFyC,OAGtC,S;;IAHsC,C;;MASBgB,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAL,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAiB8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAL,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAGB,OAaHb,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAA

O,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;kGAEA,yB;MAAA,8D;MAAA,4D;;QAsBqC,qB;UA  
AE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;QAAf,C;MAAA,C;MatBrC,+D;QAKBI,yB;UAAA,YAAiB,  
C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;MAAA,C;KAtBJ,C;;MA  
4CoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,  
C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAy,GAAN  
,IAAM,KAAC,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C  
;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;UAEP,OAAO,G  
;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAQQ,gBAAY,OAAZ,C;QAAuB,MAAM,gCAAYB,gB  
AAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yB  
AA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAx,gCAA2C,IAA3C,OAA1B,C;IAEhC,  
C;;MAcoC,MAAM,wBAAoB,8BAApB,C;IAAoD,C;;MAI1D,MAAM,wBAAoB,8BAApB,C;IAAoD,C;;;wF8FtW  
9F,yB;M7F+BA,wE;M6F/BA,uC;QAmBW,kB7FoBiD,oB;Q6FO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;  
UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACIB,W7FmHJ,a6FnHgB,G7F  
mHhB,E6FjJyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAA  
Y,GAAZ,CAAnE,C7FmHvB,C;;Q6FjJA,OAGCO,W;MA/BX,C;KApBA,C;;MA8Cc,Q;MAAA,OAAA,SAAK,iB;  
MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAaKB,sBAAY,GAAZ,C;QACIB,  
W7FmHJ,a6FnHgB,G7FmHhB,E6FnHuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC  
,WAAy,mBAAy,GAAZ,CAAnE,C7FmHvB,C;;M6FjHA,OAAO,W;IACX,C;IFAEA,yB;MAAA,gB;MAAA,8B;M  
7FvBA,wE;M6FuBA,6D;QAnCW,kB7FoBiD,oB;Q6FO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,m  
B;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UA8BwE,U;UA7B1F,W7FmHJ,a6FnHgB,  
G7FmHhB,E6FtFkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy,mBAAy,GAAZ,CA6BzC,GAAW,qBA7  
B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,CA6BjB,C7FsFIC,C;;Q6F  
vFA,OA1BO,W;MA0BP,C;KAvBJ,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAAA,0E;QAICc,Q;QAAA,OAAK,0B  
;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6DQ,WA7DU,WAAy,GAAZ,C  
;UA6DuF,U;UAAjG,W7FuDZ,a6FnHgB,G7FmHhB,E6FvDiD,UA5DhB,GA4DgB,EA5DK,uBAAuB,CA4DjE,W  
A5D8E,mBAAy,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4DwB,CAAX,GAA6C,UA5DvE,WA  
4DuE,6DAA5D,EA5DE,CA4DF,C7FuDjD,C;;Q6FxDA,OACY,W;MADZ,C;KA5BJ,C;iFAgCA,yB;MAAA,gB;M  
AAA,8B;M7FjFA,wE;M6FiFA,qD;QA7FW,kB7FoBiD,oB;Q6FO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;  
UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UAKfiD,U;UAjFnE,W7FmHJ,a6  
FnHgB,G7FmHhB,E6FICgC,UajFsB,uBAAuB,CAAC,WAAy,mBAAy,GAAZ,CAiFhD,kBAA6B,UajFjC,WaiFi  
C,6DAAvC,EAjFmB,CAiFnB,C7FkChC,C;;Q6FnCA,OA9EO,W;MA8EP,C;KAjBJ,C;oFAoBA,yB;MAAA,gB;M  
AAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAA  
N,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E,W7FSZ,a6FnHgB,G7FmHhB,E6FT+C,UA1  
GO,uBAAuB,CA0GjE,WA1G8E,mBAAy,GAAZ,CA0GjC,kBAA6B,UA1GhD,WA0GgD,6DAAvC,EA1GI,CA0G  
J,C7FS/C,C;;Q6FVA,OACY,W;MADZ,C;KAtBJ,C;qFA0BA,yB;MAAA,gB;MAAA,8B;M7F/HA,wE;M6F+HA,u  
C;QA3IW,kB7FoBiD,oB;Q6FO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAA  
M,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACC,oB;UAKIc,U;UAAjC,IAIikD,uBAAuB,CAAC,WAAy,mB  
AAy,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAiI/C,mBACKB,UAIIW,GAKIX,EAAe,UAIIC,WAKID,6DAAf,EA1  
I6B,CAkI7B,C;;UAIIB,W7FmHJ,a6FnHgB,G7FmHhB,mB;;Q6FaA,OA9HO,W;MA8HP,C;KAnBJ,C;sFAwBA,y  
B;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAA  
U,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAAZ,C;UACC,oB;UA8Jc,U;UAAjC,IA9JkD,uBAAuB,C  
A4JjE,WA5J8E,mBAAy,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACKB,UA9JW,GA8JX,EAAe,UA9J  
C,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W7FzCZ,a6FnHgB,G7FmHhB,mB;;Q6FyCA,OAAy,W;MAAZ,C;  
KAvBJ,C;;MAxIc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QA  
CV,kBA+KG,WA/Ke,WAAy,GAAZ,C;QA2GgE,U;QAoE/E,W7F3DP,a6FnHgB,G7FmHhB,E6F2DmC,CA9KmB  
,uBAAuB,CA8KiE,WA9KmF,mBAAy,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6B,UA1GhD,WA0GgD,6DAoEn  
D,IAAM,CAAN,I7F3DnC,C;;M6F2DA,OAAO,W;IAAP,C;;MwCnPkc,kB;MAAuB,kB;IAAxB,C;;MAAC,iB;IA  
NtC,C;;MAM6D,iB;IAN7D,C;;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;IAAA,C;;MAAA,OAMsC,mDA



NtC,IAM6D,wCAN7D,O;IAAA,C;;MAAA,c;MAMsC,sD;MAAuB,sD;MAN7D,a;IAAA,C;;MAAA,4IAMsC,sCA  
NtC,IAM6D,sCAN7D,I;IAAA,C;wFjIEA,yB;MAAA,kC;MAAA,4C;;QAMuF,wC;MANvF,C;;MAAA,wD;QAO2C  
,8B;MAAA,C;MAP3C,8E;MAAA,2B;QAMuF,2C;MAAA,C;KANvF,C;;MACuC,wC;IAAD,C;;MACmB,4BAAiB,  
wBAAjB,C;IAAA,C;;MAQG,OAAI,oCAAJ,GAA2B,SAAK,KAhC,GAA0C,I;IAA1C,C;;MAMc,OAAI,oCAAJ,  
GAA2B,SAAK,KAhC,GAA0C,S;IAA1C,C;;MAGrB,wBAAO,CAAP,IAAY,mC;IAAZ,C;;MAK7C,kBADE,SAC  
F,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAtC,C;UAJZ,OAIuD,S;;U  
AJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QALpE,OAoY,sB;IAPZ,C;;MAaI,kBADE,S  
ACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAe8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,  
S;;QAFrE,OAGY,sB;IAHZ,C;;MAagB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QACL,OAAp,MAAO,EAAO,OAAp,C;;MAEX,OAAO,M;IACX,C;;MAYiB,Q;MAHb,mBAAmB,mCAAwB,EAA  
xB,C;MACnB,YAAY,iBAAa,YAAb,C;MACZ,YAAY,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,s  
B;QACT,KAAM,WAAL,IAAK,MAAT,C;QACN,KAAM,WAAL,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;  
IACX,C;;MgB3EqE,gB;IAAA,C;;MAOD,4BAAiB,SAAjB,C;IAAA,C;;MAOhE,OAAgB,mBAAhB,C;QAAgB,8B;  
QAAM,UAAU,OAAV,C;;IAC1B,C;;MAKuC,0B;MACnC,eAAoB,C;IADc,C;;MAEM,OAAA,eAAS,U;IAAT,C;;  
MACqC,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAAnD,C;IAAA,C;;s  
FkH3BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,  
0D;MAA7B,C;KAVJ,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,w  
CAAqB,QAAS,aAA9B,0D;MAA7B,C;KAXJ,C;wFAaA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAKiC  
,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KALJ,C;;MAeI,SAAK,aAAI,QAAS,aAAb,EAAmB,  
KAAnB,C;IACT,C;;MCjCI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;MvIgQI,Q;MAL  
X,YAAY,oBuI3Pa,GvI2Pb,C;MACZ,IAAI,iBAAiB,CAAC,4BuI5PG,GvI4PH,CAAtB,C;QuI5PgC,MAAM,2BAAu  
B,wCAAvB,C;;QvIgQIC,2BAAO,sE;;MuIhQX,+B;IACJ,C;;MAYQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SA  
AK,IAAI,EAAy,YAAZ,C;;QADIC,OAey,uBAAmB,SAAnB,EAAyB,YAAzB,C;IAFZ,C;;MAGBI,kBADE,SACF,  
yB;QADJ,OAcYc,cAAT,SAAK,IAAI,EAAy,YAAZ,C;;QADzC,OAey,8BAA0B,SAAI,EAAGC,YAAhC,C;IAF  
Z,C;;MAGBuC,wB;MAAoC,0B;IAArC,C;;MAAC,yB;IAAA,C;;MACK,OAAI,OAaj,QAAL,EAAO,KAAP,C;I  
AAJ,C;;MACb,OAAI,SAAJ,QAAL,C;IAAJ,C;;MACG,OAAA,QAAL,W;IAAJ,C;;MACH,OAAA,QAAL,K;IAAJ,C;  
;MACG,OAAA,QAAL,U;IAAJ,C;;MACU,OAAA,QAAL,mBAAY,GAAZ,C;IAAJ,C;;MACoB,OAAA,QAAL,qBA  
Ac,KAAd,C;IAAJ,C;;MACjC,OAAA,QAAL,WAAL,GAAJ,C;IAAJ,C;;MACG,OAAA,QAAL,K;IAAJ,C;;MACS,O  
AAA,QAAL,O;IAAJ,C;;MACQ,OAAA,QAAL,Q;IAAJ,C;;MAEA,gBAAJ,Q;MAAI,4B;MvIwMxC,Q;MALX,YAA  
Y,oBuInMyD,GvImZd,C;MACZ,IAAI,iBAAiB,CAAC,4BuIpM+C,GvIoM/C,CAAtB,C;QACI,2BuIrMwE,mB;;  
QvIwMxE,2BAAO,sE;;MuIxMoC,+B;IAAA,C;;MAGL,wB;MAA2C,0B;IAA5C,C;;MAAC,yB;IAAA,C;;MACE,  
OAAI,OAaj,QAAL,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAL,C;IAAJ,C;;MACG,OAAA,QAAL,W;IAA  
J,C;;MACH,OAAA,QAAL,K;IAAJ,C;;MACG,OAAA,QAAL,U;IAAJ,C;;MACU,OAAA,QAAL,mBAAY,GAAZ,C;I  
AAJ,C;;MACoB,OAAA,QAAL,qBAAc,KAAd,C;IAAJ,C;;MACjC,OAAA,QAAL,WAAL,GAAJ,C;IAAJ,C;;MACU,  
OAAA,QAAL,K;IAAJ,C;;MACS,OAAA,QAAL,O;IAAJ,C;;MACsB,OAAA,QAAL,Q;IAAJ,C;;MAE/B,OAAA,QA  
AL,aAAI,GAAJ,EAAS,KAAT,C;IAAJ,C;;MACP,OAAA,QAAL,cAAO,GAAP,C;IAAJ,C;;MACS,QAAL,gBAAO,I  
AAP,C;IAAJ,C;;MACpB,QAAL,Q;IAAJ,C;;MAE4B,gBAAJ,Q;MAAI,4B;MvImLxC,Q;MALX,YAAY,oBuI9KyD,  
GvI8KzD,C;MACZ,IAAI,iBAAiB,CAAC,4BuI/K+C,GvI+K/C,CAAtB,C;QACI,2BuIhLwE,mB;;QvImLxE,2BAA  
O,sE;;MuInLoC,+B;IAAA,C;;MvIxFnD,wB;MACI,8C;IADJ,C;;MAGgD,oCAAsB,KAAM,U;IAA5B,C;;MACb,Q  
;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MAEa,Y;IAAA,C;;MACO,Y;IAAA,C;;M  
ACd,W;IAAA,C;;MACoB,6B;IAAA,C;;MACvB,6B;IAAA,C;;MACY,8B;IAAA,C;;MAEhB,6B;IAAA,C;;MAjBr  
C,+B;QAAA,c;;MAAA,wB;IAAA,C;;MA0BuE,Q;MAA7B,OAA6B,uE;IAA7B,C;;MAeT,C,OAAI,KAAM,OAAN,  
GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;  
IAA7E,C;kFAEJ,yB;MAAA,oD;MAAA,mB;QAO8C,iB;MAAA,C;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;  
QAQ4D,2B;MAAA,C;KAR5D,C;;MAsBiD,gBAA7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MAAqD,wB;M  
AArD,OgBXO,S;IhBWP,C;wFAEJ,yB;MAAA,4D;MAAA,mB;QAKsD,qB;MAAA,C;KALtD,C;;MAa8G,gBAAv  
C,eAAc,YAAY,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OgB1B5D,S;IhB0B4D,C;4FAEvE,yB;MAAA,wE;  
MAAA,mB;QAK8D,2B;MAAA,C;KAL9D,C;;MAiB+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,O

AAIB,CAAd,CAAN,C;IAAN,C;;MAS3E,IAAI,eAAe,CAAnB,C;QACI,OAAO,eAAe,CAAf,I;;MAEX,IAAI,eAAe,UAAnB,C;QACI,OAAO,gBA Ae,eAAe,CAAf,IAAf,K;;MAEX,OAAO,U;IACX,C;;MAM+D,QAAC,mB;IAAD,C;;MAa3D,OAAO,qBAAgB,mB;IAC3B,C;sFAEA,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;MAAR,C;KAN3D,C;;MAiBI,OAAI,mBAAJ,GA Ae,cAAf,GAAMC,S;IAAnC,C;yFAEJ,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA8BiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB,oBxBBoE,GAwBpE,C;MAxBwD,C;KAN5G,C;+EAQA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GA AJ,C;MAAhD,C;KALJ,C;;MAYI,sBAAI,GA AJ,EAAS,KAAT,C;IACJ,C;4FAEA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBAAY,GA AZ,C;MAAhD,C;KAPJ,C;;MAkBsG,OAAA,SAAK,qBAAc,KAAd,C;IAAL,C;kFAGtG,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;MAAvD,C;KATJ,C;;MASBoE,oB;IAAA,C;;MAaA,sB;IAAA,C;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBA AK,aAAL,EAAU,eAAV,C;MAAA,C;KAJhE,C;;MAYiF,Q;MAAA,mCAAI,GA AJ,oBAAY,c;IAAZ,C;uGAGjF,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAA Y,oBAAI,GA AJ,C;QACZ,IAAI,iBA AiB,CAAC,4BAAY,GA AZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;MAEf,C;KARA,C;;MAoBkD,uCAAqB,GAAR,B,C;IAAA,C;;MAYvC,Q;MADP,YAA Y,oBAAI,GA AJ,C;MA CL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GA AJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;IAOJ,C;;MAQwF,OAAA,iBAAQ,W;IAAR,C;;MAQwB,OAAA,iBAAQ,W;IAAR,C;;MkBmwB5F,Q;MAAA,OIB5vBT,iBk4vBS,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QIB5vBa,Wk6vBb,aAAGB,OIB7vBe,lk6vB/B,EIB7vBsC,SkB6vBZ,CAAe,OAAf,CAA1B,C;;MIB7vBhB,OAA6B,W;IACjC,C;;Mk2vBoB,Q;MAAA,OIBjvBT,iBk4vBS,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QIBjvBa,Wk6vBb,alBlvB0B,SkBkvBtB,CAAY,OAAZ,CAAJ,EAAYC,OIBlVBC,MkBkvB1C,C;;MIBlVhB,OAA6B,W;IACjC,C;;MAMyB,Q;MAArB,wBAaqB,KAAR,B,gB;QAAqB,aAAA,KAAR,B,M;QA AK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GA AJ,EAAS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GA AJ,EAAS,KAAT,C;;IAER,C;wFAEA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAA Y,cAAZ,CAApB,C;QkBoSbH,Q;QAAA,OIB5vBT,iBk4vBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UIB5vBa,Wk6vBb,aAAGB,OIB7vBe,lk6vB/B,EIB3sB2C,SkB2sBjB,CAAe,OAAf,CAA1B,C;;QIB3sBhB,OAlD6B,W;MAMdjC,C;KAVA,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAA Y,cAAZ,CAApB,C;Qk2rBD,Q;QAAA,OIBjvBT,iBk4vBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UIBjvBa,Wk6vBb,alB5rByC,SkB4rBrC,CAAY,OAAZ,CAAJ,EAAYC,OIBlVBC,MkBkvB1C,C;;QIB5rBhB,OAtD6B,W;MAUdjC,C;KAbA,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EA Ae,KAAM,MAArB,C;;QAGf,OAAO,M;MACX,C;KAdA,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EA Ae,KAAM,MAArB,C;;QAGf,OAAO,M;MACX,C;KAdA,C;;MAwBoB,Q;MAAA,OAAA,SA3HoE,QA AQ,W;MA2H5F,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAA Y,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;IACX,C;qFAEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QafA,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAA Y,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;MAWX,C;KARA,C;;MAiBoB,Q;MAAA,OAAA,SAPJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,CAA C,UAAU,OAAV,CAAL,C;UACI,WAA Y,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;IACX,C;2FAEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAY,oB;QafH,Q;QAAA,OA pJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CACKC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAA Y,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;MAWX,C;KARA,C;;MAkBqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GA AkB,sBAAK,CAAL,CAAlB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAAM,qBAAoB,YAA Y,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;;MAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;IACx C,C;;MAMwB,SAAPB,WAAoB,Y;MAApB,kB;IAAA,C;;MAQyD,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UA AK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAAoB,YAA Y,gBAAZ,CAApB,CAAN,C;;IAHiD,C;;MAUrC,

OAApB,WAAoB,Y;MAApB,kB;IAAA,C;;MAQwD,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;IAA7B,C;;M  
AMpC,SAApB,WAAoB,Y;MAApB,kB;IAAA,C;;MAQiD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;  
UAFiD,OmBxY8B,uB;gBnBwY9B,OAGzC,uB;;IAHyC,C;;MAYc,4BAAc,SAAd,C;IAAA,C;;MAO/D,WAAoB,0  
B;MAApB,kB;IAAA,C;;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBA  
ApB,qBAAc,SAAd,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OgBpfO,W;;MhBofP,W;IAAA,C;;MA  
SA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4  
B,4B;QAAAnE,OgB7fO,W;;MhB6fP,W;IAAA,C;;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,  
KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,0B;QAAAnE,OgBtgBO,W;;MhBsgBP,W;IAAA,C;;MASoB,  
kBAApB,qBAAc,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBgB/gBrC,WhB+gBqC,C;IAA5C,C;;MASoB,kBAApB  
,qBAAc,SAAd,C;MAA4B,+B;MAA5B,OgBxhBO,W;lhBwhBP,C;;MAQA,sBAAI,IAAK,MAAT,EAAgB,IAAK,O  
AArB,C;IACJ,C;4FAEA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MA  
AA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAA  
O,KAAP,C;MACJ,C;KANA,C;;MAaI,yBAAO,GAAP,C;IACJ,C;;MASwB,kBAAf,aAAL,SAAK,C;MA sCL,6B;M  
AtCA,OAA+C,oBgB1kBxC,WhB0kBW,C;IAA/C,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,  
O;MArCV,OAAgD,oBgBplBzC,WhBolByC,C;IAAhD,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAA  
K,O;MApCV,OAAgD,oBgB9lBzC,WhB8lByC,C;IAAhD,C;;MAUoB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gB  
AAK,O;MAnCV,OAAgD,oBgBxmBzC,WhBwmByC,C;IAAhD,C;;MAQA,uBAAO,GAAP,C;IACJ,C;8FAEA,yB;  
MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;MACd,C;KAPA,C;8FASA,yB;MAAA,sD;M  
AAA,kC;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;MACd,C;KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QA  
Mc,UAAV,SAAK,KAAC,EAAU,IAAV,C;MACd,C;KAPA,C;;MAWsD,QAAM,cAAN,C;aACID,C;UADkD,OAC  
7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;IAH0C,C;oFwI/sBtD,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAU  
C,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;MAA3D,C;KAVJ,C;wFAYA,yB;MAAA,8D;MAAA,8B;  
MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAP,C;MAA3D,C;KATJ,C;wFAWA,yB;MA  
AA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAP,C;MAA3D,C;KATJ,  
C;;MAiB6D,kCAAS,KAAT,C;IAAA,C;;MAOzD,SAAK,WAAI,OAAP,C;IACT,C;4FAEA,yB;MAAA,gD;MAAA,  
sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,  
EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP  
,C;MACT,C;KANA,C;;MAaI,SAAK,cAAO,OAAP,C;IACT,C;8FAEA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,S  
AAK,EAAU,QAAP,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QA  
V,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAP,C;MACT,C;KAN  
A,C;;MAYU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAP,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;IAGnB,C;;M  
AOiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,  
SAAS,I;;MAE5B,OAAO,M;IACX,C;;MAMI,OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;IACX,C;;MAKkF,gCAA  
c,SAAd,EAAyB,IAAzB,C;IAAA,C;;MAKA,gCAAc,SAAd,EAAyB,KAzB,C;IAAA,C;;MAG9E,iBAAa,KAAb,C  
;MxHnGgB,kBwHoGX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,W  
AAS,I;;MAGrB,OAAO,Q;IACX,C;;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;IAAA,C;;MAKA,kCAAc,SAAd,EA  
AyB,KAzB,C;IAAA,C;;MAI9D,UAGS,MAHT,EAcY,MAZD,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,  
cAA5B,sEAA4B,EAAc,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAAsB,C;MACD,oC;MAArB,qBAAkB,CAAIb,mC;  
QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAI  
B,C;UACI,sBAAK,UAAL,EAAMB,OAANB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;Q  
AArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;IAEf,C;;MAMW,iBAAMB,gCAAT,QAAS,  
EAAgC,SAAhC,C;MAnLG,Q;MAML7B,OAnL2D,CAA9B,sEAA8B,oBAAU,UAAP,C;IAoL/D,C;;MAMI,UAAM  
B,YAAT,QAAS,C;MACnB,OzIrDwD,CyIqDjD,GzIrDkD,UyIqDlD,IAAoB,4BAAU,GAAP,C;IAC/B,C;;MAMI,O  
/lkmMO,E+IlmMA,Q/I0hMA,YAAQ,CAwER,C+IlmMA,IAAyB,4BAAmB,UAAT,QAAS,CAANB,C;IACpC,C;;  
MAMW,iBAAMB,gCAAT,QAAS,EAAgC,SAAhC,C;MA9LG,Q;MA8L7B,OA9L2D,CAA9B,sEAA8B,oBAAU,U  
AAV,C;IA+L/D,C;;MAMI,I/IoIMO,E+IplMH,Q/I4gMG,YAAQ,CAwER,C+IplMP,C;QACI,OAAO,4BAAmB,UA  
AT,QAAS,CAANB,C;;QAEp,OAAO,wB;IACf,C;;MAMI,UAAMB,YAAT,QAAS,C;MACnB,IzIrFwD,CyIqFpD,G

zIrFqD,UyIqFzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OAAO,wB;IACf,C;;MAGI,azI5FwD,CAAC,mB;MyI  
6FzD,iB;MACA,OAAO,M;IACX,C;;MASI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IA  
AI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QAC  
A,sBAAK,CAAL,EAAU,IAAV,C;;IAER,C;;MAO+E,kBAAhB,0B;MAAwB,8B;MAAxB,OxHjNpD,W;IwHiNoD,  
C;;MCIRiB,uB;MAAjC,0B;IAAD,C;;MACX,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,  
C;IAAA,C;;MAGgC,8B;MAAxC,0B;IAAD,C;;MACM,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KA  
ApB,CAAT,C;IAAA,C;;MAEX,eAAS,Q;IAAT,C;;MACgB,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;IA  
AT,C;;MAEO,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;IAAT,C;;MAE1C,eAAS,aAAI,2B  
AAqB,KAArB,CAAJ,EAAiC,OAAjC,C;IACb,C;;MAIgB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,  
OAA2B,8BAAy,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAGB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1C,OA  
A1B,C;IAAxD,C;;MAGgB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAP,I;;QAA  
kB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;IAA9C,C;;MAQ2C,gCAAqB  
,SAArB,C;IAAA,C;;MAQc,wBAAa,SAAb,C;IAAA,C;;;MCxBiD,mB;QAAE,kBAAS,aAAT,C;MAAF,C;IAAA,  
C;;MAAT,kCAAS,sBAAT,C;IAAA,C;8FAErG,yB;MAAA,kD;MrIhBA,kC;MAAA,0C;;QAQuF,wC;MARvF,C;M  
AAA,wD;QAS2C,8B;MAAA,C;MAT3C,8E;;QqImB2I,mB;UAAE,gBAAS,qBAAT,C;QAAF,C;MAAA,C;MAH3I  
,gC;QAGkI,kCAAS,mCAAT,C;MAAA,C;KAHII,C;;MAAI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,Q  
AAxC,EAA+D,QAA/D,C;MAC1B,OAAO,Q;IACX,C;8FAEA,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C  
;MAAA,C;KAHII,C;;IAGB0C,C;;MA2BIC,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,  
QAAS,WAAIB,e;IACX,C;;MAUqD,6BAAS,QAAS,WAAIB,e;IAAA,C;;;MAEd,wB;MACvC,eAAoB,C;MAC  
pB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;IAJxC,C;;MAOQ,OAAO,IAAP,C;QACI,QAAM,YAAN,C  
;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YAL  
vB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QAC  
R,WAAW,4B;QACX,gBAAW,I;QACX,I9HhGR,oBiE6CQ,W6DmDY,kB7DnDZ,CjE7CR,C;;I8HkGA,C;;MAGU,  
IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,k  
CAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;IAE  
tB,C;;MAGI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;;QAA8B,OAAO,W;IAC/D,C;;MAE4C,QAAM,YAAN,C;  
aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAA  
oC,YAA1D,C;;IAHgC,C;;MAUK,oB;QACzC,wCAAW,C;QAAX,OACA,yB;MAFyC,C;IAAA,C;;MAF7C,mBAA  
Y,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;IAIX,C;;MAMiD,oB;QACzC,wCAAW,C;QAAX,OACA,yB;MA  
FyC,C;IAAA,C;;MAH7C,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OA  
A6C,6CAAtC,c;IAIX,C;;M7DrBO,Q;MADP,e6D0BI,M7D1BJ,C;MACO,Q6DyBH,M7DzBG,+D;M6D0BH,eAAQ  
,C;IACZ,C;;MAGY,0C;IAAA,C;;sFrI5LhB,yB;MAAA,kC;MAAA,0C;;QAQuF,wC;MARvF,C;MAAA,wD;QAS2  
C,8B;MAAA,C;MAT3C,8E;MAAA,2B;QAQuF,2C;MAAA,C;KARvF,C;;MAiBgE,mB;QAAE,sB;MAAF,C;IAAA  
,C;;MAAT,OAAkB,yCAAT,+BAAS,E;IAAIB,C;;MAOM,OAAI,QZ2tMtD,YAAQ,CY3tM0C,GAAwB,eAAxB,G  
AAsD,WAAT,QAAS,C;IAAtD,C;;MAKf,kC;IAAA,C;;MAE9C,6B;IAAA,C;;MACiD,kC;IAAA,C;;MACjB,kC;IA  
AA,C;;MACA,kC;IAAA,C;;MAHhC,oC;QAAA,mB;;MAAA,6B;IAAA,C;oFAMA,yB;MAAA,2D;MAAA,4B;Q  
AM4D,uCAAQ,e;MAAR,C;KAN5D,C;;MAgB4F,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;I  
AO5F,C;;;cANI,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAA,sCAAS,iCAAT,O;oBAAA  
,kBoBjER,yB;yBpBiEQ,yB;gBAAA,Q;;gBAEA,gB;gCAA,sCAAS,iCAAT,O;oBAAA,kBoBnER,yB;yBpBmEQ,  
yB;gBAAA,Q;;;cAJJ,W;;cAAA,W;;;IAMI,C;;MAP4F,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,u  
B;MAAA,C;IAAA,C;;MAAT,gBAAS,uCAAT,C;IAAA,C;;MAcX,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,c  
AAR,C;IAAA,C;;MAQU,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,gBAAR,C;IAAA,C;;MAMxB,S;IAAG,C;;  
MAFzB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAm  
B,SAAnB,EAAYB,gBAAzB,EAAiC,QAAjC,C;IACX,C;;MAYiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2  
B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C  
;;MAEV,OAAO,UAAAS,KAAT,C;IACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH  
+B,C;;MAMQ,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAA  
O,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;

UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;IACbB,C;;MAWW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;M  
ACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAA  
O,yE;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MAjCmC,yD;IAAA  
,C;;MA2C/B,0B;MAAmC,gC;IAA/C,C;;MAC2C,0D;MACnC,gBA Ae,oCAAS,W;IADW,C;;MAG/B,OAAO,6CA  
AY,aAAS,OAArB,C;IACX,C;;MAGI,OAAO,aAAS,U;IACpB,C;;MARmC,4D;IAAA,C;;MAYnC,OAAO,uBAA4  
B,eAA5B,EAA5C,kBAAtC,EAAMd,QAAAnD,C;IACX,C;;MASQ,0B;MAAmC,gC;IAA/C,C;;MAC2C,wE;MACn  
C,gBA Ae,2CAAS,W;MACxB,aAAY,C;IAFuB,C;;MAIO,Q;MAAtC,OAAO,oDAAY,oBAAMb,iBAAnB,EAAMb,  
yBAAnB,QAAZ,EAAyC,aAAS,OAAID,C;IACX,C;;MAGI,OAAO,aAAS,U;IACpB,C;;MATmC,mE;IAAA,C;;M  
AkB/B,0B;IAAZ,C;;MAEQ,gBA Ae,gCAAS,W;MACxB,aAAY,C;IAFqC,C;;MAIN,Q;MAAvC,OAAO,iBAAa,oB  
AAmB,iBAAnB,EAAMb,yBAAnB,QAAb,EA0C,aAAS,OAAAnD,C;IACX,C;;MAGI,OAAO,aAAS,U;IACpB,C;;  
MATiD,wD;IAAA,C;;MAoBrD,4B;MACA,4B;MACA,4B;IAHJ,C;;MAK2C,gD;MACnC,iBAAgB,gCAAU,W;M  
AC1B,iBAAgB,gCAAU,W;IAFS,C;;MAI/B,OAAO,sCAAU,cAAU,OAApB,EA4B,cAAU,OAAtC,C;IACX,C;;M  
AGI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;IAC5C,C;;MATmC,uD;IAAA,C;;MAevC,0B;MACA,gC;MACA,0B  
;IAHJ,C;;MAK2C,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;IAFE,C;;MAK/B,IAAI,CAAC,2BAAL,C;Q  
ACI,MAAM,6B;MACV,OAAO,gCA Ae,O;IAC1B,C;;MAGI,OAAO,2B;IACX,C;;MAGQ,Q;MAAJ,IAAI,iEA2B,  
KAA/B,C;QACI,oBA Ae,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAd,C;UACI,OAAO,K;;UAEP  
,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oB  
AAe,gB;YACf,OAAO,I;;;MAInB,OAAO,I;IACX,C;;MA/BmC,0D;IAAA,C;;MAGDvC,0B;MACA,8B;MACA,  
0B;MQ5QA,IAAI,ERgRQ,qBAAc,CQhRtB,CAAJ,C;QACI,cR+Q2B,+CAA4C,iB;QQ9QvE,MAAM,gCAAYB,OA  
AQ,WAAjC,C;;MAFV,IAAI,ERiRQ,mBAAY,CQjRpB,CAAJ,C;QACI,gBRgRyB,6CAA0C,e;QQ/QnE,MAAM,g  
CAAYB,SAAQ,WAAjC,C;;MAFV,IAAI,ERkRQ,mBAAY,iBQIRpB,CAAJ,C;QACI,gBRiRkC,0DAAuD,eAAvD,  
WAAmE,iB;QQhRrG,MAAM,gCAAYB,SAAQ,WAAjC,C;;IRuQe,C;;MAYM,yBAAW,iBAAX,I;IAAA,C;;MAEU  
,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,oBAAa,CAAb,IAAtB,EAAsC,eAAtC,C;I  
AArC,C;;MACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAAsB,iBAAtB,EAaKc,oBAAa,  
CAAb,IAAIC,C;IAA1B,C;;MAEf,wC;MAEtB,gBA Ae,2BAAS,W;MACxB,gBA Ae,C;IAHO,C;;MAOIB,OAAO,gB  
AAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;IAER,C;;MAGI,a;MACA,OAAQ,gBAAW,gC  
AAZ,IAAyB,aAAS,U;IAC7C,C;;MAGI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,  
OAAO,aAAS,O;IACpB,C;;MAxBsB,mD;IAAA,C;;MAiC1B,0B;MACA,oB;MQ5TA,IAAI,ERgUQ,gBAAS,CQh  
UjB,CAAJ,C;QACI,cR+TsB,yCAAsC,YAAtC,M;QQ9TtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;IRwTgB,C;;MAS  
e,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,CAAtB,EAAYB,YAAzB,C;IAArC,C;;M  
ACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EA AuB,CAAvB,C;IAA1B,C;;MAGrC,YAAW,  
yB;MACX,gBA Ae,4BAAS,W;IAFW,C;;MAK/B,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OA  
AO,aAAS,O;IACpB,C;;MAGI,OAAO,YAAO,CAAP,IAAY,aAAS,U;IACbB,C;;MABmC,oD;IAAA,C;;MAuBvC,  
0B;MACA,4B;IAFJ,C;;MAI2C,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAMb,I;IAHgB,C  
;;MAM/B,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;  
UACZ,gBAAW,I;UACX,M;;;MAGR,iBAAY,C;IACbB,C;;MAQiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;M  
ACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OA  
AO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MANcmC,yD;IAA  
A,C;;MA4CvC,0B;MACA,oB;MQ7YA,IAAI,ERgZQ,gBAAS,CQhZjB,CAAJ,C;QACI,cR+YsB,yCAAsC,YAAtC  
,M;QQ9YtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;IRyYgB,C;;MW3UnB,SXmVmC,eAAQ,CAAR,I;MAAD,OAA  
4B,KAAK,CAAT,GAAy,yBAAZ,GAAuC,iBAAa,eAAb,EA AuB,EA AvB,C;IAA/D,C;;MWnVIC,SXoVmC,eAAQ  
,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAy,yBAAZ,GAAuC,gBAAY,eAAZ,EAAsB,YAAtB,EA6B,EA7  
B,C;IAA/D,C;;MAGrC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;IAFwB,C;;MAM/B,OAAO,YAAO,CAAP,IAAY,a  
AAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;IAER,C;;MAGI,a;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,a;MACA,  
OAAO,aAAS,U;IACpB,C;;MApBmC,oD;IAAA,C;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnC,gBA  
Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAMb,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAA  
W,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,  
iBAAY,C;IACbB,C;;MAQqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,a

ACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;IACpB,C;;MAGI,IAAI,mB  
AAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAaA,CAAb,IAAkB,aAAS,U;IACtC,C;;;MANcmC,yD;IAAA,C;;;MAuC  
L,sB;MAAiC,gC;IAAIC,C;;MACM,4BAaIb,aAAO,WAAxB,EAAoC,kBAAPc,C;IAAA,C;;;MAGgE,2B;MAAtE,  
sB;MAAiC,gC;MACIE,kBAAuB,c;IADS,C;;MAI5B,OAAO,aAAO,UAAAd,C;QACI,WAAW,aAAO,O;QACIB,UA  
AU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;;MAIR,W;I  
ACJ,C;;;MAIqC,wC;MAAuC,kC;IAAxC,C;;MACG,oD;MACnC,gBAAmB,I;MACnB,iBAaQb,E;IAFc,C;;MAK/B  
,gBAaE,mBAaA,EAAjB,GAAqB,+CAArB,GAA4C,2CAaA,4BAAb,C;MACvD,iBAaGb,qBAAJ,GAAsB,CAAtB,  
GAA6B,C;IAC7C,C;;MAQiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAaA,CAAJB,C;QACI,  
MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,iBAAY,CAAhB,C;QACI,  
iB;MACJ,OAAO,mBAaA,C;IACxB,C;;;MAzBmC,yD;IAAA,C;;;MAwCvC,OAAW,iDAAJ,GAAwC,SAAXC,GA  
AkD,4BAaWb,SAAXB,C;IAC7D,C;;MAc2C,qB;QAAE,6B;MAAF,C;IAAA,C;;;MAAvC,OAA2D,cAApD,sBAaK  
B,YAAIB,EAAgC,qCAAhC,CAAoD,C;IAC/D,C;;MAoB0B,mB;QAAE,mB;MAAF,C;IAAA,C;;MAHtB,OAAI,Y  
AAJ,GACI,2BADJ,GAGI,sBAaKB,+BAAIB,EAA4B,YAA5B,C;IAHJ,C;;MAMBA,6BAaKB,YAAIB,EAAgC,YA  
AhC,C;IAAA,C;;MJ3mBJ,wB;MACI,8C;IADJ,C;;MAGgD,oCAAmB,KAAM,U;IAAZB,C;;MACb,Q;IAAA,C;;M  
ACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C  
;;MAEtB,kC;IAAA,C;;MAEZ,6B;IAAA,C;;;MAdrC,+B;QAAA,c;;MAAA,wB;IAAA,C;;MASBoC,6B;IAAA,C;;M  
AQe,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;IAA7C,C;IFAEnd,yB;MA  
AA,mD;MAAA,mB;QAKwC,iB;MAAA,C;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;MAAA,C;K  
ARtD,C;;MAeiE,OAAAS,aAAT,QAAS,EAAa,qBAAc,YAAAY,QAAS,OAARb,CAAd,CAAb,C;IAAT,C;uFAEjE,yB;  
MAAA,2D;MAAA,mB;QAGgD,qB;MAAA,C;KAHhD,C;;MAM2D,OAAAS,aAAT,QAAS,EAAa,eAAQ,YAAAY,Q  
AAS,OAARb,CAAR,CAAb,C;IAAT,C;2FAE3D,yB;MAAA,uE;MAAA,mB;QAGwD,2B;MAAA,C;KAHxD,C;;M  
ASmE,OAAAS,aAAT,QAAS,EAAa,qBAAc,YAAAY,QAAS,OAARb,CAAd,CAAb,C;IAAT,C;sFAEnE,yB;MAAA,m  
D;MAAA,4B;QAEkD,uCAAQ,U;MAAR,C;KAFID,C;;MAIgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aA  
CL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;IAHoC,C;;MYvD5C,IAAI,E8H3BI,OAA  
O,CAAP,IAAY,OAAO,C9H2BvB,CAAJ,C;QACI,c8H3BI,AAAJ,GACI,yEADJ,GAGI,8C;Q9HyBJ,MAAM,gCAA  
yB,OAAQ,WAAjC,C;;I8HvBd,C;;MAIoB,mB;QAAE,wBAaIb,gCAAJB,EAA6B,YAA7B,EAAmC,YAAAnC,EAA  
yC,sBAAZC,EAAyD,mBAAZD,C;MAAF,C;IAAA,C;;MADhB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,kCAA  
gB,6EAAhB,C;IACJ,C;;MAI6B,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MAAA,sD;MAA  
A,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;IAkCzB,C;;;;  
;;;+BAjCc,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAaA,uBAAb,C;kCACF,C;gBACD,6C;gB  
AAV,iB;;;sCAaa,eAAc,uBAAd,C;gBACH,+C;gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;  
cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,gB;gCAAA,iCAAU,8BAAJ,GAAiB,mBA  
AjB,GAA6B,iBAAU,mBAAV,CAAnC,O;oBAAA,kBIH5CpB,yB;yBkH4CoB,yB;gBAAA,Q;;gBADJ,gB;;;cAEI,  
mBAAO,qBAAY,uBAAZ,C;cAFX,gB;;;cAFJ,gB;;;cAOA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,  
mBAAO,KAAAd,IAAqB,uBAARb,C;gBAAA,gB;;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAJB,GAA6B,iB  
AAU,mBAAV,CAAnC,O;kBAAA,kBIHIDpB,yB;uBkHkDoB,yB;cAAA,Q;;cACA,mBAAO,qBAAY,uBAAZ,C;c  
AFX,gB;;;cAIA,I5liH4C,C4IjHxC,mB5liHyC,U4IjH7C,C;gBAAYB,gB;gCAAA,iCAAM,mBAAN,O;oBAAA,kBI  
HrDzC,yB;yBkHqDyC,yB;gBAAA,Q;;gBAAZB,iB;;;cA9BR,W;;cAyBI,iB;;cAxBJ,iB;;cAGI,KAAU,yBAAV,C  
;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAGb,oCAAQ,CAAR,I;gBAAW,iB;;;gBAA3B,iB;;;  
;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAA  
N,O;oBAAA,kBIH/BpB,yB;yBkH+BoB,yB;gBAAA,Q;;gBADJ,iB;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;g  
BAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;cAHJ,iB;;cASA,I5IkIgD,C4III5C,iB5IkI6C,U4IIIj  
D,C;gBACI,IAAI,qCAAKb,iBAAO,KAAP,KAAe,uBAARc,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,k  
BIHrC3D,yB;2BkHqC2D,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;cAbJ,W;;cAaI,iB;;cAZJ,iB;;cAgCJ,W;;;;  
;;IAAA,C;;MAICyB,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MADzB,IAAI,CA  
AC,QAAS,UAAAd,C;QAAYB,OAAO,2B;MACHC,OAAO,WAAkB,0EAAIB,C;IAmCX,C;;MAEiE,uB;MAA7B,kB;  
MACHC,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAaKB,SAaIB,EAA6B,OAA7B,EAAcS,WAAK,K  
AA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAaKB,KAAIB,EAAyB,YAAzB,

C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;IACX,C;;MAE+B,mB;IAAA,C;;;MASc,uB;MAArB,wB;M9  
HIDxB,IAAI,E8HoDQ,iBAAY,C9HpDpB,CAAJ,C;QACI,c8HmDyB,2DAAwD,a;Q9HIDjF,MAAM,gCAAyB,OA  
AQ,WAAjC,C;;M8HqDV,gBAAqB,gBAAmB,aAAnB,O;MACrB,oBAA8B,C;MAE9B,sBAAYB,C;IARF,C;;MAQ  
vB,0B;IAAA,C;MAAA,0B;IAAA,C;;MAMW,Q;MAFP,+DAAKB,KAAIB,EAAyB,SAAzB,C;MAEA,OAAO,sBA  
yFmC,CAzF5B,iBAyF6B,GAzFV,KAyFU,IAAD,IAAa,aAzFhD,4D;IACX,C;;MAEe,qBAAQ,a;IAAR,C;;MAEwB  
,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;IAFe,C;;MASnB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,  
W;;;QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QACA,eA0EkC,CA1E1B,YA0E2B,GA1Eb,CA0Ea,IAAD,IAAa,6  
B;QAzE/C,mC;;IAER,C;;;MABmC,kD;IAAA,C;;MAMB0B,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MATBP,  
aACQ,KAAM,OAAN,GAAa,IAAK,KAAiB,GAAkC,UAAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAyD,kD;M  
AE7D,WAAW,IAAK,K;MAEhB,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,aAA5  
B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO  
,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAc,I  
AAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;IACX,C;;MAGI,OAAO,qBAAQ,gBA  
Aa,SAAb,OAAR,C;IACX,C;;MAMI,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;;MAGV,cA6B0C,CA7Bn  
C,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,aA7BvD,IAAmC,O;MACnC,6B;IACJ,C;;M9H9HA,IAAI,E8HoIQ,KA  
AK,C9HpIb,CAAJ,C;QACI,c8HmIkB,wC;Q9HIIIb,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAFV,IAAI,E8HqIQ,K  
AAK,S9HrIb,CAAJ,C;QACI,gB8HoIqB,wEAA8D,S;Q9HnInF,MAAM,gCAAyB,SAAQ,WAAjC,C;;M8HqIN,IAA  
I,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAGbS,C,AhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,a;QAdnD,IAAI  
,QAAQ,GAAZ,C;UACW,YAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAakB,aAAIB,C;UACA,YAAP,aAAO,EA  
AK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;;UAEA,YAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAakB,GAAIB,C;;  
QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;;IAER,C;;MAI8C,QAAC,YAAO,CAAP,IAAD,IAAa,a;IAAb,C;;MAGJ  
,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzE,eAAY,SAAZ,QAA4B,OAA5B,Q;QACI,UAAK,GA  
AL,IAAY,O;;IAEpB,C;;;MCxLA,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD  
,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OjJ8B4E,0BiJ9BrE,kBAAM,CAAN,CjJ8K2B,KA  
AL,GAAiB,GAhJ8B,EiJ9B1D,KjJ8KgB,KAAL,GAAiB,GAhJ8B,CiJ9BrE,IAAP,C;UACI,a;;QACJ,OjJ4B4E,0BiJ5  
BrE,kBAAM,CAAN,CjJ4K2B,KAAL,GAAiB,GAhJ8B,EiJ5B1D,KjJ4KgB,KAAL,GAAiB,GAhJ8B,CiJ5BrE,IAA  
P,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBA  
AM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;IACX,C;;M  
AKI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;  
QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAA  
U,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;IACR,C;;MAMI,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAA  
M,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OIK6E,0B+ILtE,k  
BAAM,CAAN,C/I8I2B,KAAL,GAAiB,KAZI+B,E+IL3D,K/I8IgB,KAAL,GAAiB,KAZI+B,C+ILtE,IAAP,C;UACI,  
a;;QACJ,O/IG6E,0B+IHtE,kBAAM,CAAN,C/I4I2B,KAAL,GAAiB,KAZI+B,E+IH3D,K/I4IgB,KAAL,GAAiB,KA  
ZI+B,C+IHtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,C  
AAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OA  
AO,C;IACX,C;;MAKI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAA  
R,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAA  
Z,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;IACR,C;;MAMI,QAAQ,I;MACR,QAAQ,K;MACR  
,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OhJ  
pB8D,YgJoBvD,kBAAM,CAAN,ChJpBwE,KAAjB,EgJoB5C,KhJpByE,KAA7B,CgJoBvD,IAAP,C;UACI,a;;QAC  
J,OhJtB8D,YgJsBvD,kBAAM,CAAN,ChJtBwE,KAAjB,EgJsB5C,KhJtByE,KAA7B,CgJsBvD,IAAP,C;UACI,a;;Q  
ACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CA  
AX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;IACX,C;;MAKI,YAAY,aA  
AU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,K  
AAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB  
,KAAjB,EAAwB,KAAxB,C;IACR,C;;MAMI,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,  
KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OnI7C+D,amI6CxD,kBAAM,CAAN

,CnI7C0E,KAAIB,EmI6C7C,KnI7C2E,KAA9B,CmI6CxD,IAAP,C;UACI,a;;QACJ,OnI/C+D,amI+CxD,kBAAM,C  
AAN,CnI/C0E,KAAIB,EmI+C7C,KnI/C2E,KAA9B,CmI+CxD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UA  
CI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,E  
AAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;IACX,C;;MAKI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAA  
uB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,Q  
AAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;I  
ACR,C;;MAQ+C,UAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;IAAA,C;;MAE  
A,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;IAAA,C;;MAEA,YAAU,KAAV  
,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;IAAA,C;;MAEA,YAAU,KAAV,EAAiB,CAAjB,  
EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;IAAA,C;;M/HpH3C,IAAI,EEjBI,SAAU,OAAV,GAAiB,CfIbBrB,  
CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;;MEIBV,OAAO,oBAAoB,CAApB,EAAuB,C  
AAvB,EAAoB,SAA1B,C;IACX,C;;MAGe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAS,SAAX,M;QACI,SAAS,  
GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAd,EAakB,EAAIB,C;QACX,IAAI,SA  
AQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;IACX,C;sGAEA,yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,  
SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;MACX,C;KAVA,C;;MAqBI,OAAO,UAAW,SAAQ,SAAS,  
CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;IACtB,C;;MAuBY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAA  
O,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACTB,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iBAAtB,m  
DAAsB,EAAU,CAAV,C;IACIC,C;;MAYsB,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EAAoB,iBAA1B,C;M  
AAV,C;IAAA,C;;MFvDIB,IAAI,EEsDI,SAAU,OAAV,GAAiB,CfIDrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,g  
CAAyB,OAAQ,WAAjC,C;;MEqDV,oCAAkB,2BAA1B,C;IACJ,C;0FAGA,yB;MAAA,sC;MJjFA,kC;MAAA,oC;;  
QAAsg,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIiFA,uBAOe  
,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,  
CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MAPf,2B;QAOI,oCAAW,0BAAX,C;MAAA,C;KAPJ,C;0FASA  
,yB;MJ1FA,kC;MAAA,oC;;QAAsg,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C  
;MAD5C,kF;;QIkGe,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX  
,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;QA0DP,C;MAAA,C;MARf,uC;QAQI,oCAAW,sCAAX,C;MAAA,C;  
KARJ,C;4GAUA,yB;MAAA,sC;MJpGA,kC;MAAA,oC;;QAAsg,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CA  
AX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,  
OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MAPf,2  
B;QAOI,oCAAW,oCAAX,C;MAAA,C;KAPJ,C;8GASA,yB;MJ7GA,kC;MAAA,oC;;QAAsg,4C;MAAtG,C;MAA  
A,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;;QluHe,uB;UAAU,iBAAsB,kB;UAAtB,eA  
AkC,gB;UAAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;QA+EP,C;MA  
AA,C;MAVf,uC;QAUI,oCAAW,gDAAX,C;MAAA,C;KAVJ,C;kFAYA,yB;MAAA,sC;MJzHA,kC;MAAA,oC;;Q  
AAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIyHA,oBAQe,  
yB;QA9Gf,8D;;UA8Ge,uB;YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBA  
AmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAvgG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,S  
AuGoC,CAvGpC,CAA3B,C;;YAsGH,W;UADO,C;QAAA,C;OAAA,C;MARf,sC;QAQI,oCAAW,kCAAX,C;MAA  
A,C;KARJ,C;oFAaA,yB;MJtIA,kC;MAAA,oC;;QAAsg,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EA  
Ac,CAAd,C;MAAA,C;MAD5C,kF;;QI8Ie,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;U  
AAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAxGG,UA  
AW,SAAQ,SAwGyC,CAXGzC,CAAR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAuGd,W;QADO,C;MAAA,C;MA  
Rf,kD;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;MAAA,sC;MJnJA,kC;MAAA,oC;;QAAsg,4C;M  
AAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MIImJA,8BAQe,yB;QAxIf,8  
D;;UAwIe,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAv  
B,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,C  
AA3B,C;;YAgIH,W;UADO,C;QAAA,C;OAAA,C;MARf,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAa  
A,yB;MJhKA,kC;MAAA,oC;;QAAsg,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA  
,C;MAD5C,kF;;QIwKe,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oB



AAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SAk  
IyC,CAIIZC,CAAR,EAaqB,SAki+B,CAII/B,CAArB,C;;UAIId,W;QADO,C;MAAA,C;MARf,kD;QAQI,oCAAW,  
wDAAX,C;MAAA,C;KARJ,C;kGAcA,yB;MJ9KA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+B  
AAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;;QIqLe,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,  
CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAC,CAAd,C;QAFxC,C;  
MAAA,C;MAPf,wC;QAOL,oCAAW,4CAAX,C;MAAA,C;KAPJ,C;;MAmBe,uB;QACP,sBAAsB,SAAU,SAAQ,C  
AAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EA  
W,CAAX,C;MAFnD,C;IAAA,C;;MAAX,oCAAW,kCAAX,C;IAAA,C;;MAYc,uB;QACV,sBAAsB,mBAAoB,SA  
AQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,  
EAAW,CAAX,C;MAFhD,C;IAAA,C;;MAAd,oCAAc,4CAAd,C;IAAA,C;;MAaW,uB;QAEH,UAAM,CAAN,C;U  
ADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,C  
AAX,C;MALhB,C;IAAA,C;;MAAX,oCAAW,6BAAX,C;IAAA,C;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;  
QAOqE,kBAAW,cAAX,C;MAAA,C;KAPrE,C;;MAGBe,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UA  
FJ,OAEiB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MALhB,C;IAAA,  
C;;MAAX,oCAAW,4BAAX,C;IAAA,C;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;  
MAAA,C;KAPpE,C;;MAc4F,Q;MAA7B,OAA6B,4F;IAA7B,C;;MAO6B,Q;MAA7B,OAA6B,4F;IAA7B,C;;MAO  
A,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAK,W;WAC9B,WAF2D,SAE3D,wC;Q  
AFqD,OAEe,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;IAJ6C,C  
;;MAQRb,4B;IAAD,C;;MACS,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;IAAX,C;;MAER,sB;IAAA,C;;MA  
GpC,sC;IAAA,C;;MACwE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;IAAF,C;;MAEtB,2C;IAAA,C;;MAHID,6C;Q  
AAA,4B;;MAAA,sC;IAAA,C;;MAMA,sC;IAAA,C;;MACwE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;IAAF,C;;M  
AEtB,2C;IAAA,C;;MAHID,6C;QAAA,4B;;MAAA,sC;IAAA,C;;I8H/SA,C;;MAyEmE,oB;QAAA,2C;aAjB/D,k  
G;IAAA,C;;MAoBJ,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,wC;MAAA,C;MASI,4E;MAMA,8E;MAOA,4E;M  
AOA,kE;IA7BJ,C;;MASI,2B;MAAA,2C;IAAA,C;;MAMA,2B;MAAA,4C;IAAA,C;;MAOA,2B;MAAA,2C;IAA  
A,C;;MAOA,2B;MAAA,sC;IAAA,C;;MA7BJ,+K;IAAA,C;;MAAA,a;aAAA,c;UAAA,gD;aAAA,e;UAAA,iD;aA  
AA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;IAAA,C;;IA8DkE,C;;IjIzHIE,C;;iFAUA,yB;MA  
AA,4B;MAAA,mC;QAMI,6BiE6CQ,WjE7CkB,KiE6CIB,CjE7CR,C;MAAA,C;KANJ,C;2GAQA,yB;MAAA,4B;  
MiE6CQ,kD;MjE7CR,uC;QAOL,6BiE2CQ,WAAO,cjE3CW,SiE2CX,CAAP,CjE3CR,C;MAAA,C;KAPJ,C;+FAU  
A,yB;MAAA,kC;MAAA,mD;;QASI,sC;QAAA,4C;MATJ,C;MAAA,yF;QAWoB,2B;MAAA,CAXpB,E;MAAA,4  
E;QAcY,wBAAW,MAAX,C;MAAA,C;MAdZ,sF;MAAA,sC;QASI,0D;MAAA,C;KATJ,C;;MA8BI,4BAA0D,YA  
AzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAYE,yBAAZe,C;IAAA,C;;MAGBA,4BAAoE,YAAAnD,0CAA6B,QA  
A7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAnF,C;IAAA,C;;MAYyC,YAAzC,wCAA6B,UAA7B,CAAY  
C,CAtEzC,oBiE6CQ,WjEyBsD,kBiEzBtD,CjE7CR,C;IAuEJ,C;;MAuD,YAAAnD,0CAA6B,QAA7B,EAAuC,UAA  
vC,CAAmD,CAPFnD,oBiE6CQ,WjEuCgE,kBiEvChE,CjE7CR,C;IAqFJ,C;;MAaI,OAAc,8BAAAtC,c;IAAA,C;8E  
AXJ,yB;MAAA,oE;MAAA,6E;;QAW0C,oB;UACIC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;UACX,cAAM,I  
AAN,C;UADA,OAEA,IAAK,a;QAH6B,C;MAAA,C;MAX1C,sC;QAWI,mBAAsC,8BAAAtC,6B;QAAA,yD;MAA  
A,C;KAXJ,C;qGAwBI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;MACV,C;KAFa,C;;MkI5  
IA,yC;;MAAA,2C;IAAA,C;;MAAA,kD;QAAA,iC;;MAAA,2C;IAAA,C;;IA6BA,C;;MAKqB,Q;MADjB,OACI,  
QAAQ,yCAAZ,GAAiB,0EAAjB,GAAgC,I;IADhC,C;;MAKA,OAAI,QAAQ,yCAAZ,GAAiB,mCAAjB,GAA4C,I;  
IAA5C,C;;MCIBQ,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;  
QAEnc,kBAAkB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAYB,OAAzB,C  
;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAYB,  
WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAASB,OAAtB,CAAhB,EAAGD,WAAhD,C;;IAGhB,C;;MA  
ZJ,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;IADZ,C;;MAcCyB,  
Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;IADpC,C;;MAIA,iBAAU  
,OAAV,EAAMB,IAAnB,C;IAAA,C;;MAGA,OAAI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,mCAArB,  
GAAgD,I;IAAhD,C;;MC9D0C,wB;IAAD,C;;MAAC,yB;IAAA,C;;MAEtD,qC;MAKI,4B;IALJ,C;;MAMqC,0C;I  
AAA,C;;MAEWB,W;IAAA,C;;MACmB,c;IAAA,C;;MACJ,c;IAAA,C;;MACV,W;IAAA,C;;MACxB,Q;IAAA,C;;

MACG,8B;IAAA,C;;;MAb7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MA sBI,kB;MACA,wB;IAF0B,C;;MAQIB,Q;  
MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,UAAJ,aAAY,GAAZ,W;UAAwB,W;;QACxB,WAA  
W,GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,iBAAK,GAAL,C;;;IAGnB,C;;MAGI,iBAAU,  
WAAK,cAAK,OAAL,EAAC,SAAd,CAAf,EAAYC,cAAzC,C;IAAA,C;;UAKO,I;MAFP,+BAAQ,GAAR,U;QAAo  
B,OAAO,W;;MAC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mC  
AAZ,C;QAAqC,qB;;QAC7B,2BAAGB,OAAhB,EAAYB,cAAzB,C;MAHZ,W;IAKJ,C;;MAMc,IAAI,IAAJ,Q;MAH  
V,UAAU,I;MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAI,OAAJ,gC;QAAA,mB;UAAgC  
,OAAO,I;;QAA7C,MAAM,M;QACN,mB;;IAER,C;;MAGI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;IAAA,C;;M  
AUwB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,UAAb,CAAL,C;UAA4B,  
OAAO,K;QACnC,WAAW,GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,gBAAS,0EAAT,C;;;I  
AGnB,C;;MAGI,gBAAS,KAAT,KAAkB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,  
CAA9E,C;IAAA,C;;MAE2B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;IAAA,C;;MAIvB,OA  
AI,GpHqIoC,YAAU,CoHrIID,GAAMB,OAAQ,WAA3B,GAA6C,GA AF,UAAQ,O;IACvD,C;;MAFA,aAAM,kBA  
AK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;IAFJ,C;;MAQW,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EAAS,8BAAT,  
UAAoB,O;QAAQ,W;MAA5C,C;IAAA,C;;MAGO,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O;MACf,  
gBAAY,CAAZ,C;MACA,kBAAK,kBAAL,EA AW,oDAAX,C;MnIZJ,IAAI,EmIaM,YAAS,CnIbf,CAAJ,C;QACI,c  
AdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;;MmIaN,OAAO,+BAAW,qDAAX,C;IACX,C;;MAGI,kD;MA  
DqB,wB;IAAD,C;;MACpB,oD;MACI,4B;IADJ,C;;;MAAA,2D;QAAA,0C;;MAAA,oD;IAAA,C;;MAI0C,gBAAT,  
a;MvJ67TrB,Q;MADhB,kBuJ57TmD,mC;MvJ67TnD,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,c  
AAwB,WgCljUID,chCkjU+D,OgCljU/D,C;;MuHqHyC,OvJ87T9B,W;IuJ97T8B,C;;;MC9ErC,MAAM,wBAAoB,s  
EAApB,C;IAAN,C;8GA3BJ,yB;MAAA,2D;MAAA,sC;QA2BI,MAAM,6BAAoB,sEAApB,C;MAAN,C;KA3BJ,C;  
;MAwC4C,4D;IAAA,C;;MAE5C,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;MAK0C,oG;MAAqB,g  
F;MAAW,4E;IAL1E,C;;;MAK0C,gC;MAAA,uD;IAAA,C;;;MAAqB,gC;MAAA,6C;IAAA,C;;;MAAW,gC;MAAA  
,2C;IAAA,C;;MAL1E,sJ;IAAA,C;;;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAAA,gD;gBA  
AA,qF;;IAAA,C;;6EChDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC  
,C;KAHtD,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;MAAhC,C;K  
AHrD,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHt  
D,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAp,CAAR,SA Ae,C;MAArB,C;KAHrC,C;+EAMA,y  
B;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHzD,C;6EAKA,yB;M  
AAA,4B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;MAAhC,C;KAHxD,C;+EAKA,yB;MA  
AA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHzD,C;+EAKA,yB;MAAA,  
4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SA Ae,C;MAArB,C;KAHvC,C;;ICpCA,C;;;ICAA,C;;;IAOA,C;;;IA  
OA,C;;;IAOA,C;;;IAQA,C;;;IAOA,C;;;IAOA,C;;;MAiCI,uB;QAAA,UAA sB,E;MACTb,qB;QAAA,8B;  
MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;IAL  
mC,C;;;MAQvC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,kD;MAAA,C;MAKI,wG;MACA,wG;MACA,8F;IAPJ,  
C;;;MAKI,qC;MAAA,yD;IAAA,C;;;MACA,qC;MAAA,yD;IAAA,C;;;MACA,qC;MAAA,oD;IAAA,C;;;MAPJ,6K;  
IAAA,C;;;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;IAAA,C;;;IAUA,  
C;;;MCjGA,yB;IAAA,C;;MAWiE,uB;IAAA,C;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;;QAUI,  
wC;QAAS,6C;MAVb,C;MAAA,2G;QAWqF,sBAAS,QAAT,EAAMB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MA  
XrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;MAAA,C;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF  
;MAAA,yF;;QAcI,wC;QAAS,6C;MAdb,C;MAAA,0G;QAe+F,6BAAS,QAAT,EAAMB,QAAnB,EAA6B,QAA7B,  
C;MAAA,C;MAfF,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;MAAA,C;KAdJ,C;;;MA3BJ,gC;QAAA,e;;MAAA,y  
B;IAAA,C;;MAiDI,eAAwB,I;IADK,C;;MAIIB,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,a  
AArB,uCAAtB,C;;MAAtB,OAAO,I;IACX,C;;MAGI,eAAa,K;IACjB,C;;;MCpDA,uBAAoB,Y;IADmB,C;;MA  
SsD,W;IAAA,C;;IAML,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,Q  
AAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;;MAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAAt  
B,EAAgC,KAAhC,C;IACJ,C;;;MC+LA,4B;IA/NJ,C;;MA0BqC,6BAAS,EAAT,C;IAAA,C;;MAWU,4BAAQ,CAA  
R,EAAW,KAA X,C;IAAA,C;;MAazB,Q;MAHd,iBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,QAAQ,IAAR,

I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM,CAAC,CAAD,IAAN,OAAy,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;;UAEA,K;;YAEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SAAqB,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAAW,IAAP,qBAaKB,KAAtB,C;YAA6B,OAAO,K;;;IAGhD,C;;MAOmC,OAAU,oBAAV,cAAU,CAAS,WAAI,EAAJ,CAAnB,yBAA6B,cAA7B,E;IAAA,C;;MAWW,iCAAy,KAAZ,C;IAAA,C;;MAiB5B,Q;MAPd,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,IAAI,aAAO,CAAD,aAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAe,Q;UACb,YAAa,qBAAO,EAAP,CAAW,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAAAnB,sBAAS,QAAT,CAAmB,CAAnB,iB;;gBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBA Ae,SAAS,KAAT,C;YACf,OAAmB,oBAAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,yBAAsC,cAAtC,E;;UAXR,U;;;UAEa,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACTB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP,MAAY,+BAAI,CAAJ,EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;;QAEP,OAAO,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAaKB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;;IAGhD,C;;MAKyC,6BAAS,CAAT,MAAe,C;IAAf,C;;MAKF,uBAAgB,sBAAS,EAAT,CAAhB,EAASB,sBAAS,EAAT,CAA9B,C;IAAA,C;;MASa,+BAAW,GAAX,EAAGB,KAAhB,C;IAAA,C;;MACxC,Q;MAFR,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CAA1B,IAA8C,SAAN,KAAM,CAAID,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cAAO,EAAP,GAAY,E;;;QAEZ,cAAO,oBAAe,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,CAAtB,GAAsC,C;IACjD,C;;MAKqC,6BAAS,EAAT,IAA0B,Q;IAA1B,C;;MAS+B,mB;QAAE,uBAAa,iBAAb,sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;MAAF,C;IAAA,C;;M1IhKpE,IAAI,E0IgKqB,CAAb,8BAAgB,KAAM,O1IhK9B,G0IgKiD,CAAX,0BAAc,KAAM,O1IhK1D,G0IgKsC,K1IhKtC,CAAJ,C;QACI,c0I+JgE,kD1I/JID,E;QACd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E0IiKQ,aAAa,O1IjKrB,CAAJ,C;QACI,gB0IgKgC,mF;Q1I/JhC,MAAM,gCAAYB,SAAQ,WAAjC,C;;M0IiKN,YAAy,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;MvI/DJ,iBAAc,CAAd,UuIgEW,KvIhEX,U;QuIiEQ,QAAQ,c;QACR,MAAM,UAAN,IAAoB,OAAF,CAAe,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAe,KAAK,CAAG,C;QAChC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAX,CAAe,KAAK,EAAI,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAX,CAAe,KAAK,EAAI,C;QACjC,0BAAY,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAAV,I;MACHb,SAAS,sBAAS,YAAy,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAKB,SAAlB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;IACX,C;;MAvB4C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,O;aANrF,0H;IA6BA,C;;MAOyD,8BAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAm,OAA1B,C;IAAA,C;;MAKP,8BAAU,cAAU,IAAV,CAAV,C;IAAA,C;;MAGID,8B;MAO2B,iB;MAEvB,uBAoC,uB;MAuBpC,+C;IAhCJ,C;;MAWgD,OAAA,oBAAc,kBAAS,QAAT,C;IAAd,C;;MACd,OAAA,oBAAc,U;IAAd,C;;MACU,OAAA,oBAAc,iBAAQ,KAAR,C;IAAd,C;;MACW,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAd,C;IAAd,C;;MAEnB,OAAA,oBAAc,W;IAAd,C;;MACW,OAAA,oBAAc,kBAAS,KAAT,C;IAAd,C;;MACY,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;IAAd,C;;MAEjB,OAAA,oBAAc,c;IAAd,C;;MAEF,OAAA,oBAAc,a;IAAd,C;;MACa,OAAA,oBAAc,oBAAW,KAAx,C;IAAd,C;;MACc,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;IAAd,C;;MAE7B,OAAA,oBAAc,Y;IAAd,C;;MAEoB,OAAA,oBAAc,mBAAU,KAAV,C;IAAd,C;;MACP,OAAA,oBAAc,mBAAU,IAAV,C;IAAd,C;;MACqC,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;IAAd,C;;;MA9BxF,qC;QAAA,oB;;MAAA,8B;IAAA,C;;MASCA,gC;MAC0B,iB;IAD1B,C;;MAEGD,OAAA,4BAAQ,kBAAS,QAAT,C;IAAR,C;;;MAFhD,uC;QAAA,sB;;MAAA,gC;IAAA,C;;;MAiBmC,yBAAa,IAAb,EAAmB,IAAK,IAAI,EAA5B,C;IAAA,C;;MAaC,yBAAa,IAAK,QAAiB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAxC,C;IAAA,C;;MACpC,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAAa,UAAb,C;QAF8C,OAehB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAAA,KAAM,MAAN,GAAC,WAAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAC,CAAd,IAAR,EAAyB,KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIhC,mB;IAJsC,C;;MAiB9C,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAElB,2BAAS,KAAM,MAAf,EAA5B,KAAM,aAN,yBAAqB,CAArB,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,MAAN,8BAAc,CAAd,EAAT,EAA0B,KAAM,aAAhC,0BAAgD,CAAhD,E;;QAHiB,OAIzC,oB;IAJyC,C;;MACjD,

OAAA, SAAK, KAAK, EAAL, GAAU, QAAf, GAAyC, CAAX, CAAC, QAAD, IAAW, KAAI, E; IAA7C, C;; M1IpTA, IA  
AI, E0IsTuD, QAAQ, I1It/T/D, CAAJ, C; QACI, c0IqTuE, +B; Q1IptvE, MAAM, gCAAyB, OAAQ, WAAjC, C;; I0IoTyC,  
C;; M1ItTnD, IAAI, E0IuTyD, sBAAQ, IAAR, K1IvTzD, CAAJ, C; QACI, c0IsTyE, +B; Q1IrTzE, MAAM, gCAAyB, OA  
AQ, WAAjC, C;; I0IqT2C, C;; M1IvTrD, IAAI, E0IwT6D, QAAQ, I1IxTrE, CAAJ, C; QACI, c0IuT6E, +B; Q1ItT7E, MA  
AM, gCAAyB, OAAQ, WAAjC, C;; I0IsT+C, C;; MAEJ, oCAA0B, IAA1B, qBAAiC, KAAjC, kB; IAAA, C;; MC9UpB, O5J  
2RE, S4J3RF, mB5J2RE, C; I4J3RF, C;; MAWW, 6BAAS, WAAT, EAaA, KAAb, C; IAAA, C;; MAY5C, qBAAqB, IAArB  
, EAA2B, KAA3B, C; MAEA, iBAAiB, I5J6JgB, K4J7JhB, GAAiB, W; MACIC, kBAAkB, K5J4Je, K4J5Jf, GAAkB, W; M  
AEpC, mBAaM, 0BAAQ, UAAR, EAaO, WAApB, IAAqC, W; MACxD, O5J8PmC, S4J9P5B, Y5J8P4B, C; I4J7PvC,  
C;; MAaI, IAAA, KAAM, UAAN, C; QAaMB, MAAM, gCAAyB, uCAAoC, KAA7D, C;; QACzB, I5JEkE, Y4JFIE, KAA  
M, K5JE6E, KAAjB, E4JFrD, 4BAAK, U5JE6E, KAA7B, C4JFIE, K; UAFiD, OAEIB, sBAAS, KAAM, MAaf, E5JoBsB,  
S4JpBA, KAAM, K5JoBI, KAAK, GAAW, C4JpBb, W5JoBa, MAAX, IAaf, C4JpBtB, C;; UAC/B, I5JCKE, Y4JDIE, KA  
AM, M5JC6E, KAAjB, E4JDpD, 4BAAK, U5JC4E, KAA7B, C4JDIE, K; YAHID, O5JsBI, S4JnBrB, sB5JgCsB, S4JhCb,  
KAAM, M5JgCiB, KAAK, GAAyC, C4JhC1B, W5JgC0B, MAAZ, IAaf, C4JhCtB, EAA2B, KAAM, KAAjC, C5JmB+B,  
KAAK, GAAW, C4JnBN, W5JmBM, MAAX, IAaf, C;; Y4JtBJ, OAlzC, mB;; IAJyC, C;; MACd, O/IkPG, U+IIPH, oB/Ik  
PG, C; I+IIPH, C;; MAWY, 8BAAU, 2BAAV, EAae, KAaf, C; IAAA, C;; MAY/C, sBAAsB, IAAtB, EAA4B, KAA5B, C;  
MAEA, iBAAiB, I/IgHk, K+IhHIB, 8B; MACjB, kBAAkB, K/I+GiB, K+I/GjB, 8B; MAElB, mBAaMB, 2BAAS, UAAT  
, EAAqB, WAArB, +B; MACnB, O/IqNsC, U+IrN/B, Y/IqN+B, C; I+IpN1C, C;; MAaI, IAAA, KAAM, UAAN, C; QAaMB  
, MAAM, gCAAyB, uCAAoC, KAA7D, C;; QACzB, I/I9CmE, a+I8CnE, KAAM, K/I9C+E, KAAIB, E+I8CtD, 6BAAM, U  
/I9C8E, KAA9B, C+I8CnE, K; UAFoD, OAEpB, uBAAU, KAAM, MAAhB, E/IjCuB, U+IiCA, KAAM, K/IjCK, KAAK,  
KAAW, Cb+J7C, UAAW, oBAAL, C4J9HyB, W5J8HzB, MAAK, CAAL, iBAAN, Ca/J6C, MAAX, CAaHb, C+IiCvB, C  
;; UACHc, I/I/CmE, a+I+CnE, KAAM, M/I/C+E, KAAIB, E+I+CrD, 6BAAM, U/I/C6E, KAA9B, C+I+CnE, K; YAHoD,  
O/I/BG, U+IkCtB, uB/IrBuB, U+IqBb, KAAM, M/IrBk, KAAM, UAAy, CbkJ/C, UAAW, oBAAL, C4J7Hc, W5J6Hd, M  
AAK, CAAL, iBAAN, CaI+J+C, MAAZ, CAaHb, C+IqBvB, EAA4B, KAAM, KAAIC, C/IiC, KAAM, KAAW, Cb+J7C,  
UAAW, oBAAL, C4J7HgC, W5J6HhC, MAAK, CAAL, iBAAN, Ca/J6C, MAAX, CAaHb, C;; Y+I+BH, OAI5C, oB;; IA  
J4C, C;; MAepD, 4BAAU, K1H8jFH, Q0H9jFP, C; MACA, OAAO, K; IACX, C;; MAOsD, O1H6nF3C, e0H7nF2C, 4BA  
AU, IAAV, C1H6nF3C, C; I0H7nF2C, C;; MASn, yB; QAAA, YAAiB, C; MAAG, uB; QAAA, UAae, KAAM, K; MACrF, 4  
BAAU, K1H2iFH, Q0H3iFP, EAA+B, SAA/B, EAA0C, OAA1C, C; MACA, OAAO, K; IACX, C;; M3IHI, IAAI, EjB0B8  
D, Y4J4FD, K5J5Fk, KAAjB, E4J4FO, I5J5Fb, KAA7B, C4J4FD, I3ItH7D, CAAJ, C; QACI, c2IqH6E, +B; Q3IpH7E, M  
AAM, gCAAyB, OAAQ, WAAjC, C;; I2IoH+C, C;; M3ItHzD, IAAI, EJKC+D, a+IsFC, K/IiFiB, KAAIB, E+IsFS, I/IiFiB,  
KAA9B, C+IsFC, I3IxHhE, CAAJ, C; QACI, c2IuHgf, +B; Q3ItHhF, MAAM, gCAAyB, OAAQ, WAAjC, C;; I2IsHkD, C;;  
MCrI5D, iB; MANA, Y; MACA, Y; MACA, Y; MACA, Y; MACA, Y; MACA, sB; M5IcA, IAAI, E4IPQ, CAAC, WAAK, Q  
AAL, GAAU, QAAV, GAAe, QAAf, GAAoB, QAArB, MAA2B, C5IOnC, CAAJ, C; QACI, c4IRwC, wD; Q5ISx, C, MA  
AM, gCAAyB, OAAQ, WAAjC, C;; MGoGV, iBAAC, CAAd, UyIIGW, EzI0GX, U; QyII GiB, c;; IAhBrB, C;; MAoBQ, QA  
AQ, Q; MACR, IAAI, IAAO, MAAO, C; MACIB, WAAI, Q; MACJ, WAAI, Q; MACJ, WAAI, Q; MACJ, SAAS, Q; MACT,  
WAAI, E; MACJ, IAAK, IAAO, KAAM, CAAd, GAASB, EAAtB, GAA8B, MAAO, C; MACzC, WAAI, C; MACJ, gCAA  
U, MAAV, I; MACA, OAAO, IAAI, aAAJ, I; IACX, C;; MAGI, OAAU, cAAV, cAAU, EAac, QAAc, C; IAAV, C;; MAzBJ,  
sD; MACQ, yBAAK, KAAL, EAAY, KAAZ, EAaMB, CAAnB, EAAsB, CAAtB, EAA+B, CAAN, KAAzB, EAAuC, SA  
AU, EAAX, GAAoB, UAAW, CAArE, C; MADR, Y; IAAA, C;; MCL2C, qCAAiB, UAAjB, EAAwB, KAAxB, KAAkC,  
8BAAiB, KAAjB, EAAwB, iBAAxB, C; IAAIC, C;; MACT, QAAC, 8BAAiB, UAAjB, EAAwB, iBAAxB, C; IAAD, C;; M  
AYIC, 4B; MACA, 0C; IAFiD, C;; MACjD, 2B; IAAA, C;; MACA, kC; IAAA, C;; MAII, OAAO, 0CAAgC, kBAAa, KAAM,  
UAAAnB, KAC/B, mBAAS, KAAM, MAaf, KAAwB, 0BAAgB, KAAM, aAaTB, CADO, CAaHc, C; IAEX, C;; MAGI, O  
AAW, cAAJ, GAAe, EAaf, GAAuB, MAAW, SAAN, UAAM, CAAX, QAAqC, SAAb, iBAAa, CAArC, I; IACIC, C;; MA  
EkC, OAAE, UAaf, qBAAU, iB; IAAV, C;; MAYIC, gBAAqB, K; MACrB, uBAA4B, Y; IALD, C;; MAMQ, oB; IAAA, C;  
; MACO, 2B; IAAA, C;; MAEqB, YAAK, C; IAAL, C;; MAEf, gBAAS, aAAT, IAAmB, SAAS, oB; IAA5B, C;; MACd, SAA  
E, iBAAU, oBAAZ, C; IAAA, C;; MAG9B, OAAO, 4CAA+B, kBAAa, KAAM, UAAAnB, KAC9B, kBAAU, KAAM, SAAh  
B, IAA0B, yBAAiB, KAAM, gBADnB, CAAB, C; IAEX, C;; MAGI, OAAW, cAAJ, GAAe, EAaf, GAAuB, MAAY, SAA  
P, aAAO, CAAZ, QAAuC, SAAd, oBAAC, CAaVc, I; IACIC, C;; MAEkC, OAAE, aAAf, qBAaW, oB; IAAX, C;; MAUu  
C, 2BAAgB, SAAhB, EAAsB, IAAtB, C; IAAA, C;; MASQ, 6BAAkB, SAAIB, EAAwB, IAAXB, C; IAAA, C;; MAWjF, 0B

AAmB,2BAAS,OAAT,C;IAAnB,C;;MAIA,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBA  
AzB,C;IAC3B,C;;MC/F8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;IAAIB,C;;MAc1B,0B;QAAA,aAAsB,K;MA  
CtD,IAAI,cAAQ,KAAZ,C;QAAMb,OOAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OOAO,K;MAExB,IIGpBiI,  
OAArI,MAAoD,ckGoB5C,SlGpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CkGoB7H,KIGpB6H,OAArI,  
MAAoD,ckGoBtB,KIGpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CkGoBjI,C;QAA+C,OOAO,I;MACt  
D,IIGxBiI,OAArI,MAAoD,ckGwB5C,SlGxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CkGwB7H,KIGx  
B6H,OAArI,MAAoD,ckGwBtB,KIGxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CkGwBjI,C;QAA+C,O  
AAO,I;MACtD,OOAO,K;IACX,C;;MAKyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,6B;IA  
AA,C;;MCIBZ,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;IAAA,C;;MAOoC,yB;QAAA,  
YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MIGnF,IAAI,Ce0N+C,CAAC,QgI5N5C,YhI4N4C,Cf1NpD,C;QACI,c+IH  
iC,wC;Q/IjC,MAAM,gCAAYB,OAAQ,WAAjC,C;;M+IHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OA  
AV,EAAmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAIB,C;MA0E9D,gBAAGB,iBA1ET,OA0ES,  
C;M1IksCT,kBAAoB,gB;MAuQd,gB;MADb,YAAY,C;MACC,O0InhDN,O1ImhDM,W;kBAAb,OAAa,cAAb,C;Q  
AAa,sB;QA7PsB,U;QAAA,cA6PT,oBAAMb,cAAnB,EAAmB,sBAAnB,U;Q0Ip8CIB,kB;;YAHA,CAAC,YAAS,C  
AAT,IAAc,qBAAf,KAA4C,Q1Iu8CG,I0Iv8CH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;YjI4EzB,kC;YAAA,wBTs8  
CyC,ISt8CzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,IiI7EkD,CAAI,aAAH,UjI6ErC,YTq8CqC,ISr8C  
rC,YAAK,OAAL,EiI7EqC,CAAG,CjI6EtD,C;gBACI,sBAAO,O;gBAAP,wB;;;YAGR,sBAAO,E;;;UiIjFH,iD;UAG  
I,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;;gBACjC,IAAK,aI18gD0C,I0I9gD1C,gBAAYB,uBAAZB,CAAL,C;YAJJ,  
2B1IkhDmD,IWp/CsB,W+H1BI,0BAAuC,mBAAvC,I/H0BJ,C;;Y+H9BzE,2BAKY,I;UAyER,iE5IhBD,yB4IgBC  
,4B1I08C+C,I;;QA7PpB,8B;UAA6C,6B;;;M0ItxChF,OAIfK,S1IssCE,W0ItsCF,EAAO,mBAAc,kBAAd,CAAP,EA  
A0C,IAA1C,CACA,W;IAzET,C;;MAiByC,gCAAc,EAAAd,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAM3C,Q;  
MALL,cAAY,gB;M1I0IBL,kBAAS,gB;MAyEA,U;MAAA,S0IjqBM,O1IiqBN,W;MAAhB,OAAgB,gBAAhB,C;Q  
AAGB,2B;QAAM,IU1e6B,CAAC,QV0ehB,OU1egB,CV0e9B,C;UAAwB,WAAY,WAAl,OAAJ,C;;M0I/pBrD,kB1  
IggqBE,W;MAojBA,oBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;  
QAAa,wB;QACT,aAAY,Woj2CpB,YPi2CkC,IOj2CIC,CPI2CoB,C;;M0I5xChB,sBAAsB,CAGjB,c1I0xCE,a0I1xC  
F,CAHiB,mBAGR,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,CAAT,I;MAAT,w  
BAAiD,kBAAkB,SAAIB,C;MAMc9D,gBAAGB,iBAnCT,OAmCS,C;M1IksCT,oBAAoB,gB;MAuQd,kB;MADb,  
YAAY,C;MACC,S0I5+CN,O1I4+CM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QA7PsB,U;QAAA,cA6PT,oBAAMb  
,cAAnB,EAAmB,sBAAnB,U;Q0Ip8CIB,kB;Q1IusC2B,c0I1sC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1I  
u8CG,M0Iv8CH,C1I0sCjB,G0IzsC3B,I1IysC2B,G0IvsC3B,oBAxCmG,Q1I4+CpD,M0I5+CoD,kBAwCnG,Y5IhB  
D,yB4IgBC,4B1I08C+C,MA7PpB,U;UAA6C,+B;;;M0I/uchF,OA0CK,S1IssCE,a0ItsCF,EAAO,mBAAc,kBAAd,C  
AAP,EAA0C,IAA1C,CACA,W;IA1CT,C;;MASa,qB;QAEg,IAAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,  
OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,OAIoB,E;;UAJpB,OAoY,iBAAS,E;MARpB,C;IAAA  
,C;;MAFmB,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBACK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;I  
AZL,C;;MAcO,cuB;;QjIetB,gC;QAAA,gC;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,IiIhB+C,CAAI,aA  
AH,UjIgBIC,iCAAK,KAAL,EiIhBkC,CAAG,CjIgBnD,C;YACI,sBAAO,K;YAAP,wB;;;QAGR,sBAAO,E;;;MXnB  
A,4B;M4ID6B,OAA8C,OAAM,EAAV,GAAC,gBAAd,GAA0B,E;IAApE,C;;MAGE,W;IAAK,C;;MACnC,uB;QA  
AkB,wBAAS,I;MAA3B,C;IAAA,C;;MADR,IAAA,MhIoIgD,YAAU,CgIpI1D,C;QAD4C,OACxB,wB;;QADwB,O  
AEpC,kC;IAFoC,C;mBAKhD,yB;M1IgsCA,+D;MAuQA,wE;M0Iv8CA,sF;QAKI,gBAAGB,2B;Q1IksCT,kBAAoB  
,gB;QAuQd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,cA6PT,oBAAMb  
,cAAnB,EAAmB,sBAAnB,U;U0Ip8CIB,kB;U1IusC2B,c0I1sC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1I  
u8CG,I0Iv8CH,C1I0sCjB,G0IzsC3B,I1IysC2B,G0IvsC3B,sC1I08C+C,I0Ip8C/C,a5IhBD,yB4IgBC,4B1I08C+C,IA  
7PpB,U;YAA6C,6B;;;Q0I3sChF,OAMK,S1IssCE,W0ItsCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA  
,W;MACT,C;KAdA,C;qFvE/FA,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,arE0DtB,W;QqE1DA,  
OrE2DO,SqE3D8B,W;MAArC,C;KANJ,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAXB,mBAAc,QAAAd,C  
;QAA8B,arEiD9B,W;QqEjDA,OrEkDO,SqEIdS,C,W;MAA7C,C;KAPJ,C;;MAaiB,Q;MAAb,wBAAa,KAAb,gB;Q  
AAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;  
QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB

;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAKQ,sB;QAAqB,yBAAO,UAAU,  
OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,  
SAAR,OAAQ,CAAf,C;IAEhB,C;;MnF9C0C,iCAAqB,EAARb,C;IAAA,C;;MAUvB,Q;MAAA,qBAAL,SAAK,EA  
AY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAx,IAAwB,MAA  
M,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAl,GAAl,C;IACf,C;;MAO4C,kCAAsB,EAAtB,C;IA  
AA,C;;MAUzB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MAC  
V,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAl,G  
AAI,C;IACf,C;;MAOwC,gCAAOB,EAAPB,C;IAAA,C;;MA0CIB,Q;MAhCIB,WAAW,KAAx,C;MAEA,aAAa,SA  
AK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,  
CAAL,C;MACHB,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAE  
R,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,QAAQ,W;;cACL,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,QA  
AQ,W;;UAER,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,qBAaqB,QAAQ,KAAR,I;M  
ACrB,aAAa,C;MACK,gBAAS,CAAT,I;MAAiB,aAAU,KAAV,iB;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EA  
AiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UAA6B,OAAO,I;QA  
EpC,6BAAU,KAAV,C;QAEA,IAAI,UAAZ,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEnC,kBAAU,KA  
AV,I;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA4B,CAAC,MAAD,I;IACvC,C;;MAO0C,iCAAqB,EAARb,C;I  
AAA,C;;MA0CpB,Q;MAhCIB,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,  
OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAAy,EAAhB,C;QAC  
I,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAEr,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,gC  
;;cACG,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,6B;;;UAEA,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QA  
Cb,6B;;MAIJ,qBAaqB,8BAAQ,KAAR,E;MACrB,e;MACkB,gBAAS,CAAT,I;MAAiB,aAAU,KAAV,iB;QACI,Y  
AAy,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAA  
I,uBAAS,cAAT,KAJ,C;UAA6B,OAAO,I;QAEpC,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EA  
T,KAAJ,C;UAA4B,OAAO,I;QAEnC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA6B,MAAD,  
a;IACvC,C;;MAGyD,MAAM,0BAASB,6BAA0B,KAA1B,MAAtB,C;IAAN,C;uE0BtKzD,yB;MAAA,oC;MAAA,u  
C;QAIi,iBAaiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAA  
gB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAy,UAAU,iCAAK,KAAL,EAAY,C;UAEZ,IAAI,CAAC  
,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,  
K;;cAEA,sBAAY,CAAZ,I;;QAIZ,OAAO,8BAAY,UAAZ,EAawB,WAAW,CAAX,IAAxB,C;MACX,C;KA1BA,  
C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAaiB,C;QACjB,eA  
Ae,qBAAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UA  
AjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,EAAY,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,I  
AAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,  
CAAZ,I;;QAWZ,OAPO,gCAAY,UAAZ,EAawB,WAAW,CAAX,IAAxB,CAOGC,W;MAAvC,C;KAJJ,C;IFAMA  
,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C  
;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,O  
AAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;QAEf,OAAO,E;MACX,C;KATA,C;mFAWA,yB;MAAA,8B;MAXA,  
mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAA  
L,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAY,CAAL,C;cAC  
I,mBAAO,gCAAY,KAAZ,EAAMB,kBAAnB,C;cAAP,qB;;UAER,mBAAO,E;;QAOP,OAA4C,2B;MAA5C,C;KA  
JJ,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C  
AAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YA  
CI,OAAO,8BAAY,CAAZ,EAae,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;MACX,C;KATA,C;+EAWA,yB;MAAA  
,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,S  
AAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAC,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CA  
AU,mCAAK,KAAL,EAAY,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAae,QAAQ,CAAR,IAAf,C;cAAP,mB;;UA  
ER,iBAAO,E;;QAOP,OAA0C,yB;MAA1C,C;KAJJ,C;;MA1DI,iBAaiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf  
,iBAaiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA

6DgE,4BA7D1C,iCAAK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI, aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9 CtD,8BAAY,UAZ,EAawB,WAAW,CAAX,IAAxB,C;IA8CsD,C;;MAvC5D,Q;MAAsB,kBAAtB,2D;MA5BD,iB AaiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC ,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAA C,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YA CI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAZ,EAawB,WAAW,CAAX,IAAxB,CAOgC,W;I A4CU,C;;MAKiB,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE, 4BA1C3D,iCAAK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;; QAER,mBAAO,E;;MAuC2D,uB;IAAA,C;;MAhCjE,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBA AL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C +C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAMb,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;MA4C+C,O ArCV,2B;IAqCU,C;;MAKU,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAc,C;UA Ac,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAAMCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAGCyD,qB;IAAA,C;;MAzB/D,Q;MAAsB,kBAAtB,2 D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,y B;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAqC6C,OA9BV,yB;IA8BU,C;;MA5FpD,iBAaiB,C;MA CjB,eAAe,mBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GA AiB,UAAjB,GAAiC,Q;QAC7C,YHrBR,uBgqB8B,iCAAK,KAAL,EHrB9B,E;QGuBQ,IAAI,CAAC,UAAL,C;UA CI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,s BAAY,CAAZ,I;;MAGf+B,OA5EpC,8BAAY,UAZ,EAawB,WAAW,CAAX,IAAxB,C;IA4EoC,C;yEAE/C,yB; MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;MAA9B,C;KAJ1C,C;; MASoD,oB;;QA1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CHIDZ,uBgkDuB, iCAAK,KAAL,EHIDvB,EGkDQ,C;YACI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBA AO,E;;MASeYc,uB;IAAA,C;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB, 2DAAsB,CAAY,W;MAAnC,C;KAJ/C,C;;MASKd,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAA d,OAAc,cAAc,C;UAAc,uB;UACV,IAAI,CHnEZ,uBgMEuB,iCAAK,KAAL,EHnEvB,EGMEQ,C;YACI,iBAAO,8 BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAGEuC,qB;IAAA,C;+EAEID,yB;M AAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;MAAjC,C;KAJ7C,C;;MA gB8C,uB;QAAA,UAAGB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYb,oBAaiB,MAAjB,w BAAzB,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OA ApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,g BAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;IACX,C;;MAWwC,uB;QAAA,UAAGB,E;MA CnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EAaiB,OAAjB,CAA0B,W;IAAjD,C;;MAYwC,uB;QAA A,UAAGB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYb,oBAaiB,MAAjB,wBAAzB,C;MA CV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAAPB,C;MAEh B,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAA V,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;IACX,C;;MAWsC,uB;QAAA,UAAGB,E;MACjD,Q;MAA D,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EA Ae,OAAf,CAAwB,W;IAA/C,C;;MAaA,OAAO,qBAAGB,SAAK,O AAL,KAAe,C;IAC1C,C;;MAQoD,4BAAU,C;IAAV,C;;MAQG,0BAAS,C;IAAT,C;mFAMvD,yB;MAAA,2C;MA AA,4B;QAMuD,QAAC,kB;MAAD,C;KANvD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QA AL,SAAK,C;MACHc,C;KAZA,C;;MAiB4D,kC;MAAS,uB;MACjE,eAAoB,C;IADoC,C;;MAGb,gB;MAAA,iE;M AAJ,4C;IAAA,C;;MAEE,sBAAQ,yB;IAAR,C;;MALe,4C;IAAA,C;;MAUd,uCAAQ,E;IAAR,C;;MAW1C,OA5Dg D,qBAAU,CA4D1D,GAAe,cAAf,GAAMc,S;IAAnC,C;6EAEJ,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,G AAe,cAAf,GAAMc,S;MAAnC,C;KATJ,C;;MAeY,uBAAG,mBAAS,CAAT,IAAH,C;IAAA,C;;MAMA,OAAA,SA AK,OAAL,GAAC,CAAd,I;IAAA,C;;MAMW,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAGB,CAAT,8BACgB,gBA AZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAGB,C;IAC/B,C;;MAKuD,O

CpQyC,oBDoQ/B,KAAM,MCpQyB,EDoQIB,KAAM,aAAN,GAAqB,CAArB,ICpQkB,C;IDoQzC,C;;MAKc,qCA  
AY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;IAAA,C;;MAWM,2BAAY,KAAZ,EAAM  
B,GAAAnB,C;IAAA,C;;MASjB,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAY,UAAZ,EAawB,QAAxB,CAAk  
C,W;IAAIC,C;;MAK/B,OAAA,8BAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAzB,CAAiD,  
W;IAAJD,C;;MAMV,qC;QAAA,wBAAgC,S;MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAAPB,G  
AAwB,qBAAxB,GC1S4F,oBD0S/B,CC1S+B,ED0S5B,KC1S4B,C;ID2ShG,C;;MAMqD,qC;QAAA,wBAAgC,S;  
MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,qBAAxB,GCnT4F,oBDmT/B,CCnT+B  
,EDmT5B,KCnT4B,C;IDoThG,C;;MAMkD,qC;QAAA,wBAAgC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OA  
AW,UAAZ,EAAPB,GAAwB,qBAAxB,GC5T4F,oBD4T/B,QAAQ,CAAR,IC5T+B,ED4TpB,gBC5ToB,C;ID6ThG,  
C;;MAMoD,qC;QAAA,wBAAgC,S;MACHf,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,q  
BAAxB,GCrU4F,oBDqU/B,QAAQ,SAAU,OAAIB,ICrU+B,EDqUL,gBCrUK,C;ID5UhG,C;;MAMuD,qC;QAAA,  
wBAAgC,S;MACnF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,qBAAxB,GC9U4F,oBD8  
U/B,CC9U+B,ED8U5B,KC9U4B,C;ID+UhG,C;;MAMyD,qC;QAAA,wBAAgC,S;MACrF,YAAY,0BAAY,SAAZ,  
C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,qBAAxB,GCvV4F,oBDuV/B,CCvV+B,EDuV5B,KCvV4B,C;IDwVhG  
,C;;MAMsD,qC;QAAA,wBAAgC,S;MACIF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,q  
BAAxB,GChW4F,oBDgW/B,QAAQ,CAAR,ICHW+B,EDgWpB,gBChWoB,C;IDiWhG,C;;MAMwD,qC;QAAA,w  
BAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAZ,EAAPB,GAAwB,qBAAxB,GCzW4F,oBDyW  
/B,QAAQ,SAAU,OAAIB,ICzW+B,EDyWL,gBCzWK,C;ID0WhG,C;;MASI,IAAI,WAAW,UAAf,C;QACI,MAA  
M,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,C  
AAb,EAAGB,UAAhB,C;MACH,EAAG,gBAAO,WAAp,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g  
BAAvB,C;MACH,OAAO,E;IACX,C;yFAEA,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aA  
AtB,2DAAsB,EAAa,UAAb,EAAYB,QAazB,EAAMC,WAAnc,CAAgD,W;MAAvE,C;KAPJ,C;;MAGBI,+BAAa,  
KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,CAArB,IAA1B,EAakD,WAAID,C;IAAA,C;yFAEJ,yB;MAAA,  
8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;  
MAAxD,C;KAPJ,C;;MAKBI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,O  
AA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAae,gBAAf,C;MAEhB,S  
AAS,mBAAC,oBAAU,QAaV,GAAqB,UArB,KAAd,C;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAGB,UA  
AhB,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;M  
AAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAawB,QAAxB,CA  
AkC,W;MAAzD,C;KATJ,C;;MAGBqE,8BAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAzB,  
C;IAAA,C;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,K  
AAZ,CAAmB,W;MAA1C,C;KAPJ,C;;MACI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OA  
AnB,EAA2B,gBAA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAae,gBAAf,C;IACX,C;;MAOI,IAAI,wBAAW,MAA  
X,CAAJ,C;QACI,OC3dyE,oBD2dxD,MAAO,OC3diD,C;;MD6d7E,OAAO,S;IACX,C;;MAOI,IAAI,sBAAS,MAA  
T,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAae,mBAAS,MAAO,OAahB,IAAf,C;;MAEX,OAAO,8BAAY,CAAZ,  
EAae,gBAAf,C;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OC9ewF,oBD8evE,CC9euE,ED8epE,mBA  
AS,MAAO,OAahB,IC9eoE,C;;MDgf5F,OAAO,S;IACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO  
,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAA  
Y,MAAO,OAAnB,EAA2B,mBAAS,MAAO,OAahB,IAA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAae,gBAAf,C;I  
ACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,C  
AA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OCtgBwF,oBDsgBvE,MAAO,OCtgBgE,EDsgBxD,mBAAS,MA  
AO,OAahB,ICtgBwD,C;;MDwgB5F,OAAO,S;IACX,C;;MAOmF,oCAAKB,SAAlB,EAA6B,SAA7B,C;IAAA,C;;  
MAOZ,sCAAKB,SAAlB,EAA6B,SAA7B,C;IAAA,C;;MAMD,qC;QAAA,wBAAgC,S;MACIG,YAAY,sBAAQ,SA  
AR,C;MACL,Q;MAAA,IAAI,UAAZ,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,  
EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;IACJ,C;;MAMwE,qC;QAAA,wB  
AAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAZ,EAAb,C;QAAA,OAAiB,qB;;QArKvB,  
U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CARkZC,EAqK4C,KARk5C,EAqKmD,WARknD,CAAgD,W;;MA  
qKvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UA



AS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9K  
gB,aAAtB,+DAAsB,EAAa,UAAb,EAAyB,QAAzB,EA8K4D,WA9K5D,CAAgD,W;;MA8KvE,W;IACJ,C;;MAMu  
E,qC;QAAA,wBAAGC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAA  
iB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QauLM,OAvLgB,aAAtB,+DAAsB  
,EAAa,UAAb,EAAyB,QAAzB,EAuL2E,WAvL3E,CAAgD,W;;MAuLvE,W;IACJ,C;;MAM2E,qC;QAAA,wBAAG  
C,S;MACvG,YAAY,0BAAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAA  
a,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAhMzF,U;QAgMM,OAhMgB,aAAtB,+DAAsB,EAAa,UAAb,EAA  
yB,QAAzB,EAzM2E,WAhM3E,CAAgD,W;;MAgMvE,W;IACJ,C;;MAMyE,qC;QAAA,wBAAGC,S;MACrG,YA  
AY,0BAAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,  
I;QAAb,eAAwB,gB;QAzM1E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAyM4D,W  
AzM5D,CAAgD,W;;MAyMvE,W;IACJ,C;;MAM0E,qC;QAAA,wBAAGC,S;MACtG,YAAY,0BAAy,SAAZ,C;M  
ACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;QakNM,OAlNgB,aAAtB,+DAAsB,EAkNy  
C,CAINzC,EAkN4C,KAIN5C,EAkNmD,WAlNnD,CAAgD,W;;MAkNvE,W;IACJ,C;;MAM4E,qC;QAAA,wBAA  
gC,S;MACxG,YAAY,0BAAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;  
QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA  
2NvE,W;IACJ,C;;MAcoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,C;IAAN,C;+EAEpF,yB;M8E7kBI,iE;MA  
AA,wC;M9E6kBJ,8C;QAOU,yB;;U8E9kBF,Y9E8kBJ,K8E9kBgB,c9E8kBF,S8E9kBE,C;UACZ,IAAI,aAAJ,C;YA  
AmB,wB9E6kBT,S8E7kBsB,W;YAAb,0B;;UAEnB,gBAAGB,C;UACb,a9E0kBU,S8E1kBS,O;UACnB,SAAS,m  
BAAC,MAAd,C;;YAEL,iBAAiB,oB;YACjB,EAAG,gB9EskBG,S8EtkBH,EAAC,SAAd,EAAyB,UAAW,MAAM,  
MAA1C,C;YACH,EAAG,gB9EqkBS,S8ErkBF,CAAU,UAAV,CAAP,C;YACH,YAAY,UAAW,MAAM,aAAjB,G  
AAGC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAy,MAAZ,IAAsB,aAAtB,C;UAET,IAAI,YAAY,MAAhB,  
C;YACI,EAAG,gB9E+jBG,S8E/jBH,EAAC,SAAd,EAAyB,MAAZB,C;;UAGP,wBAAO,EAAG,W;;;Q9E4jBd,4B;  
MAAA,C;KAPJ,C;;MAeyF,OAAA,KAAM,sBAAa,SAAb,EAAMB,WAAAnB,C;IAAN,C;;MAOnB,OAAA,KAAM,  
iBAAQ,SAAR,C;IAAN,C;;MAOIE,IAAK,cAAc,CAAF,IAAsB,aAAa,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAC,  
MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GA Ae,MAAf,IAAd,CAArF,C;QACI,OAAO,K;;MAGX,iBAAc  
,CAAd,UAAASB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAAL,CAAYB,EAAO,iBAAM,cAA  
c,KAAd,IAAN,CAAP,EAAMC,UAAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;IACX,C;;MAK+C,0B;QAA  
A,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EA  
Aa,UAAb,C;IAA3B,C;;MAKyC,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,GAAC,CAAd,IAAMC,SAAh  
B,qBAAK,2BAAL,CAAGB,EAAO,IAAP,EAAa,UAAb,C;IAAnC,C;;MAKqD,0B;QAAA,aAAsB,K;MAC3E,IAAI,  
CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAAW,MAAX,C;;QAEZ,OAAO,6B  
AAkB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAgC,MAAO,OAAvC,EAA+C,UAA/C,C;IACf,C;;MAK0E,0  
B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EA  
AW,MAAX,EAAmB,UAAAnB,C;;QAEZ,OAAO,6BAAkB,UAAIB,EAA8B,MAA9B,EAAc,CAAtC,EAAyC,MA  
AO,OAAd,EAAd,W,UAAxD,C;IACf,C;;MAKuD,0B;QAAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BA  
Af,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OA  
AhB,IAAIB,EAA0C,MAA1C,EAAd,CAAD,EAAqD,MAAO,OAA5D,EAAoE,UAApE,C;IACf,C;;MAa8D,0B;  
QAAA,aAAsB,K;MAChF,qBX11BO,MAAK,KW01Be,SAAK,OX11BpB,EW01B4B,KAAM,OX11B1C,C;MW4IBZ,  
QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EA8  
B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN  
,KAAM,EAAmB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;;MAEJ,OAAO,8BAAy,CAAZ,EAAe,CAAF,CAAkB,W;  
IAC7B,C;;MAU8D,0B;QAAA,aAAsB,K;MAChF,iBAAiB,SAAK,O;MACTb,kBAAkB,KAAM,O;MACxB,qBXjn  
BO,MAAK,KWinBe,UXjnBf,EWinB2B,WXjnB3B,C;MWmnBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SA  
AzB,qBAAK,aAAa,CAAb,GAAiB,CAAJB,IAAL,CAAYB,EAAO,iBAAM,cAAc,CAAd,GAAB,CAAIB,IAAN,C  
AAP,EAAgD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAJB,IA  
AnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd,GAAB,CAAIB,IAAnB,CAAzD,C;QACI,a;;MAEJ,O  
AAO,8BAAy,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;IACnD,C;;MAaqD,0B;QAAA,aAAB,C;MAAG,0  
B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAk

C,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OC7wBwF,kBgF7CE,oBjF0zBrE,IiF1zBqE,ChF6CF,ED6wB7D,UC7wB6D,C;;MDgxBnE,uBAAX,UAAW,EAAC,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAsB,K;QACR,c;;UnCwkSE,U;UAAhB,4BmCkxSQ,KnCwkSR,kB;YAAgB,cAAhB,UmCkxSQ,KnCwkSR,S;YAAAsB,ImCkxSC,SAAH,UnCwkSgB,oBmCkxShB,CAAG,0BnCwkSD,C;cAAwB,aAAO,I;cAAP,e;;;UAC9C,aAAO,K;;;QmCzkSH,e;UACI,OAAO,K;;MAEf,OAAO,E;IACX,C;;MAWyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCjyB4F,sBgF7CM,oBjF80BzE,IiF90ByE,ChF6CN,EDiyB7D,UCjyB6D,C;;kBDqyBhG,iBAAyB,eAAX,UAAW,EAAa,2BAAb,CAAZB,WAAwD,CAAXD,U;QACI,kBAAkB,qBAAI,KAAsB,K;QACR,c;;UnCgjSE,Q;UAAhB,wBmChjSQ,KnCgjSR,gB;YAAgB,cAAhB,UmChjSQ,KnCgjSR,O;YAAAsB,ImChjSC,SAAH,UnCgjSgB,oBmChjShB,CAAG,0BnCgjSD,C;cAAwB,aAAO,I;cAAP,e;;;UAC9C,aAAO,K;;;QmCjjSH,e;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAG2G,oB;QAAA,OAAgB,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAAc,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBAAT,QAAS,EAAC,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAU,cAAN,KAAM,EAAC,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAAPC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,OAAC,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAAkB,CAAlB,EAAqB,SAARb,EAA2B,OAA3B,EAakC,KAAM,OAAXC,EAAGD,UAAhD,CAAV,C;YACI,OAAO,O;;;MAGnB,OAAO,E;IACX,C;;MAYsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAQ,KAAR,KAAGB,CAAnC,C;QACI,aAAqB,UAAAR,OAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAGB,UAAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,UAAAS,MAAT,C;;MAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;oBAAd,OAAC,cAAAd,C;UAAc,yB;UACmB,sB;;YV3pBrB,U;YAAA,SU2pBa,OV3pBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,2B;cAAM,IU2pBgC,cV3pBIB,OU2pBkB,EAAC,CAAd,sBV3pBIB,OU2pBmD,OAAjC,aV3pBhC,C;gBAAwB,qBAAO,O;gBAAP,uB;;;YAC9C,qBAAO,I;;;UU0pBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;;QAGD,2B;oBAAd,OAAC,gBAAd,C;UAAc,2B;UACmB,wB;;YVjqBrB,U;YAAA,SUIqBa,OVjqBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,6B;cAAM,IUIqBgC,kBVjqBIB,SUIqBkB,EAAkB,CAAlB,sBVjqBIB,SUIqBuD,OAARc,aVjqBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;;YAC9C,uBAAO,I;;;UUgqBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;MAInB,OAAO,I;IACX,C;;MAC+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAAsB,K;MACtG,4BAAU,OAAsB,EAAMB,UAAAnB,EAA+B,UAA/B,EAakD,KAAlD,C;IAAA,C;;MAC+D,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAAsB,K;MACIH,4BAAU,OAAsB,EAAMB,UAAAnB,EAA+B,UAA/B,EAakD,IAAlD,C;IAAA,C;;MAA4D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAAsB,K;MACvG,gB;MAAA,8CAAU,OAAsB,EAAMB,UAAAnB,EAA+B,UAA/B,EAakD,KAAlD,mDAAMe,E;IAAnE,C;;MACgE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAAsB,K;MACnH,gB;MAAA,8CAAU,OAAsB,EAAMB,UAAAnB,EAA+B,UAA/B,EAakD,IAAlD,mDAAKE,E;IAAIE,C;;MAWwC,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAAsB,K;MACnF,OAAsB,cAAc,gCAAZB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCr6B4F,kBgF7CE,oBjFq9B5E,IiFr9B4E,ChF6CF,EDw6BpE,UCx6BoE,C;IDy6BhG,C;;MASgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAAsB,K;MACvF,OAAsB,cAAc,gCAAZB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GcN7B4F,kBDs7B1E,MCt7B0E,EDs7B1E,UCt7BkE,C;IDu7BhG,C;;MAUgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAAsB,K;MAC/F,OAAsB,cAAc,gCAAZB,GACI,0BAAE,mBAAY,IAAZ,CAAF,EAakC,UAAIC,EAA8C,UAA9C,CADJ,Gc/7BgG,sBgF7CM,oBjF++BhF,IiF/+BgF,ChF6CN,EDk8BpE,UCI8BoE,C;IDm8BpG,C;;MAUoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAAsB,K;MACnG,OAAsB,cAAc,gCAAZB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAlD,CADJ,Gc98BgG,sBDi9B1E,MCj9B0E,EDI9B1E,UCj9BkE,C;IDk9BpG,C;;MAQ+D,0B;QAAA,aAAAsB,K;MACjF,OAAsB,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAF,EAakB,gBAAlB,EAA0B,UAA1B,KAAyC,C;IAH7C,C;;MAakD,0B;QAAA,aAAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;IAA1C,C;;MAMsE,OAAA,KAAM,yBAAGB,SAAhB,C;IAAN,C;;MAOtE,oB;MACA,8B;MACA,oB;MACA,kC;IAJiC,C;;MAOa,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EAAS,CAAT,EAAy,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;

IALuB,C;;MAQtC,IAAI,uBAakB,CAAtB,C;QACI,iBAAY,C;QACZ,gBAAW,I;;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,yCAA1B,IAAmC,uBAakB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;UACX,uBAakB,E;;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;YACX,uBAakB,E;;;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAy,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAakB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAY,C;;IAEpB,C;;MAOiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;;MA/COC,+D;IAAA,C;;;MAGEU,0C;QZnhCjD,SYohCH,sBAAW,kBAAX,EAAuB,YAAvB,EAakD,kBAAlD,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;MADtC,C;IAAA,C;;MAHM,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mfh1C7H,IAAI,EeilCI,SAAS,Cfj1Cb,CAAJ,C;QACI,ceglCkB,oD;Qf/kCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MeilCV,OAAO,4BAAwB,SAAxB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;IAGX,C;;MAqB4D,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kBAArD,EAawE,KAAxE,aAAsF,GAAG,UAAH,EAae,WAAO,OAAtB,CAAtF,O;MAAIB,C;IAAA,C;;MAJc,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MfvmCrI,IAAI,EmwmCI,SAAS,CfxmCb,CAAJ,C;QACI,ceumCkB,oD;QftmCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MeumCV,qBAAgC,OAAX,UAAW,C;MAEhC,OAAO,4BAAwB,SAAxB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;IAEX,C;;MAiB8E,qB;QAAE,yCAAU,EAav,C;MAAF,C;IAAA,C;;MADx,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAsE,OAAtE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAl,iCAAJ,C;IAAtE,C;;MAaqD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHB,IAAI,EAAC,SAX8BuC,YAAU,CAw8BID,CAAJ,C;UACI,OA AO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;;;MAI2E,kBAAb,cAAtE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MVSGtE,kBAAM,iBAAa,qCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WU5KgF,uBV4KIE,IU5KkE,CV4KhF,C;;MU5KhB,OV6KO,W;IU5KX,C;;MAU8E,qB;QAAE,yCAAU,EAav,C;MAAF,C;IAAA,C;;MADb,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAsE,OAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAl,mCAAJ,C;IAAtE,C;;MASmD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAGC,UAAhC,EAA4C,KAA5C,C;;MAG+E,kBAAb,cAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MV6EtE,kBAAM,iBAAa,qCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WUnJgF,uBVmJIE,IUnJkE,CVmjHf,C;;MUnJhB,OV0JO,W;IUnJX,C;;Mf7qCI,IAAI,EewrCI,SAAS,CfxrCb,CAAJ,C;QACI,ceurCkB,oD;QftrCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MewrCV,oBAAoB,C;MACpB,gBAAgB,sBAAQ,SAAR,EAAMB,aAAnB,EAakC,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,C;;MAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAm,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WAn4B6E,8BAm4B/D,aAn4B+D,EAm4BhD,SAAn4BgD,CAakC,WAm4B/G,C;QACP,gBAAgB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAE,QAAQ,CAAR,IAAf,CAAJB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAMB,aAAnB,EAakC,UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO,WA14BiF,8BA04BnE,aA14BmE,EA04BpD,gBA14BoD,CAakC,WA04BnH,C;MACP,OAAO,M;IACX,C;;MASmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAm,eAAM,SAAN,EAAY,KAAZ,C;IAAN,C;;MAOXB,mCAAGB,MAAhB,EAawB,IAAxB,EAA8B,IAA9B,E;IAAA,C;;MAOX,OAAe,UAAf,uBAAe,C;IAAf,C;;MiI/vChD,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACHC,WAC6B,e;MAC7B,YAC8B,e;MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,sBACwC,gB;MACxC,uBACyC,gB;MACzC,kBACoC,gB;MACpC,cACgC,gB;MACHC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MACtC,cACgC,iB;MACHC,gBACkC,iB;MACiC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MACrC,gBACkC,iB;MACiC,mBACqC,iB;MACrC,sBACwC,iB;IAjF5C,C;;;MAAA,iC;QAAA,gB;;MAAA,0B;IAAA,C;;;;MCuEkD,oCAAA,IAAb,C;I

AAA,C;;MAiBC,kB;IAArB,C;;MAE6B,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,UAAM,  
M,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,  
UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,O  
AAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MA  
EA,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;;MAEA,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;IAAA,C;  
;MAEA,OAAA,UAAM,YAAN,aAAkB,EAaIB,C;IAAA,C;;MAQf,OAAA,UAAM,YAAY,iBAAQ,CAAR,EAaw,  
UAAM,YAAY,KAA7B,C;IAAIB,C;;;6E1EjH5C,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;MAAA,C;K  
AJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY,MAAZ,C;MAAA,C;KAJ/D,C;+EAM  
A,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;MAAA,C;KAJrE,C;4E2EZA,yB;MAAA,8B  
;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;MAApB,C;KAPzC,C;;MCqDI,qC;MA/CuB,kB;MAAgB,kB;MAAgB,k  
B;MAMvD,iBAAsB,iBAAU,UAAV,EAaIB,UAAjB,EAawB,UAAxB,C;IANA,C;;MnJmBtB,IAAI,EmJVIB,CAA  
T,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAIF,CnJUR,CAAJ,C;QACI,cmJVI,  
2E;QnJWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;;MmJTN,OAAO,CAAA,KAAM,IAAI,EAaV,KAAgB,KAAM,IA  
AI,CAA1B,IAA+B,KAA/B,I;IACX,C;;MAKkC,OAAE,UAAF,oBAAS,UAAT,SAAgB,U;IAAhB,C;;MAIV,gB;M  
ADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;;MAAvD,mBAAmB,M;  
MACnB,OAAO,IAAK,UAAAL,KAAgB,YAAa,U;IACx,C,C;;MAE+B,qB;IAAA,C;;MAEqB,wBAAU,KAAM,UAA  
hB,I;IAAA,C;;MAOhD,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KAAd,IACf,IAAK,MA  
AL,IAAc,KADtB,C;IAAA,C;;MAQA,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KAAd,K  
ACd,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,C  
AAvB,C;IAAA,C;;MAIJ,uC;MACI,2BAIuC,G;MAEvC,eAIoC,kBAAc,CAAd,EAaIB,CAAJB,EAaOB,EAAPB,C;  
IAXxC,C;;;MAAA,8C;QAAA,6B;;MAAA,uC;IAAA,C;;MA9CA,uD;MAG6C,0BAAK,KAAL,EAAY,KAAZ,EA  
AmB,CAAnB,C;MAH7C,Y;IAAA,C;4FCKA,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAApB,C;M  
AAN,C;KAAR,C;;;MCYuC,+BAAoB,KAAPB,C;IAAA,C;;MASiD,sB;IAAA,C;;MAE5F,e;MAAA,iB;MAAA,uB  
;IAAA,C;;MAAA,8C;MAAA,C;MAKI,wF;MAKA,sF;MAMA,wE;IAhBJ,C;;MAKI,iC;MAAA,iD;IAAA,C;;MA  
KA,iC;MAAA,gD;IAAA,C;;MAMA,iC;MAAA,yC;IAAA,C;;MAhBJ,iJ;IAAA,C;;MAAA,a;AAAA,c;UAAA,sD;  
aAAA,a;UAAA,qD;aAAA,M;UAAA,8C;gBAAA,gE;;IAAA,C;;MAYBA,mC;IAAA,C;;;MAAA,0C;QAAA,yB;;  
MAAA,mC;IAAA,C;;MAII,qBAAsC,W;MACtC,gBAA2B,iC;IAFK,C;;MAWjB,Q;MALP,IAAI,kBAAW,iCAaf,C  
;QACI,gBAAS,mC;QACT,qBAAc,I;;MAGIB,OAAO,gF;IACX,C;;MAEoC,yBAAW,iC;IAAX,C;;MAEN,OAAI,o  
BAAJ,GAA2B,SAAN,UAAM,CAA3B,GAA2C,iC;IAA3C,C;;MAEA,+BAAoB,UAApB,C;IAAA,C;;MAGI,4B;I  
AAD,C;;MAAC,2B;IAAA,C;;MAEE,W;IAAA,C;;MAEN,OAAO,SAAN,UAAM,C;IAAN,C;;0ErJtFtC,yB;MAaA,  
kF;MAbA,wB;QAUbi,IAAI,CAbI,KaAR,C;UACI,cAda,qB;UAeb,MAAM,8BAAYB,OAAQ,WAAjC,C;;Madd,C;  
KAXA,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUl,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAYB,  
OAAQ,WAAjC,C;;MAEd,C;KAdA,C;sFAgBA,yB;MAWA,kF;MAXA,wB;QAQW,yB;QAeP,IAfsB,KAEIB,QAaJ  
,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAYB,OAAQ,WAAjC,C;;UAEN,wBAnBkB,K;;QAAtB,4B;MACJ,C;  
KATA,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,8BAAYB,OAAQ  
,WAAjC,C;;UAEN,OAAO,K;;MAEf,C;KAlBA,C;oEAoBA,yB;MAaA,4E;MAbA,wB;QAUbi,IAAI,CAbE,KAAaN,  
C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;;Madd,C;KAXA,C;sEAaA,yB;MAAA,4E;MAAA,q  
C;QAUl,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;MAEd,C;KAdA,C;kF  
AgBA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAEhB,QAaJ,C;UACI,cAhByB,0B;UAIbZB,MAAM,2  
BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAAPB,0B;MACJ,C;KAZA,C;oFAcA,yB;MAAA,4E;MAAA,q  
C;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;MAEf,C;K  
AlBA,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;MAAN,C;KANjD,C;;  
MgE1DI,8B;MA1DA,kB;IAD8B,C;;MAUQ,iD;IAAA,C;;MAMA,gD;IAAA,C;wFAItC,yB;MAAA,gB;MAAA,8B;  
MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAey,2E;MAFZ,C;KATJ,C;;MASBQ,kBADE,UAC  
F,kB;QADJ,OACkB,UAAM,U;;QADxB,OAey,I;IAFZ,C;;MAYI,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;Q  
ADxB,OAey,sBAAU,UAAV,O;IAFZ,C;;MAOJ,gC;IAAA,C;wHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,K  
AAP,C;MAAA,C;KALJ,C;wHAOA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAP,C;  
MAAA,C;KALJ,C;;;MAZJ,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MAqBI,0B;IADkB,C;;MAI0B,+CAAoB,uBAAa,

KAAM,UAA nB,C;IAApB,C;;MACb,OAAU,SAAV,cAAU,C;IAAV,C;;MACG,oBAAU,cAAV,M;IAAA,C;,,,,;M  
A3F1C,c;MAOI,sD;MAPJ,a;IAAA,C;;MAAA,2IAOI,sCAPJ,G;IAAA,C;;MASGI,OAAO,mBAAQ,SAAR,C;IAAP,  
C;;MAUA,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;IAC7C,C;gFAEA,yB;MAAA,4B;MAAA,qB;MATCQ,kD;M  
AsCR,wB;QAOW,Q;;UACI,OA hDH,WAgDW,OA hDX,C;;;UAI dN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CA  
AP,C;;;YA wCD,O;;QAAP,W;MAKJ,C;KAZA,C;kFAcA,yB;MAAA,4B;MAAA,qB;MApDQ,kD;MAoDR,mC;QA  
OW,Q;;UACI,OA9DH,WA8DW,gBA9DX,C;;;UA+DN,gC;YACS,OAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;;YAs  
DD,O;;QAAP,W;MAKJ,C;KAZA,C;8EA gBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA,4B;QA UW,Q;QADP  
,yB;QACA,OAAO,gF;MACX,C;KAXA,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,UADL,M;QAA  
M,gBAAgB,2B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;MAIJ,C;KAI BA,C;kFAoBA,yB;MAA  
A,gB;MAAA,8B;MAAA,0C;QA UW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;MACX,C;KA  
XA,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAI B0B,UADf,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,  
mBAAU,gFAAV,C;;;UACA,mBAAU,SAAV,C;QAFZ,a;MAIJ,C;KApBA,C;mEA wBA,yB;MAAA,4B;MAAA,gB;  
MAAA,8B;MAAA,uC;YAe8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA3JhB,WA2JwB,UAAU,gFAAV,CA3  
JxB,C;;;UA4JI,oBAAO,eAAP,C;QAFZ,a;MAIJ,C;KAI BA,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MAI  
GA,qB;MApDQ,kD;MA8JR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SA9DH,gBA4KuB,UAA  
U,sFAAV,CA5KvB,C;;;YA+DN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;;cAsDD,O;;UA+GU,a;;;UA  
CL,uBAAO,eAAP,C;QAFZ,W;MAIJ,C;KafA,C;wEAI BA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,  
2B;QACzB,sB;UAAQ,gB;;UACO,OAjMX,WAI mMB,UAAU,SAAV,CAjMnB,C;;QA+LR,W;MAIJ,C;KAI BA,C;  
wFAoBA,yB;MA/IA,4B;MAAA,qB;MApDQ,kD;MAmMR,uC;QAYW,Q;QADP,YAAY,e;QACC,gBAAgB,2B;Q  
ACzB,sB;UAAQ,gB;;UARJL,U;;YACI,SA9DH,WAmNkB,oBAnNIB,C;;;YA+DN,gC;cACS,SAzDH,WAAO,cAyD  
I,CAzDJ,CAAP,C;;;cAsDD,O;;UAsJK,a;;QAFZ,W;MAIJ,C;KA hBA,C;;MA8BI,Q;MAAA,iD;QAAYB,Y;;MACzB,  
OAAO,S;IACX,C;4EAEA,yB;MAAA,gB;MAAA,8B;MAAA,oC;QA U0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAA  
O,gFAAP,C;;QACf,OAAO,S;MACX,C;KAZA,C;;M7DjTiC,uB;QAAA,UAAkB,kC;mBAA4C,O;;IAA/D,C;;0DA  
EhC,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;MAAN,C;KALpC,C;oEAOA,yB;MAAA,2D;MAAA,yB;QA  
MkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;MAAN,C;KANID,C;;MAkBI,OAAO,O;IACX,C;;MAUI,OAAO,gB;  
IACX,C;;MAUI,OAAgB,MAAT,QAAS,C;IACpB,C;;MAUI,gB;MACA,OAAO,S;IACX,C;;MAWI,MAAM,SAAN  
,C;MACA,OAAO,S;IACX,C;;MAUI,OAAO,MAAM,SAAN,C;IACX,C;;MAWI,OAAW,UAAU,SAAV,CAAJ,GA  
AqB,SAArB,GAA+B,I;IAC1C,C;;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAA sB,SAAtB,GAAgC,I;IAC3C,  
C;;MAAI,iBAAc,CAAd,UAA sB,KAA tB,U;QACI,OAAO,KAAP,C;;IAER,C;;MmJ/HkF,Y;IAAA,C;;MCA9E,kB;M  
ACA,oB;IAFgC,C;;MAQS,aAAG,UAAH,UAAW,WAAX,M;IAAA,C;;MAPzC,iB;IAhBJ,C;;MAiBI,kB;IAjBJ,C;;  
MAAA,gBAGBI,qCAhBJ,EAI BI,wCAjBJ,C;IAAA,C;;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;IAAA,C;;MAAA  
,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;IAAA,C;;MAGCoD,gBAAK,SAAL,EA AW,IAAX,C;IAAA,C;;MAMN,iBAAO,  
eAAP,EAAC,gBAAd,E;IAAA,C;;MAkBI,C,kB;MACA,oB;MACA,kB;IAHyC,C;;MASA,aAAG,UAAH,UAAW,W  
AAX,UAAoB,UAApB,M;IAAA,C;;MARzC,iB;IAhBJ,C;;MAiBI,kB;IAjBJ,C;;MAkBI,iB;IAIBJ,C;;MAAA,kBAG  
BI,qCAhBJ,EAI BI,wCAjBJ,EAKBI,qCAIBJ,C;IAAA,C;;MAAA,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;IA  
AA,C;;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCAIBJ,I;IAAA,C;;MA+BmD,iBAAO,eAAP,EAAC,gBAAd  
,EAAsB,eAAtB,E;IAAA,C;;MzKjE/C,6B;MAFYD,gB;IAAnC,C;;MAEtB,+B;MACI,iBAGoC,UAAAM,CAAN,C;M  
AEpC,iBAGoC,UAAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;IANtC,C;;;MAAA,sC;QAAA,qB;;  
MAAA,+B;IAAA,C;;MA6BmE,OAAa,0BAgJ1C,SAAL,GAAiB,GAhJ8B,EAAU,KAgJpD,KAAL,GAAiB,GAhJ8  
B,C;IAAb,C;;MAQR,OAAa,0BAwIIC,SAAL,GAAiB,GAXIsB,EAAU,KEyI5C,KAAL,GAAiB,KFzIsB,C;IAAb,C;  
sGAE3D,yB;MA+JA,6B;MChKA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,CDkKhD,cAAU,SAAL,GAAiB,GAAt  
B,CCIKgD,MAAjB,EDAe,KCAc,KAA7B,C;MDAT,C;KANzD,C;sGAQA,yB;MAiKA,WAS6D,wB;MAT7D,+B;  
MclKA,gD;MdCA,wB;QAM0D,OcAS,aAAkB,CdoKhD,eAAW,oBAAL,SAAK,CAAL,UAAAN,CcpKgD,MAAIB,E  
dAgB,KcAc,KAA9B,C;MdAT,C;KAN1D,C;4FAQA,yB;MA+IA,6B;MA/IA,wB;QAEsD,OCMD,cAAU,CDgJ5B,c  
AAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GA AW,CDgJ5C,cAtJsC,KAsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,  
MAAX,IAAf,C;MDNC,C;KAFtD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF,cAAU,CDgJ5B,cAAU,S  
AAL,GAAiB,GAAtB,CChJ4B,MAAK,GA AW,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAiB,KAA tB,CDjJ4C,MAAX,I  
AAf,C;MDHE,C;KAFvD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,cAAU,SAAL,GA

AiB,GAAtB,CChJ4B,MAAK,GDAI,KCAO,KAAx,IAAf,C;MDAA,C;KAFrD,C;4FAGA,yB;MAgJA,WAS6D,wB; MAT7D,+B;MAhJA,wB;QAEuD,OcAA,eAAW,CduJ7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CcvJ6B,MAAK,K dAI,KcAO,KAAx,CAAhB,C;MdAA,C;KAFvD,C;8FAIA,yB;MAkIA,6B;MAIIA,wB;QAEuD,OCMD,cAAU,CDm I7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CDmI9C,cAzIwC,KAYI9B,KAAL,GAAiB,GAAtB,CC nI8C,MAAZ,IAAf,C;MDNC,C;KAFvD,C;8FAGA,yB;MA+HA,6B;MA/HA,wB;QAEwD,OCGF,cAAU,CDmI7B,c AAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CCoI9C,cFvIyC,KEuI/B,KAAL,GAAiB,KAAtB,CDpI8C,M AAZ,IAAf,C;MDHE,C;KAFxD,C;8FAGA,yB;MA4HA,6B;MA5HA,wB;QAEsD,OCAA,cAAU,CDmI7B,cAAU,S AAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;MDAA,C;KAFtD,C;8FAGA,yB;MAmIA,W AS6D,wB;MAT7D,+B;MAAnIA,wB;QAEwD,OcAA,eAAW,Cd0I9B,eAAW,oBAAL,SAAK,CAAL,UAAN,Cc1I8B ,MAAK,UdAK,KcAO,KAAZ,CAAhB,C;MdAA,C;KAFxD,C;8FAIA,yB;MAqHA,6B;MArHA,wB;QAEuD,OCM D,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CDsH9C,cA5HwC,KA4H9B,KA AL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;MDNC,C;KAFvD,C;8FAGA,yB;MAkHA,6B;MAIHA,wB;QAEwD, OCGF,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CCuH9C,cF1HyC,KE0H/B, KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;MDHE,C;KAFxD,C;8FAGA,yB;MA+GA,6B;MA/GA,wB;QAE sD,OCAA,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C; MDAA,C;KAFtD,C;8FAGA,yB;MAshA,WAS6D,wB;MAT7D,+B;MAthA,wB;QAEwD,OcAA,eAAW,Cd6H9B, eAAW,oBAAL,SAAK,CAAL,UAAN,Cc7H8B,MAAK,UdAK,KcAO,KAAZ,CAAhB,C;MdAA,C;KAFxD,C;0FAI A,yB;MAwGA,6B;MCIGA,4C;MDNA,wB;QAEqD,OCMD,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDy GjB,cA/GoC,KA+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;MDNC,C;KAFrD,C;0FAGA,yB;MAqGA,6B;MCIGA,4 C;MDHA,wB;QAEsD,OCGF,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EC0GjB,cF7GqC,KE6G3B,KAAL ,GAAiB,KAAtB,CD1GiB,C;MDHE,C;KAFtD,C;0FAGA,yB;MAkGA,6B;MCIGA,4C;MDAA,wB;QAEoD,OCAA, WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDakB,KCAIB,C;MDAA,C;KAFpD,C;0FAGA,yB;MAyGA,W AS6D,wB;MAT7D,+B;MczGA,8C;MdAA,wB;QAEsD,OcAA,YdgHjB,eAAW,oBAAL,SAAK,CAAL,UAAN,Cch HiB,EdAmB,KcAnB,C;MdAA,C;KAFtD,C;0FAIA,yB;MA2FA,6B;McrFA,kD;MDNA,wB;QAEqD,OCMD,cD4Fj B,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,ED4FjB,cAIGoC,KakG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;MDNC,C; KAFrD,C;0FAGA,yB;MAwFA,6B;McrFA,kD;MDHA,wB;QAEsD,OCGF,cD4FjB,cAAU,SAAL,GAAiB,GAAtB, CC5FiB,EC6FjB,cFhGqC,KEgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;MDHE,C;KAFtD,C;0FAGA,yB;MAqFA,6 B;McrFA,kD;MDAA,wB;QAEoD,OCAA,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EDakB,KCAIB,C;MD AA,C;KAFpD,C;0FAGA,yB;MA4FA,WAS6D,wB;MAT7D,+B;Mc5FA,oD;MdAA,wB;QAEsD,OcAA,edmGjB,e AAW,oBAAL,SAAK,CAAL,UAAN,CcnGiB,EdAmB,KcAnB,C;MdAA,C;KAFtD,C;0EAIA,yB;MAAA,0B;MAA A,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAx,C;MAAA,C;KAF1C,C;0EAGA,yB;MAAA,0B;MAAA, +B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAx,C;MAAA,C;KAF1C,C;kgAIA,yB;MAAA,8C;MAuEA,6B ;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAA iB,GAAtB,CA9E2B,C;MAAA,C;KAF9D,C;0FAIA,yB;MAAA,+B;MuJ5IJ,0B;MvJ4II,wB;QAEuD,sBuJ3IgC,OvJ 2I1B,IAAK,KuJ3IX,GvJ2IoB,KAAM,KuJ3IM,CvJ2IhC,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,+B;MuJ1II,0 B;MvJ0II,wB;QAEkD,sBuJzI+B,OvJyIzB,IAAK,KuJzIX,GvJyImB,KAAM,KuJzIM,CvJyI/B,C;MAAA,C;KAFID, C;0FAGA,yB;MAAA,+B;MuJxIJ,0B;MvJwII,wB;QAEuD,sBuJvIgC,OvJuI1B,IAAK,KuJvIX,GvJuIoB,KAAM,K uJvIM,CvJuIhC,C;MAAA,C;KAFnD,C;0EAGA,yB;MAAA,+B;MuJtIJ,0B;MvJsII,mB;QAEiC,sBuJrIqB,OAAP,Cv JqIR,SuJrIe,CvJqIrB,C;MAAA,C;KAFjC,C;MAamC,gB;IAAA,C;kFACnC,yB;MuJ9IJ,4B;MvJ8II,mB;QASqC,Ou JpJiD,QvJoJ5C,SuJpJY,GvJoJE,GuJpJ8B,C;MvJoJd,C;KATrC,C;MAmBiC,OAk,SAAL,GAAiB,G;IAAjB,C;g FACjC,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAk,oBAAL,SAAK,CAAL,U;MAAA,C;KATnC,C;MAa qC,W;IAAA,C;oFACrC,yB;MAAA,iC;MuJhLJ,4B;MvJgLL,mB;QASuC,uBuJtL+C,QvJsLnC,SuJtLG,GvJsLW,GuJ tlQb,CvJsL/C,C;MAAA,C;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAt B,C;MAAA,C;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SA AK,CAAL,UAAN,C;MAAA,C;KATrC,C;MAiBqC,OApDC,SAAL,GAAiB,G;IAoDb,C;MAOE,OA3DD,SAAL, GAAiB,G;IA2DX,C;MAEE,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;IAAR,C;MA/O7C,c;MAG6D,qD;MA H7D,a;IAAA,C;MAAA,2IAG6D,oCAH7D,G;IAAA,C;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SA AN,C;MAAA,C;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAA

X,C;MAAA,C;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,  
C;MAAA,C;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;  
MAAA,C;KAX1C,C;;MWnRqB,sB;IAFrB,C;;MAaiD,OX+OP,UW/OO,aAAQ,KAAR,CX+OP,C;IW/OO,C;;MAS  
zC,aAAQ,KAAR,IAAiB,KXUlc,K;IWtInC,C;;MAGsC,OAAA,YAAQ,O;IAAR,C;;MAGmB,+BAAS,YAAT,C;IA  
AA,C;;MAEF,wB;MAAhC,oB;MACnB,eAAoB,C;IADF,C;;MAEO,sBAAQ,YAAM,O;IAAd,C;;MACgC,Q;MAA  
9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OX0NO,UW1NiB,aAAM,mBAAN,EAAM,2BAAN,OX0NjB,C;;QW1  
N+C,MAAM,2BAAuB,YAAM,WAA7B,C;IAA5D,C;;MAMtB,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,  
OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OXmHO,KWnHhB,C;IACnB,C;;MAGY,Q;MAA2B,gBAA3B,gE  
;MAA2B,c;;QYm4CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,6B;QAAhB,O  
AAgB,gBAAhB,C;UAAgB,2B;UZn4C6B,2BYm4CR,OZn4CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EYm4C/B,  
OvBpxCF,KW/GiC,C;;UYm4C9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MZp4CH,iB;IAC  
J,C;;MAEKc,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;IAArB,C;;MA7ClC,oD;MACgC,uBAAK,cAAU,IAAV,CA  
AL,C;MADhC,Y;IAAA,C;;;;MAPJ,OAKqB,qDALrB,M;IAAA,C;;MAAA,c;MAKqB,wD;MALrB,a;IAAA,C;;MA  
AA,2IAKqB,0CALrB,G;IAAA,C;gFAuDA,yB;MAAA,yC;;QAIsC,wB;UAAW,OAAA,aAAK,KAAL,CXqGV,K;Q  
WrGD,C;MAAA,C;MAJtC,6B;QAI,OAAO,oBAAW,+BAAU,IAAV,GAAGB,uBAAhB,CAAX,C;MACX,C;KAL  
A,C;;MAUqE,e;IAAA,C;;MV1DjE,4B;MAFwD,gB;IAAnC,C;;MAErB,8B;MACLiBAGmC,SAAK,CAAL,C;MAE  
nC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;IANtC,C;;MAAA,qC;QAAA,oB;;MAA  
A,8B;IAAA,C;oGAsBA,yB;MDgLA,6B;MChKA,8C;MAhBA,wB;QAM0D,OaiBQ,YAAY,IAAK,KAAjB,EAA6  
B,CDkK5D,cCnLsC,KDmL5B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,C;MAjBR,C;KAN1D,C;oGAQA,yB;MC  
yKA,6B;MDjKA,8C;MARA,wB;QAM2D,OASO,YAAY,IAAK,KAAjB,EAA6B,CCmK5D,cD5KuC,KC4K7B,KA  
AL,GAAiB,KAAtB,CDnK4D,MAA7B,C;MATP,C;KAN3D,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOKE,mBA  
AY,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;MAAA,C;KAPIE,C;oGASA,yB;MAyKA,kBAS6D,sB;MAT7D,+B;  
Ma1KA,gD;MbCA,wB;QAM0D,OaAS,aAAkB,Cb4KhD,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ca5KgD,MAAIB,  
EbAgB,KaAc,KAA9B,C;MbAT,C;KAN1D,C;0FAQA,yB;MD+IA,6B;MC/IA,wB;QAEsD,OAMD,cAAK,IAAK,K  
AAK,GAAW,CDgJ5C,cCtJ6B,KDsJnB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;MANC,C;KAFtD,C;0FA  
GA,yB;MC6IA,6B;MD7IA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CCiJ5C,cDpJ8B,KCoJpB,KAAL,GA  
AiB,KAAtB,CDjJ4C,MAAX,IAAf,C;MAHE,C;KAFvD,C;0FAGA,yB;MAAA,6B;MAAA,wB;QAEqD,qBAAK,IA  
AK,KAAK,GAAK,KAAM,KAAZ,IAAf,C;MAAA,C;KAFrD,C;0FAGA,yB;MAwJA,kBAS6D,sB;MAT7D,+B;M  
AxJA,wB;QAEuD,OaAA,eAAW,Cb+J7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ca/J6B,MAAK,KbAI,KaAO,KA  
AX,CAAhB,C;MbAA,C;KAFvD,C;4FAIA,yB;MDkIA,6B;MCIIA,wB;QAEuD,OAMD,cAAK,IAAK,KAAK,GAA  
Y,CDmI9C,cCzI+B,KDyIrB,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;MANC,C;KAFvD,C;4FAGA,yB;MC  
gIA,6B;MDhIA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAZ,CCoI9C,cDvIgC,KCuItB,KAAL,GAAiB,KAAt  
B,CDpI8C,MAAZ,IAAf,C;MAHE,C;KAFxD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAA  
K,GAAK,KAAM,KAAZ,IAAf,C;MAAA,C;KAFtD,C;4FAGA,yB;MA2IA,kBAS6D,sB;MAT7D,+B;MA3IA,wB;  
QAEwD,OaAA,eAAW,CbkJ9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CalJ8B,MAAK,UbAK,KaAO,KAAZ,CAA  
hB,C;MbAA,C;KAFxD,C;4FAIA,yB;MDqHA,6B;MCRHA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAA  
Y,CDsH9C,cC5H+B,KD4HrB,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;MANC,C;KAFvD,C;4FAGA,yB;  
MCmHA,6B;MDnHA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAZ,CCuH9C,cD1HgC,KC0HtB,KAAL  
,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;MAHE,C;KAFxD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBA  
Ae,YAAV,IAAK,KAAK,EAAM,KAAM,KAAZ,CAAf,C;MAAA,C;KAFtD,C;4FAGA,yB;MA8HA,kBAS6D,sB;  
MAT7D,+B;MA9HA,wB;QAEwD,OaAA,eAAW,CbqI9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CarI8B,MAAK,  
UbAK,KaAO,KAAZ,CAAhB,C;MbAA,C;KAFxD,C;wFAIA,yB;MDwGA,6B;MCIGA,4C;MANA,wB;QAEqD,O  
AMD,WAAW,IAAX,EDyGjB,cC/G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;MANC,C;KAFrD,C;wFAGA,  
yB;MCsGA,6B;MDnGA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GIB,KAAL,GAAi  
B,KAAtB,CD1GiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,K  
AAjB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAiHA,kBAS6D,sB;MAT7D,+B;MajHA,8C;MbAA,wB;QAEsD,OaA  
A,YbwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CaxHiB,EbAmB,KaAnB,C;MbAA,C;KAFtD,C;wFAIA,yB;MD  
2FA,6B;MCRFA,kD;MANA,wB;QAEqD,OAMD,cAAc,IAAd,ED4FjB,cCIG2B,KDkGjB,KAAL,GAAiB,GAAtB,C

C5FiB,C;MANC,C;KAFrD,C;wFAGA,yB;MCyFA,6B;MDtFA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6Fj  
B,cDhG4B,KCgGIB,KAAL,GAAiB,KAAtB,CD7FiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,kD;MAAA,wB;  
QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAoGA,kBAS6D,sB;MAT7D,+B;Ma  
pGA,oD;MbAA,wB;QAEsD,OaAA,eb2GjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ca3GiB,EbAmB,KaAnB,C;Mb  
AA,C;KAFtD,C;wEAIa,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;MAAA,C;KAFzC,C;wEA  
GA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;MAAA,C;KAFzC,C;gGAIA,yB;MAAA,8C;MA  
AA,wB;QAE6D,0BAAU,IAAV,EAAgB,KAAhB,C;MAAA,C;KAF7D,C;wFAIA,yB;MAAA,6B;MAAA,2B;QAE  
mD,qBAAK,aAAS,QAAAd,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,cAAU,Q  
AAf,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,KA  
AzB,C;MAAA,C;KAFjD,C;sFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GAAa,KAAM,KA  
AxB,C;MAAA,C;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,K  
AAzB,C;MAAA,C;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;MAAA,C;KA  
FhC,C;8EAIa,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;MAAL,C;KAVnC,C;gFAWA,yB;MA  
AA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,C;MAAL,C;KAVrC,C;MAoBiC,gB;IAAA,C;8EACjC,yB;MA  
AA,kBASqD,sB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;MAAA,C;KATnC,C;gFAWA,yB;MDoEJ  
,0B;MAAA,+B;MCpEI,mB;QASqC,ODsEA,eAAW,OCtEX,SDsEW,CAAX,C;MCtEA,C;KATrC,C;kFAUA,yB;M  
C2DJ,4B;MAAA,iC;MD3DI,mB;QASuC,OC6DA,gBAAy,QD7DZ,SC6DY,CAAZ,C;MD7DA,C;KATvC,C;MA  
YmC,W;IAAA,C;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CA  
AL,iBAAN,C;MAAA,C;KATrC,C;gFAWA,yB;MASA,gD;MATA,mB;QAQqC,OAoe,aAAa,SAAb,C;MAPF,C;K  
ARrC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;MAAA,C;KANvC,C;MAQyC,OArDD,oB  
AAL,SAAK,CAAL,iBAqDe,W;IAAT,C;MAZp7C,c;MAG4D,qD;MAH5D,a;IAAA,C;MAAA,2IAG4D,oCAH5  
D,G;IAAA,C;sEA6PA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAU,SAAV,C;MAAA,C;KAXxC,C;wEAYA,yB;M  
AAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;MAAA,C;KAXzC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC  
,qBAAK,SAAL,C;MAAA,C;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAK,SAAK,QAAV,C;  
MAAA,C;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAaKB,SAaIB,C;MAAA,C;KATzC,C;wEAUA  
,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;MAAA,C;KAT1C,C;MWpTqB,sB;IAFrB,C;MAgD,OXiR  
T,SWjRS,aAAQ,KAAR,CXIRT,C;IWjRS,C;MASxC,aAAQ,KAAR,IAAiB,KXmKY,K;IWIKjC,C;MAGsC,OAA  
A,YAAQ,O;IAAR,C;MAGkB,8BAAS,YAAT,C;IAAA,C;MAEF,uB;MAA/B,oB;MACnB,eAAoB,C;IADF,C;M  
AEO,sBAAQ,YAAM,O;IAAd,C;MAC+B,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OX4PK,SW5PmB,a  
AAM,mBAAN,EAAM,2BAAN,OX4PnB,C;QW5PgD,MAAM,2BAAuB,YAAM,WAA7B,C;IAA3D,C;MAMrB  
,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAGC,OAAO,K;MAEvC,OAAe,WAAR,YAAQ,EAAS,OX+IK,KW/Id,  
C;IACnB,C;MAGY,Q;MAA2B,gBAA3B,gE;MAA2B,c;QWm4CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UA  
AqC,aAAO,I;UAAP,e;QACrB,6B;QAaHb,OAAGB,gBAaHb,C;UAAGB,2B;UXn4C6B,2BWm4CR,OXn4CQ,O;  
UAAA,W;YAAsB,oBAAR,YAAQ,EWm4C9B,OtBxvCJ,KW3IkC,C;UWm4C7C,IAAI,OAAJ,C;YAAyB,aAAO,  
K;YAAP,e;QAC/C,aAAO,I;MXp4CH,iB;IACJ,C;MAEkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;IAArB,C;MA  
7CIC,mD;MACgC,sBAAK,eAAS,IAAT,CAAL,C;MADhC,Y;IAAA,C;MAPJ,OAKqB,oDALrB,M;IAAA,C;  
MAAA,c;MAKqB,wD;MALrB,a;IAAA,C;MAAA,2IAKqB,0CALrB,G;IAAA,C;8EAuDA,yB;MAAA,uC;QAIo  
C,wB;UAAW,OAAA,aAAK,KAAL,CXiIV,K;QWjID,C;MAAA,C;MAJpC,6B;QAI,OAAO,mBAAU,gCAAS,IA  
AT,GAAe,sBAAf,CAAV,C;MACX,C;KALA,C;MAUKe,e;IAAA,C;M8JvC9D,iC;MAjBsD,2BAAgB,KAAhB,E  
AAuB,YAAvB,EAAqC,CAArC,C;IAApC,C;MACe,iB;IAAA,C;MACO,gB;IAAA,C;MAEM,WzKuCoB,YyKvC  
pB,UzKuCqC,KAAjB,EyKvCX,KzKuCwC,KAA7B,CyKvCpB,K;MAAA,S;QAAkB,OzKuCE,YyKvCF,KzKuCm  
B,KAAjB,EyKvCO,SzKuCsB,KAA7B,CyKvCF,K;MAAIB,W;IAAA,C;MAEZ,OzKqCgC,YyKrChC,UzKqCiD,  
KAAjB,EyKrCxB,SzKqCqD,KAA7B,CyKrChC,I;IAAA,C;MAItB,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM  
,UAAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,CADe,CAAvB,C;IAAA,C;MAI  
A,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UzKsKA,KyKtKL,QAAqB,SzKsKhB,KyKtKL,I;IAAxB,C;MAE8B  
,OAAE,UAAf,qBAAU,S;IAAV,C;MAEIC,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UAA/B,C;I  
AFIC,C;MAAA,0C;QAAA,yB;MAAA,mC;IAAA,C;MAMDA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MA  
Aa,gCAAYB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAAzB,C;MAG5C,aAGyB,



K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGuB,I;IAvB3B,C;;MAyB4C ,mCAAwB,UAAxB,EAA+B,SAAB/EAAqC,SAArC,C;IAAA,C;;MAGH,OAAI,YAAO,CAAX,GzKd6B,YyKcf,U zKdgC,KAAjB,EyKcP,SzKdoC,KAA7B,CyKcf,IAAd,GzKd6B,YyKcG,UzKdc,KAAjB,EyKcW,SzKdkB,KAA7B, CyKcG,I;IAAhC,C;;MAIzB,UAAwB,M;MADhC,iDAA6B,kBAaA,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MA Af,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,KAA8C,cAAQ,KAAM,KADvC,CAA7B,C;IAAA,C;;MAIA,OAAI,c AAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UzKmHN,KyKnHC,QAAqB,SzKmHtB,KyKnHC,IAAN,SAAGd,SAAhD,I;IAAxB,C;;MAE8B,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2B AAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;IAA9C,C;;MAEIC,yC;IAAA,C;;MAS+F,2BAAgB,UAAhB,EAA4 B,QAA5B,EAA5C,IAAtC,C;IAAA,C;;;MAT/F,gD;QAAA,+B;;MAAA,yC;IAAA,C;;;MAoBwE,uB;MACxE,sBA A2B,I;MAC3B,iBAAmC,OAAO,CAA1C,GzK/CkE,YyK+CrB,KzK/CsC,KAAjB,EyK+CZ,IzK/CyC,KAA7B,CyK +CrB,KAA7C,GzK/CkE,YyK+CF,KzK/CmB,KAAjB,EyK+CO,IzK/CsB,KAA7B,CyK+CF,K;MACHe,czK6LmC, SyK7LhB,IzK6LgB,C;MyK5LnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;IAJV,C;;MAMC,qB;IAAA,C;;MAG9 B,YAAy,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAA U,K;;;QAEV,czKzC6C,SyKyC7C,WzKzCuD,KAAK,GyKyCpD,WzKzC+D,KAAAX,IAAf,C;;MyK2CjD,OAAO,K; IACX,C;;;ICIHJ,C;;MAIgc,uB;IAAA,C;;;IAMhC,C;;MAIgc,wB;IAAA,C;;;IAMhC,C;;MAIgc,sB;IAAA,C;;;IAM hC,C;;MAIgc,uB;IAAA,C;;;M7J3B5B,6B;MAFyD,gB;IAAnC,C;;MAEtB,+B;MACI,iBAGoC,a;MAEpC,iBAGoC, c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;IANBtC,C;;;MAAA,sC;QAAA,qB;;MAAA,+B;IAAA,C;sGAsBA,yB; Md0LA,WAS6D,wB;MAT7D,+B;MclKA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B,CdoK5 D,eAAW,oBc7LyB,Kd6L9B,KAAK,CAAL,UAAN,CcpK4D,MAA9B,C;MAzBT,C;KAN1D,C;sGAQA,yB;MZmL A,aAS6D,0B;MAT7D,+B;MYnKA,gD;MAhBA,wB;QAM2D,OAIbQ,aAAa,IAAK,KAAIB,EAA8B,CZqK5D,eAA W,oBYtL0B,KZsL/B,KAAK,CAAL,YAAN,CYrK4D,MAA9B,C;MAjBR,C;KAN3D,C;sGAQA,yB;MbkLA,kBAS 6D,sB;MAT7D,+B;Ma1KA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,Cb4K5D,eAAW,oBarL wB,KbqL7B,KAAK,CAAL,iBAAN,Ca5K4D,MAA9B,C;MATV,C;KANzD,C;kGAQA,yB;MAAA,gD;MAAA,wB ;QAOMe,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;MAAA,C;KAPnE,C;4FASA,yB;MdyJA,WAS6D,wB ;MAT7D,+B;MczJA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CduJ7C,eAAW,oBchKiB,KdgKtB,KAAK, CAAL,UAAN,CcvJ6C,MAAX,CAAhB,C;MATA,C;KAFvD,C;4FAGA,yB;MZuJA,aAS6D,0B;MAT7D,+B;MYvJ A,wB;QAEwD,OAMD,eAAM,IAAK,KAAK,KAAW,CZwJ7C,eAAW,oBY9JkB,KZ8JvB,KAAK,CAAL,YAAN,C YxJ6C,MAAX,CAAhB,C;MANC,C;KAFxD,C;4FAGA,yB;Mb2JA,kBAS6D,sB;MAT7D,+B;Ma3JA,wB;QAEsD, OAGC,eAAM,IAAK,KAAK,KAAW,Cb+J7C,eAAW,oBalKgB,KbkKrB,KAAK,CAAL,iBAAN,CaJ6C,MAAX,C AAhB,C;MAHD,C;KAFtD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM, KAAAX,CAAhB,C;MAAA,C;KAFvD,C;8FAIA,yB;Md4IA,WAS6D,wB;MAT7D,+B;Mc5IA,wB;QAEwD,OASA,e AAM,IAAK,KAAK,UAAy,Cd0I/C,eAAW,oBcnJmB,KdmJxB,KAAK,CAAL,UAAN,Cc1I+C,MAAZ,CAAhB,C; MATA,C;KAFxD,C;8FAGA,yB;MZ0IA,aAS6D,0B;MAT7D,+B;MY1IA,wB;QAEyD,OAMD,eAAM,IAAK,KAA K,UAAy,CZ2I/C,eAAW,oBYjJoB,KZiJzB,KAAK,CAAL,YAAN,CY3I+C,MAAZ,CAAhB,C;MANC,C;KAFzD,C ;8FAGA,yB;Mb8IA,kBAS6D,sB;MAT7D,+B;Ma9IA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAy,CbkJ/C,eA AW,oBarJkB,KbqJvB,KAAK,CAAL,iBAAN,CaJ+C,MAAZ,CAAhB,C;MAHD,C;KAFvD,C;8FAGA,yB;MAAA, +B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAm,KAAM,KAAZ,CAAhB,C;MAAA,C;KAFxD,C;8FAIA,yB ;Md+HA,WAS6D,wB;MAT7D,+B;Mc/HA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAy,Cd6H/C,eAAW,oBct ImB,KdsIxB,KAAK,CAAL,UAAN,Cc7H+C,MAAZ,CAAhB,C;MATA,C;KAFxD,C;8FAGA,yB;MZ6HA,aAS6D, 0B;MAT7D,+B;MY7HA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAy,CZ8H/C,eAAW,oBYpIoB,KZolzB,K AAK,CAAL,YAAN,CY9H+C,MAAZ,CAAhB,C;MANC,C;KAFzD,C;8FAGA,yB;MbiIA,kBAS6D,sB;MAT7D,+ B;MajIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAy,CbqI/C,eAAW,oBaxIkB,KbwIvB,KAAK,CAAL,iBAA N,CaI+C,MAAZ,CAAhB,C;MAHD,C;KAFvD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,K AAK,UAAm,KAAM,KAAZ,CAAhB,C;MAAA,C;KAFxD,C;0FAIA,yB;MdkHA,WAS6D,wB;MAT7D,+B;MczG A,8C;MATA,wB;QAEsD,OASA,YAAy,IAAZ,EdgHjB,eAAW,oBczHe,KdyHpB,KAAK,CAAL,UAAN,CchHiB, C;MATA,C;KAFtD,C;0FAGA,yB;MZgHA,aAS6D,0B;MAT7D,+B;MY1GA,8C;MANA,wB;QAEuD,OAMD,YA AY,IAAZ,EZiHjB,eAAW,oBYvHgB,KZuHrB,KAAK,CAAL,YAAN,CYjHiB,C;MANC,C;KAFvD,C;0FAGA,yB; MboHA,kBAS6D,sB;MAT7D,+B;MajHA,8C;MAHA,wB;QAEqD,OAGC,YAAy,IAAZ,EbwHjB,eAAW,oBa3Hc,

Kb2HnB,KAAK,CAAL,iBAAN,CaxHiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBA  
AY,IAAZ,EAakB,KAAIB,C;MAAA,C;KAFtD,C;0FAIA,yB;MdqGA,WAS6D,wB;MAT7D,+B;Mc5FA,oD;MAT  
A,wB;QAEsD,OASA,eAAe,IAAf,EdmGjB,eAAW,oBc5Ge,Kd4GpB,KAAK,CAAL,UAN,CcnGiB,C;MATA,C;  
KAFtD,C;0FAGA,yB;MZmGA,aAS6D,0B;MAT7D,+B;MY7FA,oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,EZ  
GjB,eAAW,oBY1GgB,KZ0GrB,KAAK,CAAL,YAAN,CYpGiB,C;MANC,C;KAFvD,C;0FAGA,yB;MbuGA,kBA  
S6D,sB;MAT7D,+B;MapGA,oD;MAHA,wB;QAEqD,OAGC,eAAe,IAAf,Eb2GjB,eAAW,oBa9Gc,Kb8GnB,KAA  
K,CAAL,iBAAN,Ca3GiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,oD;MAAA,wB;QAEsD,sBA Ae,IAAf,EAAq  
B,KAArB,C;MAAA,C;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;  
KAF1C,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;kGAIA,yB  
;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;MAAA,C;KAF/D,C;0FAIA,yB;MAAA,+B;M  
AAA,2B;QAEoD,sBAAM,oBAAS,QAAT,CAAN,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAE  
oD,sBAAM,6BAAU,QA AV,CAAN,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAE mD,sBAAM,  
IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,  
sBAAM,IAAK,KAAL,IAAa,KAAM,KAA nB,CAAN,C;MAAA,C;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;Q  
AE mD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;MAAA,C;KAFnD,C;0EAGA,yB;MAAA,+B;MA  
AA,mB;QAEiC,sBAAM,SAAK,MAAX,C;MAAA,C;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAA  
K,O AAL,SAAK,S;MAAL,C;KAVnC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;MA  
AL,C;KAVrC,C;MAqBiC,OAAA,SAAK,Q;IAAL,C;MAUE,gB;IAAA,C;kFAEnC,yB;Md+EJ,0B;MAAA,+B;Mc/  
EI,mB;QASqC,OdiFC,eAAW,OcjFZ,SdiFY,SAAX,C;McjFD,C;KATrC,C;oFAUA,yB;MZsEJ,4B;MAAA,iC;MYt  
EI,mB;QASuC,OZwEC,gBAAY,QYxEb,SZwEa,SAAZ,C;MYxED,C;KATvC,C;gFAUA,yB;MbjEJ,6B;MarEI,mB  
;QASmC,ObuEC,cavED,SbuEW,QA AV,C;MavED,C;KATnC,C;MAYqC,W;IAAA,C;kFAErC,yB;MASA,kD;MA  
TA,mB;QAQqC,OASE,cAAc,SAAd,C;MATF,C;KARrC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBAAc,S  
AAd,C;MAAA,C;KARvC,C;MAUyC,qBAAc,SAAd,C;IAAA,C;MA5P7C,c;MAG6D,qD;MAH7D,a;IAAA,C;;  
MAAA,2IAG6D,oCAH7D,G;IAAA,C;wEAgQA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,SAAK,CA  
AX,C;MAAA,C;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;MAA  
A,C;KAX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;MAAA,C;KAXzC,  
C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;MAAA,C;KAV1C,C;yEAYA,yB;MAAA,kD;MA  
AA,4B;QAS2C,qBAAmB,SAAnB,C;MAAA,C;KAT3C,C;0EAUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SA  
Ad,C;MAAA,C;KAT5C,C;MDvTqB,sB;IAFrB,C;MAaiD,OCgSP,UDhSO,aAAQ,KAAr,CCgSP,C;IDhSO,C;;M  
ASzC,aAAQ,KAAr,IAAiB,KC8Kc,K;ID7KnC,C;MAGsC,OAAA,YAAQ,O;IAAR,C;MAGmB,+BAAS,YAAT,  
C;IAAA,C;MAEF,wB;MAAhC,oB;MACnB,eAAoB,C;IADF,C;MAEO,sBAAQ,YAAM,O;IAAd,C;MACgC,Q;  
MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OC2QO,UD3QiB,aAAM,mBAAN,EAAM,2BAAN,OC2QjB,C;;  
QD3Q+C,MAAM,2BAAuB,YAAM,WAA7B,C;IAA5D,C;;MAMtB,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QA  
AiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OC0JO,KD1JhB,C;IACnB,C;MAGY,Q;MAA2B,gBAA3B,g  
E;MAA2B,c;;QUm4CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,6B;QAAhB,  
OAAgB,gBAAhB,C;UAAgB,2B;UVn4C6B,2BUm4CR,OVn4CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EUm4C/B  
,OT7uCF,KDtJiC,C;;UUm4C9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MVP4CH,iB;IACJ,  
C;;MAEkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;IAArB,C;;MA7CIC,oD;MACgC,uBAAK,iBAAU,IAAV,CA  
AL,C;MADhC,Y;IAAA,C;MAPJ,OAKqB,qDALrB,M;IAAA,C;MAAA,c;MAKqB,wD;MALrB,a;IAAA,C;MA  
AA,2IAKqB,0CALrB,G;IAAA,C;gFAuDA,yB;MAAA,yC;;QAIsC,wB;UAAW,OAAA,aAAK,KAAL,CC4IV,K;Q  
D5ID,C;MAAA,C;MAJtC,6B;QAII,OAAO,oBAAW,kBAAU,IAAV,EAAGB,uBAAhB,CAAX,C;MACX,C;KALA,  
C;;MAUqE,e;IAAA,C;;M+JvCjE,kC;MAjByD,4BAAiB,KAAjB,EA AwB,YAAxB,K;IAAtC,C;MACe,iB;IAAA,C;  
;MACO,gB;IAAA,C;;MAEM,W9J+CoB,a8J/CpB,U9J+CcC,KAAIB,E8J/CX,K9J+CyC,KAA9B,C8J/CpB,K;MAA  
A,S;QAAkB,O9J+CE,a8J/CF,K9J+CoB,KAAIB,E8J/CO,S9J+CuB,KAA9B,C8J/CF,K;;MAAIB,W;IAAA,C;;MAE  
b,O9J6CiC,a8J7CjC,U9J6CmD,KAAIB,E8J7CzB,S9J6CuD,KAA9B,C8J7CjC,I;IAAA,C;;MAItB,UAAwB,M;MA  
DhC,8CAAwB,kBAAa,KAAM,UAA nB,KACHb,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAA d,QA AxB,  
CADgB,CAAxB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,M9JuKK,CArCkB,U8JlJb,U9JkI4B,KAA  
L,KAAoB,CATzB,U8JzHP,U9JyHa,yB8JzHH,E9JyHG,CAAN,CASyB,MAApB,CAAN,CAqCIB,MAAK,Q8JvKV

,Q9JuKK,CArCkB,U8JIIoB,S9JkIT,KAAL,KAAoB,CATzB,U8JzH6B,S9JyHvB,yB8JzHgC,E9JyHhC,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,Q8JvKv,I;IAAxB,C;;MAE8B,OAAE,UAAF,qBAAU,S;IAAV,C;;MAEIC,oC;MACl,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;IAFnC,C;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;MAMDA,wC;MAjCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAyB,wBAAzB,C;MACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEZB,YAGwB,I;IAvB5B,C;;MAyB6C,oCAAyB,UAAzB,EAAgC,SAAhC,EAAcC,SAATC,C;IAAA,C;;MAGJ,OAAI,uBAAO,CAAX,G9JN8B,a8JMhB,U9JNkC,KAAIB,E8JMR,S9JNsC,KAA9B,C8JMhB,IAAd,G9JN8B,a8JME,U9JNgB,KAAIB,E8JMU,S9JNoB,KAA9B,C8JME,I;IAAhC,C;;MAIzB,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAhB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,M9JoHD,CArCkB,U8J/EX,U9J+EsB,KAAL,KAAoB,CATzB,U8JtED,U9JsEO,yB8JtEG,E9JsEH,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,Q8JpHJ,Q9JoHD,CArCkB,U8J/E0B,S9J+Ef,KAAL,KAAoB,CATzB,U8JtEmC,S9JsE7B,yB8JtEsC,E9JsEtC,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,Q8JpHJ,IAAN,SAaQf,cAAU,6BAAU,EAAV,CAAV,CAAyB,QAA9G,I;IAAxB,C;;MAE8B,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAa,GAAgD,UAAF,2BAAgB,SAAhB,cAA6B,SAAD,aAA5B,W;IAA9C,C;;MAEIC,0C;IAAA,C;;MASmG,4BAAiB,UAAjB,EAA6B,QAA7B,EAAuC,IAAvC,C;IAAA,C;;;MATnG,iD;QAAA,gC;;MAAA,0C;IAAA,C;;MAoB4E,wB;MAC5E,sBAA2B,I;MAC3B,iBAAMC,kBAAO,CAA1C,G9JvCmE,a8JuCtB,K9JvCwC,KAAIB,E8JuCb,I9JvC2C,KAA9B,C8JuCtB,KAA7C,G9JvCmE,a8JuCH,K9JvCqB,KAAIB,E8JuCM,I9JvCwB,KAA9B,C8JuCH,K;MACHe,c9J4MsC,U8J5MnB,I9J4MmB,C;M8J3MtC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;IAJT,C;;MA MA,qB;IAAA,C;;MAG9B,YAAy,W;MACZ,IAAI,6BAAS,mBAAT,QA AJ,C;QACI,IAAI,CAAC,cAAL,C;UAAC,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c9JtC+C,U8JsC/C,W9JtC0D,KAAK,K8JsCvD,W9JtCkE,KAAx,CAAhB,C;;M8JwCnD,OAAO,K;IACX,C;;wECpHJ,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;MACX,C;KARA,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;MACX,C;KARA,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;MACX,C;KARA,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;MACX,C;KARA,C;MC3BI,S7KyHoD,c6KzH3C,C7KyH2C,E6KzHvC,C7KyHuC,C;M6KxHpD,S7KwHoD,c6KxH3C,C7KwH2C,E6KxHvC,C7KwHuC,C;M6KvHpD,O7KiDkE,Y6KjDvD,E7KiDwE,KAAjB,E6KjDjD,E7KiD8E,KAA7B,C6KjDvD,KAAx,G7KgFsD,S6KhFjC,E7KgF2C,KAAK,G6KhF3C,E7KgFuD,KAAZ,IAAf,C6KhFtD,G7KmEqD,SAAU,CAAT,S6KhFpB,E7KgF8B,KAAK,G6KhF9B,E7KgF0C,KAAZ,IAAf,CABs,MAAK,G6KnExB,C7KmEmC,KAAx,IAAf,C;I6KIEzD,C;;MAGI,ShKsHsD,egKtH7C,ChKsH6C,EgKtHzC,ChKsHyC,C;MgKrHtD,ShKqHsD,egKrH7C,ChKqH6C,EgKrHzC,ChKqHyC,C;MgKpHtD,OhKmDmE,agKnDxD,EhKmD0E,KAAIB,EgKnDID,EhKmDgF,KAA9B,CgKnDxD,KAAx,GhK6EwD,UgK7EnC,EhK6E8C,KAAK,UgK7E9C,EhK6E0D,KAAZ,CAAhB,CgK7ExD,GhKgEuD,UAAW,CAAV,UgK7EtB,EhK6EiC,KAAK,UgK7EjC,EhK6E6C,KAAZ,CAAhB,CABU,MAAK,KgKhE3B,ChKgEsC,KAAx,CAAhB,C;IgK/D3D,C;;MAqBI,WAAO,CAAP,C;QAD8E,O7KsBZ,Y6KrBID,K7KqBmE,KAAjB,E6KrBzC,G7KqBsE,KAA7B,C6KrBID,KAD8D,GACHd,GADgD,G7KqDxB,S6KpDf,G7KoDyB,KAAK,G6KpDxB,mBAAiB,GAAjB,EAAcB,KAAtB,E7KkQV,S6KlQuC,I7KkQvC,C6KlQU,C7KoDoC,KAAZ,IAAf,C;;Y6KnDtD,WAAO,CAAP,C;QAF8E,O7KsBZ,Y6KpBID,K7KoBmE,KAAjB,E6KpBzC,G7KoBsE,KAA7B,C6KpBID,KAF8D,GA EhD,GA FgD,G7KwCzB,S6KtCd,G7KsCwB,KAAK,G6KtCvB,mBAAiB,KAAjB,EAAwB,GAAxB,E7KiQV,S6KjQwC,CAAC,IAAD,I7KiQxC,C6KjQU,C7KsCkC,KAAx,IAAf,C;;;Q6KrC7C,MAAa,gCAAyB,eAAzB,C;IAHyD,C;;MAyB9E,sBAAO,CAAP,C;QADkF,OhKMf,agKLnD,KhKKqE,KAAIB,EgKL1C,GhKKwE,KAA9B,CgKLnD,KADkE,GACpD,GADoD,GhKgC1B,UgK/BjB,GhK+B4B,KAAK,UgK/B3B,mBAAiB,GAAjB,EAAcB,KAAtB,EhKyPP,UgKzPoC,IhKyPpC,CgKzPO,ChK+BuC,KAAZ,CAAhB,C;;YgK9BxD,sBAAO,CAAP,C;QAFkF,OhKMf,agKJnD,KhKlQe,KAAIB,EgKJ1C,GhKIwE,KAA9B,CgKJnD,KAFkE,GAEPD,GA FoD,GhKmB3B,UgKjBhB,GhKiB2B,KAAK,KgKjB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EhKwPP,UgKxPsC,IAAD,ahKwPrC,CgKxPO,ChKiBqC,KAAx,CAAhB,C;;QgKhB/C,MAAa,gCAAyB,eAAzB,C;IAH6D,C;;M5K/CIF,8B;MAF0D,gB;IAAnC,C;;MAEvB,gC;MACl,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;IA nBtC,C;;;MAAA,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MA4B0D,OAAa,0BAkJC,SAAL,GAAiB,KAIJqB,EAAU,KFiJ3C,KAAL,GAAiB,GEjJqB,C;IAAb,C;;MASU,OAAa,0BAyI3C,SAAL,GAAiB,KAZI+B,EAAU,K

AyIrD,KAAL,GAAiB,KAZI+B,C;IAAb,C;wGAepE,yB;MAgKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YA  
AiB,CCmKhD,cAAU,SAAL,GAAiB,KAAtB,CDnKgD,MAAjB,ECaE,KDAc,KAA7B,C;MCAT,C;KANzD,C;wG  
AQA,yB;MAkKA,aAS6D,0B;MAT7D,+B;MYnKA,gD;MZCA,wB;QAM0D,OYAS,aAakB,CZqKhD,eAAW,oBA  
AL,SAAK,CAAL,YAAN,CYrKgD,MAAiB,EZAgB,KYAc,KAA9B,C;MZAT,C;KAN1D,C;8FAQA,yB;MAgJA,6  
B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CDgJ5C,cEt  
JsC,KFsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;MCNC,C;KAFtD,C;8FAGA,yB;MA6IA,6B;MA7IA,  
wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CCiJ5C,cApJuC,KAOJ7  
B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;MCHE,C;KAFvD,C;8FAGA,yB;MA0IA,6B;MA1IA,wB;QAEq  
D,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GCAI,KDAO,KAAZ,IAAf,C;MCAA,C;  
KAFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,OYAA,eAAW,CZwJ7B,eAAW,oBAA  
L,SAAK,CAAL,YAAN,CYxJ6B,MAAK,KZAI,KYAO,KAAZ,CAAhB,C;MZAA,C;KAFvD,C;gGAIA,yB;MAmI  
A,6B;MANIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAZ,CDmI9  
C,cEzIwC,KFyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;MCNC,C;KAFvD,C;gGAGA,yB;MAgIA,6B;  
MAhIA,wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAZ,CCoI9C,cAvI  
yC,KAuI/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;MCHE,C;KAFxD,C;gGAGA,yB;MA6HA,6B;MA7H  
A,wB;QAEsD,ODAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,  
C;MCAA,C;KAFtD,C;gGAGA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MApIA,wB;QAEwD,OYAA,eAAW,CZ2I9B,e  
AAW,oBAAL,SAAK,CAAL,YAAN,CY3I8B,MAAK,UZAK,KYAO,KAAZ,CAAhB,C;MZAA,C;KAFxD,C;gGAI  
A,yB;MAshA,6B;MAthA,wB;QAEuD,ODMD,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,M  
AAK,EAAY,CDsH9C,cE5HwC,KF4H9B,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;MCNC,C;KAFvD,C;g  
GAGA,yB;MAmHA,6B;MANHA,wB;QAEwD,ODGF,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDv  
H6B,MAAK,EAAY,CCuH9C,cA1HyC,KA0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;MCHE,C;KA  
FxD,C;gGAGA,yB;MAgHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAt  
B,CDvH6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;MCAA,C;KAFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,  
+B;MAvHA,wB;QAEwD,OYAA,eAAW,CZ8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9H8B,MAAK,UZAK  
,KYAO,KAAZ,CAAhB,C;MZAA,C;KAFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,  
WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;M  
CNC,C;KAFrD,C;4FAGA,yB;MAsgA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WC0GjB,cAAU,SAAL,GAAi  
B,KAAtB,CD1GiB,EC0GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;MCHE,C;KAFtD,C;4FAGA,y  
B;MAmGA,6B;MDnGA,4C;MCAA,wB;QAEoD,ODAA,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECAkB  
,KDAIB,C;MCAA,C;KAFpD,C;4FAGA,yB;MA0GA,aAS6D,0B;MAT7D,+B;MY1GA,8C;MZAA,wB;QAEsD,OY  
AA,YZiHjB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjHiB,EZAmB,KYAnB,C;MZAA,C;KAFtD,C;4FAIA,yB;M  
A4FA,6B;MDtFA,kD;MCNA,wB;QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cEIgo  
C,KFkG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;MCNC,C;KAFrD,C;4FAGA,yB;MAyFA,6B;MDtFA,kD;MCHA,w  
B;QAEsD,ODGF,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAgG3B,KAAL,GAAiB,KAA  
tB,CD7FiB,C;MCHE,C;KAFtD,C;4FAGA,yB;MAsfA,6B;MDtFA,kD;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,  
SAAL,GAAiB,KAAtB,CD7FiB,ECAkB,KDAIB,C;MCAA,C;KAFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,  
+B;MY7FA,oD;MZAA,wB;QAEsD,OYAA,eZoGjB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYpGiB,EZAmB,KYA  
nB,C;MZAA,C;KAFtD,C;4EAIA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;  
MAAA,C;KAF3C,C;4EAGA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;MA  
AA,C;KAF3C,C;oGAIA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAt  
B,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;MAAA,C;KAF/D,C;4FAIA,yB;MAAA,  
iC;MqJvHJ,4B;MrJuHI,wB;QAEqD,uBqJtHiC,QrJsH1B,IAAK,KqJtHX,GrJsHoB,KAAM,KqJtHM,CrJsHjC,C;MA  
AA,C;KAFrD,C;0FAGA,yB;MAAA,iC;MqJrHJ,4B;MrJqHI,wB;QAEoD,uBqJpHgC,QrJoHzB,IAAK,KqJpHX,GrJ  
oHmB,KAAM,KqJpHM,CrJoHhC,C;MAAA,C;KAFpD,C;4FAGA,yB;MAAA,iC;MqJnHJ,4B;MrJmHI,wB;QAEq  
D,uBqJlHiC,QrJkH1B,IAAK,KqJlHX,GrJkHoB,KAAM,KqJlHM,CrJkHjC,C;MAAA,C;KAFrD,C;4EAGA,yB;MA  
AA,iC;MqJjHJ,4B;MrJiHI,mB;QAEkC,uBqJhHsB,QAAP,CrJgHR,SqJhHe,CrJgHtB,C;MAAA,C;KAFIC,C;kFAIA  
,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;MAAL,C;KAVnC,C;;MAoBqC,gB;IAAA,C;;MAUJ

,OAAK,SAAL,GAAiB,K;IAAjB,C;kFACjC,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,C  
AAL,Y;MAAA,C;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OfIEE,eAAW,OEjEb,SFiEa,  
CAAX,C;MEjEF,C;KATrC,C;;MAYuC,W;IAAA,C;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,  
GAAiB,KAAtB,C;MAAA,C;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,  
oBAAL,SAAK,CAAL,YAAN,C;MAAA,C;KATrC,C;;MAiBqC,OApDC,SAAL,GAAiB,K;IAoDb,C;;MAOE,OA3  
DD,SAAL,GAAiB,K;IA2DX,C;;MAEE,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;IAAR,C;;;;;MAhP7C,c;MAG8  
D,qD;MAH9D,a;IAAA,C;;MAAA,2IAG8D,oCAH9D,G;IAAA,C;0EAoPA,yB;MAAA,iC;MAAA,4B;QAW4C,uB  
AAY,SAAZ,C;MAAA,C;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;MAAA,C;KAV  
7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAA,Y,QAAL,SAAK,CAAZ,C;MAAA,C;KAX3C,  
C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAA,Y,QAAL,SAAK,SAAZ,C;MAAA,C;KAX5C,C;;  
MapRqB,sB;IAFrB,C;;MAakD,Ob4PL,Wa5PK,aAAQ,KAAR,Cb4PL,C;Ia5PK,C;;MAS1C,aAAQ,KAAR,IAAiB,K  
bkJgB,K;IajJrC,C;;MAGsC,OAAA,YAAQ,O;IAAR,C;;MAGoB,gCAAS,YAAT,C;IAAA,C;;MAEF,yB;MAAjC,o  
B;MACnB,eAAoB,C;IADF,C;;MAEO,sBAAQ,YAAM,O;IAAd,C;;MACiC,Q;MAA9B,IAAI,eAAQ,YAAM,OAAI  
B,C;QAAA,ObuOS,WavOe,aAAM,mBAAN,EAAM,2BAAN,ObuOf,C;;QavO8C,MAAM,2BAAuB,YAAM,WAA  
7B,C;IAA7D,C;;;MAMvB,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YA  
AQ,EAAS,Ob8HS,Ka9HIB,C;IACnB,C;;MAGY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QQm4CvB,U;QADhB,IAAI,  
wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;URn4C6B  
,2BQm4CR,ORn4CQ,S;UAAA,W;YAAwB,oBAAR,YAAQ,EQm4ChC,OrBzwCA,Ka1HgC,C;;UQm4C/C,IAAI,O  
AAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MRp4CH,iB;IACJ,C;;MAEkC,OAAA,IAAK,QAAQ,OAAb,  
KAAqB,C;IAArB,C;;MA7CIC,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;IAAA,C;;;;;MAPJ,OAK  
qB,sDALrB,M;IAAA,C;;MAAA,c;MAKqB,wD;MALrB,a;IAAA,C;;MAAA,2IAKqB,0CALrB,G;IAAA,C;kFAuD  
A,yB;MAAA,2C;;QAIwC,wB;UAAW,OAAA,aAAK,KAAL,CbgHV,K;QahHD,C;MAAA,C;MAJx,C,6B;QAI,OA  
AO,qBAA,Y,gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;MACX,C;KALA,C;;MAUwE,e;IAAA,C;;MgKzDb,OAA  
a,WAAb,S/K4KjB,KAAL,GAAiB,G+K5KkB,EAAS,KAAT,C;IAAb,C;;MAUC,OAAa,WAAb,S7KmKIB,KAAL,  
GAAiB,K6KnKmB,EAAS,KAAT,C;IAAb,C;;MAWF,OAAc,W9KyK5B,oB8KzKc,S9KyKnB,KAAK,CAAL,iB8K  
zKiC,EAAS,KAAT,C;IAAd,C;;MASV,uBAAc,SjKiKvB,KiKjKS,EAA6B,WAAW,KAAX,CAA7B,C;IAAA,C;;M  
ASX,Q;MAAA,0DAAmB,kBAAkB,SAAI,B,C;IAAnB,C;;MASU,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SA  
AIB,C;IAAxB,C;;MASR,Q;MAAA,2DAAOB,kBAAkB,SAAI,B,C;IAApB,C;;MASU,Q;MAAA,2CAAE,KAAf,oBA  
AyB,kBAAkB,SAAI,B,C;IAAzB,C;;MAQd,Q;MAAA,yDAAkB,kBAAkB,SAAI,B,C;IAAI,B,C;;MASU,Q;MAAA,y  
CAAA,KAAb,oBAAuB,kBAAkB,SAAI,B,C;IAAvB,C;;MAQR,Q;MAAA,0DAAmB,kBAAkB,SAAI,B,C;IAAnB,C;  
;MASU,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAI,B,C;IAAxB,C;;MAYH,kCAAsB,EAAtB,C;IAAA,C;;  
MAWzB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;;MAA7C,UAAU,I;MACV,I9KhF  
kE,Y8KgF9D,G9KhF+E,KAAjB,EAA6B,CDkK5D,S+KIFzB,6BAAM,U/KkF6B,KAAL,GAAiB,GAAtB,CCIK4D,  
MAA7B,C8KgF9D,IAAJ,C;QAA2B,OAAO,I;MACIC,O/KkJqC,UAAW,O+KIJzC,G9K4E8B,KDsEW,CAAX,C;I+  
KjJzC,C;;MAQ8C,mCAAuB,EAAvB,C;IAAA,C;;MAW3B,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;Q  
AA4B,OAAO,I;;MAA7C,UAAU,I;MACV,I9KtGkE,Y8KsG9D,G9KtG+E,KAAjB,EAA6B,CCmK5D,S6K7DzB,8  
BAAO,U7K6D4B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,C8KsG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,O7K6  
HuC,WAA,Y,Q6K7H5C,G9KgEgC,KC6DY,CAAZ,C;I6K5H3C,C;;MAQ0C,iCAAqB,EAAR,B,C;IAAA,C;;MAWtC  
,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4B  
AAK,U;MACvB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAA,Y,EAAhB,C;QACI,IAAI,WAAU,CA  
AV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,a9KkGmC,S8KIGtB,K  
9KkGsB,C;M8KjGnC,qB9KnFoD,W8KmF/B,K9KnF+B,E8KmFvB,M9KnFuB,C;M8KoFpD,aAAa,W;MACb,aAA  
U,KAaV,MAAsB,MAAtB,M;QACI,YAA,Y,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ  
,CAAZ,C;UAAe,OAAO,I;QACtB,I9KIJ8D,Y8KkJ1D,M9KIJ2E,KAAjB,E8KkJjD,c9KIJ8E,KAA7B,C8KkJ1D,IA  
AJ,C;UAA6B,OAAO,I;QAEpC,S9KxGkD,SAAE,Y8KwGjE,M9KxG4D,KAAK,E8KwGvD,M9KxGmE,KAAZ,C  
AAf,C;Q8K0GID,mBAAmB,M;QACnB,S9Krlid,S8KqIjD,M9Krlid,KAAK,GAAW,CA2N5C,S8KtFrB,K9KsFq  
B,CA3N4C,MAAX,IAAf,C;Q8KsIjD,I9KxJ8D,Y8KwJ1D,M9KxJ2E,KAAjB,E8KwJjD,Y9KxJ8E,KAA7B,C8KwJ  
1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;IACX,C;;MAQ4C,kCAAsB,EAAtB,C;IAAA,C;;MAWxC,WAA





AApB,C;IAAA,C;;MAUwB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAL,QA  
Ab,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAL,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,  
gBAAS,wEAAT,C;;;IAGnB,C;;MAGI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,AA5C,IAASD,  
KAAM,eAAY,IAAZ,CAA9E,C;IAAA,C;;MAE2B,OAAK,SAAL,SAAK,CAAL,GAA0B,SAAR,YAAQ,CAA1B,I;  
IAAA,C;;MAIvB,OAAI,GvJoJoC,YAAU,CuJpJID,GAAMB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAA  
b,C;IAC/C,C;;MAFA,AAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;IAFJ,C;;;;ICvDR,C;;MNHI,oCAA  
yB,QAAzB,EAAmC,UAAAnC,CAA+C,cAAO,IAAP,C;IACnD,C;;MAYI,sCAAYB,UAAzB,CAAqC,cAAO,IAAP,C  
;IACzC,C;;MAewB,4BAAiB,oCAAYB,QAAzB,EAAmC,UAAAnC,CAAjB,EAAiE,mBAAjE,C;IAAA,C;;MAcA,4B  
AAiB,sCAAYB,UAAzB,CAAjB,EAAuD,mBAAvD,C;IAAA,C;;MAYpB,ODhDsC,gCCgDb,8BDhDa,CAATc,c;IC  
gDA,C;2FAVJ,yB;MAAA,0F;;QDtC0C,uB;UAAU,qBAAM,IAAK,OAAX,C;QAAV,C;MAAA,C;;QCgDb,oB;UA  
CrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,Y;QAHgB,C;MAAA,C;MAV7B,sC  
;QDtCI,mBAAcC,gCCgDb,8BDhDa,CAATc,6B;QCgDA,yD;MAAA,C;KAVJ,C;kHA4BI,yB;MAAA,gE;MAAA,  
mB;QACI,MAAM,6BAAoB,0BAApB,C;MACV,C;KAFA,C;4IAMJ,yB;MAAA,yF;MAAA,gE;MAAA,8B;MAAA  
,qB;MAAA,oC;QAMa,Q;;UAHL,AAaA,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAIC,kEAaK,eAAO,MAA  
P,C;;;UAEzC,gC;YACE,UAAW,6BAAoB,CAApB,C;;;YAPf,O;;MASJ,C;KAXA,C;;MOIF6H,mB;QAAE,qBAAC,  
qBAAd,C;MAAF,C;IAAA,C;;MAAT,OhLL7B,2BgLKsC,mChLLtC,C;IgLK6B,C;;MAWhH,eAAe,6B;MACf,oBA  
AkC,yBAAd,AAAc,EAAoC,QAAPC,EAA2D,QAA3D,C;MACIC,OAAO,Q;IACX,C;;IAa4C,C;;MAiBpC,IAAI,uC  
AA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;IACX,C;;MAOqD,6BAAS,QAAS,  
WAAIB,e;IAAA,C;;;;MAYd,0B;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAo  
C,I;IAJxC,C;;MAOQ,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UA  
AnB,C;cACI,eAAQ,C;cACR,OAAO,I;;;cAEP,sBAAe,I;;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;  
YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IAAK,cAA  
O,IAAP,C;;IAEb,C;;MAGU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAcC,OAAO,qB;aAC7C,C;UA  
CI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,iF;UACb,mBAAy,I;UACZ,OAAO,  
M;gBAEH,MAAM,yB;;IAEtB,C;;MAGI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;IAC/D,C;  
;MAE4C,QAAM,YAAN,C;aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,2BAAsB,sBAAtB,C;gBAFw  
B,OAGhC,2BAAsB,uCAAoC,YAA1D,C;;IAHgC,C;;MAUR,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF4B,  
C;IAAA,C;;MAFhC,mBAAy,K;MACZ,eAAQ,C;MACR,ORpHkC,kCQoHF,0CRpHE,CAATc,c;IQwHA,C;;MAM  
oC,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF4B,C;IAAA,C;;MAHhC,IAAI,CAAC,QAAS,UAAAd,C;QAAY  
B,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OR9HkC,kCQ8HF,6CR9HE,CAATc,c;IQkIA,C;;MAIL,eAAQ,C;I  
ACZ,C;;MAGI,MAAM,S;IACV,C;;MAGY,0C;IAAA,C;;MR9IZ,OAAcC,wCAATc,c;IAAA,C;8GArBJ,yB;;QAqB  
0C,uB;UAAU,qBAAM,IAAK,OAAX,C;QAAV,C;MAAA,C;MarB1C,sC;QAqBI,mBAAcC,sCAATc,6B;QAAA,y  
D;MAAA,C;KArBJ,C;;MAiCI,MAAM,wBAAoB,sEAApB,C;IAAN,C;2HAVJ,yB;MAAA,gE;MAAA,sC;QAUI,M  
AAM,6BAAoB,sEAApB,C;MAAN,C;KAVJ,C;mHAYA,yB;MAAA,gE;MAAA,4B;QAMI,MAAM,6BAAoB,4CA  
ApB,C;MAAN,C;KANJ,C;;;;gBER8B,S;cACF,S;0BCGiB,sC;qBKsCH,C;yBACI,C;sBA  
CH,C;kBACJ,C;IBACD,C;mBACE,C;;;AzMvExC,CAJC,E;" }

Found in path(s):

\* /opt/cola/permits/1224220415\_1636029718.89/0/kotlin-1-3-31-1-tgz/package/kotlin.js.map

# 1.67 jzmq-devices 3.1.1-SNAPSHOT

## 1.67.1 Available under license :

This package was debianized by

Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed



under the same terms as the zeromq library (LGPL 2 or later.)

#### Licensing information for OMQ

-----

Project homepage, with original source code:

<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `~/usr/share/common-licenses/LGPL'`.

iMatix also offers commercial licenses for OMQ.

#### Licensing information for the included OpenPGM library

-----

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public

License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.)

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in ``usr/share/common-licenses/LGPL'`.

On Debian systems, the complete text of the GNU General Public License can be found in ``usr/share/common-licenses/GPL-2'`.

Licensing information for the included XMLParser library

-----

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen  
All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Frank Vanden Berghen nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and

authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for

infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for

the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to

the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program,

in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is



available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and

adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the

licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims

owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is

in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered

version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program



into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

## GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

## 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

## 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

## 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license

document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

-----

#### SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

-----

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.68 okhttp 4.10.0

### 1.68.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:

[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.