



Cisco ASA 5508-X and ASA 5516-X Useful Links

The ASA 5508-X and ASA 5516-X hardware supports either of the following advanced firewall systems:

- **Cisco Firepower Threat Defense**
- **Cisco ASA**

Note: Your hardware comes preinstalled with one of the above systems. To reimage your hardware to the other system, see the reimaging document: <https://cisco.com/go/asa-ftd-reimage>

Firepower Threat Defense Links

1. Determine your Smart License needs. See the **licensing** document:
<https://cisco.com/go/firepower-licensing>
2. Install the ASA 5508-X or ASA 5516-X. See the **hardware installation** guide:
<https://cisco.com/go/asa5508x-install>
3. Perform initial setup. See the **getting started** guide for your manager:
 - Firepower Device Manager (FDM): A simplified, single device manager included on the device.
<https://cisco.com/go/fdm-asa5508x-quick>
 - Firepower Management Center (FMC): A full-featured, multidevice manager on a separate server.
<https://cisco.com/go/fmc-asa5508x-quick>
4. Check the Release Notes for important information. Choose the **release notes** for your version:
<https://cisco.com/go/ftd-notes>
5. Configure the Firepower Threat Defense. Choose the **configuration** guide for your manager version (FDM or FMC):
<https://cisco.com/go/ftd-config>
6. See also:
 - All Firepower Threat Defense documentation:
<https://cisco.com/go/ftd-docs>
 - Troubleshooting TechNotes:
<https://cisco.com/go/ftd-technotes>

ASA Links

1. Install the ASA 5508-X or ASA 5516-X. See the **hardware installation** guide:

<https://cisco.com/go/asa5508x-install>

2. Connect to the ASA operating system and the ASA FirePOWER module (using ASDM). See the **getting started** guide:

<https://cisco.com/go/asa5508x-quick>

Note: To manage the ASA FirePOWER module with the FMC, see <https://cisco.com/go/asafp-quick>

3. Check the Release Notes for important notes. Choose the ASDM or CLI **release notes** for your version:

<https://cisco.com/go/asa-rns>

4. Configure the ASA. Choose the ASDM or CLI **configuration** guide for your version:

<https://cisco.com/go/asa-config>

5. Configure the ASA FirePOWER module. Choose the **configuration** guide for your manager:

- ASDM: <https://cisco.com/go/asa-config>
- FMC: <https://cisco.com/go/firepower-config>

6. See also:

- All ASA documentation:
<https://cisco.com/go/asadocs>
- Troubleshooting TechNotes:
<https://cisco.com/go/asa-technotes>

Common Links

- Software Downloads:

<https://cisco.com/go/asa-firepower-sw>

<https://cisco.com/go/ftd-software>

Note: A Cisco.com login and Cisco service contract are required.

- Cisco Support Community Forums:

<https://supportforums.cisco.com>

- Regulatory Compliance and Safety Information:

<https://cisco.com/go/asa5508x-compliance>

- Warranty and End User License Agreement:

<https://cisco.com/go/warranty>

- AnyConnect License:

<https://cisco.com/go/anyconnect-license>

- Privacy Portal:

<https://cisco.com/go/privacy>

Les équipements ASA 5508-X et ASA 5516-X prennent en charge les systèmes de pare-feu avancés suivants :

- **Cisco Firepower Threat Defense**
- **Cisco ASA**

Votre matériel est fourni préinstallé avec l'un des systèmes ci-dessus. Pour recréer une image de votre matériel sur l'autre système, consultez le document de création de nouvelle image : <https://cisco.com/go/asa-ftd-reimage>

Liens Firepower Threat Defense

1. Déterminez les besoins en licences Smart. Reportez-vous au document sur les **licences** :
<https://cisco.com/go/firepower-licensing>
2. Installez le dispositif ASA 5508-X ou ASA 5516-X. Consultez le **Guide d'installation de matériel** :
<https://cisco.com/go/asa5508x-install>
3. Effectuer la configuration initiale. Consultez le **Guide de démarrage** de votre gestionnaire d'appareil:
 - Firepower Device Manager (FDM) : gestionnaire d'appareil unique, simplifié et inclus sur l'appareil.
<https://cisco.com/go/fdm-asa5508x-quick>
 - Firepower Management Center (FMC) : gestionnaire d'appareils doté de fonctionnalités complètes et installé sur un serveur distinct.
<https://cisco.com/go/fmc-asa5508x-quick>
4. Consultez les notes de version pour connaître les informations importantes. Choisissez les **notes de version** correspondant à votre version :
<https://cisco.com/go/ftd-notes>
5. Configurez le Firepower Threat Defense. Choisissez le **Guide de configuration** correspondant à la version de votre gestionnaire (FDM ou FMC) :
<https://cisco.com/go/ftd-config>
6. Voir aussi :
 - Documentation complète sur la solution de sécurité Firepower :
<https://cisco.com/go/ftd-docs>
 - Notes de dépannage :
<https://cisco.com/go/ftd-technotes>

Liens ASA

1. Installez le dispositif ASA 5508-X ou ASA 5516-X. Consultez le **Guide d'installation de matériel** :
<https://cisco.com/go/asa5508x-install>
 2. Connectez-vous au système d'exploitation ASA et au module ASA FirePOWER (à l'aide de ASDM). Consultez le **Guide de démarrage** :
<https://cisco.com/go/asa5508x-quick>
- Remarque** : pour gérer le module ASA FirePOWER avec le Firepower Management Center (FMC), voir <https://cisco.com/go/asafp-quick>

3. Prenez connaissance des remarques importantes figurant dans les notes de version. Choisissez les **notes de version** ASDM ou CLI correspondant à votre version :

<https://cisco.com/go/asa-rns>

4. Configurez le dispositif ASA. Choisissez le **Guide de configuration** ASDM ou CLI correspondant à votre version :

<https://cisco.com/go/asa-config>

5. Configurez le module ASA FirePOWER. Choisissez le **Guide de configuration** pour votre responsable:

- ASDM : <https://cisco.com/go/asa-config>
- FMC : <https://cisco.com/go/firepower-config>

6. Voir aussi :

- Ensemble de la documentation ASA
<https://cisco.com/go/asadocs>
- Notes techniques relatives au dépannage :
<https://cisco.com/go/asa-technotes>

Liens courants

- Téléchargement de logiciels :

<https://cisco.com/go/asa-firepower-sw>

<https://cisco.com/go/ftd-software>

Remarque : Vous devez être titulaire d'un compte cisco.com et d'un contrat de service Cisco.

- Forums de la communauté d'assistance Cisco :

<https://supportforums.cisco.com>

- Informations relatives à la conformité et à la sécurité :

<https://cisco.com/go/asa5508x-compliance>

- Garantie et contrat de licence de l'utilisateur final :

<https://cisco.com/go/warranty>

- Licence AnyConnect :

<https://cisco.com/go/anyconnect-license>

- Portail de la confidentialité :

<https://cisco.com/go/privacy>

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)